

## Target Species

Based on 132,983 complete checklists

**515** species observed in Texas, US (region/US-TX) in **Aug** that you need for your **World Life List**

1. Northern Cardinal	<b>46.98%</b> frequency
2. Mourning Dove	<b>45.63%</b>
3. Northern Mockingbird	<b>39.11%</b>
4. White-winged Dove	<b>38.86%</b>
5. Turkey Vulture	<b>28.97%</b>
6. Carolina Wren	<b>28.76%</b>
7. Blue Jay	<b>28.35%</b>
8. Barn Swallow	<b>27.67%</b>
9. Carolina Chickadee	<b>27.31%</b>
10. Great-tailed Grackle	<b>26.57%</b>
11. Great Egret	<b>24.29%</b>
12. House Sparrow	<b>23.75%</b>
13. Great Blue Heron	<b>20.62%</b>
14. House Finch	<b>20.21%</b>
15. Killdeer	<b>19.69%</b>
16. Snowy Egret	<b>17.91%</b>
17. European Starling	<b>17.82%</b>
18. American Crow	<b>17.41%</b>
19. Black Vulture	<b>16.79%</b>
20. Ruby-throated Hummingbird	<b>15.29%</b>

21. Red-bellied Woodpecker	<u>15.15%</u>
22. White-eyed Vireo	<u>14.56%</u>
23. Scissor-tailed Flycatcher	<u>14.43%</u>
24. Cattle Egret	<u>14.18%</u>
25. Green Heron	<u>14.09%</u>
26. Blue-gray Gnatcatcher	<u>13.35%</u>
27. Black-chinned Hummingbird	<u>13.00%</u>
28. Downy Woodpecker	<u>12.59%</u>
29. Black-crested Titmouse	<u>12.06%</u>
30. Lesser Goldfinch	<u>11.90%</u>
31. Black-bellied Whistling-Duck	<u>11.56%</u>
32. Eurasian Collared-Dove	<u>11.51%</u>
33. Little Blue Heron	<u>11.48%</u>
34. Chimney Swift	<u>11.37%</u>
35. Rock Pigeon	<u>11.17%</u>
36. Red-winged Blackbird	<u>11.17%</u>
37. Mississippi Kite	<u>10.96%</u>
38. Laughing Gull	<u>10.38%</u>
39. Ladder-backed Woodpecker	<u>10.08%</u>
40. White Ibis	<u>9.88%</u>
41. Bewick's Wren	<u>9.60%</u>
42. Painted Bunting	<u>9.51%</u>
43. Least Sandpiper	<u>9.43%</u>
44. Golden-fronted Woodpecker	<u>9.03%</u>
45. Yellow Warbler	<u>9.02%</u>

46.	<b>Tufted Titmouse</b>	<b><u>8.95%</u></b>
47.	<b>Black-necked Stilt</b>	<b><u>8.92%</u></b>
48.	<b>Tricolored Heron</b>	<b><u>8.83%</u></b>
49.	<b>Neotropic Cormorant</b>	<b><u>8.82%</u></b>
50.	<b>Loggerhead Shrike</b>	<b><u>8.75%</u></b>
51.	<b>Spotted Sandpiper</b>	<b><u>8.61%</u></b>
52.	<b>Eastern Phoebe</b>	<b><u>8.55%</u></b>
53.	<b>Purple Martin</b>	<b><u>8.47%</u></b>
54.	<b>Red-shouldered Hawk</b>	<b><u>8.47%</u></b>
55.	<b>Yellow-crowned Night-Heron</b>	<b><u>8.10%</u></b>
56.	<b>Eastern Bluebird</b>	<b><u>7.61%</u></b>
57.	<b>Inca Dove</b>	<b><u>7.49%</u></b>
58.	<b>Red-tailed Hawk</b>	<b><u>7.32%</u></b>
59.	<b>American Robin</b>	<b><u>7.12%</u></b>
60.	<b>Western Kingbird</b>	<b><u>7.10%</u></b>
61.	<b>Lark Sparrow</b>	<b><u>7.07%</u></b>
62.	<b>Yellow-billed Cuckoo</b>	<b><u>6.89%</u></b>
63.	<b>Orchard Oriole</b>	<b><u>6.72%</u></b>
64.	<b>Summer Tanager</b>	<b><u>6.72%</u></b>
65.	<b>Common Nighthawk</b>	<b><u>6.69%</u></b>
66.	<b>Cliff Swallow</b>	<b><u>6.02%</u></b>
67.	<b>Roseate Spoonbill</b>	<b><u>5.26%</u></b>
68.	<b>Crested Caracara</b>	<b><u>5.17%</u></b>
69.	<b>Blue Grosbeak</b>	<b><u>5.17%</u></b>
70.	<b>Brown Pelican</b>	<b><u>4.92%</u></b>

71.	<b>Eastern Kingbird</b>	<b>4.90%</b>
72.	<b>Dickcissel</b>	<b>4.78%</b>
73.	<b>Willet</b>	<b>4.76%</b>
74.	<b>Greater Yellowlegs</b>	<b>4.63%</b>
75.	<b>Lesser Yellowlegs</b>	<b>4.63%</b>
76.	<b>Great Crested Flycatcher</b>	<b>4.63%</b>
77.	<b>Brown-headed Cowbird</b>	<b>4.61%</b>
78.	<b>Upland Sandpiper</b>	<b>4.58%</b>
79.	<b>Black Tern</b>	<b>4.42%</b>
80.	<b>Common Grackle</b>	<b>4.31%</b>
81.	<b>Greater Roadrunner</b>	<b>4.27%</b>
82.	<b>Western Sandpiper</b>	<b>4.27%</b>
83.	<b>Forster's Tern</b>	<b>4.11%</b>
84.	<b>Mallard</b>	<b>4.09%</b>
85.	<b>Cooper's Hawk</b>	<b>3.93%</b>
86.	<b>Cave Swallow</b>	<b>3.83%</b>
87.	<b>Solitary Sandpiper</b>	<b>3.82%</b>
88.	<b>Great Kiskadee</b>	<b>3.81%</b>
89.	<b>Curve-billed Thrasher</b>	<b>3.77%</b>
90.	<b>Blue-winged Teal</b>	<b>3.77%</b>
91.	<b>American Coot</b>	<b>3.72%</b>
92.	<b>Pied-billed Grebe</b>	<b>3.60%</b>
93.	<b>White-faced Ibis</b>	<b>3.60%</b>
94.	<b>Couch's Kingbird</b>	<b>3.49%</b>
95.	<b>Least Tern</b>	<b>3.47%</b>

96.	<b>Belted Kingfisher</b>	<b>3.45%</b>
97.	<b>Pileated Woodpecker</b>	<b>3.44%</b>
98.	<b>Royal Tern</b>	<b>3.44%</b>
99.	<b>Swainson's Hawk</b>	<b>3.42%</b>
100.	<b>Common Gallinule</b>	<b>3.25%</b>
101.	<b>Wood Duck</b>	<b>3.20%</b>
102.	<b>Semipalmated Sandpiper</b>	<b>3.18%</b>
103.	<b>Black-crowned Night-Heron</b>	<b>3.18%</b>
104.	<b>Least Flycatcher</b>	<b>3.17%</b>
105.	<b>Rufous Hummingbird</b>	<b>3.14%</b>
106.	<b>Northern Bobwhite</b>	<b>3.09%</b>
107.	<b>Woodhouse's Scrub-Jay</b>	<b>2.99%</b>
108.	<b>Common Ground Dove</b>	<b>2.92%</b>
109.	<b>Stilt Sandpiper</b>	<b>2.87%</b>
110.	<b>Indigo Bunting</b>	<b>2.86%</b>
111.	<b>Mottled Duck</b>	<b>2.84%</b>
112.	<b>American Avocet</b>	<b>2.83%</b>
113.	<b>Pectoral Sandpiper</b>	<b>2.82%</b>
114.	<b>Reddish Egret</b>	<b>2.69%</b>
115.	<b>Red-eyed Vireo</b>	<b>2.68%</b>
116.	<b>Canyon Towhee</b>	<b>2.66%</b>
117.	<b>Bell's Vireo</b>	<b>2.55%</b>
118.	<b>Sanderling</b>	<b>2.55%</b>
119.	<b>Anhinga</b>	<b>2.55%</b>
120.	<b>Semipalmated Plover</b>	<b>2.54%</b>

121.	<b>American Kestrel</b>	<b>2.54%</b>
122.	<b>Green Jay</b>	<b>2.53%</b>
123.	<b>Eastern Wood-Pewee</b>	<b>2.53%</b>
124.	<b>Wilson's Phalarope</b>	<b>2.52%</b>
125.	<b>Buff-bellied Hummingbird</b>	<b>2.46%</b>
126.	<b>Verdin</b>	<b>2.43%</b>
127.	<b>Ruddy Turnstone</b>	<b>2.39%</b>
128.	<b>Canyon Wren</b>	<b>2.35%</b>
129.	<b>Eastern Meadowlark</b>	<b>2.31%</b>
130.	<b>Black-bellied Plover</b>	<b>2.30%</b>
131.	<b>Chipping Sparrow</b>	<b>2.25%</b>
132.	<b>Black-and-white Warbler</b>	<b>2.24%</b>
133.	<b>Rufous-crowned Sparrow</b>	<b>2.22%</b>
134.	<b>Canada Goose</b>	<b>2.19%</b>
135.	<b>Common Raven</b>	<b>2.18%</b>
136.	<b>Vermilion Flycatcher</b>	<b>2.18%</b>
137.	<b>Baird's Sandpiper</b>	<b>2.15%</b>
138.	<b>Long-billed Curlew</b>	<b>2.08%</b>
139.	<b>Long-billed Thrasher</b>	<b>2.00%</b>
140.	<b>Double-crested Cormorant</b>	<b>2.00%</b>
141.	<b>Olive Sparrow</b>	<b>2.00%</b>
142.	<b>Cactus Wren</b>	<b>1.96%</b>
143.	<b>Wood Stork</b>	<b>1.94%</b>
144.	<b>Black Skimmer</b>	<b>1.93%</b>
145.	<b>White-breasted Nuthatch</b>	<b>1.93%</b>

146.	<b>Black-throated Sparrow</b>	<b>1.90%</b>
147.	<b>Long-billed Dowitcher</b>	<b>1.84%</b>
148.	<b>Olive-sided Flycatcher</b>	<b>1.83%</b>
149.	<b>Bullock's Oriole</b>	<b>1.78%</b>
150.	<b>Caspian Tern</b>	<b>1.76%</b>
151.	<b>Red-headed Woodpecker</b>	<b>1.76%</b>
152.	<b>Osprey</b>	<b>1.75%</b>
153.	<b>American White Pelican</b>	<b>1.72%</b>
154.	<b>Western Wood-Pewee</b>	<b>1.69%</b>
155.	<b>Pyrrhuloxia</b>	<b>1.69%</b>
156.	<b>Bronzed Cowbird</b>	<b>1.67%</b>
157.	<b>Northern Rough-winged Swallow</b>	<b>1.59%</b>
158.	<b>Sandwich Tern</b>	<b>1.56%</b>
159.	<b>White-tipped Dove</b>	<b>1.52%</b>
160.	<b>Acorn Woodpecker</b>	<b>1.49%</b>
161.	<b>Great Horned Owl</b>	<b>1.47%</b>
162.	<b>Groove-billed Ani</b>	<b>1.43%</b>
163.	<b>Ring-billed Gull</b>	<b>1.42%</b>
164.	<b>Plain Chachalaca</b>	<b>1.39%</b>
165.	<b>Barred Owl</b>	<b>1.37%</b>
166.	<b>Bank Swallow</b>	<b>1.37%</b>
167.	<b>Buff-breasted Sandpiper</b>	<b>1.35%</b>
168.	<b>Marbled Godwit</b>	<b>1.30%</b>
169.	<b>Wilson's Plover</b>	<b>1.29%</b>
170.	<b>Broad-tailed Hummingbird</b>	<b>1.25%</b>

171.	<b>Say's Phoebe</b>	<b>1.23%</b>
172.	<b>Yellow-breasted Chat</b>	<b>1.22%</b>
173.	<b>Least Grebe</b>	<b>1.22%</b>
174.	<b>Snowy Plover</b>	<b>1.21%</b>
175.	<b>Black-headed Grosbeak</b>	<b>1.20%</b>
176.	<b>Common Yellowthroat</b>	<b>1.18%</b>
177.	<b>Wild Turkey</b>	<b>1.16%</b>
178.	<b>Pine Warbler</b>	<b>1.16%</b>
179.	<b>Piping Plover</b>	<b>1.15%</b>
180.	<b>Tropical Kingbird</b>	<b>1.14%</b>
181.	<b>Scaled Quail</b>	<b>1.13%</b>
182.	<b>Eastern Screech-Owl</b>	<b>1.12%</b>
183.	<b>Yellow-throated Vireo</b>	<b>1.12%</b>
184.	<b>Brown-crested Flycatcher</b>	<b>1.10%</b>
185.	<b>Harris's Hawk</b>	<b>1.08%</b>
186.	<b>Cassin's Kingbird</b>	<b>1.07%</b>
187.	<b>Monk Parakeet</b>	<b>1.03%</b>
188.	<b>Short-billed Dowitcher</b>	<b>1.02%</b>
189.	<b>Broad-winged Hawk</b>	<b>1.02%</b>
190.	<b>Magnificent Frigatebird</b>	<b>1.01%</b>
191.	<b>Northern Shoveler</b>	<b>1.01%</b>
192.	<b>Fulvous Whistling-Duck</b>	<b>1.01%</b>
193.	<b>Clapper Rail</b>	<b>1.00%</b>
194.	<b>Wilson's Warbler</b>	<b>0.9986%</b>
195.	<b>Gull-billed Tern</b>	<b>0.9791%</b>



196.	<b>Willow Flycatcher</b>	<b>0.9761%</b>
197.	<b>Boat-tailed Grackle</b>	<b>0.9520%</b>
198.	<b>Cassin's Sparrow</b>	<b>0.9460%</b>
199.	<b>Brown Thrasher</b>	<b>0.9452%</b>
200.	<b>Western Tanager</b>	<b>0.9151%</b>
201.	<b>Least Bittern</b>	<b>0.9084%</b>
202.	<b>Horned Lark</b>	<b>0.8821%</b>
203.	<b>Hooded Oriole</b>	<b>0.8738%</b>
204.	<b>White-tailed Kite</b>	<b>0.8700%</b>
205.	<b>Baltimore Oriole</b>	<b>0.8663%</b>
206.	<b>Yellow-bellied Flycatcher</b>	<b>0.8527%</b>
207.	<b>White-tailed Hawk</b>	<b>0.8452%</b>
208.	<b>Purple Gallinule</b>	<b>0.8377%</b>
209.	<b>Tree Swallow</b>	<b>0.8377%</b>
210.	<b>Ash-throated Flycatcher</b>	<b>0.8242%</b>
211.	<b>Lesser Nighthawk</b>	<b>0.8024%</b>
212.	<b>Scott's Oriole</b>	<b>0.7948%</b>
213.	<b>Ruddy Duck</b>	<b>0.7783%</b>
214.	<b>Hooded Warbler</b>	<b>0.7745%</b>
215.	<b>Clay-colored Thrush</b>	<b>0.7678%</b>
216.	<b>Field Sparrow</b>	<b>0.7670%</b>
217.	<b>Alder Flycatcher</b>	<b>0.7452%</b>
218.	<b>Calliope Hummingbird</b>	<b>0.7196%</b>
219.	<b>Northern Flicker</b>	<b>0.6881%</b>
220.	<b>Acadian Flycatcher</b>	<b>0.6843%</b>

221.	<b>Green Kingfisher</b>	<b>0.6828%</b>
222.	<b>American Oystercatcher</b>	<b>0.6685%</b>
223.	<b>Louisiana Waterthrush</b>	<b>0.6580%</b>
224.	<b>Bushtit</b>	<b>0.6512%</b>
225.	<b>Northern Parula</b>	<b>0.6249%</b>
226.	<b>Black Phoebe</b>	<b>0.5745%</b>
227.	<b>Canada Warbler</b>	<b>0.5632%</b>
228.	<b>Western Meadowlark</b>	<b>0.5512%</b>
229.	<b>Spotted Towhee</b>	<b>0.5249%</b>
230.	<b>Northern Waterthrush</b>	<b>0.5234%</b>
231.	<b>Burrowing Owl</b>	<b>0.5136%</b>
232.	<b>Zone-tailed Hawk</b>	<b>0.5113%</b>
233.	<b>Scaly-breasted Munia</b>	<b>0.5091%</b>
234.	<b>Common Pauraque</b>	<b>0.5046%</b>
235.	<b>Lark Bunting</b>	<b>0.4835%</b>
236.	<b>Chihuahuan Raven</b>	<b>0.4798%</b>
237.	<b>Prothonotary Warbler</b>	<b>0.4753%</b>
238.	<b>Rock Wren</b>	<b>0.4707%</b>
239.	<b>Lucifer Hummingbird</b>	<b>0.4564%</b>
240.	<b>Peregrine Falcon</b>	<b>0.4550%</b>
241.	<b>Hutton's Vireo</b>	<b>0.4527%</b>
242.	<b>Altamira Oriole</b>	<b>0.4459%</b>
243.	<b>Common Tern</b>	<b>0.4316%</b>
244.	<b>Yellow-headed Blackbird</b>	<b>0.4226%</b>
245.	<b>Yellow-throated Warbler</b>	<b>0.4196%</b>

246.	<b>Brown-headed Nuthatch</b>	<b>0.4106%</b>
247.	<b>Mourning Warbler</b>	<b>0.4083%</b>
248.	<b>Plumbeous Vireo</b>	<b>0.4076%</b>
249.	<b>Hepatic Tanager</b>	<b>0.4023%</b>
250.	<b>Swallow-tailed Kite</b>	<b>0.4001%</b>
251.	<b>Warbling Vireo</b>	<b>0.3880%</b>
252.	<b>Ringed Kingfisher</b>	<b>0.3858%</b>
253.	<b>Redhead</b>	<b>0.3843%</b>
254.	<b>Green Parakeet</b>	<b>0.3835%</b>
255.	<b>Gray Catbird</b>	<b>0.3790%</b>
256.	<b>Black-tailed Gnatcatcher</b>	<b>0.3745%</b>
257.	<b>Chuck-will's-widow</b>	<b>0.3700%</b>
258.	<b>Northern Harrier</b>	<b>0.3677%</b>
259.	<b>American Redstart</b>	<b>0.3617%</b>
260.	<b>Green-winged Teal</b>	<b>0.3609%</b>
261.	<b>Mexican Duck</b>	<b>0.3602%</b>
262.	<b>Common Poorwill</b>	<b>0.3572%</b>
263.	<b>Townsend's Warbler</b>	<b>0.3572%</b>
264.	<b>Chihuahuan Meadowlark</b>	<b>0.3527%</b>
265.	<b>Grasshopper Sparrow</b>	<b>0.3422%</b>
266.	<b>Black-throated Green Warbler</b>	<b>0.3316%</b>
267.	<b>Bald Eagle</b>	<b>0.3294%</b>
268.	<b>Mexican Jay</b>	<b>0.3256%</b>
269.	<b>Fish Crow</b>	<b>0.3256%</b>
270.	<b>Herring Gull</b>	<b>0.3241%</b>

271.	<b>Phainopepla</b>	<b>0.3113%</b>
272.	<b>Gray Hawk</b>	<b>0.3091%</b>
273.	<b>Cinnamon Teal</b>	<b>0.2850%</b>
274.	<b>Barn Owl</b>	<b>0.2850%</b>
275.	<b>Gray Flycatcher</b>	<b>0.2850%</b>
276.	<b>Gadwall</b>	<b>0.2827%</b>
277.	<b>Gambel's Quail</b>	<b>0.2827%</b>
278.	<b>Red-crowned Parrot</b>	<b>0.2812%</b>
279.	<b>Black-capped Vireo</b>	<b>0.2790%</b>
280.	<b>Varied Bunting</b>	<b>0.2782%</b>
281.	<b>Red-vented Bulbul</b>	<b>0.2722%</b>
282.	<b>Black-chinned Sparrow</b>	<b>0.2715%</b>
283.	<b>Whimbrel</b>	<b>0.2617%</b>
284.	<b>King Rail</b>	<b>0.2542%</b>
285.	<b>Northern Pintail</b>	<b>0.2534%</b>
286.	<b>Hairy Woodpecker</b>	<b>0.2527%</b>
287.	<b>Kentucky Warbler</b>	<b>0.2519%</b>
288.	<b>Seaside Sparrow</b>	<b>0.2482%</b>
289.	<b>Clark's Grebe</b>	<b>0.2384%</b>
290.	<b>Virginia's Warbler</b>	<b>0.2279%</b>
291.	<b>Cordilleran Flycatcher</b>	<b>0.2271%</b>
292.	<b>Audubon's Oriole</b>	<b>0.2256%</b>
293.	<b>White-throated Swift</b>	<b>0.2248%</b>
294.	<b>Rivoli's Hummingbird</b>	<b>0.2113%</b>
295.	<b>Western Bluebird</b>	<b>0.2113%</b>

296.	<b>Western Grebe</b>	<b>0.2060%</b>
297.	<b>Violet-green Swallow</b>	<b>0.2060%</b>
298.	<b>Crissal Thrasher</b>	<b>0.2060%</b>
299.	<b>Sora</b>	<b>0.1970%</b>
300.	<b>Marsh Wren</b>	<b>0.1895%</b>
301.	<b>Band-tailed Pigeon</b>	<b>0.1842%</b>
302.	<b>Lazuli Bunting</b>	<b>0.1707%</b>
303.	<b>Grace's Warbler</b>	<b>0.1669%</b>
304.	<b>Red Knot</b>	<b>0.1654%</b>
305.	<b>Yellow-rumped Warbler</b>	<b>0.1647%</b>
306.	<b>Mountain Chickadee</b>	<b>0.1609%</b>
307.	<b>Montezuma Quail</b>	<b>0.1587%</b>
308.	<b>Prairie Warbler</b>	<b>0.1512%</b>
309.	<b>Eared Grebe</b>	<b>0.1504%</b>
310.	<b>House Wren</b>	<b>0.1474%</b>
311.	<b>Black-throated Gray Warbler</b>	<b>0.1451%</b>
312.	<b>Sharp-shinned Hawk</b>	<b>0.1444%</b>
313.	<b>MacGillivray's Warbler</b>	<b>0.1406%</b>
314.	<b>Lesser Black-backed Gull</b>	<b>0.1399%</b>
315.	<b>Orange-crowned Warbler</b>	<b>0.1391%</b>
316.	<b>Northern Beardless-Tyrannulet</b>	<b>0.1354%</b>
317.	<b>Painted Redstart</b>	<b>0.1354%</b>
318.	<b>Steller's Jay</b>	<b>0.1226%</b>
319.	<b>Western Screech-Owl</b>	<b>0.1218%</b>
320.	<b>Cackling Goose</b>	<b>0.1211%</b>

321.	<b>Blue-winged Warbler</b>	<b>0.1188%</b>
322.	<b>Nashville Warbler</b>	<b>0.1188%</b>
323.	<b>Wilson's Snipe</b>	<b>0.1181%</b>
324.	<b>Golden-cheeked Warbler</b>	<b>0.1158%</b>
325.	<b>Limpkin</b>	<b>0.1151%</b>
326.	<b>Brown Booby</b>	<b>0.1143%</b>
327.	<b>Dunlin</b>	<b>0.1098%</b>
328.	<b>Lesser Scaup</b>	<b>0.1090%</b>
329.	<b>Blue-throated Mountain-gem</b>	<b>0.1060%</b>
330.	<b>Glossy Ibis</b>	<b>0.1053%</b>
331.	<b>Collared Plover</b>	<b>0.1030%</b>
332.	<b>Common Black Hawk</b>	<b>0.0993%</b>
333.	<b>Colima Warbler</b>	<b>0.0902%</b>
334.	<b>Red-necked Phalarope</b>	<b>0.0895%</b>
335.	<b>American Wigeon</b>	<b>0.0872%</b>
336.	<b>Botteri's Sparrow</b>	<b>0.0857%</b>
337.	<b>Dusky Flycatcher</b>	<b>0.0842%</b>
338.	<b>Sooty Tern</b>	<b>0.0827%</b>
339.	<b>Worm-eating Warbler</b>	<b>0.0805%</b>
340.	<b>Anna's Hummingbird</b>	<b>0.0767%</b>
341.	<b>Wood Thrush</b>	<b>0.0767%</b>
342.	<b>Ovenbird</b>	<b>0.0752%</b>
343.	<b>Ring-necked Duck</b>	<b>0.0714%</b>
344.	<b>White-eared Hummingbird</b>	<b>0.0699%</b>
345.	<b>Pomarine Jaeger</b>	<b>0.0692%</b>

346.	<b>Allen's Hummingbird</b>	<b>0.0669%</b>
347.	<b>Pine Siskin</b>	<b>0.0647%</b>
348.	<b>Broad-billed Hummingbird</b>	<b>0.0624%</b>
349.	<b>Gray Vireo</b>	<b>0.0624%</b>
350.	<b>Bar-tailed Godwit</b>	<b>0.0609%</b>
351.	<b>Golden Eagle</b>	<b>0.0609%</b>
352.	<b>Aplomado Falcon</b>	<b>0.0602%</b>
353.	<b>Mexican Whip-poor-will</b>	<b>0.0586%</b>
354.	<b>Ring-necked Pheasant</b>	<b>0.0579%</b>
355.	<b>Red-cockaded Woodpecker</b>	<b>0.0564%</b>
356.	<b>Brewer's Sparrow</b>	<b>0.0541%</b>
357.	<b>Audubon's Shearwater</b>	<b>0.0526%</b>
358.	<b>Jabiru</b>	<b>0.0504%</b>
359.	<b>Cory's Shearwater</b>	<b>0.0489%</b>
360.	<b>American Goldfinch</b>	<b>0.0481%</b>
361.	<b>Snow Goose</b>	<b>0.0474%</b>
362.	<b>American Bittern</b>	<b>0.0451%</b>
363.	<b>Hermit Warbler</b>	<b>0.0444%</b>
364.	<b>Morelet's Seedeater</b>	<b>0.0444%</b>
365.	<b>American Golden-Plover</b>	<b>0.0436%</b>
366.	<b>Black Rail</b>	<b>0.0429%</b>
367.	<b>Yellow-green Vireo</b>	<b>0.0429%</b>
368.	<b>Long-tailed Jaeger</b>	<b>0.0421%</b>
369.	<b>Band-rumped Storm-Petrel</b>	<b>0.0421%</b>
370.	<b>Elf Owl</b>	<b>0.0414%</b>

371.	<b>Masked Booby</b>	<b>0.0406%</b>
372.	<b>Swainson's Warbler</b>	<b>0.0391%</b>
373.	<b>Red Phalarope</b>	<b>0.0384%</b>
374.	<b>Cassin's Vireo</b>	<b>0.0369%</b>
375.	<b>Virginia Rail</b>	<b>0.0361%</b>
376.	<b>American Woodcock</b>	<b>0.0353%</b>
377.	<b>Leach's Storm-Petrel</b>	<b>0.0353%</b>
378.	<b>Prairie Falcon</b>	<b>0.0353%</b>
379.	<b>Merlin</b>	<b>0.0308%</b>
380.	<b>Green-tailed Towhee</b>	<b>0.0308%</b>
381.	<b>Greater White-fronted Goose</b>	<b>0.0301%</b>
382.	<b>Franklin's Gull</b>	<b>0.0301%</b>
383.	<b>Sabine's Gull</b>	<b>0.0293%</b>
384.	<b>Dark-eyed Junco</b>	<b>0.0286%</b>
385.	<b>Clay-colored Sparrow</b>	<b>0.0278%</b>
386.	<b>Tropical Parula</b>	<b>0.0278%</b>
387.	<b>Red-billed Pigeon</b>	<b>0.0271%</b>
388.	<b>Hermit Thrush</b>	<b>0.0263%</b>
389.	<b>Bridled Tern</b>	<b>0.0248%</b>
390.	<b>Curlew Sandpiper</b>	<b>0.0233%</b>
391.	<b>Canvasback</b>	<b>0.0218%</b>
392.	<b>Hammond's Flycatcher</b>	<b>0.0203%</b>
393.	<b>Blue-headed Vireo</b>	<b>0.0188%</b>
394.	<b>Pygmy Nuthatch</b>	<b>0.0188%</b>
395.	<b>Ruby-crowned Kinglet</b>	<b>0.0173%</b>



396.	<b>Dusky-capped Flycatcher</b>	<b>0.0165%</b>
397.	<b>Costa's Hummingbird</b>	<b>0.0158%</b>
398.	<b>Red-breasted Nuthatch</b>	<b>0.0158%</b>
399.	<b>Lucy's Warbler</b>	<b>0.0158%</b>
400.	<b>Red-faced Warbler</b>	<b>0.0158%</b>
401.	<b>Greater Prairie-Chicken</b>	<b>0.0150%</b>
402.	<b>Tennessee Warbler</b>	<b>0.0150%</b>
403.	<b>Ross's Goose</b>	<b>0.0143%</b>
404.	<b>Savannah Sparrow</b>	<b>0.0143%</b>
405.	<b>Northern Jacana</b>	<b>0.0135%</b>
406.	<b>Brown Noddy</b>	<b>0.0135%</b>
407.	<b>Juniper Titmouse</b>	<b>0.0135%</b>
408.	<b>Cerulean Warbler</b>	<b>0.0135%</b>
409.	<b>Slate-throated Redstart</b>	<b>0.0135%</b>
410.	<b>Black-billed Cuckoo</b>	<b>0.0128%</b>
411.	<b>Blackburnian Warbler</b>	<b>0.0120%</b>
412.	<b>Vesper Sparrow</b>	<b>0.0113%</b>
413.	<b>Rose-breasted Grosbeak</b>	<b>0.0113%</b>
414.	<b>Mexican Violetear</b>	<b>0.0105%</b>
415.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0105%</b>
416.	<b>Swainson's Thrush</b>	<b>0.0105%</b>
417.	<b>Bachman's Sparrow</b>	<b>0.0105%</b>
418.	<b>Eastern Whip-poor-will</b>	<b>0.0098%</b>
419.	<b>Violet-crowned Hummingbird</b>	<b>0.0083%</b>
420.	<b>Ruff</b>	<b>0.0083%</b>

421.	<b>Brown Creeper</b>	<b>0.0083%</b>
422.	<b>Hooded Merganser</b>	<b>0.0075%</b>
423.	<b>Short-tailed Hawk</b>	<b>0.0075%</b>
424.	<b>Brown Jay</b>	<b>0.0075%</b>
425.	<b>Cedar Waxwing</b>	<b>0.0075%</b>
426.	<b>Fan-tailed Warbler</b>	<b>0.0068%</b>
427.	<b>Scarlet Tanager</b>	<b>0.0068%</b>
428.	<b>Greater Scaup</b>	<b>0.0060%</b>
429.	<b>Common Loon</b>	<b>0.0060%</b>
430.	<b>White-throated Sparrow</b>	<b>0.0060%</b>
431.	<b>Lincoln's Sparrow</b>	<b>0.0060%</b>
432.	<b>Philadelphia Vireo</b>	<b>0.0053%</b>
433.	<b>Harris's Sparrow</b>	<b>0.0053%</b>
434.	<b>Magnolia Warbler</b>	<b>0.0053%</b>
435.	<b>Bufflehead</b>	<b>0.0045%</b>
436.	<b>Red-breasted Merganser</b>	<b>0.0045%</b>
437.	<b>Sandhill Crane</b>	<b>0.0045%</b>
438.	<b>White-rumped Sandpiper</b>	<b>0.0045%</b>
439.	<b>Great Shearwater</b>	<b>0.0045%</b>
440.	<b>Hook-billed Kite</b>	<b>0.0045%</b>
441.	<b>Snail Kite</b>	<b>0.0045%</b>
442.	<b>Flammulated Owl</b>	<b>0.0045%</b>
443.	<b>Northern Pygmy-Owl</b>	<b>0.0045%</b>
444.	<b>Brewer's Blackbird</b>	<b>0.0045%</b>
445.	<b>Glaucous Gull</b>	<b>0.0038%</b>

446.	<b>Ferruginous Hawk</b>	<b>0.0038%</b>
447.	<b>Sage Thrasher</b>	<b>0.0038%</b>
448.	<b>Red Crossbill</b>	<b>0.0038%</b>
449.	<b>Chestnut-sided Warbler</b>	<b>0.0038%</b>
450.	<b>Brant</b>	<b>0.0030%</b>
451.	<b>Masked Duck</b>	<b>0.0030%</b>
452.	<b>Green-breasted Mango</b>	<b>0.0030%</b>
453.	<b>Mountain Plover</b>	<b>0.0030%</b>
454.	<b>Black-tailed Godwit</b>	<b>0.0030%</b>
455.	<b>Spotted Owl</b>	<b>0.0030%</b>
456.	<b>Buff-breasted Flycatcher</b>	<b>0.0030%</b>
457.	<b>Fork-tailed Flycatcher</b>	<b>0.0030%</b>
458.	<b>American Pipit</b>	<b>0.0030%</b>
459.	<b>Bobolink</b>	<b>0.0030%</b>
460.	<b>Palm Warbler</b>	<b>0.0030%</b>
461.	<b>Muscovy Duck</b>	<b>0.0023%</b>
462.	<b>Common Merganser</b>	<b>0.0023%</b>
463.	<b>Whooping Crane</b>	<b>0.0023%</b>
464.	<b>Hudsonian Godwit</b>	<b>0.0023%</b>
465.	<b>Bonaparte's Gull</b>	<b>0.0023%</b>
466.	<b>California Gull</b>	<b>0.0023%</b>
467.	<b>Northern Gannet</b>	<b>0.0023%</b>
468.	<b>Rose-throated Becard</b>	<b>0.0023%</b>
469.	<b>Greater Pewee</b>	<b>0.0023%</b>
470.	<b>White-crowned Sparrow</b>	<b>0.0023%</b>

471.	<b>Golden-winged Warbler</b>	<b>0.0023%</b>
472.	<b>Berylline Hummingbird</b>	<b>0.0015%</b>
473.	<b>Great Black-backed Gull</b>	<b>0.0015%</b>
474.	<b>Northern Saw-whet Owl</b>	<b>0.0015%</b>
475.	<b>Red-naped Sapsucker</b>	<b>0.0015%</b>
476.	<b>Tufted Flycatcher</b>	<b>0.0015%</b>
477.	<b>Piratic Flycatcher</b>	<b>0.0015%</b>
478.	<b>Black-whiskered Vireo</b>	<b>0.0015%</b>
479.	<b>Black-headed Nightingale-Thrush</b>	<b>0.0015%</b>
480.	<b>Surf Scoter</b>	<b>0.0008%</b>
481.	<b>American Flamingo</b>	<b>0.0008%</b>
482.	<b>Mangrove Cuckoo</b>	<b>0.0008%</b>
483.	<b>Black Swift</b>	<b>0.0008%</b>
484.	<b>Parasitic Jaeger</b>	<b>0.0008%</b>
485.	<b>Blue-footed Booby</b>	<b>0.0008%</b>
486.	<b>Yellow-bellied Sapsucker</b>	<b>0.0008%</b>
487.	<b>Thick-billed Kingbird</b>	<b>0.0008%</b>
488.	<b>Golden-crowned Kinglet</b>	<b>0.0008%</b>
489.	<b>Sedge Wren</b>	<b>0.0008%</b>
490.	<b>Townsend's Solitaire</b>	<b>0.0008%</b>
491.	<b>Aztec Thrush</b>	<b>0.0008%</b>
492.	<b>Nelson's Sparrow</b>	<b>0.0008%</b>
493.	<b>Black-vented Oriole</b>	<b>0.0008%</b>
494.	<b>Black-throated Blue Warbler</b>	<b>0.0008%</b>
495.	<b>Lesser Prairie-Chicken</b>	<b>0.0000%</b>

496.	<b>Horned Grebe</b>	<b>0.0000%</b>
497.	<b>Black-legged Kittiwake</b>	<b>0.0000%</b>
498.	<b>Manx Shearwater</b>	<b>0.0000%</b>
499.	<b>Long-eared Owl</b>	<b>0.0000%</b>
500.	<b>Short-eared Owl</b>	<b>0.0000%</b>
501.	<b>Social Flycatcher</b>	<b>0.0000%</b>
502.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0000%</b>
503.	<b>Pinyon Jay</b>	<b>0.0000%</b>
504.	<b>Tamaulipas Crow</b>	<b>0.0000%</b>
505.	<b>Veery</b>	<b>0.0000%</b>
506.	<b>Baird's Sparrow</b>	<b>0.0000%</b>
507.	<b>Gray-crowned Yellowthroat</b>	<b>0.0000%</b>
508.	<b>Cape May Warbler</b>	<b>0.0000%</b>
509.	<b>Rufous-capped Warbler</b>	<b>0.0000%</b>
510.	<b>Golden-crowned Warbler</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>		
511.	<b>Egyptian Goose</b>	<b>0.8008%</b> frequency
512.	<b>Red-lored Parrot</b>	<b>0.0361%</b>
513.	<b>White-fronted Parrot</b>	<b>0.0173%</b>
514.	<b>Lilac-crowned Parrot</b>	<b>0.0113%</b>
515.	<b>Tropical Mockingbird</b>	<b>0.0008%</b>
<b>EXOTIC: ESCAPEE</b>		
	<b>Graylag Goose</b>	<b>0.1557%</b> frequency
	<b>Mute Swan</b>	<b>0.1542%</b>
	<b>Swan Goose</b>	<b>0.1293%</b>

<b>Indian Peafowl</b>	<b>0.0526%</b>
<b>Budgerigar</b>	<b>0.0406%</b>
<b>Yellow-headed Parrot</b>	<b>0.0226%</b>
<b>Northern Red Bishop</b>	<b>0.0195%</b>
<b>Helmeted Guineafowl</b>	<b>0.0173%</b>
<b>Red Junglefowl</b>	<b>0.0113%</b>
<b>Ringed Teal</b>	<b>0.0075%</b>
<b>Ruddy Shelduck</b>	<b>0.0038%</b>
<b>Chestnut-fronted Macaw</b>	<b>0.0038%</b>
<b>Bar-headed Goose</b>	<b>0.0030%</b>
<b>Black Swan</b>	<b>0.0030%</b>
<b>Mandarin Duck</b>	<b>0.0030%</b>
<b>African Collared-Dove</b>	<b>0.0030%</b>
<b>Cockatiel</b>	<b>0.0030%</b>
<b>Bronze Mannikin</b>	<b>0.0030%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0030%</b>
<b>Ferruginous Duck</b>	<b>0.0015%</b>
<b>Barred Parakeet</b>	<b>0.0015%</b>
<b>Chukar</b>	<b>0.0008%</b>
<b>Little Corella</b>	<b>0.0008%</b>
<b>Rose-ringed Parakeet</b>	<b>0.0008%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0008%</b>
<b>White-winged Parakeet</b>	<b>0.0008%</b>
<b>Nanday Parakeet</b>	<b>0.0008%</b>
<b>Pin-tailed Whydah</b>	<b>0.0008%</b>

<b>Silver-beaked Tanager</b>	<b>0.0008%</b>
<b>Silver Teal</b>	<b>0.0000%</b>
<b>Red-masked Parakeet</b>	<b>0.0000%</b>
<b>Tricolored Munia</b>	<b>0.0000%</b>
<b>Cinnamon-rumped Seedeater</b>	<b>0.0000%</b>

#### **HYBRIDS**

Tufted x Black-crested Titmouse (hybrid)	<b>1.68%</b> frequency
Muscovy Duck x Mallard (hybrid)	<b>0.0316%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0248%</b>
Downy x Ladder-backed Woodpecker (hybrid)	<b>0.0098%</b>
Graylag x Swan Goose (hybrid)	<b>0.0060%</b>
Golden-fronted x Red-bellied Woodpecker (hybrid)	<b>0.0045%</b>
Lucifer x Black-chinned Hummingbird (hybrid)	<b>0.0038%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0038%</b>
Colima x Virginia's Warbler (hybrid)	<b>0.0038%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0030%</b>
Anna's x Rufous Hummingbird (hybrid)	<b>0.0023%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0023%</b>
Tropical x Northern Mockingbird (hybrid)	<b>0.0023%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0015%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0015%</b>
Northern Bobwhite x Scaled Quail (hybrid)	<b>0.0015%</b>
Ruby-throated x Black-chinned Hummingbird (hybrid)	<b>0.0015%</b>

Blue-winged x Cinnamon Teal (hybrid)	<b>0.0008%</b>
Anna's x Calliope Hummingbird (hybrid)	<b>0.0008%</b>
Anna's x Allen's Hummingbird (hybrid)	<b>0.0008%</b>
Double-crested x Neotropic Cormorant (hybrid)	<b>0.0008%</b>
Northern x Tropical Parula (hybrid)	<b>0.0008%</b>
Snowy Egret x Little Blue Heron (hybrid)	<b>0.0000%</b>
Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0000%</b>
Western x Flame-colored Tanager (hybrid)	<b>0.0000%</b>