

Target Species

Based on 421,924 complete checklists

569 species observed in Texas, US (region/US-TX) in **Apr** that you need for your **World Life List**

1. Northern Cardinal	52.65% frequency
2. Northern Mockingbird	45.68%
3. Mourning Dove	39.28%
4. Great-tailed Grackle	37.00%
5. White-winged Dove	33.57%
6. Turkey Vulture	32.99%
7. Barn Swallow	30.28%
8. Red-winged Blackbird	29.87%
9. Carolina Wren	25.11%
10. Blue Jay	25.01%
11. White-eyed Vireo	22.51%
12. Great Egret	22.47%
13. European Starling	21.98%
14. House Sparrow	21.97%
15. Black Vulture	21.08%
16. Carolina Chickadee	20.37%
17. Scissor-tailed Flycatcher	18.96%
18. Brown-headed Cowbird	18.87%
19. Great Blue Heron	18.17%
20. Laughing Gull	17.58%

21. Blue-winged Teal	<u>17.18%</u>
22. Summer Tanager	<u>17.01%</u>
23. Purple Martin	<u>16.98%</u>
24. Black-bellied Whistling-Duck	<u>16.59%</u>
25. Indigo Bunting	<u>16.51%</u>
26. Snowy Egret	<u>15.53%</u>
27. Killdeer	<u>15.50%</u>
28. Red-bellied Woodpecker	<u>14.79%</u>
29. House Finch	<u>14.58%</u>
30. Ruby-throated Hummingbird	<u>14.54%</u>
31. American Crow	<u>14.24%</u>
32. American Coot	<u>13.02%</u>
33. Gray Catbird	<u>12.81%</u>
34. Blue-gray Gnatcatcher	<u>12.74%</u>
35. Chimney Swift	<u>12.73%</u>
36. Black-crested Titmouse	<u>12.69%</u>
37. Lincoln's Sparrow	<u>12.37%</u>
38. Black-and-white Warbler	<u>12.16%</u>
39. Yellow-rumped Warbler	<u>12.14%</u>
40. Cattle Egret	<u>11.95%</u>
41. Black-necked Stilt	<u>11.94%</u>
42. Common Yellowthroat	<u>11.83%</u>
43. Cedar Waxwing	<u>11.78%</u>
44. Orchard Oriole	<u>11.24%</u>
45. White Ibis	<u>10.61%</u>

46.	Golden-fronted Woodpecker	<u>10.61%</u>
47.	Downy Woodpecker	<u>10.58%</u>
48.	Neotropic Cormorant	<u>10.54%</u>
49.	Eurasian Collared-Dove	<u>10.43%</u>
50.	Black-chinned Hummingbird	<u>10.37%</u>
51.	Baltimore Oriole	<u>9.95%</u>
52.	Painted Bunting	<u>9.93%</u>
53.	Tricolored Heron	<u>9.89%</u>
54.	Rock Pigeon	<u>9.71%</u>
55.	Nashville Warbler	<u>9.71%</u>
56.	Willet	<u>9.46%</u>
57.	Green Heron	<u>9.39%</u>
58.	Ruby-crowned Kinglet	<u>9.33%</u>
59.	Eastern Kingbird	<u>9.32%</u>
60.	Little Blue Heron	<u>9.31%</u>
61.	Brown Pelican	<u>9.24%</u>
62.	Red-eyed Vireo	<u>9.22%</u>
63.	Savannah Sparrow	<u>9.18%</u>
64.	Common Grackle	<u>9.13%</u>
65.	Lesser Yellowlegs	<u>9.12%</u>
66.	Tufted Titmouse	<u>8.93%</u>
67.	Hooded Warbler	<u>8.89%</u>
68.	Double-crested Cormorant	<u>8.88%</u>
69.	Tennessee Warbler	<u>8.85%</u>
70.	Cliff Swallow	<u>8.81%</u>

71. Chipping Sparrow	<u>8.77%</u>
72. Bewick's Wren	<u>8.73%</u>
73. Ladder-backed Woodpecker	<u>8.60%</u>
74. Eastern Bluebird	<u>8.60%</u>
75. Northern Parula	<u>8.57%</u>
76. Lark Sparrow	<u>8.47%</u>
77. Rose-breasted Grosbeak	<u>8.41%</u>
78. Pied-billed Grebe	<u>8.40%</u>
79. Red-shouldered Hawk	<u>8.16%</u>
80. Great Crested Flycatcher	<u>8.08%</u>
81. Roseate Spoonbill	<u>7.97%</u>
82. Crested Caracara	<u>7.90%</u>
83. Least Sandpiper	<u>7.85%</u>
84. Swainson's Thrush	<u>7.85%</u>
85. Red-tailed Hawk	<u>7.75%</u>
86. Eastern Phoebe	<u>7.74%</u>
87. Loggerhead Shrike	<u>7.64%</u>
88. White-crowned Sparrow	<u>7.61%</u>
89. Lesser Goldfinch	<u>7.38%</u>
90. Greater Yellowlegs	<u>7.37%</u>
91. Northern Shoveler	<u>7.30%</u>
92. Inca Dove	<u>7.18%</u>
93. Orange-crowned Warbler	<u>7.18%</u>
94. White-throated Sparrow	<u>6.97%</u>
95. Mottled Duck	<u>6.96%</u>

96.	Common Gallinule	6.93%
97.	American Robin	6.91%
98.	Yellow-crowned Night-Heron	6.80%
99.	Black-throated Green Warbler	6.75%
100.	Eastern Meadowlark	6.75%
101.	Forster's Tern	6.57%
102.	Blue Grosbeak	6.37%
103.	Yellow-breasted Chat	6.37%
104.	Spotted Sandpiper	6.36%
105.	Yellow Warbler	6.33%
106.	Western Kingbird	6.19%
107.	Tree Swallow	6.19%
108.	Scarlet Tanager	6.15%
109.	Royal Tern	6.05%
110.	Great Kiskadee	6.05%
111.	Swainson's Hawk	6.05%
112.	Eastern Wood-Pewee	5.98%
113.	Couch's Kingbird	5.71%
114.	Northern Rough-winged Swallow	5.60%
115.	Brown Thrasher	5.59%
116.	Osprey	5.57%
117.	White-faced Ibis	5.37%
118.	Long-billed Dowitcher	5.31%
119.	Wood Thrush	5.25%
120.	Northern Waterthrush	5.20%

121.	American Redstart	4.78%
122.	Dickcissel	4.73%
123.	Mallard	4.70%
124.	House Wren	4.45%
125.	Franklin's Gull	4.43%
126.	Ring-billed Gull	4.42%
127.	Yellow-billed Cuckoo	4.41%
128.	American Avocet	4.36%
129.	Yellow-throated Vireo	4.35%
130.	Black-bellied Plover	4.32%
131.	Sora	4.30%
132.	Belted Kingfisher	4.23%
133.	Cooper's Hawk	4.23%
134.	Northern Harrier	4.22%
135.	Marsh Wren	4.20%
136.	Bronzed Cowbird	4.20%
137.	Least Tern	4.15%
138.	Boat-tailed Grackle	4.15%
139.	Ash-throated Flycatcher	4.14%
140.	Clay-colored Sparrow	4.14%
141.	Ruddy Turnstone	4.11%
142.	Long-billed Thrasher	4.11%
143.	Prothonotary Warbler	4.09%
144.	Kentucky Warbler	3.98%
145.	Worm-eating Warbler	3.88%

146.	Sanderling	3.88%
147.	Ovenbird	3.85%
148.	Pectoral Sandpiper	3.84%
149.	Blue-headed Vireo	3.82%
150.	Blue-winged Warbler	3.80%
151.	American White Pelican	3.76%
152.	Solitary Sandpiper	3.73%
153.	Green Jay	3.66%
154.	Broad-winged Hawk	3.63%
155.	Semipalmated Plover	3.62%
156.	Brown-crested Flycatcher	3.49%
157.	Reddish Egret	3.48%
158.	Common Nighthawk	3.44%
159.	Chestnut-sided Warbler	3.41%
160.	Dunlin	3.35%
161.	American Goldfinch	3.34%
162.	Black-crowned Night-Heron	3.32%
163.	Warbling Vireo	3.22%
164.	Olive Sparrow	3.13%
165.	Sandwich Tern	3.10%
166.	Gadwall	3.09%
167.	Stilt Sandpiper	3.09%
168.	Caspian Tern	3.08%
169.	Magnolia Warbler	3.07%
170.	Black Skimmer	3.03%

171.	Greater Roadrunner	3.00%
172.	Pine Siskin	2.99%
173.	White-tipped Dove	2.97%
174.	Wood Duck	2.94%
175.	Curve-billed Thrasher	2.93%
176.	Yellow-throated Warbler	2.91%
177.	Semipalmated Sandpiper	2.88%
178.	Plain Chachalaca	2.84%
179.	Spotted Towhee	2.83%
180.	Common Raven	2.80%
181.	Green-winged Teal	2.80%
182.	Buff-bellied Hummingbird	2.79%
183.	American Kestrel	2.77%
184.	Cave Swallow	2.76%
185.	Pileated Woodpecker	2.72%
186.	Anhinga	2.72%
187.	Upland Sandpiper	2.69%
188.	Bell's Vireo	2.68%
189.	Whimbrel	2.67%
190.	Vermilion Flycatcher	2.66%
191.	Wild Turkey	2.64%
192.	Ruddy Duck	2.57%
193.	Wilson's Warbler	2.55%
194.	Gull-billed Tern	2.55%
195.	Herring Gull	2.52%

196.	Blackburnian Warbler	2.51%
197.	Short-billed Dowitcher	2.40%
198.	Fulvous Whistling-Duck	2.38%
199.	Common Ground Dove	2.38%
200.	Northern Bobwhite	2.36%
201.	Wilson's Phalarope	2.34%
202.	Hooded Oriole	2.33%
203.	Pine Warbler	2.32%
204.	Acadian Flycatcher	2.31%
205.	Western Sandpiper	2.31%
206.	Mississippi Kite	2.31%
207.	Louisiana Waterthrush	2.28%
208.	Canada Goose	2.26%
209.	Swamp Sparrow	2.23%
210.	Field Sparrow	2.21%
211.	Gray-cheeked Thrush	2.21%
212.	American Golden-Plover	2.19%
213.	Veery	2.18%
214.	Chuck-will's-widow	2.13%
215.	Woodhouse's Scrub-Jay	2.07%
216.	Purple Gallinule	2.04%
217.	Vesper Sparrow	2.02%
218.	Pyrrhuloxia	2.02%
219.	Marbled Godwit	2.00%
220.	Clapper Rail	1.99%

221.	Canyon Wren	1.95%
222.	Yellow-headed Blackbird	1.95%
223.	Verdin	1.92%
224.	Golden-cheeked Warbler	1.91%
225.	Baird's Sandpiper	1.90%
226.	Great Horned Owl	1.88%
227.	Rufous-crowned Sparrow	1.87%
228.	Sedge Wren	1.86%
229.	Barred Owl	1.85%
230.	Black-throated Sparrow	1.77%
231.	Blackpoll Warbler	1.75%
232.	Cerulean Warbler	1.74%
233.	Bay-breasted Warbler	1.73%
234.	Least Bittern	1.72%
235.	Harris's Hawk	1.71%
236.	Hermit Thrush	1.70%
237.	White-tailed Kite	1.67%
238.	Wilson's Plover	1.65%
239.	Cactus Wren	1.64%
240.	Lesser Scaup	1.64%
241.	Bank Swallow	1.62%
242.	Altamira Oriole	1.61%
243.	Philadelphia Vireo	1.56%
244.	Golden-winged Warbler	1.55%
245.	American Wigeon	1.52%

246.	Bullock's Oriole	1.52%
247.	Redhead	1.52%
248.	Canyon Towhee	1.51%
249.	Least Grebe	1.49%
250.	Grasshopper Sparrow	1.49%
251.	Sharp-shinned Hawk	1.48%
252.	Common Tern	1.47%
253.	Wilson's Snipe	1.43%
254.	Clay-colored Thrush	1.38%
255.	Least Flycatcher	1.36%
256.	Black Tern	1.28%
257.	Red-headed Woodpecker	1.27%
258.	Piping Plover	1.27%
259.	Long-billed Curlew	1.27%
260.	Scott's Oriole	1.26%
261.	Yellow-bellied Sapsucker	1.24%
262.	Black-capped Vireo	1.23%
263.	Eastern Screech-Owl	1.23%
264.	Cinnamon Teal	1.22%
265.	Brewer's Blackbird	1.22%
266.	Cassin's Sparrow	1.21%
267.	American Oystercatcher	1.21%
268.	Swainson's Warbler	1.20%
269.	Song Sparrow	1.20%
270.	Say's Phoebe	1.18%

271.	Tropical Kingbird	1.15%
272.	White-tailed Hawk	1.15%
273.	American Pipit	1.12%
274.	Horned Lark	1.11%
275.	Bald Eagle	0.9962%
276.	Lesser Nighthawk	0.9632%
277.	Peregrine Falcon	0.9608%
278.	Green Kingfisher	0.9044%
279.	Eared Grebe	0.8935%
280.	Chihuahuan Raven	0.8682%
281.	Merlin	0.8613%
282.	American Bittern	0.8523%
283.	Common Pauraque	0.8445%
284.	Red-breasted Merganser	0.8262%
285.	White-breasted Nuthatch	0.8196%
286.	Seaside Sparrow	0.8137%
287.	Snowy Plover	0.8120%
288.	Scaled Quail	0.7774%
289.	Black Phoebe	0.7731%
290.	Harris's Sparrow	0.7641%
291.	Gray Hawk	0.7546%
292.	Western Meadowlark	0.7525%
293.	Fish Crow	0.6994%
294.	Hutton's Vireo	0.6959%
295.	Canada Warbler	0.6906%

296.	Cape May Warbler	0.6902%
297.	Ringed Kingfisher	0.6672%
298.	Northern Flicker	0.6463%
299.	Acorn Woodpecker	0.6307%
300.	Monk Parakeet	0.6302%
301.	King Rail	0.6200%
302.	Palm Warbler	0.6105%
303.	Buff-breasted Sandpiper	0.5928%
304.	White-rumped Sandpiper	0.5790%
305.	Black-billed Cuckoo	0.5688%
306.	Ring-necked Duck	0.5660%
307.	Western Tanager	0.5572%
308.	Common Loon	0.5567%
309.	Brown-headed Nuthatch	0.5477%
310.	Dark-eyed Junco	0.5409%
311.	Rock Wren	0.5084%
312.	Hudsonian Godwit	0.4996%
313.	Virginia Rail	0.4939%
314.	Red Knot	0.4719%
315.	Lark Bunting	0.4672%
316.	Red-breasted Nuthatch	0.4624%
317.	Swallow-tailed Kite	0.4598%
318.	Bushtit	0.4548%
319.	Groove-billed Ani	0.4411%
320.	Bonaparte's Gull	0.4387%

321.	Red-crowned Parrot	0.4378%
322.	Audubon's Oriole	0.4356%
323.	Black-headed Grosbeak	0.4340%
324.	Mexican Jay	0.4290%
325.	Northern Beardless-Tyrannulet	0.4264%
326.	Brewer's Sparrow	0.4181%
327.	Green Parakeet	0.4174%
328.	Bufflehead	0.4169%
329.	Elf Owl	0.4167%
330.	Zone-tailed Hawk	0.4062%
331.	Glossy Ibis	0.4055%
332.	Northern Pintail	0.3920%
333.	Cassin's Kingbird	0.3816%
334.	Black-tailed Gnatcatcher	0.3802%
335.	Mexican Duck	0.3780%
336.	Eastern Towhee	0.3726%
337.	Barn Owl	0.3693%
338.	Green-tailed Towhee	0.3650%
339.	Olive-sided Flycatcher	0.3586%
340.	Common Poorwill	0.3368%
341.	Lazuli Bunting	0.3318%
342.	Magnificent Frigatebird	0.3304%
343.	White-throated Swift	0.2951%
344.	Tropical Parula	0.2828%
345.	Prairie Warbler	0.2763%

346.	Townsend's Warbler	0.2697%
347.	Varied Bunting	0.2647%
348.	Hairy Woodpecker	0.2546%
349.	Aplomado Falcon	0.2356%
350.	Lesser Black-backed Gull	0.2199%
351.	Broad-tailed Hummingbird	0.2176%
352.	Nelson's Sparrow	0.2159%
353.	Red-cockaded Woodpecker	0.2107%
354.	Black-throated Blue Warbler	0.2064%
355.	MacGillivray's Warbler	0.2038%
356.	Phainopepla	0.2022%
357.	Plumbeous Vireo	0.1960%
358.	Eastern Whip-poor-will	0.1910%
359.	Bobolink	0.1875%
360.	Common Black Hawk	0.1858%
361.	Scaly-breasted Munia	0.1849%
362.	Burrowing Owl	0.1787%
363.	Gambel's Quail	0.1733%
364.	Canvasback	0.1680%
365.	Townsend's Solitaire	0.1680%
366.	Black-chinned Sparrow	0.1647%
367.	Whooping Crane	0.1623%
368.	Colima Warbler	0.1623%
369.	Mourning Warbler	0.1619%
370.	Morelet's Seedeater	0.1586%

371.	Violet-green Swallow	0.1550%
372.	Red-billed Pigeon	0.1517%
373.	Ferruginous Pygmy-Owl	0.1507%
374.	Red-vented Bulbul	0.1496%
375.	Lucifer Hummingbird	0.1429%
376.	Greater Scaup	0.1420%
377.	Snow Goose	0.1358%
378.	Black Rail	0.1344%
379.	Western Wood-Pewee	0.1308%
380.	Crissal Thrasher	0.1277%
381.	Rufous Hummingbird	0.1180%
382.	Hepatic Tanager	0.1180%
383.	Bachman's Sparrow	0.1157%
384.	Yellow Rail	0.1135%
385.	Gray Vireo	0.1128%
386.	Gray Flycatcher	0.1121%
387.	Cackling Goose	0.1093%
388.	Sprague's Pipit	0.1083%
389.	LeConte's Sparrow	0.1017%
390.	Cassin's Finch	0.0988%
391.	Botteri's Sparrow	0.0972%
392.	Blue-throated Mountain-gem	0.0965%
393.	Hooded Merganser	0.0955%
394.	Chihuahuan Meadowlark	0.0941%
395.	Dusky Flycatcher	0.0929%

396.	Greater Prairie-Chicken	0.0894%
397.	Painted Redstart	0.0868%
398.	Greater White-fronted Goose	0.0844%
399.	Western Screech-Owl	0.0841%
400.	Western Bluebird	0.0813%
401.	Western Grebe	0.0747%
402.	Willow Flycatcher	0.0728%
403.	Ring-necked Pheasant	0.0718%
404.	Cassin's Vireo	0.0713%
405.	Wood Stork	0.0692%
406.	Lucy's Warbler	0.0659%
407.	Clark's Grebe	0.0657%
408.	Montezuma Quail	0.0640%
409.	Limpkin	0.0633%
410.	Hook-billed Kite	0.0633%
411.	Horned Grebe	0.0604%
412.	Cordilleran Flycatcher	0.0595%
413.	Sage Thrasher	0.0581%
414.	Black-throated Gray Warbler	0.0550%
415.	Crimson-collared Grosbeak	0.0529%
416.	Yellow-bellied Flycatcher	0.0524%
417.	Glaucous Gull	0.0481%
418.	Black-whiskered Vireo	0.0481%
419.	Brown Jay	0.0476%
420.	Virginia's Warbler	0.0476%

421.	Long-tailed Duck	0.0469%
422.	Golden-crowned Kinglet	0.0434%
423.	Mexican Whip-poor-will	0.0417%
424.	Ruff	0.0398%
425.	Muscovy Duck	0.0391%
426.	Ross's Goose	0.0389%
427.	Sooty Tern	0.0363%
428.	Golden Eagle	0.0360%
429.	Alder Flycatcher	0.0351%
430.	Surf Scoter	0.0348%
431.	Brown Creeper	0.0341%
432.	Common Goldeneye	0.0334%
433.	Ferruginous Hawk	0.0334%
434.	Hammond's Flycatcher	0.0334%
435.	Tamaulipas Crow	0.0334%
436.	Band-tailed Pigeon	0.0318%
437.	Prairie Falcon	0.0306%
438.	Winter Wren	0.0306%
439.	Sandhill Crane	0.0303%
440.	Iceland Gull	0.0289%
441.	Grace's Warbler	0.0284%
442.	Northern Gannet	0.0258%
443.	Surfbird	0.0227%
444.	Hermit Warbler	0.0227%
445.	Brown Booby	0.0223%

446.	Eurasian Wigeon	0.0213%
447.	Black Scoter	0.0213%
448.	Masked Duck	0.0211%
449.	Steller's Jay	0.0202%
450.	Garganey	0.0199%
451.	Fox Sparrow	0.0199%
452.	Anna's Hummingbird	0.0197%
453.	Lewis's Woodpecker	0.0197%
454.	Northern Jacana	0.0182%
455.	Red-naped Sapsucker	0.0182%
456.	Purple Finch	0.0175%
457.	Pomarine Jaeger	0.0173%
458.	Short-eared Owl	0.0173%
459.	Yellow-green Vireo	0.0166%
460.	Dusky-capped Flycatcher	0.0159%
461.	Great Black-backed Gull	0.0149%
462.	Fork-tailed Flycatcher	0.0149%
463.	Mountain Chickadee	0.0149%
464.	Pacific Loon	0.0145%
465.	Mountain Bluebird	0.0142%
466.	Pinyon Jay	0.0137%
467.	Golden-crowned Sparrow	0.0137%
468.	Red Crossbill	0.0133%
469.	Lesser Prairie-Chicken	0.0130%
470.	Rose-throated Becard	0.0126%

471.	Blue Bunting	0.0126%
472.	White-winged Scoter	0.0119%
473.	Elegant Trogon	0.0119%
474.	Violet-crowned Hummingbird	0.0116%
475.	Greater Pewee	0.0116%
476.	California Gull	0.0114%
477.	Rufous-capped Warbler	0.0114%
478.	Slate-throated Redstart	0.0114%
479.	Rivoli's Hummingbird	0.0104%
480.	Common Merganser	0.0092%
481.	Chestnut-collared Longspur	0.0088%
482.	Juniper Titmouse	0.0085%
483.	Broad-billed Hummingbird	0.0081%
484.	Gray-crowned Yellowthroat	0.0081%
485.	Purple Sandpiper	0.0074%
486.	Calliope Hummingbird	0.0071%
487.	Sulphur-bellied Flycatcher	0.0069%
488.	Short-tailed Hawk	0.0062%
489.	Long-eared Owl	0.0062%
490.	Little Gull	0.0057%
491.	Flammulated Owl	0.0057%
492.	American Woodcock	0.0052%
493.	Red-throated Loon	0.0050%
494.	Kelp Gull	0.0047%
495.	Rusty Blackbird	0.0045%

496.	Evening Grosbeak	0.0043%
497.	Parasitic Jaeger	0.0038%
498.	Short-billed Gull	0.0038%
499.	Pygmy Nuthatch	0.0036%
500.	Mountain Plover	0.0028%
501.	Baird's Sparrow	0.0028%
502.	Red-necked Phalarope	0.0024%
503.	King Eider	0.0019%
504.	White-throated Thrush	0.0019%
505.	Masked Booby	0.0017%
506.	White Wagtail	0.0017%
507.	Thick-billed Longspur	0.0017%
508.	Yellow Grosbeak	0.0017%
509.	American Flamingo	0.0014%
510.	Ruddy Ground Dove	0.0014%
511.	Black-legged Kittiwake	0.0014%
512.	Black-vented Oriole	0.0014%
513.	Flame-colored Tanager	0.0014%
514.	Rough-legged Hawk	0.0012%
515.	Williamson's Sapsucker	0.0012%
516.	Buff-breasted Flycatcher	0.0012%
517.	Sagebrush Sparrow	0.0012%
518.	Henslow's Sparrow	0.0012%
519.	Blue-footed Booby	0.0010%
520.	Thick-billed Kingbird	0.0010%

521.	Red Phalarope	0.0007%
522.	Gray Kingbird	0.0007%
523.	Curlew Sandpiper	0.0005%
524.	Great Black Hawk	0.0005%
525.	Clark's Nutcracker	0.0005%
526.	Blue Mockingbird	0.0005%
527.	Streak-backed Oriole	0.0005%
528.	Red-faced Warbler	0.0005%
529.	Brant	0.0002%
530.	Barnacle Goose	0.0002%
531.	Tundra Swan	0.0002%
532.	White-cheeked Pintail	0.0002%
533.	Allen's Hummingbird	0.0002%
534.	Pacific Golden-Plover	0.0002%
535.	Wandering Tattler	0.0002%
536.	Yellow-billed Loon	0.0002%
537.	Snowy Owl	0.0002%
538.	Northern Pygmy-Owl	0.0002%
539.	Spotted Owl	0.0002%
540.	Tufted Flycatcher	0.0002%
541.	Pacific-slope Flycatcher	0.0002%
542.	Black-billed Magpie	0.0002%
543.	White-winged Crossbill	0.0002%
544.	Lapland Longspur	0.0002%
545.	American Tree Sparrow	0.0002%

546.	Golden-crowned Warbler	0.0002%
547.	Yellow-faced Grassquit	0.0002%
548.	Red-necked Grebe	0.0000%
549.	Mexican Violetear	0.0000%
550.	Green-breasted Mango	0.0000%
551.	Eskimo Curlew	0.0000%
552.	Heermann's Gull	0.0000%
553.	Bridled Tern	0.0000%
554.	Roseate Tern	0.0000%
555.	Elegant Tern	0.0000%
556.	White-chinned Petrel	0.0000%
557.	Crane Hawk	0.0000%
558.	Gyr Falcon	0.0000%
559.	Black-capped Chickadee	0.0000%
560.	Gray-breasted Martin	0.0000%
561.	Orange-billed Nightingale-Thrush	0.0000%
562.	Rufous-backed Robin	0.0000%
563.	Smith's Longspur	0.0000%
564.	Shiny Cowbird	0.0000%

EXOTIC: PROVISIONAL

565.	Egyptian Goose	0.6786% frequency
566.	Red-lored Parrot	0.0578%
567.	White-fronted Parrot	0.0405%
568.	Tropical Mockingbird	0.0268%
569.	Lilac-crowned Parrot	0.0152%

EXOTIC: ESCAPEE

Mute Swan	0.1349% frequency
Swan Goose	0.0905%
Indian Peafowl	0.0884%
Graylag Goose	0.0815%
Helmeted Guineafowl	0.0483%
Yellow-headed Parrot	0.0320%
Red Junglefowl	0.0099%
African Collared-Dove	0.0069%
Black Swan	0.0055%
Northern Red Bishop	0.0028%
Budgerigar	0.0026%
Mitred Parakeet	0.0024%
Mandarin Duck	0.0019%
Greater Flamingo	0.0017%
White-winged Parakeet	0.0017%
Black-throated Magpie-Jay	0.0014%
Orange-cheeked Waxbill	0.0014%
Chukar	0.0007%
Nanday Parakeet	0.0007%
Pin-tailed Whydah	0.0007%
Ruddy Shelduck	0.0005%
Ferruginous Duck	0.0005%
Fischer's Lovebird	0.0005%
Chestnut-fronted Macaw	0.0005%

Bronze Mannikin	0.0005%
European Goldfinch	0.0005%
Island Canary	0.0005%
Emu	0.0002%
Common Shelduck	0.0002%
Ringed Teal	0.0002%
Philippine Duck	0.0002%
Red-crested Pochard	0.0002%
Green Peafowl	0.0002%
Diamond Dove	0.0002%
Sulphur-crested Cockatoo	0.0002%
Rosy-faced Lovebird	0.0002%
Blue-and-yellow Macaw	0.0002%
Blue-crowned Parakeet	0.0002%
White-faced Whistling-Duck	0.0000%
California Quail	0.0000%
Cockatiel	0.0000%
Red-masked Parakeet	0.0000%
Red-whiskered Bulbul	0.0000%
HYBRIDS	
Tufted x Black-crested Titmouse (hybrid)	1.38% frequency
Brewster's Warbler (hybrid)	0.0379%
Downy x Ladder-backed Woodpecker (hybrid)	0.0351%
Muscovy Duck x Mallard (hybrid)	0.0289%
Mallard x Mexican Duck (hybrid)	0.0261%

Glossy x White-faced Ibis (hybrid)	0.0220%
Mallard x Mottled Duck (hybrid)	0.0123%
Blue-winged x Cinnamon Teal (hybrid)	0.0111%
Northern x Tropical Parula (hybrid)	0.0090%
Lawrence's Warbler (hybrid)	0.0081%
Varied x Painted Bunting (hybrid)	0.0076%
Black-chinned x Anna's Hummingbird (hybrid)	0.0074%
Bullock's x Baltimore Oriole (hybrid)	0.0071%
Altamira x Audubon's Oriole (hybrid)	0.0062%
Golden-winged x Blue-winged Warbler (hybrid)	0.0055%
Graylag x Swan Goose (hybrid)	0.0045%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0045%
Tropical x Northern Mockingbird (hybrid)	0.0043%
Common Yellowthroat x Rufous-capped Warbler (hybrid)	0.0028%
Spotted x Eastern Towhee (hybrid)	0.0024%
Northern Parula x Yellow-throated Warbler (hybrid)	0.0021%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0019%
Lazuli x Indigo Bunting (hybrid)	0.0019%
American Wigeon x Mallard (hybrid)	0.0017%
Mexican x Mottled Duck (hybrid)	0.0014%
Black x Eastern Phoebe (hybrid)	0.0012%
Townsend's x Hermit Warbler (hybrid)	0.0012%
Swan Goose x Canada Goose (hybrid)	0.0007%

Blue-winged x Green-winged Teal (hybrid)	0.0007%
Snowy Egret x Little Blue Heron (hybrid)	0.0007%
Western x Flame-colored Tanager (hybrid)	0.0007%
Herring x Glaucous Gull (hybrid)	0.0005%
Red-crowned x Red-lored Parrot (hybrid)	0.0005%
Townsend's x Black-throated Green Warbler (hybrid)	0.0005%
Black-bellied x Fulvous Whistling-Duck (hybrid)	0.0002%
Graylag x Canada Goose (hybrid)	0.0002%
Domestic goose sp. x Canada Goose (hybrid)	0.0002%
Northern Shoveler x Gadwall (hybrid)	0.0002%
Northern Shoveler x Mallard (hybrid)	0.0002%
Scaled x Gambel's Quail (hybrid)	0.0002%
Ruby-throated x Black-chinned Hummingbird (hybrid)	0.0002%
Northern Cardinal x Pyrrhuloxia (hybrid)	0.0002%
Herring x Lesser Black-backed Gull (hybrid)	0.0000%
Herring x Great Black-backed Gull (hybrid)	0.0000%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0000%
Gray-crowned x Common Yellowthroat (hybrid)	0.0000%
Indigo x Painted Bunting (hybrid)	0.0000%