

## Target Species

Based on 421,924 complete checklists

**569** species observed in Texas, US (region/US-TX) in **Apr** that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>16.59%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>2.38%</b>
3. <b>Snow Goose</b>	<b>0.1358%</b>
4. <b>Ross's Goose</b>	<b>0.0389%</b>
5. <b>Greater White-fronted Goose</b>	<b>0.0844%</b>
6. <b>Brant</b>	<b>0.0002%</b>
7. <b>Barnacle Goose</b>	<b>0.0002%</b>
8. <b>Cackling Goose</b>	<b>0.1093%</b>
9. <b>Canada Goose</b>	<b>2.26%</b>
10. <b>Tundra Swan</b>	<b>0.0002%</b>
11. <b>Muscovy Duck</b>	<b>0.0391%</b>
12. <b>Wood Duck</b>	<b>2.94%</b>
13. <b>Garganey</b>	<b>0.0199%</b>
14. <b>Blue-winged Teal</b>	<b>17.18%</b>
15. <b>Cinnamon Teal</b>	<b>1.22%</b>
16. <b>Northern Shoveler</b>	<b>7.30%</b>
17. <b>Gadwall</b>	<b>3.09%</b>
18. <b>Eurasian Wigeon</b>	<b>0.0213%</b>
19. <b>American Wigeon</b>	<b>1.52%</b>
20. <b>Mallard</b>	<b>4.70%</b>

21.	<b>Mexican Duck</b>	<b>0.3780%</b>
22.	<b>Mottled Duck</b>	<b>6.96%</b>
23.	<b>White-cheeked Pintail</b>	<b>0.0002%</b>
24.	<b>Northern Pintail</b>	<b>0.3920%</b>
25.	<b>Green-winged Teal</b>	<b>2.80%</b>
26.	<b>Canvasback</b>	<b>0.1680%</b>
27.	<b>Redhead</b>	<b>1.52%</b>
28.	<b>Ring-necked Duck</b>	<b>0.5660%</b>
29.	<b>Greater Scaup</b>	<b>0.1420%</b>
30.	<b>Lesser Scaup</b>	<b>1.64%</b>
31.	<b>King Eider</b>	<b>0.0019%</b>
32.	<b>Surf Scoter</b>	<b>0.0348%</b>
33.	<b>White-winged Scoter</b>	<b>0.0119%</b>
34.	<b>Black Scoter</b>	<b>0.0213%</b>
35.	<b>Long-tailed Duck</b>	<b>0.0469%</b>
36.	<b>Bufflehead</b>	<b>0.4169%</b>
37.	<b>Common Goldeneye</b>	<b>0.0334%</b>
38.	<b>Hooded Merganser</b>	<b>0.0955%</b>
39.	<b>Common Merganser</b>	<b>0.0092%</b>
40.	<b>Red-breasted Merganser</b>	<b>0.8262%</b>
41.	<b>Masked Duck</b>	<b>0.0211%</b>
42.	<b>Ruddy Duck</b>	<b>2.57%</b>
43.	<b>Plain Chachalaca</b>	<b>2.84%</b>
44.	<b>Northern Bobwhite</b>	<b>2.36%</b>
45.	<b>Scaled Quail</b>	<b>0.7774%</b>

46.	<b>Gambel's Quail</b>	<b>0.1733%</b>
47.	<b>Montezuma Quail</b>	<b>0.0640%</b>
48.	<b>Wild Turkey</b>	<b>2.64%</b>
49.	<b>Greater Prairie-Chicken</b>	<b>0.0894%</b>
50.	<b>Lesser Prairie-Chicken</b>	<b>0.0130%</b>
51.	<b>Ring-necked Pheasant</b>	<b>0.0718%</b>
52.	<b>American Flamingo</b>	<b>0.0014%</b>
53.	<b>Least Grebe</b>	<b>1.49%</b>
54.	<b>Pied-billed Grebe</b>	<b>8.40%</b>
55.	<b>Horned Grebe</b>	<b>0.0604%</b>
56.	<b>Red-necked Grebe</b>	<b>0.0000%</b>
57.	<b>Eared Grebe</b>	<b>0.8935%</b>
58.	<b>Western Grebe</b>	<b>0.0747%</b>
59.	<b>Clark's Grebe</b>	<b>0.0657%</b>
60.	<b>Rock Pigeon</b>	<b>9.71%</b>
61.	<b>Red-billed Pigeon</b>	<b>0.1517%</b>
62.	<b>Band-tailed Pigeon</b>	<b>0.0318%</b>
63.	<b>Eurasian Collared-Dove</b>	<b>10.43%</b>
64.	<b>Inca Dove</b>	<b>7.18%</b>
65.	<b>Common Ground Dove</b>	<b>2.38%</b>
66.	<b>Ruddy Ground Dove</b>	<b>0.0014%</b>
67.	<b>White-tipped Dove</b>	<b>2.97%</b>
68.	<b>White-winged Dove</b>	<b>33.57%</b>
69.	<b>Mourning Dove</b>	<b>39.28%</b>
70.	<b>Groove-billed Ani</b>	<b>0.4411%</b>

71. <b>Greater Roadrunner</b>	<b>3.00%</b>
72. <b>Yellow-billed Cuckoo</b>	<b>4.41%</b>
73. <b>Black-billed Cuckoo</b>	<b>0.5688%</b>
74. <b>Lesser Nighthawk</b>	<b>0.9632%</b>
75. <b>Common Nighthawk</b>	<b>3.44%</b>
76. <b>Common Pauraque</b>	<b>0.8445%</b>
77. <b>Common Poorwill</b>	<b>0.3368%</b>
78. <b>Chuck-will's-widow</b>	<b>2.13%</b>
79. <b>Eastern Whip-poor-will</b>	<b>0.1910%</b>
80. <b>Mexican Whip-poor-will</b>	<b>0.0417%</b>
81. <b>Chimney Swift</b>	<b>12.73%</b>
82. <b>White-throated Swift</b>	<b>0.2951%</b>
83. <b>Mexican Violetear</b>	<b>0.0000%</b>
84. <b>Green-breasted Mango</b>	<b>0.0000%</b>
85. <b>Rivoli's Hummingbird</b>	<b>0.0104%</b>
86. <b>Blue-throated Mountain-gem</b>	<b>0.0965%</b>
87. <b>Lucifer Hummingbird</b>	<b>0.1429%</b>
88. <b>Ruby-throated Hummingbird</b>	<b>14.54%</b>
89. <b>Black-chinned Hummingbird</b>	<b>10.37%</b>
90. <b>Anna's Hummingbird</b>	<b>0.0197%</b>
91. <b>Calliope Hummingbird</b>	<b>0.0071%</b>
92. <b>Rufous Hummingbird</b>	<b>0.1180%</b>
93. <b>Allen's Hummingbird</b>	<b>0.0002%</b>
94. <b>Broad-tailed Hummingbird</b>	<b>0.2176%</b>
95. <b>Broad-billed Hummingbird</b>	<b>0.0081%</b>

96.	<b>Violet-crowned Hummingbird</b>	<b>0.0116%</b>
97.	<b>Buff-bellied Hummingbird</b>	<b>2.79%</b>
98.	<b>King Rail</b>	<b>0.6200%</b>
99.	<b>Clapper Rail</b>	<b>1.99%</b>
100.	<b>Virginia Rail</b>	<b>0.4939%</b>
101.	<b>Sora</b>	<b>4.30%</b>
102.	<b>Common Gallinule</b>	<b>6.93%</b>
103.	<b>American Coot</b>	<b>13.02%</b>
104.	<b>Purple Gallinule</b>	<b>2.04%</b>
105.	<b>Yellow Rail</b>	<b>0.1135%</b>
106.	<b>Black Rail</b>	<b>0.1344%</b>
107.	<b>Limpkin</b>	<b>0.0633%</b>
108.	<b>Sandhill Crane</b>	<b>0.0303%</b>
109.	<b>Whooping Crane</b>	<b>0.1623%</b>
110.	<b>Black-necked Stilt</b>	<b>11.94%</b>
111.	<b>American Avocet</b>	<b>4.36%</b>
112.	<b>American Oystercatcher</b>	<b>1.21%</b>
113.	<b>Black-bellied Plover</b>	<b>4.32%</b>
114.	<b>American Golden-Plover</b>	<b>2.19%</b>
115.	<b>Pacific Golden-Plover</b>	<b>0.0002%</b>
116.	<b>Snowy Plover</b>	<b>0.8120%</b>
117.	<b>Wilson's Plover</b>	<b>1.65%</b>
118.	<b>Semipalmated Plover</b>	<b>3.62%</b>
119.	<b>Piping Plover</b>	<b>1.27%</b>
120.	<b>Killdeer</b>	<b>15.50%</b>

121.	<b>Mountain Plover</b>	<b>0.0028%</b>
122.	<b>Northern Jacana</b>	<b>0.0182%</b>
123.	<b>Upland Sandpiper</b>	<b>2.69%</b>
124.	<b>Whimbrel</b>	<b>2.67%</b>
125.	<b>Eskimo Curlew</b>	<b>0.0000%</b>
126.	<b>Long-billed Curlew</b>	<b>1.27%</b>
127.	<b>Hudsonian Godwit</b>	<b>0.4996%</b>
128.	<b>Marbled Godwit</b>	<b>2.00%</b>
129.	<b>Ruddy Turnstone</b>	<b>4.11%</b>
130.	<b>Red Knot</b>	<b>0.4719%</b>
131.	<b>Surfbird</b>	<b>0.0227%</b>
132.	<b>Ruff</b>	<b>0.0398%</b>
133.	<b>Stilt Sandpiper</b>	<b>3.09%</b>
134.	<b>Curlew Sandpiper</b>	<b>0.0005%</b>
135.	<b>Sanderling</b>	<b>3.88%</b>
136.	<b>Dunlin</b>	<b>3.35%</b>
137.	<b>Purple Sandpiper</b>	<b>0.0074%</b>
138.	<b>Baird's Sandpiper</b>	<b>1.90%</b>
139.	<b>Least Sandpiper</b>	<b>7.85%</b>
140.	<b>White-rumped Sandpiper</b>	<b>0.5790%</b>
141.	<b>Buff-breasted Sandpiper</b>	<b>0.5928%</b>
142.	<b>Pectoral Sandpiper</b>	<b>3.84%</b>
143.	<b>Semipalmated Sandpiper</b>	<b>2.88%</b>
144.	<b>Western Sandpiper</b>	<b>2.31%</b>
145.	<b>Short-billed Dowitcher</b>	<b>2.40%</b>

146.	<b>Long-billed Dowitcher</b>	<b>5.31%</b>
147.	<b>American Woodcock</b>	<b>0.0052%</b>
148.	<b>Wilson's Snipe</b>	<b>1.43%</b>
149.	<b>Wilson's Phalarope</b>	<b>2.34%</b>
150.	<b>Red-necked Phalarope</b>	<b>0.0024%</b>
151.	<b>Red Phalarope</b>	<b>0.0007%</b>
152.	<b>Spotted Sandpiper</b>	<b>6.36%</b>
153.	<b>Solitary Sandpiper</b>	<b>3.73%</b>
154.	<b>Wandering Tattler</b>	<b>0.0002%</b>
155.	<b>Greater Yellowlegs</b>	<b>7.37%</b>
156.	<b>Willet</b>	<b>9.46%</b>
157.	<b>Lesser Yellowlegs</b>	<b>9.12%</b>
158.	<b>Pomarine Jaeger</b>	<b>0.0173%</b>
159.	<b>Parasitic Jaeger</b>	<b>0.0038%</b>
160.	<b>Black-legged Kittiwake</b>	<b>0.0014%</b>
161.	<b>Bonaparte's Gull</b>	<b>0.4387%</b>
162.	<b>Little Gull</b>	<b>0.0057%</b>
163.	<b>Laughing Gull</b>	<b>17.58%</b>
164.	<b>Franklin's Gull</b>	<b>4.43%</b>
165.	<b>Heermann's Gull</b>	<b>0.0000%</b>
166.	<b>Short-billed Gull</b>	<b>0.0038%</b>
167.	<b>Ring-billed Gull</b>	<b>4.42%</b>
168.	<b>California Gull</b>	<b>0.0114%</b>
169.	<b>Herring Gull</b>	<b>2.52%</b>
170.	<b>Iceland Gull</b>	<b>0.0289%</b>

171.	<b>Lesser Black-backed Gull</b>	<b>0.2199%</b>
172.	<b>Glaucous Gull</b>	<b>0.0481%</b>
173.	<b>Great Black-backed Gull</b>	<b>0.0149%</b>
174.	<b>Kelp Gull</b>	<b>0.0047%</b>
175.	<b>Sooty Tern</b>	<b>0.0363%</b>
176.	<b>Bridled Tern</b>	<b>0.0000%</b>
177.	<b>Least Tern</b>	<b>4.15%</b>
178.	<b>Gull-billed Tern</b>	<b>2.55%</b>
179.	<b>Caspian Tern</b>	<b>3.08%</b>
180.	<b>Black Tern</b>	<b>1.28%</b>
181.	<b>Roseate Tern</b>	<b>0.0000%</b>
182.	<b>Common Tern</b>	<b>1.47%</b>
183.	<b>Forster's Tern</b>	<b>6.57%</b>
184.	<b>Royal Tern</b>	<b>6.05%</b>
185.	<b>Sandwich Tern</b>	<b>3.10%</b>
186.	<b>Elegant Tern</b>	<b>0.0000%</b>
187.	<b>Black Skimmer</b>	<b>3.03%</b>
188.	<b>Red-throated Loon</b>	<b>0.0050%</b>
189.	<b>Pacific Loon</b>	<b>0.0145%</b>
190.	<b>Common Loon</b>	<b>0.5567%</b>
191.	<b>Yellow-billed Loon</b>	<b>0.0002%</b>
192.	<b>White-chinned Petrel</b>	<b>0.0000%</b>
193.	<b>Wood Stork</b>	<b>0.0692%</b>
194.	<b>Magnificent Frigatebird</b>	<b>0.3304%</b>
195.	<b>Masked Booby</b>	<b>0.0017%</b>

196.	<b>Blue-footed Booby</b>	<b>0.0010%</b>
197.	<b>Brown Booby</b>	<b>0.0223%</b>
198.	<b>Northern Gannet</b>	<b>0.0258%</b>
199.	<b>Anhinga</b>	<b>2.72%</b>
200.	<b>Double-crested Cormorant</b>	<b>8.88%</b>
201.	<b>Neotropic Cormorant</b>	<b>10.54%</b>
202.	<b>American White Pelican</b>	<b>3.76%</b>
203.	<b>Brown Pelican</b>	<b>9.24%</b>
204.	<b>American Bittern</b>	<b>0.8523%</b>
205.	<b>Least Bittern</b>	<b>1.72%</b>
206.	<b>Great Blue Heron</b>	<b>18.17%</b>
207.	<b>Great Egret</b>	<b>22.47%</b>
208.	<b>Snowy Egret</b>	<b>15.53%</b>
209.	<b>Little Blue Heron</b>	<b>9.31%</b>
210.	<b>Tricolored Heron</b>	<b>9.89%</b>
211.	<b>Reddish Egret</b>	<b>3.48%</b>
212.	<b>Cattle Egret</b>	<b>11.95%</b>
213.	<b>Green Heron</b>	<b>9.39%</b>
214.	<b>Black-crowned Night-Heron</b>	<b>3.32%</b>
215.	<b>Yellow-crowned Night-Heron</b>	<b>6.80%</b>
216.	<b>White Ibis</b>	<b>10.61%</b>
217.	<b>Glossy Ibis</b>	<b>0.4055%</b>
218.	<b>White-faced Ibis</b>	<b>5.37%</b>
219.	<b>Roseate Spoonbill</b>	<b>7.97%</b>
220.	<b>Black Vulture</b>	<b>21.08%</b>

221.	<b>Turkey Vulture</b>	<b>32.99%</b>
222.	<b>Osprey</b>	<b>5.57%</b>
223.	<b>White-tailed Kite</b>	<b>1.67%</b>
224.	<b>Hook-billed Kite</b>	<b>0.0633%</b>
225.	<b>Swallow-tailed Kite</b>	<b>0.4598%</b>
226.	<b>Golden Eagle</b>	<b>0.0360%</b>
227.	<b>Mississippi Kite</b>	<b>2.31%</b>
228.	<b>Northern Harrier</b>	<b>4.22%</b>
229.	<b>Sharp-shinned Hawk</b>	<b>1.48%</b>
230.	<b>Cooper's Hawk</b>	<b>4.23%</b>
231.	<b>Bald Eagle</b>	<b>0.9962%</b>
232.	<b>Crane Hawk</b>	<b>0.0000%</b>
233.	<b>Common Black Hawk</b>	<b>0.1858%</b>
234.	<b>Great Black Hawk</b>	<b>0.0005%</b>
235.	<b>Harris's Hawk</b>	<b>1.71%</b>
236.	<b>White-tailed Hawk</b>	<b>1.15%</b>
237.	<b>Gray Hawk</b>	<b>0.7546%</b>
238.	<b>Red-shouldered Hawk</b>	<b>8.16%</b>
239.	<b>Broad-winged Hawk</b>	<b>3.63%</b>
240.	<b>Short-tailed Hawk</b>	<b>0.0062%</b>
241.	<b>Swainson's Hawk</b>	<b>6.05%</b>
242.	<b>Zone-tailed Hawk</b>	<b>0.4062%</b>
243.	<b>Red-tailed Hawk</b>	<b>7.75%</b>
244.	<b>Rough-legged Hawk</b>	<b>0.0012%</b>
245.	<b>Ferruginous Hawk</b>	<b>0.0334%</b>

246.	<b>Barn Owl</b>	<b>0.3693%</b>
247.	<b>Flammulated Owl</b>	<b>0.0057%</b>
248.	<b>Western Screech-Owl</b>	<b>0.0841%</b>
249.	<b>Eastern Screech-Owl</b>	<b>1.23%</b>
250.	<b>Snowy Owl</b>	<b>0.0002%</b>
251.	<b>Great Horned Owl</b>	<b>1.88%</b>
252.	<b>Northern Pygmy-Owl</b>	<b>0.0002%</b>
253.	<b>Ferruginous Pygmy-Owl</b>	<b>0.1507%</b>
254.	<b>Elf Owl</b>	<b>0.4167%</b>
255.	<b>Burrowing Owl</b>	<b>0.1787%</b>
256.	<b>Spotted Owl</b>	<b>0.0002%</b>
257.	<b>Barred Owl</b>	<b>1.85%</b>
258.	<b>Long-eared Owl</b>	<b>0.0062%</b>
259.	<b>Short-eared Owl</b>	<b>0.0173%</b>
260.	<b>Elegant Trogon</b>	<b>0.0119%</b>
261.	<b>Ringed Kingfisher</b>	<b>0.6672%</b>
262.	<b>Belted Kingfisher</b>	<b>4.23%</b>
263.	<b>Green Kingfisher</b>	<b>0.9044%</b>
264.	<b>Williamson's Sapsucker</b>	<b>0.0012%</b>
265.	<b>Yellow-bellied Sapsucker</b>	<b>1.24%</b>
266.	<b>Red-naped Sapsucker</b>	<b>0.0182%</b>
267.	<b>Lewis's Woodpecker</b>	<b>0.0197%</b>
268.	<b>Red-headed Woodpecker</b>	<b>1.27%</b>
269.	<b>Acorn Woodpecker</b>	<b>0.6307%</b>
270.	<b>Golden-fronted Woodpecker</b>	<b>10.61%</b>

271.	<b>Red-bellied Woodpecker</b>	<b>14.79%</b>
272.	<b>Downy Woodpecker</b>	<b>10.58%</b>
273.	<b>Ladder-backed Woodpecker</b>	<b>8.60%</b>
274.	<b>Red-cockaded Woodpecker</b>	<b>0.2107%</b>
275.	<b>Hairy Woodpecker</b>	<b>0.2546%</b>
276.	<b>Pileated Woodpecker</b>	<b>2.72%</b>
277.	<b>Northern Flicker</b>	<b>0.6463%</b>
278.	<b>Crested Caracara</b>	<b>7.90%</b>
279.	<b>American Kestrel</b>	<b>2.77%</b>
280.	<b>Merlin</b>	<b>0.8613%</b>
281.	<b>Aplomado Falcon</b>	<b>0.2356%</b>
282.	<b>Gyr Falcon</b>	<b>0.0000%</b>
283.	<b>Peregrine Falcon</b>	<b>0.9608%</b>
284.	<b>Prairie Falcon</b>	<b>0.0306%</b>
285.	<b>Monk Parakeet</b>	<b>0.6302%</b>
286.	<b>Red-crowned Parrot</b>	<b>0.4378%</b>
287.	<b>Green Parakeet</b>	<b>0.4174%</b>
288.	<b>Rose-throated Becard</b>	<b>0.0126%</b>
289.	<b>Northern Beardless-Tyrannulet</b>	<b>0.4264%</b>
290.	<b>Tufted Flycatcher</b>	<b>0.0002%</b>
291.	<b>Olive-sided Flycatcher</b>	<b>0.3586%</b>
292.	<b>Greater Pewee</b>	<b>0.0116%</b>
293.	<b>Western Wood-Pewee</b>	<b>0.1308%</b>
294.	<b>Eastern Wood-Pewee</b>	<b>5.98%</b>
295.	<b>Yellow-bellied Flycatcher</b>	<b>0.0524%</b>

296.	<b>Acadian Flycatcher</b>	<b>2.31%</b>
297.	<b>Alder Flycatcher</b>	<b>0.0351%</b>
298.	<b>Willow Flycatcher</b>	<b>0.0728%</b>
299.	<b>Least Flycatcher</b>	<b>1.36%</b>
300.	<b>Hammond's Flycatcher</b>	<b>0.0334%</b>
301.	<b>Gray Flycatcher</b>	<b>0.1121%</b>
302.	<b>Dusky Flycatcher</b>	<b>0.0929%</b>
303.	<b>Pacific-slope Flycatcher</b>	<b>0.0002%</b>
304.	<b>Cordilleran Flycatcher</b>	<b>0.0595%</b>
305.	<b>Buff-breasted Flycatcher</b>	<b>0.0012%</b>
306.	<b>Black Phoebe</b>	<b>0.7731%</b>
307.	<b>Eastern Phoebe</b>	<b>7.74%</b>
308.	<b>Say's Phoebe</b>	<b>1.18%</b>
309.	<b>Vermilion Flycatcher</b>	<b>2.66%</b>
310.	<b>Dusky-capped Flycatcher</b>	<b>0.0159%</b>
311.	<b>Ash-throated Flycatcher</b>	<b>4.14%</b>
312.	<b>Great Crested Flycatcher</b>	<b>8.08%</b>
313.	<b>Brown-crested Flycatcher</b>	<b>3.49%</b>
314.	<b>Great Kiskadee</b>	<b>6.05%</b>
315.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0069%</b>
316.	<b>Tropical Kingbird</b>	<b>1.15%</b>
317.	<b>Couch's Kingbird</b>	<b>5.71%</b>
318.	<b>Cassin's Kingbird</b>	<b>0.3816%</b>
319.	<b>Thick-billed Kingbird</b>	<b>0.0010%</b>
320.	<b>Western Kingbird</b>	<b>6.19%</b>

321.	<b>Eastern Kingbird</b>	<b>9.32%</b>
322.	<b>Gray Kingbird</b>	<b>0.0007%</b>
323.	<b>Scissor-tailed Flycatcher</b>	<b>18.96%</b>
324.	<b>Fork-tailed Flycatcher</b>	<b>0.0149%</b>
325.	<b>Black-capped Vireo</b>	<b>1.23%</b>
326.	<b>White-eyed Vireo</b>	<b>22.51%</b>
327.	<b>Bell's Vireo</b>	<b>2.68%</b>
328.	<b>Gray Vireo</b>	<b>0.1128%</b>
329.	<b>Hutton's Vireo</b>	<b>0.6959%</b>
330.	<b>Yellow-throated Vireo</b>	<b>4.35%</b>
331.	<b>Cassin's Vireo</b>	<b>0.0713%</b>
332.	<b>Blue-headed Vireo</b>	<b>3.82%</b>
333.	<b>Plumbeous Vireo</b>	<b>0.1960%</b>
334.	<b>Philadelphia Vireo</b>	<b>1.56%</b>
335.	<b>Warbling Vireo</b>	<b>3.22%</b>
336.	<b>Red-eyed Vireo</b>	<b>9.22%</b>
337.	<b>Yellow-green Vireo</b>	<b>0.0166%</b>
338.	<b>Black-whiskered Vireo</b>	<b>0.0481%</b>
339.	<b>Loggerhead Shrike</b>	<b>7.64%</b>
340.	<b>Brown Jay</b>	<b>0.0476%</b>
341.	<b>Green Jay</b>	<b>3.66%</b>
342.	<b>Pinyon Jay</b>	<b>0.0137%</b>
343.	<b>Steller's Jay</b>	<b>0.0202%</b>
344.	<b>Blue Jay</b>	<b>25.01%</b>
345.	<b>Woodhouse's Scrub-Jay</b>	<b>2.07%</b>

346.	<b>Mexican Jay</b>	<b>0.4290%</b>
347.	<b>Black-billed Magpie</b>	<b>0.0002%</b>
348.	<b>Clark's Nutcracker</b>	<b>0.0005%</b>
349.	<b>American Crow</b>	<b>14.24%</b>
350.	<b>Tamaulipas Crow</b>	<b>0.0334%</b>
351.	<b>Fish Crow</b>	<b>0.6994%</b>
352.	<b>Chihuahuan Raven</b>	<b>0.8682%</b>
353.	<b>Common Raven</b>	<b>2.80%</b>
354.	<b>Carolina Chickadee</b>	<b>20.37%</b>
355.	<b>Black-capped Chickadee</b>	<b>0.0000%</b>
356.	<b>Mountain Chickadee</b>	<b>0.0149%</b>
357.	<b>Juniper Titmouse</b>	<b>0.0085%</b>
358.	<b>Tufted Titmouse</b>	<b>8.93%</b>
359.	<b>Black-crested Titmouse</b>	<b>12.69%</b>
360.	<b>Verdin</b>	<b>1.92%</b>
361.	<b>Horned Lark</b>	<b>1.11%</b>
362.	<b>Northern Rough-winged Swallow</b>	<b>5.60%</b>
363.	<b>Purple Martin</b>	<b>16.98%</b>
364.	<b>Gray-breasted Martin</b>	<b>0.0000%</b>
365.	<b>Tree Swallow</b>	<b>6.19%</b>
366.	<b>Violet-green Swallow</b>	<b>0.1550%</b>
367.	<b>Bank Swallow</b>	<b>1.62%</b>
368.	<b>Barn Swallow</b>	<b>30.28%</b>
369.	<b>Cliff Swallow</b>	<b>8.81%</b>
370.	<b>Cave Swallow</b>	<b>2.76%</b>

371.	<b>Red-vented Bulbul</b>	<b>0.1496%</b>
372.	<b>Bushtit</b>	<b>0.4548%</b>
373.	<b>Ruby-crowned Kinglet</b>	<b>9.33%</b>
374.	<b>Golden-crowned Kinglet</b>	<b>0.0434%</b>
375.	<b>Red-breasted Nuthatch</b>	<b>0.4624%</b>
376.	<b>White-breasted Nuthatch</b>	<b>0.8196%</b>
377.	<b>Pygmy Nuthatch</b>	<b>0.0036%</b>
378.	<b>Brown-headed Nuthatch</b>	<b>0.5477%</b>
379.	<b>Brown Creeper</b>	<b>0.0341%</b>
380.	<b>Blue-gray Gnatcatcher</b>	<b>12.74%</b>
381.	<b>Black-tailed Gnatcatcher</b>	<b>0.3802%</b>
382.	<b>Rock Wren</b>	<b>0.5084%</b>
383.	<b>Canyon Wren</b>	<b>1.95%</b>
384.	<b>House Wren</b>	<b>4.45%</b>
385.	<b>Winter Wren</b>	<b>0.0306%</b>
386.	<b>Sedge Wren</b>	<b>1.86%</b>
387.	<b>Marsh Wren</b>	<b>4.20%</b>
388.	<b>Carolina Wren</b>	<b>25.11%</b>
389.	<b>Bewick's Wren</b>	<b>8.73%</b>
390.	<b>Cactus Wren</b>	<b>1.64%</b>
391.	<b>European Starling</b>	<b>21.98%</b>
392.	<b>Blue Mockingbird</b>	<b>0.0005%</b>
393.	<b>Gray Catbird</b>	<b>12.81%</b>
394.	<b>Curve-billed Thrasher</b>	<b>2.93%</b>
395.	<b>Brown Thrasher</b>	<b>5.59%</b>

396.	<b>Long-billed Thrasher</b>	<b>4.11%</b>
397.	<b>Crissal Thrasher</b>	<b>0.1277%</b>
398.	<b>Sage Thrasher</b>	<b>0.0581%</b>
399.	<b>Northern Mockingbird</b>	<b>45.68%</b>
400.	<b>Eastern Bluebird</b>	<b>8.60%</b>
401.	<b>Western Bluebird</b>	<b>0.0813%</b>
402.	<b>Mountain Bluebird</b>	<b>0.0142%</b>
403.	<b>Townsend's Solitaire</b>	<b>0.1680%</b>
404.	<b>Orange-billed Nightingale-Thrush</b>	<b>0.0000%</b>
405.	<b>Veery</b>	<b>2.18%</b>
406.	<b>Gray-cheeked Thrush</b>	<b>2.21%</b>
407.	<b>Swainson's Thrush</b>	<b>7.85%</b>
408.	<b>Hermit Thrush</b>	<b>1.70%</b>
409.	<b>Wood Thrush</b>	<b>5.25%</b>
410.	<b>White-throated Thrush</b>	<b>0.0019%</b>
411.	<b>Clay-colored Thrush</b>	<b>1.38%</b>
412.	<b>American Robin</b>	<b>6.91%</b>
413.	<b>Rufous-backed Robin</b>	<b>0.0000%</b>
414.	<b>Cedar Waxwing</b>	<b>11.78%</b>
415.	<b>Phainopepla</b>	<b>0.2022%</b>
416.	<b>Scaly-breasted Munia</b>	<b>0.1849%</b>
417.	<b>House Sparrow</b>	<b>21.97%</b>
418.	<b>White Wagtail</b>	<b>0.0017%</b>
419.	<b>American Pipit</b>	<b>1.12%</b>
420.	<b>Sprague's Pipit</b>	<b>0.1083%</b>

421.	<b>Evening Grosbeak</b>	<b>0.0043%</b>
422.	<b>House Finch</b>	<b>14.58%</b>
423.	<b>Purple Finch</b>	<b>0.0175%</b>
424.	<b>Cassin's Finch</b>	<b>0.0988%</b>
425.	<b>Red Crossbill</b>	<b>0.0133%</b>
426.	<b>White-winged Crossbill</b>	<b>0.0002%</b>
427.	<b>Pine Siskin</b>	<b>2.99%</b>
428.	<b>Lesser Goldfinch</b>	<b>7.38%</b>
429.	<b>American Goldfinch</b>	<b>3.34%</b>
430.	<b>Lapland Longspur</b>	<b>0.0002%</b>
431.	<b>Chestnut-collared Longspur</b>	<b>0.0088%</b>
432.	<b>Smith's Longspur</b>	<b>0.0000%</b>
433.	<b>Thick-billed Longspur</b>	<b>0.0017%</b>
434.	<b>Botteri's Sparrow</b>	<b>0.0972%</b>
435.	<b>Cassin's Sparrow</b>	<b>1.21%</b>
436.	<b>Bachman's Sparrow</b>	<b>0.1157%</b>
437.	<b>Grasshopper Sparrow</b>	<b>1.49%</b>
438.	<b>Olive Sparrow</b>	<b>3.13%</b>
439.	<b>Chipping Sparrow</b>	<b>8.77%</b>
440.	<b>Clay-colored Sparrow</b>	<b>4.14%</b>
441.	<b>Black-chinned Sparrow</b>	<b>0.1647%</b>
442.	<b>Field Sparrow</b>	<b>2.21%</b>
443.	<b>Brewer's Sparrow</b>	<b>0.4181%</b>
444.	<b>Black-throated Sparrow</b>	<b>1.77%</b>
445.	<b>Lark Sparrow</b>	<b>8.47%</b>

446.	<b>Lark Bunting</b>	<b>0.4672%</b>
447.	<b>American Tree Sparrow</b>	<b>0.0002%</b>
448.	<b>Fox Sparrow</b>	<b>0.0199%</b>
449.	<b>Dark-eyed Junco</b>	<b>0.5409%</b>
450.	<b>White-crowned Sparrow</b>	<b>7.61%</b>
451.	<b>Golden-crowned Sparrow</b>	<b>0.0137%</b>
452.	<b>Harris's Sparrow</b>	<b>0.7641%</b>
453.	<b>White-throated Sparrow</b>	<b>6.97%</b>
454.	<b>Sagebrush Sparrow</b>	<b>0.0012%</b>
455.	<b>Vesper Sparrow</b>	<b>2.02%</b>
456.	<b>LeConte's Sparrow</b>	<b>0.1017%</b>
457.	<b>Seaside Sparrow</b>	<b>0.8137%</b>
458.	<b>Nelson's Sparrow</b>	<b>0.2159%</b>
459.	<b>Savannah Sparrow</b>	<b>9.18%</b>
460.	<b>Baird's Sparrow</b>	<b>0.0028%</b>
461.	<b>Henslow's Sparrow</b>	<b>0.0012%</b>
462.	<b>Song Sparrow</b>	<b>1.20%</b>
463.	<b>Lincoln's Sparrow</b>	<b>12.37%</b>
464.	<b>Swamp Sparrow</b>	<b>2.23%</b>
465.	<b>Canyon Towhee</b>	<b>1.51%</b>
466.	<b>Rufous-crowned Sparrow</b>	<b>1.87%</b>
467.	<b>Green-tailed Towhee</b>	<b>0.3650%</b>
468.	<b>Spotted Towhee</b>	<b>2.83%</b>
469.	<b>Eastern Towhee</b>	<b>0.3726%</b>
470.	<b>Yellow-breasted Chat</b>	<b>6.37%</b>

471. <b>Yellow-headed Blackbird</b>	<b>1.95%</b>
472. <b>Bobolink</b>	<b>0.1875%</b>
473. <b>Western Meadowlark</b>	<b>0.7525%</b>
474. <b>Eastern Meadowlark</b>	<b>6.75%</b>
475. <b>Chihuahuan Meadowlark</b>	<b>0.0941%</b>
476. <b>Black-vented Oriole</b>	<b>0.0014%</b>
477. <b>Orchard Oriole</b>	<b>11.24%</b>
478. <b>Hooded Oriole</b>	<b>2.33%</b>
479. <b>Streak-backed Oriole</b>	<b>0.0005%</b>
480. <b>Bullock's Oriole</b>	<b>1.52%</b>
481. <b>Altamira Oriole</b>	<b>1.61%</b>
482. <b>Audubon's Oriole</b>	<b>0.4356%</b>
483. <b>Baltimore Oriole</b>	<b>9.95%</b>
484. <b>Scott's Oriole</b>	<b>1.26%</b>
485. <b>Red-winged Blackbird</b>	<b>29.87%</b>
486. <b>Shiny Cowbird</b>	<b>0.0000%</b>
487. <b>Bronzed Cowbird</b>	<b>4.20%</b>
488. <b>Brown-headed Cowbird</b>	<b>18.87%</b>
489. <b>Rusty Blackbird</b>	<b>0.0045%</b>
490. <b>Brewer's Blackbird</b>	<b>1.22%</b>
491. <b>Common Grackle</b>	<b>9.13%</b>
492. <b>Boat-tailed Grackle</b>	<b>4.15%</b>
493. <b>Great-tailed Grackle</b>	<b>37.00%</b>
494. <b>Ovenbird</b>	<b>3.85%</b>
495. <b>Worm-eating Warbler</b>	<b>3.88%</b>

496.	<b>Louisiana Waterthrush</b>	<b>2.28%</b>
497.	<b>Northern Waterthrush</b>	<b>5.20%</b>
498.	<b>Golden-winged Warbler</b>	<b>1.55%</b>
499.	<b>Blue-winged Warbler</b>	<b>3.80%</b>
500.	<b>Black-and-white Warbler</b>	<b>12.16%</b>
501.	<b>Prothonotary Warbler</b>	<b>4.09%</b>
502.	<b>Swainson's Warbler</b>	<b>1.20%</b>
503.	<b>Tennessee Warbler</b>	<b>8.85%</b>
504.	<b>Orange-crowned Warbler</b>	<b>7.18%</b>
505.	<b>Colima Warbler</b>	<b>0.1623%</b>
506.	<b>Lucy's Warbler</b>	<b>0.0659%</b>
507.	<b>Nashville Warbler</b>	<b>9.71%</b>
508.	<b>Virginia's Warbler</b>	<b>0.0476%</b>
509.	<b>Gray-crowned Yellowthroat</b>	<b>0.0081%</b>
510.	<b>MacGillivray's Warbler</b>	<b>0.2038%</b>
511.	<b>Mourning Warbler</b>	<b>0.1619%</b>
512.	<b>Kentucky Warbler</b>	<b>3.98%</b>
513.	<b>Common Yellowthroat</b>	<b>11.83%</b>
514.	<b>Hooded Warbler</b>	<b>8.89%</b>
515.	<b>American Redstart</b>	<b>4.78%</b>
516.	<b>Cape May Warbler</b>	<b>0.6902%</b>
517.	<b>Cerulean Warbler</b>	<b>1.74%</b>
518.	<b>Northern Parula</b>	<b>8.57%</b>
519.	<b>Tropical Parula</b>	<b>0.2828%</b>
520.	<b>Magnolia Warbler</b>	<b>3.07%</b>

521.	<b>Bay-breasted Warbler</b>	<b>1.73%</b>
522.	<b>Blackburnian Warbler</b>	<b>2.51%</b>
523.	<b>Yellow Warbler</b>	<b>6.33%</b>
524.	<b>Chestnut-sided Warbler</b>	<b>3.41%</b>
525.	<b>Blackpoll Warbler</b>	<b>1.75%</b>
526.	<b>Black-throated Blue Warbler</b>	<b>0.2064%</b>
527.	<b>Palm Warbler</b>	<b>0.6105%</b>
528.	<b>Pine Warbler</b>	<b>2.32%</b>
529.	<b>Yellow-rumped Warbler</b>	<b>12.14%</b>
530.	<b>Yellow-throated Warbler</b>	<b>2.91%</b>
531.	<b>Prairie Warbler</b>	<b>0.2763%</b>
532.	<b>Grace's Warbler</b>	<b>0.0284%</b>
533.	<b>Black-throated Gray Warbler</b>	<b>0.0550%</b>
534.	<b>Townsend's Warbler</b>	<b>0.2697%</b>
535.	<b>Hermit Warbler</b>	<b>0.0227%</b>
536.	<b>Golden-cheeked Warbler</b>	<b>1.91%</b>
537.	<b>Black-throated Green Warbler</b>	<b>6.75%</b>
538.	<b>Rufous-capped Warbler</b>	<b>0.0114%</b>
539.	<b>Golden-crowned Warbler</b>	<b>0.0002%</b>
540.	<b>Canada Warbler</b>	<b>0.6906%</b>
541.	<b>Wilson's Warbler</b>	<b>2.55%</b>
542.	<b>Red-faced Warbler</b>	<b>0.0005%</b>
543.	<b>Painted Redstart</b>	<b>0.0868%</b>
544.	<b>Slate-throated Redstart</b>	<b>0.0114%</b>
545.	<b>Hepatic Tanager</b>	<b>0.1180%</b>

546.	<b>Summer Tanager</b>	<b>17.01%</b>
547.	<b>Scarlet Tanager</b>	<b>6.15%</b>
548.	<b>Western Tanager</b>	<b>0.5572%</b>
549.	<b>Flame-colored Tanager</b>	<b>0.0014%</b>
550.	<b>Crimson-collared Grosbeak</b>	<b>0.0529%</b>
551.	<b>Northern Cardinal</b>	<b>52.65%</b>
552.	<b>Pyrrhuloxia</b>	<b>2.02%</b>
553.	<b>Yellow Grosbeak</b>	<b>0.0017%</b>
554.	<b>Rose-breasted Grosbeak</b>	<b>8.41%</b>
555.	<b>Black-headed Grosbeak</b>	<b>0.4340%</b>
556.	<b>Blue Bunting</b>	<b>0.0126%</b>
557.	<b>Blue Grosbeak</b>	<b>6.37%</b>
558.	<b>Lazuli Bunting</b>	<b>0.3318%</b>
559.	<b>Indigo Bunting</b>	<b>16.51%</b>
560.	<b>Varied Bunting</b>	<b>0.2647%</b>
561.	<b>Painted Bunting</b>	<b>9.93%</b>
562.	<b>Dickcissel</b>	<b>4.73%</b>
563.	<b>Morelet's Seedeater</b>	<b>0.1586%</b>
564.	<b>Yellow-faced Grassquit</b>	<b>0.0002%</b>
<b>EXOTIC: PROVISIONAL</b>		
565.	<b>Egyptian Goose</b>	<b>0.6786%</b> frequency
566.	<b>Lilac-crowned Parrot</b>	<b>0.0152%</b>
567.	<b>Red-lored Parrot</b>	<b>0.0578%</b>
568.	<b>White-fronted Parrot</b>	<b>0.0405%</b>
569.	<b>Tropical Mockingbird</b>	<b>0.0268%</b>

**EXOTIC: ESCAPEE**

<b>Emu</b>	<b>0.0002%</b> frequency
<b>White-faced Whistling-Duck</b>	<b>0.0000%</b>
<b>Graylag Goose</b>	<b>0.0815%</b>
<b>Swan Goose</b>	<b>0.0905%</b>
<b>Mute Swan</b>	<b>0.1349%</b>
<b>Black Swan</b>	<b>0.0055%</b>
<b>Ruddy Shelduck</b>	<b>0.0005%</b>
<b>Common Shelduck</b>	<b>0.0002%</b>
<b>Ringed Teal</b>	<b>0.0002%</b>
<b>Mandarin Duck</b>	<b>0.0019%</b>
<b>Philippine Duck</b>	<b>0.0002%</b>
<b>Red-crested Pochard</b>	<b>0.0002%</b>
<b>Ferruginous Duck</b>	<b>0.0005%</b>
<b>Helmeted Guineafowl</b>	<b>0.0483%</b>
<b>California Quail</b>	<b>0.0000%</b>
<b>Indian Peafowl</b>	<b>0.0884%</b>
<b>Green Peafowl</b>	<b>0.0002%</b>
<b>Red Junglefowl</b>	<b>0.0099%</b>
<b>Chukar</b>	<b>0.0007%</b>
<b>Greater Flamingo</b>	<b>0.0017%</b>
<b>African Collared-Dove</b>	<b>0.0069%</b>
<b>Diamond Dove</b>	<b>0.0002%</b>
<b>Sulphur-crested Cockatoo</b>	<b>0.0002%</b>
<b>Cockatiel</b>	<b>0.0000%</b>

<b>Budgerigar</b>	<b>0.0026%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0002%</b>
<b>Fischer's Lovebird</b>	<b>0.0005%</b>
<b>White-winged Parakeet</b>	<b>0.0017%</b>
<b>Yellow-headed Parrot</b>	<b>0.0320%</b>
<b>Nanday Parakeet</b>	<b>0.0007%</b>
<b>Blue-and-yellow Macaw</b>	<b>0.0002%</b>
<b>Chestnut-fronted Macaw</b>	<b>0.0005%</b>
<b>Blue-crowned Parakeet</b>	<b>0.0002%</b>
<b>Mitred Parakeet</b>	<b>0.0024%</b>
<b>Red-masked Parakeet</b>	<b>0.0000%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0014%</b>
<b>Red-whiskered Bulbul</b>	<b>0.0000%</b>
<b>Northern Red Bishop</b>	<b>0.0028%</b>
<b>Bronze Mannikin</b>	<b>0.0005%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0014%</b>
<b>Pin-tailed Whydah</b>	<b>0.0007%</b>
<b>European Goldfinch</b>	<b>0.0005%</b>
<b>Island Canary</b>	<b>0.0005%</b>
<b>HYBRIDS</b>	
Black-bellied x Fulvous Whistling-Duck (hybrid)	<b>0.0002%</b> frequency
Graylag x Swan Goose (hybrid)	<b>0.0045%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0007%</b>
Graylag x Canada Goose (hybrid)	<b>0.0002%</b>

Domestic goose sp. x Canada Goose (hybrid)	<b>0.0002%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0111%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0019%</b>
Northern Shoveler x Gadwall (hybrid)	<b>0.0002%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0289%</b>
Northern Shoveler x Mallard (hybrid)	<b>0.0002%</b>
American Wigeon x Mallard (hybrid)	<b>0.0017%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0261%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0123%</b>
Mexican x Mottled Duck (hybrid)	<b>0.0014%</b>
Blue-winged x Green-winged Teal (hybrid)	<b>0.0007%</b>
Scaled x Gambel's Quail (hybrid)	<b>0.0002%</b>
Ruby-throated x Black-chinned Hummingbird (hybrid)	<b>0.0002%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0074%</b>
Herring x Lesser Black-backed Gull (hybrid)	<b>0.0000%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0005%</b>
Herring x Great Black-backed Gull (hybrid)	<b>0.0000%</b>
Snowy Egret x Little Blue Heron (hybrid)	<b>0.0007%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0220%</b>
Golden-fronted x Red-bellied Woodpecker (hybrid)	<b>0.0045%</b>
Downy x Ladder-backed Woodpecker (hybrid)	<b>0.0351%</b>
Red-crowned x Red-lored Parrot (hybrid)	<b>0.0005%</b>
Black x Eastern Phoebe (hybrid)	<b>0.0012%</b>

Western Kingbird x Scissor-tailed Flycatcher (hybrid)	<b>0.0000%</b>
Tufted x Black-crested Titmouse (hybrid)	<b>1.38%</b>
Tropical x Northern Mockingbird (hybrid)	<b>0.0043%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0024%</b>
Altamira x Audubon's Oriole (hybrid)	<b>0.0062%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0071%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0055%</b>
Brewster's Warbler (hybrid)	<b>0.0379%</b>
Lawrence's Warbler (hybrid)	<b>0.0081%</b>
Gray-crowned x Common Yellowthroat (hybrid)	<b>0.0000%</b>
Northern x Tropical Parula (hybrid)	<b>0.0090%</b>
Northern Parula x Yellow-throated Warbler (hybrid)	<b>0.0021%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0012%</b>
Townsend's x Black-throated Green Warbler (hybrid)	<b>0.0005%</b>
Common Yellowthroat x Rufous-capped Warbler (hybrid)	<b>0.0028%</b>
Western x Flame-colored Tanager (hybrid)	<b>0.0007%</b>
Northern Cardinal x Pyrrhuloxia (hybrid)	<b>0.0002%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0019%</b>
Indigo x Painted Bunting (hybrid)	<b>0.0000%</b>
Varied x Painted Bunting (hybrid)	<b>0.0076%</b>