

Target Species

Based on 211,316 complete checklists

546 species observed in Texas, US (region/US-TX) in **Dec** that you need for your **World Life List**

1. Northern Cardinal	46.55% frequency
2. Northern Mockingbird	42.86%
3. Yellow-rumped Warbler	37.04%
4. Ruby-crowned Kinglet	34.02%
5. Eastern Phoebe	30.92%
6. Turkey Vulture	29.65%
7. Carolina Chickadee	29.19%
8. Mourning Dove	27.42%
9. Great Blue Heron	27.33%
10. Carolina Wren	26.47%
11. Great Egret	24.96%
12. Blue Jay	24.89%
13. Great-tailed Grackle	24.34%
14. Black Vulture	23.77%
15. White-winged Dove	23.21%
16. Red-tailed Hawk	22.51%
17. Orange-crowned Warbler	22.33%
18. American Crow	22.09%
19. American Kestrel	21.22%
20. Red-winged Blackbird	20.76%

21. Double-crested Cormorant	<u>19.66%</u>
22. American Goldfinch	<u>19.40%</u>
23. House Sparrow	<u>19.23%</u>
24. European Starling	<u>19.15%</u>
25. American Coot	<u>19.08%</u>
26. Red-bellied Woodpecker	<u>18.91%</u>
27. Killdeer	<u>18.83%</u>
28. Pied-billed Grebe	<u>18.81%</u>
29. American Robin	<u>16.67%</u>
30. House Finch	<u>15.31%</u>
31. Savannah Sparrow	<u>15.07%</u>
32. Loggerhead Shrike	<u>14.63%</u>
33. Ring-billed Gull	<u>14.62%</u>
34. Downy Woodpecker	<u>14.36%</u>
35. Black-crested Titmouse	<u>14.24%</u>
36. Gadwall	<u>14.11%</u>
37. Northern Shoveler	<u>14.08%</u>
38. White-throated Sparrow	<u>13.73%</u>
39. Snowy Egret	<u>13.20%</u>
40. Eastern Bluebird	<u>13.06%</u>
41. Belted Kingfisher	<u>12.70%</u>
42. Golden-fronted Woodpecker	<u>12.65%</u>
43. Northern Harrier	<u>12.52%</u>
44. Red-shouldered Hawk	<u>12.50%</u>
45. Ladder-backed Woodpecker	<u>12.09%</u>

46. Blue-gray Gnatcatcher	<u>12.02%</u>
47. Chipping Sparrow	<u>11.85%</u>
48. Crested Caracara	<u>11.67%</u>
49. Cedar Waxwing	<u>11.51%</u>
50. White-crowned Sparrow	<u>11.34%</u>
51. Rock Pigeon	<u>11.32%</u>
52. American White Pelican	<u>11.21%</u>
53. Lincoln's Sparrow	<u>11.15%</u>
54. Dark-eyed Junco	<u>11.08%</u>
55. House Wren	<u>11.04%</u>
56. Song Sparrow	<u>10.69%</u>
57. Northern Flicker	<u>10.58%</u>
58. Tufted Titmouse	<u>10.32%</u>
59. Osprey	<u>10.19%</u>
60. Mallard	<u>10.02%</u>
61. Green-winged Teal	<u>9.39%</u>
62. Neotropic Cormorant	<u>9.20%</u>
63. White Ibis	<u>8.77%</u>
64. Bewick's Wren	<u>8.57%</u>
65. Lesser Scaup	<u>8.51%</u>
66. Great Kiskadee	<u>8.43%</u>
67. Laughing Gull	<u>8.39%</u>
68. Ring-necked Duck	<u>8.23%</u>
69. American Wigeon	<u>8.23%</u>
70. Eastern Meadowlark	<u>8.12%</u>

71. Yellow-bellied Sapsucker	8.10%
72. American Pipit	7.98%
73. Greater Yellowlegs	7.74%
74. Northern Pintail	7.67%
75. Blue-winged Teal	7.39%
76. Pine Warbler	7.33%
77. Hermit Thrush	7.32%
78. Eurasian Collared-Dove	7.23%
79. Brown Pelican	7.12%
80. Green Jay	7.03%
81. Ruddy Duck	6.95%
82. Field Sparrow	6.80%
83. Cooper's Hawk	6.66%
84. Forster's Tern	6.33%
85. Bufflehead	6.31%
86. Common Yellowthroat	6.26%
87. Inca Dove	6.13%
88. Least Sandpiper	5.81%
89. Swamp Sparrow	5.63%
90. Golden-crowned Kinglet	5.41%
91. Spotted Towhee	5.41%
92. Lesser Goldfinch	5.38%
93. Spotted Sandpiper	5.38%
94. Vesper Sparrow	5.36%
95. Black-bellied Whistling-Duck	5.22%

96.	Tricolored Heron	5.17%
97.	Brown-headed Cowbird	5.15%
98.	Sandhill Crane	5.08%
99.	Mottled Duck	5.01%
100.	White-eyed Vireo	4.92%
101.	Little Blue Heron	4.73%
102.	Wilson's Snipe	4.71%
103.	Long-billed Thrasher	4.60%
104.	Common Gallinule	4.57%
105.	Roseate Spoonbill	4.56%
106.	Vermilion Flycatcher	4.48%
107.	Willet	4.47%
108.	Harris's Sparrow	4.42%
109.	Snow Goose	4.35%
110.	Redhead	4.31%
111.	Blue-headed Vireo	4.30%
112.	Pine Siskin	4.11%
113.	Herring Gull	3.84%
114.	Black-crowned Night-Heron	3.81%
115.	Marsh Wren	3.80%
116.	Black-necked Stilt	3.80%
117.	Common Grackle	3.65%
118.	Anhinga	3.61%
119.	Pileated Woodpecker	3.44%
120.	Brown Thrasher	3.39%

121.	Sharp-shinned Hawk	3.39%
122.	Western Meadowlark	3.38%
123.	Harris's Hawk	3.37%
124.	Curve-billed Thrasher	3.36%
125.	Canada Goose	3.30%
126.	Least Grebe	3.27%
127.	Plain Chachalaca	3.27%
128.	Pyrrhuloxia	3.11%
129.	White-faced Ibis	3.01%
130.	White-tipped Dove	3.00%
131.	Caspian Tern	3.00%
132.	Hooded Merganser	2.99%
133.	Royal Tern	2.97%
134.	Bald Eagle	2.92%
135.	Canvasback	2.90%
136.	Long-billed Curlew	2.85%
137.	American Avocet	2.79%
138.	Wood Duck	2.78%
139.	Great Horned Owl	2.73%
140.	White-tailed Kite	2.58%
141.	Brewer's Blackbird	2.57%
142.	Sedge Wren	2.56%
143.	Sanderling	2.55%
144.	Common Raven	2.54%
145.	Fox Sparrow	2.53%

146.	Verdin	2.53%
147.	Tree Swallow	2.51%
148.	Gray Catbird	2.50%
149.	Black-bellied Plover	2.50%
150.	Lesser Yellowlegs	2.41%
151.	Couch's Kingbird	2.41%
152.	White-tailed Hawk	2.40%
153.	Reddish Egret	2.37%
154.	Greater White-fronted Goose	2.37%
155.	Altamira Oriole	2.36%
156.	Olive Sparrow	2.32%
157.	Common Ground Dove	2.31%
158.	Long-billed Dowitcher	2.28%
159.	Brown Creeper	2.22%
160.	Red-breasted Merganser	2.21%
161.	Greater Roadrunner	2.16%
162.	Eared Grebe	2.15%
163.	Ruddy Turnstone	2.14%
164.	Sora	2.13%
165.	Buff-bellied Hummingbird	2.13%
166.	Merlin	2.01%
167.	Winter Wren	2.00%
168.	Bonaparte's Gull	1.95%
169.	Woodhouse's Scrub-Jay	1.92%
170.	Cattle Egret	1.89%

171.	Green Kingfisher	1.88%
172.	Rufous Hummingbird	1.84%
173.	Common Loon	1.82%
174.	Dunlin	1.78%
175.	Wilson's Warbler	1.73%
176.	Lark Sparrow	1.66%
177.	Clay-colored Thrush	1.56%
178.	Barred Owl	1.54%
179.	Say's Phoebe	1.54%
180.	Tropical Kingbird	1.51%
181.	Northern Bobwhite	1.48%
182.	Peregrine Falcon	1.47%
183.	White-breasted Nuthatch	1.47%
184.	Cinnamon Teal	1.45%
185.	Common Goldeneye	1.45%
186.	Ross's Goose	1.44%
187.	Black Phoebe	1.42%
188.	Ringed Kingfisher	1.39%
189.	Yellow-crowned Night-Heron	1.35%
190.	Black-and-white Warbler	1.34%
191.	Black-throated Sparrow	1.34%
192.	Wild Turkey	1.29%
193.	Eastern Screech-Owl	1.29%
194.	Rufous-crowned Sparrow	1.25%
195.	Red-breasted Nuthatch	1.25%

196.	Black Skimmer	1.25%
197.	Western Sandpiper	1.25%
198.	Monk Parakeet	1.24%
199.	Green Heron	1.24%
200.	Canyon Towhee	1.21%
201.	LeConte's Sparrow	1.18%
202.	Common Pauraque	1.13%
203.	Cactus Wren	1.13%
204.	Boat-tailed Grackle	1.12%
205.	Horned Lark	1.10%
206.	Gray Hawk	1.09%
207.	Canyon Wren	1.09%
208.	Eastern Towhee	1.07%
209.	Grasshopper Sparrow	1.03%
210.	Cackling Goose	0.9872%
211.	Marbled Godwit	0.9720%
212.	American Oystercatcher	0.9266%
213.	Cave Swallow	0.9062%
214.	Clapper Rail	0.8830%
215.	Whooping Crane	0.8797%
216.	Horned Grebe	0.8731%
217.	Semipalmated Plover	0.8532%
218.	Ruby-throated Hummingbird	0.8518%
219.	Chihuahuan Raven	0.8371%
220.	Rock Wren	0.8173%

221.	Purple Finch	0.7931%
222.	Red-headed Woodpecker	0.7761%
223.	Lark Bunting	0.7292%
224.	Ferruginous Hawk	0.7117%
225.	Piping Plover	0.6961%
226.	Audubon's Oriole	0.6961%
227.	Sprague's Pipit	0.6668%
228.	Lesser Black-backed Gull	0.6426%
229.	Short-billed Dowitcher	0.6398%
230.	Greater Scaup	0.6294%
231.	Yellow-throated Warbler	0.6171%
232.	Nashville Warbler	0.6138%
233.	Stilt Sandpiper	0.6123%
234.	Black-chinned Hummingbird	0.6015%
235.	Virginia Rail	0.5967%
236.	Mountain Bluebird	0.5967%
237.	American Woodcock	0.5840%
238.	Snowy Plover	0.5721%
239.	Franklin's Gull	0.5679%
240.	Brown-headed Nuthatch	0.5655%
241.	Scissor-tailed Flycatcher	0.5641%
242.	Fulvous Whistling-Duck	0.5584%
243.	Bronzed Cowbird	0.5489%
244.	American Bittern	0.5452%
245.	Barn Owl	0.5376%

246.	Western Bluebird	0.5352%
247.	Hairy Woodpecker	0.5300%
248.	Scaled Quail	0.5224%
249.	Palm Warbler	0.5059%
250.	Green-tailed Towhee	0.5007%
251.	Gull-billed Tern	0.4903%
252.	Solitary Sandpiper	0.4770%
253.	Anna's Hummingbird	0.4694%
254.	Rusty Blackbird	0.4406%
255.	Burrowing Owl	0.4306%
256.	Mexican Duck	0.4250%
257.	Black-throated Green Warbler	0.4150%
258.	Acorn Woodpecker	0.4108%
259.	Green Parakeet	0.3838%
260.	Indigo Bunting	0.3810%
261.	Summer Tanager	0.3625%
262.	Scaly-breasted Munia	0.3563%
263.	Prairie Falcon	0.3426%
264.	Short-eared Owl	0.3421%
265.	Northern Rough-winged Swallow	0.3384%
266.	Sandwich Tern	0.3360%
267.	Clay-colored Sparrow	0.3317%
268.	Common Merganser	0.3275%
269.	Seaside Sparrow	0.3189%
270.	Phainopepla	0.3185%

271.	Townsend's Solitaire	0.3081%
272.	Hooded Oriole	0.3052%
273.	Brewer's Sparrow	0.3014%
274.	Black-throated Gray Warbler	0.2981%
275.	Red-crowned Parrot	0.2853%
276.	Broad-tailed Hummingbird	0.2768%
277.	Ash-throated Flycatcher	0.2650%
278.	Black-tailed Gnatcatcher	0.2570%
279.	King Rail	0.2513%
280.	Western Grebe	0.2503%
281.	Long-tailed Duck	0.2475%
282.	Zone-tailed Hawk	0.2447%
283.	Bushtit	0.2428%
284.	Northern Beardless-Tyrannulet	0.2418%
285.	Aplomado Falcon	0.2324%
286.	Red-naped Sapsucker	0.2314%
287.	Sage Thrasher	0.2309%
288.	Lapland Longspur	0.2286%
289.	Groove-billed Ani	0.2267%
290.	Cassin's Sparrow	0.2182%
291.	Black Scoter	0.2163%
292.	Least Flycatcher	0.2153%
293.	Chestnut-collared Longspur	0.2002%
294.	Red-vented Bulbul	0.1997%
295.	Nelson's Sparrow	0.1964%

296.	Thick-billed Longspur	0.1912%
297.	Rough-legged Hawk	0.1898%
298.	Tropical Parula	0.1765%
299.	Yellow-headed Blackbird	0.1708%
300.	Surf Scoter	0.1704%
301.	Hutton's Vireo	0.1689%
302.	Barn Swallow	0.1675%
303.	Spotted Rail	0.1656%
304.	Bat Falcon	0.1628%
305.	Golden Eagle	0.1618%
306.	Common Tern	0.1614%
307.	Hook-billed Kite	0.1500%
308.	Yellow Warbler	0.1429%
309.	Clark's Grebe	0.1391%
310.	Crimson-collared Grosbeak	0.1353%
311.	Fish Crow	0.1344%
312.	Morelet's Seedeater	0.1339%
313.	Gambel's Quail	0.1297%
314.	Crissal Thrasher	0.1278%
315.	Whimbrel	0.1264%
316.	Allen's Hummingbird	0.1249%
317.	Chihuahuan Meadowlark	0.1221%
318.	Northern Parula	0.1216%
319.	Mexican Jay	0.1183%
320.	Red Knot	0.1136%

321.	Mountain Plover	0.1117%
322.	White-winged Scoter	0.1107%
323.	Ovenbird	0.1107%
324.	Red-cockaded Woodpecker	0.1103%
325.	Glossy Ibis	0.1098%
326.	Golden-crowned Warbler	0.1036%
327.	Wilson's Plover	0.1032%
328.	Fork-tailed Flycatcher	0.0994%
329.	Mountain Chickadee	0.0965%
330.	Northern Shrike	0.0951%
331.	Northern Waterthrush	0.0951%
332.	Black-chinned Sparrow	0.0923%
333.	Northern Gannet	0.0918%
334.	Black-headed Grosbeak	0.0913%
335.	Brown Booby	0.0890%
336.	Western Tanager	0.0890%
337.	Cassin's Finch	0.0885%
338.	Greater Pewee	0.0852%
339.	Tundra Swan	0.0847%
340.	Ring-necked Pheasant	0.0847%
341.	Least Bittern	0.0804%
342.	Sagebrush Sparrow	0.0800%
343.	Long-eared Owl	0.0790%
344.	Social Flycatcher	0.0771%
345.	Black-legged Kittiwake	0.0767%

346.	American Tree Sparrow	0.0762%
347.	White-throated Swift	0.0752%
348.	Rose-throated Becard	0.0743%
349.	Calliope Hummingbird	0.0738%
350.	Lewis's Woodpecker	0.0729%
351.	Red Crossbill	0.0700%
352.	Smith's Longspur	0.0667%
353.	Iceland Gull	0.0658%
354.	Golden-crowned Sparrow	0.0658%
355.	Juniper Titmouse	0.0648%
356.	American Redstart	0.0644%
357.	Pacific Loon	0.0625%
358.	Henslow's Sparrow	0.0625%
359.	Dusky-capped Flycatcher	0.0620%
360.	Cape May Warbler	0.0606%
361.	Ruddy Ground Dove	0.0591%
362.	Limpkin	0.0591%
363.	Rose-breasted Grosbeak	0.0563%
364.	Steller's Jay	0.0544%
365.	Baltimore Oriole	0.0544%
366.	Pacific-slope Flycatcher	0.0511%
367.	Painted Redstart	0.0497%
368.	Wood Stork	0.0492%
369.	Yellow Rail	0.0464%
370.	Blue Bunting	0.0464%

371.	Broad-billed Hummingbird	0.0459%
372.	Brown Jay	0.0454%
373.	Flame-colored Tanager	0.0454%
374.	California Gull	0.0440%
375.	Northern Jacana	0.0435%
376.	Red-throated Loon	0.0435%
377.	Townsend's Warbler	0.0421%
378.	Greater Prairie-Chicken	0.0416%
379.	Little Gull	0.0416%
380.	Great Black-backed Gull	0.0407%
381.	Tamaulipas Crow	0.0397%
382.	Williamson's Sapsucker	0.0393%
383.	Wilson's Phalarope	0.0374%
384.	Wood Thrush	0.0369%
385.	Trumpeter Swan	0.0364%
386.	Painted Bunting	0.0355%
387.	Dickcissel	0.0350%
388.	Yellow-breasted Chat	0.0322%
389.	Western Kingbird	0.0308%
390.	Prairie Warbler	0.0308%
391.	Amazon Kingfisher	0.0303%
392.	Swainson's Hawk	0.0298%
393.	Hammond's Flycatcher	0.0293%
394.	Gray Flycatcher	0.0293%
395.	Bullock's Oriole	0.0293%

396.	Broad-winged Hawk	0.0284%
397.	Tennessee Warbler	0.0260%
398.	Green-breasted Mango	0.0256%
399.	Bank Swallow	0.0256%
400.	Roadside Hawk	0.0251%
401.	Elegant Tern	0.0246%
402.	Pinyon Jay	0.0241%
403.	Baird's Sparrow	0.0241%
404.	Violet-crowned Hummingbird	0.0237%
405.	Black Rail	0.0227%
406.	Sabine's Gull	0.0227%
407.	Glaucous Gull	0.0227%
408.	Western Screech-Owl	0.0222%
409.	Elegant Trogon	0.0222%
410.	Plumbeous Vireo	0.0222%
411.	Evening Grosbeak	0.0222%
412.	Black-vented Oriole	0.0213%
413.	Montezuma Quail	0.0208%
414.	Black-throated Blue Warbler	0.0208%
415.	Magnolia Warbler	0.0203%
416.	Heermann's Gull	0.0185%
417.	Pomarine Jaeger	0.0175%
418.	Chestnut-sided Warbler	0.0175%
419.	Red-necked Grebe	0.0166%
420.	Lesser Nighthawk	0.0166%

421.	Purple Gallinule	0.0161%
422.	Ferruginous Pygmy-Owl	0.0156%
423.	Cassin's Vireo	0.0156%
424.	Common Black Hawk	0.0151%
425.	Costa's Hummingbird	0.0147%
426.	Grace's Warbler	0.0147%
427.	Magnificent Frigatebird	0.0142%
428.	Pygmy Nuthatch	0.0142%
429.	Clark's Nutcracker	0.0137%
430.	Varied Thrush	0.0137%
431.	Red-billed Pigeon	0.0132%
432.	Muscovy Duck	0.0128%
433.	Rufous-backed Robin	0.0123%
434.	Masked Duck	0.0114%
435.	Orchard Oriole	0.0114%
436.	Hermit Warbler	0.0114%
437.	Brown-crested Flycatcher	0.0109%
438.	Tufted Flycatcher	0.0104%
439.	MacGillivray's Warbler	0.0104%
440.	Common Nighthawk	0.0099%
441.	Pectoral Sandpiper	0.0099%
442.	Pacific Wren	0.0099%
443.	Common Poorwill	0.0090%
444.	Parasitic Jaeger	0.0090%
445.	Brant	0.0085%

446.	Eurasian Wigeon	0.0085%
447.	Ruff	0.0085%
448.	Dusky Flycatcher	0.0085%
449.	Louisiana Waterthrush	0.0085%
450.	Blue Grosbeak	0.0085%
451.	Bachman's Sparrow	0.0080%
452.	Rufous-capped Warbler	0.0080%
453.	Common Crane	0.0076%
454.	American Golden-Plover	0.0076%
455.	Purple Sandpiper	0.0076%
456.	Scott's Oriole	0.0071%
457.	American Flamingo	0.0061%
458.	Cassin's Kingbird	0.0061%
459.	Lazuli Bunting	0.0061%
460.	Kelp Gull	0.0057%
461.	Chuck-will's-widow	0.0052%
462.	Black Tern	0.0052%
463.	Bell's Vireo	0.0052%
464.	Prothonotary Warbler	0.0052%
465.	Short-billed Gull	0.0047%
466.	Yellow-billed Loon	0.0047%
467.	Snow Bunting	0.0043%
468.	Hooded Warbler	0.0043%
469.	Blue Mockingbird	0.0038%
470.	Band-tailed Pigeon	0.0033%

471.	Bare-throated Tiger-Heron	0.0033%
472.	Gray Vireo	0.0033%
473.	Swainson's Thrush	0.0033%
474.	Blue-winged Warbler	0.0033%
475.	Warbling Vireo	0.0028%
476.	White-throated Thrush	0.0028%
477.	Scarlet Tanager	0.0028%
478.	Barrow's Goldeneye	0.0024%
479.	Eastern Wood-Pewee	0.0024%
480.	Yellow-billed Cuckoo	0.0019%
481.	Red-necked Phalarope	0.0019%
482.	Yellow-throated Vireo	0.0019%
483.	Red-eyed Vireo	0.0019%
484.	Purple Martin	0.0019%
485.	White-cheeked Pintail	0.0014%
486.	Eastern Whip-poor-will	0.0014%
487.	Blue-throated Mountain-gem	0.0014%
488.	Upland Sandpiper	0.0014%
489.	Black-headed Gull	0.0014%
490.	Spotted Owl	0.0014%
491.	Cordilleran Flycatcher	0.0014%
492.	Great Crested Flycatcher	0.0014%
493.	Thick-billed Kingbird	0.0014%
494.	White-winged Crossbill	0.0014%
495.	American Black Duck	0.0010%

496.	Semipalmated Sandpiper	0.0010%
497.	Sooty Tern	0.0010%
498.	Blue-footed Booby	0.0010%
499.	Crane Hawk	0.0010%
500.	Eastern Kingbird	0.0010%
501.	Gray-crowned Yellowthroat	0.0010%
502.	Blackburnian Warbler	0.0010%
503.	Varied Bunting	0.0010%
504.	Lesser Prairie-Chicken	0.0005%
505.	Buff-breasted Sandpiper	0.0005%
506.	Long-tailed Jaeger	0.0005%
507.	Great Shearwater	0.0005%
508.	Northern Goshawk	0.0005%
509.	Olive-sided Flycatcher	0.0005%
510.	Western Wood-Pewee	0.0005%
511.	Violet-green Swallow	0.0005%
512.	Cliff Swallow	0.0005%
513.	American Dipper	0.0005%
514.	Common Redpoll	0.0005%
515.	Botteri's Sparrow	0.0005%
516.	Yellow-eyed Junco	0.0005%
517.	Bobolink	0.0005%
518.	Worm-eating Warbler	0.0005%
519.	Golden-winged Warbler	0.0005%
520.	Kentucky Warbler	0.0005%

521.	Bay-breasted Warbler	0.0005%
522.	Blackpoll Warbler	0.0005%
523.	White-collared Swift	0.0000%
524.	Rivoli's Hummingbird	0.0000%
525.	Lucifer Hummingbird	0.0000%
526.	Double-striped Thick-knee	0.0000%
527.	Baird's Sandpiper	0.0000%
528.	Slaty-backed Gull	0.0000%
529.	Band-rumped Storm-Petrel	0.0000%
530.	Sooty Shearwater	0.0000%
531.	Masked Booby	0.0000%
532.	Flammulated Owl	0.0000%
533.	Snowy Owl	0.0000%
534.	Elf Owl	0.0000%
535.	Stygian Owl	0.0000%
536.	Nutting's Flycatcher	0.0000%
537.	Black-billed Magpie	0.0000%
538.	Bohemian Waxwing	0.0000%
539.	Lawrence's Goldfinch	0.0000%
540.	Streak-backed Oriole	0.0000%
541.	Swainson's Warbler	0.0000%
542.	Hepatic Tanager	0.0000%
EXOTIC: PROVISIONAL		
543.	Egyptian Goose	1.01% frequency
544.	White-fronted Parrot	0.0909%

545. **Red-lored Parrot** **0.0880%**

546. **Lilac-crowned Parrot** **0.0303%**

EXOTIC: ESCAPEE

Mute Swan **0.2863%** frequency

Swan Goose **0.1680%**

Graylag Goose **0.1600%**

Yellow-headed Parrot **0.0558%**

Indian Peafowl **0.0279%**

Red-crested Pochard **0.0170%**

Helmeted Guineafowl **0.0090%**

Northern Red Bishop **0.0090%**

Ringed Teal **0.0085%**

Mandarin Duck **0.0085%**

Orange-cheeked Waxbill **0.0076%**

Ferruginous Duck **0.0071%**

Greater Flamingo **0.0066%**

Ruddy Shelduck **0.0057%**

Red Junglefowl **0.0057%**

Black Swan **0.0047%**

African Collared-Dove **0.0047%**

Budgerigar **0.0043%**

Pin-tailed Whydah **0.0043%**

Bronze Mannikin **0.0038%**

Chukar **0.0033%**

White-winged Parakeet **0.0033%**

Mitred Parakeet	0.0033%
Bar-headed Goose	0.0028%
Rose-ringed Parakeet	0.0024%
Black-throated Magpie-Jay	0.0019%
Chestnut-fronted Macaw	0.0014%
Chiloe Wigeon	0.0010%
Nanday Parakeet	0.0010%
Magpie Goose	0.0005%
Gray Partridge	0.0005%
Little Corella	0.0005%
Cockatiel	0.0005%
Rosy-faced Lovebird	0.0005%
Yellow-chevroned Parakeet	0.0005%
Yellow-crowned Parrot	0.0005%
Orange-fronted Parakeet	0.0005%
Indian Silverbill	0.0005%
European Goldfinch	0.0005%
Emu	0.0000%
Olive-throated Parakeet	0.0000%
HYBRIDS	
Tufted x Black-crested Titmouse (hybrid)	1.97% frequency
Muscovy Duck x Mallard (hybrid)	0.0563%
Mallard x Mexican Duck (hybrid)	0.0483%
Gadwall x Northern Pintail (hybrid)	0.0383%
Altamira x Audubon's Oriole (hybrid)	0.0175%

Spotted x Eastern Towhee (hybrid)	0.0128%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0104%
Blue-winged x Cinnamon Teal (hybrid)	0.0095%
Mallard x Mottled Duck (hybrid)	0.0090%
Snow x Canada Goose (hybrid)	0.0085%
Snow x Cackling Goose (hybrid)	0.0071%
Graylag x Swan Goose (hybrid)	0.0066%
Snow/Ross's x Cackling/Canada Goose (hybrid)	0.0047%
Northern Shoveler x Gadwall (hybrid)	0.0047%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0047%
Ross's x Cackling Goose (hybrid)	0.0043%
American Wigeon x Mallard (hybrid)	0.0038%
Mallard x Northern Pintail (hybrid)	0.0033%
Anna's x Calliope Hummingbird (hybrid)	0.0028%
Glossy x White-faced Ibis (hybrid)	0.0028%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0024%
Snow x Ross's Goose (hybrid)	0.0019%
Gadwall x Mallard (hybrid)	0.0019%
Northern x Tropical Parula (hybrid)	0.0019%
Swan Goose x Canada Goose (hybrid)	0.0014%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0014%
Eurasian x American Wigeon (hybrid)	0.0014%
Black x Eastern Phoebe (hybrid)	0.0014%

White-crowned x Harris's Sparrow (hybrid)	0.0014%
Black-bellied x Fulvous Whistling-Duck (hybrid)	0.0010%
Greater White-fronted x Cackling Goose (hybrid)	0.0010%
Cinnamon Teal x Northern Shoveler (hybrid)	0.0010%
Mallard x Green-winged Teal (hybrid)	0.0010%
Greater White-fronted x Canada Goose (hybrid)	0.0005%
Graylag x Canada Goose (hybrid)	0.0005%
Mexican x Mottled Duck (hybrid)	0.0005%
Blue-winged x Green-winged Teal (hybrid)	0.0005%
Northern Pintail x Green-winged Teal (hybrid)	0.0005%
Downy x Ladder-backed Woodpecker (hybrid)	0.0005%
Curve-billed x Long-billed Thrasher (hybrid)	0.0005%
Northern Cardinal x Pyrrhuloxia (hybrid)	0.0005%
Northern Shoveler x Mallard (hybrid)	0.0000%
Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0000%
Herring x Glaucous-winged Gull (hybrid)	0.0000%