

Target Species

Based on 291,134 complete checklists

534 species observed in Texas, US (region/US-TX) in **Feb** that you need for your **World Life List**

1. Northern Cardinal	53.14% frequency
2. Northern Mockingbird	39.48%
3. Yellow-rumped Warbler	33.37%
4. Mourning Dove	29.68%
5. Turkey Vulture	28.51%
6. Carolina Chickadee	27.86%
7. White-winged Dove	26.21%
8. Red-winged Blackbird	25.10%
9. Blue Jay	25.06%
10. Carolina Wren	24.24%
11. Great-tailed Grackle	23.62%
12. House Sparrow	23.11%
13. Ruby-crowned Kinglet	21.71%
14. Great Blue Heron	20.91%
15. Eastern Phoebe	20.73%
16. Great Egret	20.50%
17. Black Vulture	20.26%
18. American Robin	20.00%
19. American Goldfinch	19.39%
20. American Crow	19.11%

21. Orange-crowned Warbler	<u>18.90%</u>
22. House Finch	<u>18.57%</u>
23. European Starling	<u>17.81%</u>
24. American Coot	<u>17.37%</u>
25. Double-crested Cormorant	<u>17.04%</u>
26. Red-bellied Woodpecker	<u>16.68%</u>
27. Red-tailed Hawk	<u>16.27%</u>
28. Black-crested Titmouse	<u>15.75%</u>
29. Pied-billed Grebe	<u>15.11%</u>
30. Killdeer	<u>15.00%</u>
31. American Kestrel	<u>14.34%</u>
32. Cedar Waxwing	<u>13.60%</u>
33. Golden-fronted Woodpecker	<u>13.22%</u>
34. Downy Woodpecker	<u>13.22%</u>
35. Chipping Sparrow	<u>12.90%</u>
36. Northern Shoveler	<u>12.59%</u>
37. Gadwall	<u>12.37%</u>
38. Snowy Egret	<u>11.87%</u>
39. Ring-billed Gull	<u>11.82%</u>
40. Eastern Bluebird	<u>11.73%</u>
41. Savannah Sparrow	<u>11.72%</u>
42. Dark-eyed Junco	<u>11.45%</u>
43. Red-shouldered Hawk	<u>11.30%</u>
44. Tufted Titmouse	<u>10.79%</u>
45. Ladder-backed Woodpecker	<u>10.70%</u>

46.	White-throated Sparrow	<u>9.60%</u>
47.	Bewick's Wren	<u>9.51%</u>
48.	Loggerhead Shrike	<u>9.51%</u>
49.	Crested Caracara	<u>9.40%</u>
50.	American White Pelican	<u>9.36%</u>
51.	Rock Pigeon	<u>9.26%</u>
52.	Green-winged Teal	<u>8.74%</u>
53.	Neotropic Cormorant	<u>8.74%</u>
54.	Lincoln's Sparrow	<u>8.69%</u>
55.	Blue-winged Teal	<u>8.53%</u>
56.	Lesser Goldfinch	<u>8.45%</u>
57.	Osprey	<u>8.33%</u>
58.	Laughing Gull	<u>8.32%</u>
59.	Northern Harrier	<u>8.30%</u>
60.	Great Kiskadee	<u>8.18%</u>
61.	White-crowned Sparrow	<u>8.09%</u>
62.	Blue-gray Gnatcatcher	<u>7.98%</u>
63.	Belted Kingfisher	<u>7.74%</u>
64.	Mallard	<u>7.69%</u>
65.	Green Jay	<u>7.67%</u>
66.	Eurasian Collared-Dove	<u>7.59%</u>
67.	Ring-necked Duck	<u>7.40%</u>
68.	White Ibis	<u>7.27%</u>
69.	Lesser Scaup	<u>7.15%</u>
70.	Song Sparrow	<u>7.13%</u>

71.	Brown-headed Cowbird	7.00%
72.	Pine Warbler	6.80%
73.	Eastern Meadowlark	6.76%
74.	American Wigeon	6.68%
75.	Inca Dove	6.43%
76.	Greater Yellowlegs	6.08%
77.	Northern Pintail	5.97%
78.	Pine Siskin	5.93%
79.	Brown Pelican	5.91%
80.	White-eyed Vireo	5.65%
81.	Northern Flicker	5.48%
82.	Cooper's Hawk	5.43%
83.	Long-billed Thrasher	5.24%
84.	Field Sparrow	5.13%
85.	Mottled Duck	5.13%
86.	House Wren	5.13%
87.	Ruddy Duck	5.10%
88.	Forster's Tern	5.08%
89.	Yellow-bellied Sapsucker	4.82%
90.	American Pipit	4.68%
91.	Common Gallinule	4.57%
92.	Black-bellied Whistling-Duck	4.56%
93.	Redhead	4.52%
94.	Tricolored Heron	4.47%
95.	Roseate Spoonbill	4.34%

96.	Common Grackle	4.32%
97.	Common Yellowthroat	4.32%
98.	Bufflehead	4.31%
99.	Least Sandpiper	4.21%
100.	Hermit Thrush	4.18%
101.	Little Blue Heron	4.17%
102.	Spotted Sandpiper	4.17%
103.	Willet	3.85%
104.	Black-necked Stilt	3.79%
105.	Plain Chachalaca	3.77%
106.	White-tipped Dove	3.77%
107.	Curve-billed Thrasher	3.48%
108.	Black-crowned Night-Heron	3.45%
109.	Herring Gull	3.43%
110.	Spotted Towhee	3.40%
111.	Olive Sparrow	3.33%
112.	Least Grebe	3.26%
113.	Sandhill Crane	3.26%
114.	Vesper Sparrow	3.25%
115.	Vermilion Flycatcher	3.18%
116.	Altamira Oriole	3.15%
117.	Harris's Hawk	3.15%
118.	Wilson's Snipe	3.11%
119.	Canada Goose	3.10%
120.	Swamp Sparrow	3.07%

121.	Western Meadowlark	3.07%
122.	Pyrrhuloxia	3.04%
123.	Harris's Sparrow	3.03%
124.	Anhinga	2.79%
125.	Purple Martin	2.69%
126.	Wood Duck	2.64%
127.	Long-billed Curlew	2.63%
128.	Pileated Woodpecker	2.62%
129.	Greater Roadrunner	2.61%
130.	White-faced Ibis	2.57%
131.	Royal Tern	2.45%
132.	Caspian Tern	2.44%
133.	Tree Swallow	2.43%
134.	Brown Thrasher	2.43%
135.	Long-billed Dowitcher	2.42%
136.	Cinnamon Teal	2.40%
137.	Reddish Egret	2.39%
138.	Golden-crowned Kinglet	2.36%
139.	Couch's Kingbird	2.27%
140.	Verdin	2.24%
141.	Lesser Yellowlegs	2.23%
142.	Sharp-shinned Hawk	2.23%
143.	Blue-headed Vireo	2.15%
144.	American Avocet	2.12%
145.	Buff-bellied Hummingbird	2.10%

146.	Sanderling	2.05%
147.	White-tailed Kite	2.03%
148.	Common Ground Dove	2.00%
149.	Great Horned Owl	1.97%
150.	Canvasback	1.96%
151.	Ruddy Turnstone	1.93%
152.	Black-bellied Plover	1.92%
153.	Snow Goose	1.91%
154.	White-tailed Hawk	1.89%
155.	Bald Eagle	1.89%
156.	Marsh Wren	1.82%
157.	Clay-colored Thrush	1.82%
158.	Common Raven	1.82%
159.	Gray Catbird	1.81%
160.	Brewer's Blackbird	1.79%
161.	Sora	1.78%
162.	Bonaparte's Gull	1.66%
163.	Woodhouse's Scrub-Jay	1.63%
164.	Fox Sparrow	1.61%
165.	Green Kingfisher	1.61%
166.	Rufous Hummingbird	1.59%
167.	Red-breasted Merganser	1.57%
168.	Hooded Merganser	1.56%
169.	Yellow-crowned Night-Heron	1.45%
170.	Black Phoebe	1.44%

171.	Common Loon	1.43%
172.	Lark Sparrow	1.42%
173.	Black-throated Sparrow	1.42%
174.	Black Skimmer	1.39%
175.	Cattle Egret	1.36%
176.	Eared Grebe	1.35%
177.	Barred Owl	1.35%
178.	Ringed Kingfisher	1.32%
179.	Common Pauraque	1.31%
180.	Brown Creeper	1.30%
181.	Wild Turkey	1.30%
182.	Cactus Wren	1.27%
183.	Eastern Screech-Owl	1.23%
184.	White-breasted Nuthatch	1.19%
185.	Cave Swallow	1.18%
186.	Tropical Kingbird	1.18%
187.	Wilson's Warbler	1.17%
188.	Dunlin	1.17%
189.	Merlin	1.16%
190.	Green Heron	1.15%
191.	Greater White-fronted Goose	1.13%
192.	Black-and-white Warbler	1.12%
193.	Purple Finch	1.10%
194.	Northern Bobwhite	1.10%
195.	Peregrine Falcon	1.10%

196.	Gray Hawk	1.09%
197.	Audubon's Oriole	1.08%
198.	Say's Phoebe	1.06%
199.	Whooping Crane	1.02%
200.	Rufous-crowned Sparrow	1.02%
201.	Boat-tailed Grackle	0.9913%
202.	Northern Rough-winged Swallow	0.9817%
203.	Canyon Wren	0.9618%
204.	Horned Lark	0.9556%
205.	Chihuahuan Raven	0.9381%
206.	Barn Swallow	0.9315%
207.	Monk Parakeet	0.9298%
208.	American Oystercatcher	0.9102%
209.	Winter Wren	0.8972%
210.	Canyon Towhee	0.8580%
211.	Sedge Wren	0.8432%
212.	Red-breasted Nuthatch	0.8271%
213.	Marbled Godwit	0.8227%
214.	Western Sandpiper	0.7800%
215.	Ruby-throated Hummingbird	0.7694%
216.	Common Goldeneye	0.7612%
217.	Black-chinned Hummingbird	0.7436%
218.	Red-headed Woodpecker	0.7337%
219.	Short-billed Dowitcher	0.6550%
220.	Eastern Towhee	0.6495%

221.	Ross's Goose	0.5849%
222.	Semipalmated Plover	0.5846%
223.	Stilt Sandpiper	0.5791%
224.	Lark Bunting	0.5657%
225.	Hooded Oriole	0.5588%
226.	Solitary Sandpiper	0.5564%
227.	Clapper Rail	0.5530%
228.	Brown-headed Nuthatch	0.5492%
229.	Red-crowned Parrot	0.5437%
230.	Yellow-throated Warbler	0.5396%
231.	Nashville Warbler	0.5138%
232.	Cackling Goose	0.5022%
233.	Grasshopper Sparrow	0.4902%
234.	Green Parakeet	0.4809%
235.	Greater Scaup	0.4702%
236.	Rock Wren	0.4661%
237.	Fulvous Whistling-Duck	0.4565%
238.	American Bittern	0.4527%
239.	Bronzed Cowbird	0.4462%
240.	Horned Grebe	0.4345%
241.	Mexican Duck	0.4142%
242.	Piping Plover	0.4098%
243.	Gull-billed Tern	0.4060%
244.	LeConte's Sparrow	0.4060%
245.	Indigo Bunting	0.3991%

246.	Lesser Black-backed Gull	0.3984%
247.	Ferruginous Hawk	0.3957%
248.	Snowy Plover	0.3837%
249.	Black-throated Green Warbler	0.3789%
250.	Burrowing Owl	0.3658%
251.	Hairy Woodpecker	0.3624%
252.	Sprague's Pipit	0.3473%
253.	Rusty Blackbird	0.3462%
254.	Virginia Rail	0.3456%
255.	Scaled Quail	0.3349%
256.	Aplomado Falcon	0.3249%
257.	Mountain Bluebird	0.3023%
258.	Barn Owl	0.3006%
259.	Summer Tanager	0.3002%
260.	Clay-colored Sparrow	0.2981%
261.	Northern Beardless-Tyrannulet	0.2954%
262.	Broad-tailed Hummingbird	0.2713%
263.	Green-tailed Towhee	0.2689%
264.	Zone-tailed Hawk	0.2676%
265.	Cassin's Sparrow	0.2645%
266.	Scaly-breasted Munia	0.2576%
267.	Yellow-headed Blackbird	0.2490%
268.	Tropical Parula	0.2456%
269.	Black-throated Gray Warbler	0.2435%
270.	Western Bluebird	0.2411%

271.	American Woodcock	0.2380%
272.	Ovenbird	0.2318%
273.	Acorn Woodpecker	0.2291%
274.	Morelet's Seedeater	0.2185%
275.	Black-tailed Gnatcatcher	0.2178%
276.	Black-headed Grosbeak	0.2164%
277.	Fish Crow	0.1982%
278.	Common Merganser	0.1961%
279.	Crimson-collared Grosbeak	0.1882%
280.	Palm Warbler	0.1841%
281.	Seaside Sparrow	0.1827%
282.	Prairie Falcon	0.1796%
283.	Red-vented Bulbul	0.1755%
284.	Blue Bunting	0.1717%
285.	Ash-throated Flycatcher	0.1700%
286.	Sage Thrasher	0.1673%
287.	Hutton's Vireo	0.1666%
288.	Sandwich Tern	0.1663%
289.	Bushtit	0.1652%
290.	Brewer's Sparrow	0.1635%
291.	Townsend's Solitaire	0.1608%
292.	Golden-crowned Warbler	0.1570%
293.	Phainopepla	0.1511%
294.	Groove-billed Ani	0.1505%
295.	King Rail	0.1477%

296.	Anna's Hummingbird	0.1426%
297.	Short-eared Owl	0.1374%
298.	Franklin's Gull	0.1333%
299.	Rose-throated Becard	0.1333%
300.	Red-billed Pigeon	0.1278%
301.	Hook-billed Kite	0.1264%
302.	Rough-legged Hawk	0.1199%
303.	Allen's Hummingbird	0.1185%
304.	Red-naped Sapsucker	0.1164%
305.	Whimbrel	0.1151%
306.	Crissal Thrasher	0.1061%
307.	Thick-billed Longspur	0.1058%
308.	Yellow Warbler	0.1051%
309.	Red-cockaded Woodpecker	0.1041%
310.	Chestnut-collared Longspur	0.1041%
311.	Mexican Jay	0.1027%
312.	Western Grebe	0.1024%
313.	Northern Parula	0.0975%
314.	Gambel's Quail	0.0965%
315.	Scissor-tailed Flycatcher	0.0958%
316.	Least Flycatcher	0.0948%
317.	Painted Bunting	0.0938%
318.	Common Tern	0.0921%
319.	Bat Falcon	0.0900%
320.	Mountain Plover	0.0855%

321.	Broad-winged Hawk	0.0855%
322.	Lapland Longspur	0.0855%
323.	Little Gull	0.0817%
324.	Northern Gannet	0.0811%
325.	White-throated Thrush	0.0804%
326.	Western Tanager	0.0804%
327.	Least Bittern	0.0793%
328.	Calliope Hummingbird	0.0769%
329.	Dusky-capped Flycatcher	0.0759%
330.	Chihuahuan Meadowlark	0.0759%
331.	White-throated Swift	0.0749%
332.	Wilson's Plover	0.0749%
333.	Bullock's Oriole	0.0749%
334.	Nelson's Sparrow	0.0718%
335.	Golden Eagle	0.0694%
336.	Limpkin	0.0670%
337.	Glossy Ibis	0.0666%
338.	Northern Waterthrush	0.0615%
339.	Glaucous Gull	0.0591%
340.	Cassin's Finch	0.0591%
341.	Red Crossbill	0.0570%
342.	White Wagtail	0.0553%
343.	Elegant Trogon	0.0550%
344.	Surf Scoter	0.0546%
345.	Northern Jacana	0.0543%

346.	Pectoral Sandpiper	0.0539%
347.	Long-tailed Duck	0.0536%
348.	Gray-crowned Yellowthroat	0.0532%
349.	Ring-necked Pheasant	0.0529%
350.	Cliff Swallow	0.0525%
351.	Social Flycatcher	0.0519%
352.	Black-chinned Sparrow	0.0519%
353.	Baltimore Oriole	0.0512%
354.	Long-eared Owl	0.0498%
355.	Iceland Gull	0.0495%
356.	Purple Sandpiper	0.0474%
357.	Greater Pewee	0.0474%
358.	Red Knot	0.0457%
359.	Clark's Grebe	0.0446%
360.	Snowy Owl	0.0443%
361.	Brown Jay	0.0443%
362.	Common Black Hawk	0.0416%
363.	Hammond's Flycatcher	0.0395%
364.	Black Scoter	0.0392%
365.	Lewis's Woodpecker	0.0385%
366.	Painted Redstart	0.0364%
367.	Henslow's Sparrow	0.0347%
368.	Rose-breasted Grosbeak	0.0344%
369.	Yellow-faced Grassquit	0.0333%
370.	Common Poorwill	0.0323%

371.	Pacific Loon	0.0313%
372.	Short-billed Gull	0.0309%
373.	American Tree Sparrow	0.0309%
374.	Black-throated Blue Warbler	0.0309%
375.	Harlequin Duck	0.0299%
376.	Orchard Oriole	0.0285%
377.	Wilson's Phalarope	0.0282%
378.	California Gull	0.0275%
379.	Ferruginous Pygmy-Owl	0.0275%
380.	Juniper Titmouse	0.0275%
381.	Golden-crowned Sparrow	0.0268%
382.	Flammulated Owl	0.0265%
383.	Gray Flycatcher	0.0258%
384.	Mountain Chickadee	0.0258%
385.	Northern Shrike	0.0254%
386.	Steller's Jay	0.0254%
387.	Sagebrush Sparrow	0.0247%
388.	White-winged Scoter	0.0234%
389.	Dickcissel	0.0230%
390.	Broad-billed Hummingbird	0.0227%
391.	Bank Swallow	0.0227%
392.	Black-legged Kittiwake	0.0223%
393.	Louisiana Waterthrush	0.0220%
394.	Lesser Nighthawk	0.0216%
395.	Slaty-backed Gull	0.0216%

396.	American Redstart	0.0216%
397.	Western Screech-Owl	0.0213%
398.	Greater Prairie-Chicken	0.0203%
399.	Wood Thrush	0.0203%
400.	Smith's Longspur	0.0203%
401.	Black-vented Oriole	0.0199%
402.	Muscovy Duck	0.0196%
403.	Brown Booby	0.0196%
404.	Yellow Grosbeak	0.0185%
405.	Scott's Oriole	0.0182%
406.	Cape May Warbler	0.0182%
407.	Pacific-slope Flycatcher	0.0179%
408.	Plumbeous Vireo	0.0175%
409.	Prairie Warbler	0.0175%
410.	Montezuma Quail	0.0172%
411.	Purple Gallinule	0.0165%
412.	Red-throated Loon	0.0165%
413.	American Golden-Plover	0.0161%
414.	Tundra Swan	0.0158%
415.	Yellow-breasted Chat	0.0155%
416.	Pinyon Jay	0.0151%
417.	Williamson's Sapsucker	0.0144%
418.	Roadside Hawk	0.0141%
419.	Fork-tailed Flycatcher	0.0137%
420.	Evening Grosbeak	0.0124%

421.	Bachman's Sparrow	0.0117%
422.	Violet-green Swallow	0.0113%
423.	Swainson's Hawk	0.0106%
424.	Western Kingbird	0.0106%
425.	Black Rail	0.0096%
426.	Great Black-backed Gull	0.0096%
427.	Tamaulipas Crow	0.0096%
428.	Lazuli Bunting	0.0089%
429.	Eurasian Wigeon	0.0086%
430.	Yellow Rail	0.0086%
431.	Masked Duck	0.0079%
432.	Cassin's Vireo	0.0079%
433.	Varied Thrush	0.0079%
434.	Hermit Warbler	0.0079%
435.	Wood Stork	0.0076%
436.	Streak-backed Oriole	0.0076%
437.	Red-necked Grebe	0.0072%
438.	Bell's Vireo	0.0072%
439.	Baird's Sparrow	0.0072%
440.	Ruddy Ground Dove	0.0069%
441.	Brant	0.0065%
442.	Parasitic Jaeger	0.0065%
443.	Magnolia Warbler	0.0065%
444.	Least Tern	0.0052%
445.	Brown-crested Flycatcher	0.0052%

446.	Pygmy Nuthatch	0.0052%
447.	Townsend's Warbler	0.0052%
448.	Pacific Wren	0.0048%
449.	Blue Grosbeak	0.0048%
450.	Varied Bunting	0.0048%
451.	Kelp Gull	0.0045%
452.	Common Redpoll	0.0045%
453.	Trumpeter Swan	0.0041%
454.	Common Crane	0.0041%
455.	Rufous-backed Robin	0.0041%
456.	Tennessee Warbler	0.0041%
457.	MacGillivray's Warbler	0.0038%
458.	American Black Duck	0.0034%
459.	Baird's Sandpiper	0.0034%
460.	Pomarine Jaeger	0.0034%
461.	Barrow's Goldeneye	0.0031%
462.	Western Gull	0.0031%
463.	Gyr Falcon	0.0031%
464.	Masked Tityra	0.0031%
465.	Gray Vireo	0.0031%
466.	Warbling Vireo	0.0031%
467.	Northern Wheatear	0.0031%
468.	American Flamingo	0.0027%
469.	Swallow-tailed Kite	0.0027%
470.	Chestnut-sided Warbler	0.0027%

471.	Rufous-capped Warbler	0.0027%
472.	Band-tailed Pigeon	0.0024%
473.	Chuck-will's-widow	0.0024%
474.	Black-headed Gull	0.0021%
475.	Magnificent Frigatebird	0.0021%
476.	Collared Forest-Falcon	0.0021%
477.	White-crested Elaenia	0.0021%
478.	Great Crested Flycatcher	0.0021%
479.	Lesser Prairie-Chicken	0.0014%
480.	Lucifer Hummingbird	0.0014%
481.	Costa's Hummingbird	0.0014%
482.	Dusky Flycatcher	0.0014%
483.	Gray Silky-flycatcher	0.0014%
484.	Hooded Warbler	0.0014%
485.	Blue-throated Mountain-gem	0.0010%
486.	Red-necked Phalarope	0.0010%
487.	Black-tailed Gull	0.0010%
488.	Masked Booby	0.0010%
489.	Crane Hawk	0.0010%
490.	Amazon Kingfisher	0.0010%
491.	Yellow-throated Vireo	0.0010%
492.	Blue Mockingbird	0.0010%
493.	Prothonotary Warbler	0.0010%
494.	Hepatic Tanager	0.0010%
495.	Common Nighthawk	0.0007%

496.	Eastern Whip-poor-will	0.0007%
497.	Semipalmated Sandpiper	0.0007%
498.	Sooty Tern	0.0007%
499.	Black Tern	0.0007%
500.	Blue-footed Booby	0.0007%
501.	Northern Goshawk	0.0007%
502.	Elf Owl	0.0007%
503.	Cassin's Kingbird	0.0007%
504.	Aztec Thrush	0.0007%
505.	Golden-cheeked Warbler	0.0007%
506.	Chimney Swift	0.0003%
507.	Upland Sandpiper	0.0003%
508.	Ruff	0.0003%
509.	Yellow-legged Gull	0.0003%
510.	Trindade Petrel	0.0003%
511.	Mississippi Kite	0.0003%
512.	Cordilleran Flycatcher	0.0003%
513.	Clark's Nutcracker	0.0003%
514.	American Dipper	0.0003%
515.	Bohemian Waxwing	0.0003%
516.	White-winged Crossbill	0.0003%
517.	Flame-colored Tanager	0.0003%
518.	Dark-billed Cuckoo	0.0000%
519.	Violet-crowned Hummingbird	0.0000%
520.	Paint-billed Crake	0.0000%

521.	Yellow-billed Loon	0.0000%
522.	Yellow-nosed Albatross	0.0000%
523.	Mottled Owl	0.0000%
524.	Northern Saw-whet Owl	0.0000%
525.	Black-billed Magpie	0.0000%
526.	Lawrence's Goldfinch	0.0000%
527.	Shiny Cowbird	0.0000%
528.	Lucy's Warbler	0.0000%
529.	Virginia's Warbler	0.0000%
EXOTIC: PROVISIONAL		
530.	Egyptian Goose	0.9679% frequency
531.	Red-lored Parrot	0.1319%
532.	White-fronted Parrot	0.0924%
533.	Lilac-crowned Parrot	0.0570%
534.	Striped Sparrow	0.0103%
EXOTIC: ESCAPEE		
	Mute Swan	0.2198% frequency
	Swan Goose	0.1714%
	Graylag Goose	0.1450%
	Yellow-headed Parrot	0.0962%
	Indian Peafowl	0.0234%
	Mandarin Duck	0.0141%
	Mitred Parakeet	0.0120%
	Helmeted Guineafowl	0.0103%
	White-winged Parakeet	0.0079%

Northern Red Bishop	0.0062%
Red Junglefowl	0.0052%
Budgerigar	0.0052%
Red-crested Pochard	0.0041%
Orange-cheeked Waxbill	0.0038%
Chukar	0.0034%
Bronze Mannikin	0.0034%
African Collared-Dove	0.0031%
Bar-headed Goose	0.0027%
European Goldfinch	0.0027%
Black Swan	0.0024%
Black-throated Magpie-Jay	0.0021%
Ringed Teal	0.0014%
Greater Flamingo	0.0010%
Rose-ringed Parakeet	0.0010%
Pin-tailed Whydah	0.0010%
Chestnut-fronted Macaw	0.0007%
Emu	0.0003%
Falcated Duck	0.0003%
Chiloe Wigeon	0.0003%
Cockatiel	0.0003%
Rosy-faced Lovebird	0.0003%
Yellow-naped Parrot	0.0003%
Yellow-crowned Parrot	0.0003%
Yellow-lored Parrot	0.0003%

San Blas Jay	0.0003%
Saffron Finch	0.0003%
West Indian Whistling-Duck	0.0000%
Keel-billed Toucan	0.0000%
White-crowned Parrot	0.0000%
Orange-fronted Parakeet	0.0000%
Nanday Parakeet	0.0000%
Purplish-backed Jay	0.0000%
Red-billed Firefinch	0.0000%
White-rumped Seedeater	0.0000%
Yellow-fronted Canary	0.0000%
Orange-breasted Bunting	0.0000%
Cinnamon-rumped Seedeater	0.0000%
HYBRIDS	
Tufted x Black-crested Titmouse (hybrid)	1.61% frequency
Muscovy Duck x Mallard (hybrid)	0.0440%
Gadwall x Northern Pintail (hybrid)	0.0416%
Mallard x Mexican Duck (hybrid)	0.0381%
Blue-winged x Cinnamon Teal (hybrid)	0.0254%
Altamira x Audubon's Oriole (hybrid)	0.0240%
Mallard x Mottled Duck (hybrid)	0.0120%
Graylag x Swan Goose (hybrid)	0.0096%
Spotted x Eastern Towhee (hybrid)	0.0079%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0069%
Northern Shoveler x Gadwall (hybrid)	0.0062%

Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0058%
Snow x Canada Goose (hybrid)	0.0034%
Snow x Ross's Goose (hybrid)	0.0031%
Graylag x Canada Goose (hybrid)	0.0031%
Glossy x White-faced Ibis (hybrid)	0.0031%
Ross's x Cackling Goose (hybrid)	0.0027%
Blue-winged x Green-winged Teal (hybrid)	0.0027%
Gadwall x Mallard (hybrid)	0.0024%
Mallard x Northern Pintail (hybrid)	0.0024%
Northern Cardinal x Pyrrhuloxia (hybrid)	0.0024%
Snow x Cackling Goose (hybrid)	0.0021%
Black-chinned x Anna's Hummingbird (hybrid)	0.0021%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0021%
Black x Eastern Phoebe (hybrid)	0.0021%
Black-bellied x Fulvous Whistling-Duck (hybrid)	0.0017%
Snow/Ross's x Cackling/Canada Goose (hybrid)	0.0017%
Cinnamon Teal x Northern Shoveler (hybrid)	0.0017%
Mexican x Mottled Duck (hybrid)	0.0017%
Ring-necked Duck x scaup sp. (hybrid)	0.0017%
Downy x Ladder-backed Woodpecker (hybrid)	0.0017%
Swan Goose x Canada Goose (hybrid)	0.0014%
Herring x Glaucous Gull (hybrid)	0.0010%
Curve-billed x Long-billed Thrasher (hybrid)	0.0010%

Greater White-fronted x Cackling Goose (hybrid)	0.0007%
Ross's x Canada Goose (hybrid)	0.0007%
American Wigeon x Mallard (hybrid)	0.0007%
Mallard x Mexican/Mottled Duck (hybrid)	0.0007%
Anna's x Calliope Hummingbird (hybrid)	0.0007%
Herring x Glaucous-winged Gull (hybrid)	0.0007%
Slaty-backed x Glaucous-winged Gull (hybrid)	0.0007%
White-crowned x Harris's Sparrow (hybrid)	0.0007%
Barnacle x Canada Goose (hybrid)	0.0003%
Gadwall x American Wigeon (hybrid)	0.0003%
Eurasian x American Wigeon (hybrid)	0.0003%
Wood Duck x Mallard (hybrid)	0.0003%
Northern Shoveler x Mallard (hybrid)	0.0003%
Mallard x Green-winged Teal (hybrid)	0.0003%
Canvasback x Redhead (hybrid)	0.0003%
Ring-necked Duck x Greater Scaup (hybrid)	0.0003%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0003%
Western x Clark's Grebe (hybrid)	0.0003%
Red-crowned x Lilac-crowned Parrot (hybrid)	0.0003%
Red-crowned x Red-lored Parrot (hybrid)	0.0003%
Bullock's x Baltimore Oriole (hybrid)	0.0003%
Common x Great-tailed Grackle (hybrid)	0.0003%
Greater White-fronted x Canada Goose (hybrid)	0.0000%

Anna's x Rufous Hummingbird (hybrid)	0.0000%
Western x Glaucous-winged Gull (hybrid)	0.0000%
Herring x Kelp Gull (hybrid)	0.0000%
Gray-crowned x Common Yellowthroat (hybrid)	0.0000%
