

## Target Species

Based on 146,435 complete checklists

**521** species observed in Texas, US (region/US-TX) in **Jun** that you need for your **World Life List**

1. <b>Northern Cardinal</b>	<b>55.62%</b> frequency
2. <b>Northern Mockingbird</b>	<b>52.20%</b>
3. <b>Mourning Dove</b>	<b>44.92%</b>
4. <b>White-winged Dove</b>	<b>38.52%</b>
5. <b>Great-tailed Grackle</b>	<b>32.08%</b>
6. <b>House Sparrow</b>	<b>29.48%</b>
7. <b>Turkey Vulture</b>	<b>28.75%</b>
8. <b>Carolina Wren</b>	<b>28.34%</b>
9. <b>Carolina Chickadee</b>	<b>27.38%</b>
10. <b>Barn Swallow</b>	<b>27.25%</b>
11. <b>Blue Jay</b>	<b>26.65%</b>
12. <b>Painted Bunting</b>	<b>22.28%</b>
13. <b>House Finch</b>	<b>22.23%</b>
14. <b>Scissor-tailed Flycatcher</b>	<b>21.76%</b>
15. <b>European Starling</b>	<b>20.36%</b>
16. <b>Great Egret</b>	<b>19.13%</b>
17. <b>Red-winged Blackbird</b>	<b>18.45%</b>
18. <b>Purple Martin</b>	<b>18.43%</b>
19. <b>Brown-headed Cowbird</b>	<b>17.88%</b>
20. <b>Black Vulture</b>	<b>17.77%</b>

21.	<b>White-eyed Vireo</b>	<b><u>17.56%</u></b>
22.	<b>American Crow</b>	<b><u>16.54%</u></b>
23.	<b>Great Blue Heron</b>	<b><u>16.30%</u></b>
24.	<b>Red-bellied Woodpecker</b>	<b><u>16.30%</u></b>
25.	<b>Yellow-billed Cuckoo</b>	<b><u>16.19%</u></b>
26.	<b>Western Kingbird</b>	<b><u>15.16%</u></b>
27.	<b>Killdeer</b>	<b><u>14.76%</u></b>
28.	<b>Black-crested Titmouse</b>	<b><u>14.18%</u></b>
29.	<b>Black-chinned Hummingbird</b>	<b><u>13.96%</u></b>
30.	<b>Bewick's Wren</b>	<b><u>13.90%</u></b>
31.	<b>Chimney Swift</b>	<b><u>13.59%</u></b>
32.	<b>Black-bellied Whistling-Duck</b>	<b><u>13.00%</u></b>
33.	<b>Cliff Swallow</b>	<b><u>12.45%</u></b>
34.	<b>Snowy Egret</b>	<b><u>11.98%</u></b>
35.	<b>Green Heron</b>	<b><u>11.87%</u></b>
36.	<b>Cattle Egret</b>	<b><u>11.80%</u></b>
37.	<b>Downy Woodpecker</b>	<b><u>11.68%</u></b>
38.	<b>Eastern Phoebe</b>	<b><u>11.09%</u></b>
39.	<b>Lesser Goldfinch</b>	<b><u>11.00%</u></b>
40.	<b>Eastern Bluebird</b>	<b><u>10.84%</u></b>
41.	<b>Summer Tanager</b>	<b><u>10.62%</u></b>
42.	<b>Tufted Titmouse</b>	<b><u>10.51%</u></b>
43.	<b>Ladder-backed Woodpecker</b>	<b><u>10.29%</u></b>
44.	<b>Lark Sparrow</b>	<b><u>10.10%</u></b>
45.	<b>Golden-fronted Woodpecker</b>	<b><u>10.04%</u></b>

46.	<b>Eurasian Collared-Dove</b>	<b><u>10.02%</u></b>
47.	<b>Common Grackle</b>	<b><u>9.54%</u></b>
48.	<b>Rock Pigeon</b>	<b><u>9.50%</u></b>
49.	<b>Yellow-crowned Night-Heron</b>	<b><u>9.40%</u></b>
50.	<b>Laughing Gull</b>	<b><u>9.01%</u></b>
51.	<b>Red-shouldered Hawk</b>	<b><u>8.82%</u></b>
52.	<b>Blue-gray Gnatcatcher</b>	<b><u>8.20%</u></b>
53.	<b>American Robin</b>	<b><u>7.96%</u></b>
54.	<b>Little Blue Heron</b>	<b><u>7.73%</u></b>
55.	<b>Common Nighthawk</b>	<b><u>7.66%</u></b>
56.	<b>Neotropic Cormorant</b>	<b><u>7.28%</u></b>
57.	<b>Mississippi Kite</b>	<b><u>7.17%</u></b>
58.	<b>Red-tailed Hawk</b>	<b><u>6.81%</u></b>
59.	<b>Blue Grosbeak</b>	<b><u>6.69%</u></b>
60.	<b>Great Crested Flycatcher</b>	<b><u>6.69%</u></b>
61.	<b>Northern Bobwhite</b>	<b><u>6.31%</u></b>
62.	<b>White Ibis</b>	<b><u>6.20%</u></b>
63.	<b>Dickcissel</b>	<b><u>6.16%</u></b>
64.	<b>Inca Dove</b>	<b><u>6.12%</u></b>
65.	<b>Ash-throated Flycatcher</b>	<b><u>5.87%</u></b>
66.	<b>Black-necked Stilt</b>	<b><u>5.86%</u></b>
67.	<b>Red-eyed Vireo</b>	<b><u>5.48%</u></b>
68.	<b>Eastern Meadowlark</b>	<b><u>5.29%</u></b>
69.	<b>Indigo Bunting</b>	<b><u>5.09%</u></b>
70.	<b>Crested Caracara</b>	<b><u>5.08%</u></b>

71.	<b>Bronzed Cowbird</b>	<b>4.90%</b>
72.	<b>Tricolored Heron</b>	<b>4.82%</b>
73.	<b>Greater Roadrunner</b>	<b>4.29%</b>
74.	<b>Mallard</b>	<b>4.24%</b>
75.	<b>Loggerhead Shrike</b>	<b>4.22%</b>
76.	<b>Ruby-throated Hummingbird</b>	<b>4.16%</b>
77.	<b>Roseate Spoonbill</b>	<b>3.84%</b>
78.	<b>Brown-crested Flycatcher</b>	<b>3.82%</b>
79.	<b>Brown Pelican</b>	<b>3.75%</b>
80.	<b>Bell's Vireo</b>	<b>3.73%</b>
81.	<b>Eastern Kingbird</b>	<b>3.64%</b>
82.	<b>Couch's Kingbird</b>	<b>3.63%</b>
83.	<b>Orchard Oriole</b>	<b>3.57%</b>
84.	<b>Cave Swallow</b>	<b>3.44%</b>
85.	<b>Curve-billed Thrasher</b>	<b>3.43%</b>
86.	<b>American Coot</b>	<b>3.40%</b>
87.	<b>Great Kiskadee</b>	<b>3.29%</b>
88.	<b>Willet</b>	<b>3.27%</b>
89.	<b>Bullock's Oriole</b>	<b>3.02%</b>
90.	<b>Wood Duck</b>	<b>3.02%</b>
91.	<b>Least Tern</b>	<b>3.01%</b>
92.	<b>Yellow-breasted Chat</b>	<b>2.97%</b>
93.	<b>Mottled Duck</b>	<b>2.95%</b>
94.	<b>Common Gallinule</b>	<b>2.95%</b>
95.	<b>Common Ground Dove</b>	<b>2.83%</b>

96.	<b>Pileated Woodpecker</b>	<b>2.76%</b>
97.	<b>Cooper's Hawk</b>	<b>2.73%</b>
98.	<b>Rufous-crowned Sparrow</b>	<b>2.72%</b>
99.	<b>Pine Warbler</b>	<b>2.70%</b>
100.	<b>Black-crowned Night-Heron</b>	<b>2.68%</b>
101.	<b>Verdin</b>	<b>2.67%</b>
102.	<b>Olive Sparrow</b>	<b>2.66%</b>
103.	<b>Royal Tern</b>	<b>2.62%</b>
104.	<b>Swainson's Hawk</b>	<b>2.56%</b>
105.	<b>Woodhouse's Scrub-Jay</b>	<b>2.55%</b>
106.	<b>Forster's Tern</b>	<b>2.51%</b>
107.	<b>Long-billed Thrasher</b>	<b>2.39%</b>
108.	<b>Black-throated Sparrow</b>	<b>2.37%</b>
109.	<b>Vermilion Flycatcher</b>	<b>2.28%</b>
110.	<b>Common Raven</b>	<b>2.27%</b>
111.	<b>Northern Parula</b>	<b>2.26%</b>
112.	<b>Cassin's Sparrow</b>	<b>2.20%</b>
113.	<b>Green Jay</b>	<b>2.13%</b>
114.	<b>Pyrrhuloxia</b>	<b>2.08%</b>
115.	<b>Canyon Wren</b>	<b>2.06%</b>
116.	<b>Canyon Towhee</b>	<b>2.02%</b>
117.	<b>Common Yellowthroat</b>	<b>1.98%</b>
118.	<b>Field Sparrow</b>	<b>1.97%</b>
119.	<b>Northern Rough-winged Swallow</b>	<b>1.96%</b>
120.	<b>Red-headed Woodpecker</b>	<b>1.95%</b>

121.	<b>Cactus Wren</b>	<b>1.94%</b>
122.	<b>Wild Turkey</b>	<b>1.84%</b>
123.	<b>Pied-billed Grebe</b>	<b>1.84%</b>
124.	<b>Eastern Wood-Pewee</b>	<b>1.82%</b>
125.	<b>Chipping Sparrow</b>	<b>1.77%</b>
126.	<b>Yellow-throated Vireo</b>	<b>1.76%</b>
127.	<b>Anhinga</b>	<b>1.69%</b>
128.	<b>White-faced Ibis</b>	<b>1.69%</b>
129.	<b>White-tipped Dove</b>	<b>1.68%</b>
130.	<b>Blue-winged Teal</b>	<b>1.68%</b>
131.	<b>Buff-bellied Hummingbird</b>	<b>1.66%</b>
132.	<b>Canada Goose</b>	<b>1.64%</b>
133.	<b>Double-crested Cormorant</b>	<b>1.64%</b>
134.	<b>Scott's Oriole</b>	<b>1.63%</b>
135.	<b>Reddish Egret</b>	<b>1.62%</b>
136.	<b>White-breasted Nuthatch</b>	<b>1.62%</b>
137.	<b>Plain Chachalaca</b>	<b>1.59%</b>
138.	<b>Black Skimmer</b>	<b>1.51%</b>
139.	<b>American Kestrel</b>	<b>1.47%</b>
140.	<b>Barred Owl</b>	<b>1.46%</b>
141.	<b>Chuck-will's-widow</b>	<b>1.36%</b>
142.	<b>Hooded Oriole</b>	<b>1.32%</b>
143.	<b>Sandwich Tern</b>	<b>1.31%</b>
144.	<b>Yellow-throated Warbler</b>	<b>1.31%</b>
145.	<b>Caspian Tern</b>	<b>1.25%</b>

146.	<b>Say's Phoebe</b>	<b>1.24%</b>
147.	<b>American White Pelican</b>	<b>1.23%</b>
148.	<b>Groove-billed Ani</b>	<b>1.23%</b>
149.	<b>Fulvous Whistling-Duck</b>	<b>1.22%</b>
150.	<b>Scaled Quail</b>	<b>1.21%</b>
151.	<b>Brown Thrasher</b>	<b>1.21%</b>
152.	<b>Black-and-white Warbler</b>	<b>1.20%</b>
153.	<b>Boat-tailed Grackle</b>	<b>1.18%</b>
154.	<b>Prothonotary Warbler</b>	<b>1.18%</b>
155.	<b>Gull-billed Tern</b>	<b>1.15%</b>
156.	<b>American Avocet</b>	<b>1.13%</b>
157.	<b>Black-capped Vireo</b>	<b>1.11%</b>
158.	<b>Horned Lark</b>	<b>1.10%</b>
159.	<b>Belted Kingfisher</b>	<b>1.09%</b>
160.	<b>Western Meadowlark</b>	<b>1.06%</b>
161.	<b>Golden-cheeked Warbler</b>	<b>1.06%</b>
162.	<b>Black-headed Grosbeak</b>	<b>1.04%</b>
163.	<b>Purple Gallinule</b>	<b>1.04%</b>
164.	<b>Lesser Nighthawk</b>	<b>1.02%</b>
165.	<b>Osprey</b>	<b>1.02%</b>
166.	<b>Great Horned Owl</b>	<b>1.02%</b>
167.	<b>Ruddy Duck</b>	<b>0.9759%</b>
168.	<b>Least Bittern</b>	<b>0.9718%</b>
169.	<b>Clay-colored Thrush</b>	<b>0.9683%</b>
170.	<b>Cassin's Kingbird</b>	<b>0.9458%</b>

171.	<b>Monk Parakeet</b>	<b>0.9226%</b>
172.	<b>Acadian Flycatcher</b>	<b>0.9123%</b>
173.	<b>Acorn Woodpecker</b>	<b>0.9117%</b>
174.	<b>Wood Stork</b>	<b>0.8516%</b>
175.	<b>Harris's Hawk</b>	<b>0.8488%</b>
176.	<b>Hooded Warbler</b>	<b>0.8236%</b>
177.	<b>Wilson's Plover</b>	<b>0.8188%</b>
178.	<b>Grasshopper Sparrow</b>	<b>0.8051%</b>
179.	<b>Tropical Kingbird</b>	<b>0.7901%</b>
180.	<b>Western Wood-Pewee</b>	<b>0.7860%</b>
181.	<b>Least Grebe</b>	<b>0.7806%</b>
182.	<b>Northern Shoveler</b>	<b>0.7730%</b>
183.	<b>Altamira Oriole</b>	<b>0.7724%</b>
184.	<b>Black Tern</b>	<b>0.7669%</b>
185.	<b>Magnificent Frigatebird</b>	<b>0.7642%</b>
186.	<b>Bushtit</b>	<b>0.7396%</b>
187.	<b>Eastern Screech-Owl</b>	<b>0.6993%</b>
188.	<b>Broad-winged Hawk</b>	<b>0.6583%</b>
189.	<b>Fish Crow</b>	<b>0.6406%</b>
190.	<b>Clapper Rail</b>	<b>0.6262%</b>
191.	<b>White-tailed Hawk</b>	<b>0.6153%</b>
192.	<b>Chihuahuan Raven</b>	<b>0.6085%</b>
193.	<b>Hutton's Vireo</b>	<b>0.6064%</b>
194.	<b>Green Kingfisher</b>	<b>0.5743%</b>
195.	<b>Brown-headed Nuthatch</b>	<b>0.5743%</b>

196.	<b>Ruddy Turnstone</b>	<b>0.5668%</b>
197.	<b>White-tailed Kite</b>	<b>0.5572%</b>
198.	<b>Black Phoebe</b>	<b>0.5470%</b>
199.	<b>Long-billed Curlew</b>	<b>0.5347%</b>
200.	<b>American Oystercatcher</b>	<b>0.5299%</b>
201.	<b>Sanderling</b>	<b>0.5108%</b>
202.	<b>Common Pauraque</b>	<b>0.5101%</b>
203.	<b>Black-tailed Gnatcatcher</b>	<b>0.5088%</b>
204.	<b>Tree Swallow</b>	<b>0.5013%</b>
205.	<b>Rock Wren</b>	<b>0.4931%</b>
206.	<b>White-rumped Sandpiper</b>	<b>0.4849%</b>
207.	<b>Burrowing Owl</b>	<b>0.4808%</b>
208.	<b>Northern Flicker</b>	<b>0.4808%</b>
209.	<b>Hepatic Tanager</b>	<b>0.4753%</b>
210.	<b>Spotted Towhee</b>	<b>0.4719%</b>
211.	<b>Greater Yellowlegs</b>	<b>0.4685%</b>
212.	<b>Mexican Duck</b>	<b>0.4603%</b>
213.	<b>Black-bellied Plover</b>	<b>0.4589%</b>
214.	<b>Gambel's Quail</b>	<b>0.4439%</b>
215.	<b>Varied Bunting</b>	<b>0.4405%</b>
216.	<b>Wood Thrush</b>	<b>0.4364%</b>
217.	<b>Ring-billed Gull</b>	<b>0.4330%</b>
218.	<b>Redhead</b>	<b>0.4193%</b>
219.	<b>White-throated Swift</b>	<b>0.4166%</b>
220.	<b>Common Poorwill</b>	<b>0.4138%</b>

221.	<b>Green Parakeet</b>	<b>0.3865%</b>
222.	<b>Broad-tailed Hummingbird</b>	<b>0.3688%</b>
223.	<b>Mexican Jay</b>	<b>0.3681%</b>
224.	<b>Red-vented Bulbul</b>	<b>0.3660%</b>
225.	<b>Swainson's Warbler</b>	<b>0.3633%</b>
226.	<b>Zone-tailed Hawk</b>	<b>0.3606%</b>
227.	<b>Baltimore Oriole</b>	<b>0.3510%</b>
228.	<b>Gray Catbird</b>	<b>0.3401%</b>
229.	<b>Red-crowned Parrot</b>	<b>0.3394%</b>
230.	<b>Snowy Plover</b>	<b>0.3380%</b>
231.	<b>Plumbeous Vireo</b>	<b>0.3353%</b>
232.	<b>Gray Flycatcher</b>	<b>0.3305%</b>
233.	<b>Audubon's Oriole</b>	<b>0.3298%</b>
234.	<b>Lesser Yellowlegs</b>	<b>0.3278%</b>
235.	<b>Bald Eagle</b>	<b>0.3251%</b>
236.	<b>Marbled Godwit</b>	<b>0.3237%</b>
237.	<b>Common Tern</b>	<b>0.3155%</b>
238.	<b>Phainopepla</b>	<b>0.3141%</b>
239.	<b>Gadwall</b>	<b>0.3059%</b>
240.	<b>Gray Hawk</b>	<b>0.3052%</b>
241.	<b>Hairy Woodpecker</b>	<b>0.2977%</b>
242.	<b>Chihuahuan Meadowlark</b>	<b>0.2896%</b>
243.	<b>Kentucky Warbler</b>	<b>0.2896%</b>
244.	<b>Semipalmated Plover</b>	<b>0.2882%</b>
245.	<b>Scaly-breasted Munia</b>	<b>0.2855%</b>

246.	<b>Ringed Kingfisher</b>	<b>0.2759%</b>
247.	<b>Barn Owl</b>	<b>0.2684%</b>
248.	<b>Warbling Vireo</b>	<b>0.2684%</b>
249.	<b>Bank Swallow</b>	<b>0.2663%</b>
250.	<b>Swallow-tailed Kite</b>	<b>0.2657%</b>
251.	<b>Violet-green Swallow</b>	<b>0.2458%</b>
252.	<b>Western Tanager</b>	<b>0.2397%</b>
253.	<b>Elf Owl</b>	<b>0.2377%</b>
254.	<b>Louisiana Waterthrush</b>	<b>0.2349%</b>
255.	<b>Seaside Sparrow</b>	<b>0.2342%</b>
256.	<b>Spotted Sandpiper</b>	<b>0.2295%</b>
257.	<b>Lucifer Hummingbird</b>	<b>0.2288%</b>
258.	<b>Herring Gull</b>	<b>0.2267%</b>
259.	<b>Yellow-green Vireo</b>	<b>0.2254%</b>
260.	<b>Least Sandpiper</b>	<b>0.2192%</b>
261.	<b>Northern Beardless-Tyrannulet</b>	<b>0.2096%</b>
262.	<b>Black-chinned Sparrow</b>	<b>0.2083%</b>
263.	<b>Green-winged Teal</b>	<b>0.2062%</b>
264.	<b>Marsh Wren</b>	<b>0.1871%</b>
265.	<b>Limpkin</b>	<b>0.1837%</b>
266.	<b>Lesser Scaup</b>	<b>0.1830%</b>
267.	<b>King Rail</b>	<b>0.1735%</b>
268.	<b>Crissal Thrasher</b>	<b>0.1721%</b>
269.	<b>Colima Warbler</b>	<b>0.1687%</b>
270.	<b>Semipalmated Sandpiper</b>	<b>0.1666%</b>

271.	<b>Montezuma Quail</b>	<b>0.1625%</b>
272.	<b>Botteri's Sparrow</b>	<b>0.1584%</b>
273.	<b>Wilson's Phalarope</b>	<b>0.1564%</b>
274.	<b>Short-billed Dowitcher</b>	<b>0.1496%</b>
275.	<b>Red-cockaded Woodpecker</b>	<b>0.1461%</b>
276.	<b>Cordilleran Flycatcher</b>	<b>0.1427%</b>
277.	<b>Cinnamon Teal</b>	<b>0.1420%</b>
278.	<b>Western Bluebird</b>	<b>0.1407%</b>
279.	<b>Gray Vireo</b>	<b>0.1359%</b>
280.	<b>Grace's Warbler</b>	<b>0.1345%</b>
281.	<b>Glossy Ibis</b>	<b>0.1277%</b>
282.	<b>Band-tailed Pigeon</b>	<b>0.1250%</b>
283.	<b>Common Black Hawk</b>	<b>0.1250%</b>
284.	<b>Ring-necked Pheasant</b>	<b>0.1243%</b>
285.	<b>Prairie Warbler</b>	<b>0.1222%</b>
286.	<b>Olive-sided Flycatcher</b>	<b>0.1209%</b>
287.	<b>Franklin's Gull</b>	<b>0.1202%</b>
288.	<b>Western Sandpiper</b>	<b>0.1195%</b>
289.	<b>Brown Booby</b>	<b>0.1195%</b>
290.	<b>Pectoral Sandpiper</b>	<b>0.1127%</b>
291.	<b>Western Screech-Owl</b>	<b>0.1093%</b>
292.	<b>Northern Pintail</b>	<b>0.1052%</b>
293.	<b>Red Phalarope</b>	<b>0.1038%</b>
294.	<b>Tropical Parula</b>	<b>0.0997%</b>
295.	<b>Blue-throated Mountain-gem</b>	<b>0.0990%</b>

296.	<b>Northern Harrier</b>	<b>0.0990%</b>
297.	<b>Peregrine Falcon</b>	<b>0.0983%</b>
298.	<b>American Wigeon</b>	<b>0.0956%</b>
299.	<b>Eared Grebe</b>	<b>0.0915%</b>
300.	<b>Ring-necked Duck</b>	<b>0.0901%</b>
301.	<b>Clark's Grebe</b>	<b>0.0901%</b>
302.	<b>Aplomado Falcon</b>	<b>0.0901%</b>
303.	<b>Western Grebe</b>	<b>0.0881%</b>
304.	<b>Mountain Chickadee</b>	<b>0.0854%</b>
305.	<b>Mexican Whip-poor-will</b>	<b>0.0840%</b>
306.	<b>Morelet's Seedeater</b>	<b>0.0799%</b>
307.	<b>Black-tailed Godwit</b>	<b>0.0792%</b>
308.	<b>Pine Siskin</b>	<b>0.0792%</b>
309.	<b>Yellow Warbler</b>	<b>0.0772%</b>
310.	<b>Stilt Sandpiper</b>	<b>0.0737%</b>
311.	<b>Rivoli's Hummingbird</b>	<b>0.0731%</b>
312.	<b>Hudsonian Godwit</b>	<b>0.0724%</b>
313.	<b>Painted Redstart</b>	<b>0.0703%</b>
314.	<b>Mexican Violetear</b>	<b>0.0683%</b>
315.	<b>Dunlin</b>	<b>0.0669%</b>
316.	<b>Cedar Waxwing</b>	<b>0.0656%</b>
317.	<b>House Wren</b>	<b>0.0615%</b>
318.	<b>Cackling Goose</b>	<b>0.0601%</b>
319.	<b>Whimbrel</b>	<b>0.0601%</b>
320.	<b>Yellow-headed Blackbird</b>	<b>0.0594%</b>

321.	<b>Red-billed Pigeon</b>	<b>0.0540%</b>
322.	<b>Yellow-rumped Warbler</b>	<b>0.0533%</b>
323.	<b>Common Loon</b>	<b>0.0505%</b>
324.	<b>Bachman's Sparrow</b>	<b>0.0492%</b>
325.	<b>Black Rail</b>	<b>0.0478%</b>
326.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0471%</b>
327.	<b>Steller's Jay</b>	<b>0.0444%</b>
328.	<b>Sooty Tern</b>	<b>0.0437%</b>
329.	<b>Lark Bunting</b>	<b>0.0430%</b>
330.	<b>American Redstart</b>	<b>0.0417%</b>
331.	<b>Baird's Sandpiper</b>	<b>0.0403%</b>
332.	<b>Snow Goose</b>	<b>0.0389%</b>
333.	<b>Willow Flycatcher</b>	<b>0.0382%</b>
334.	<b>Hermit Thrush</b>	<b>0.0362%</b>
335.	<b>Dusky-capped Flycatcher</b>	<b>0.0355%</b>
336.	<b>Lucy's Warbler</b>	<b>0.0355%</b>
337.	<b>Canvasback</b>	<b>0.0341%</b>
338.	<b>Long-billed Dowitcher</b>	<b>0.0341%</b>
339.	<b>Red Knot</b>	<b>0.0328%</b>
340.	<b>Yellow-bellied Flycatcher</b>	<b>0.0328%</b>
341.	<b>Virginia's Warbler</b>	<b>0.0301%</b>
342.	<b>Golden Eagle</b>	<b>0.0280%</b>
343.	<b>Hooded Merganser</b>	<b>0.0266%</b>
344.	<b>Streak-backed Oriole</b>	<b>0.0266%</b>
345.	<b>American Golden-Plover</b>	<b>0.0259%</b>

346.	<b>Red-breasted Merganser</b>	<b>0.0253%</b>
347.	<b>Wilson's Warbler</b>	<b>0.0253%</b>
348.	<b>Greater White-fronted Goose</b>	<b>0.0246%</b>
349.	<b>Lesser Black-backed Gull</b>	<b>0.0246%</b>
350.	<b>Worm-eating Warbler</b>	<b>0.0232%</b>
351.	<b>Sharp-shinned Hawk</b>	<b>0.0218%</b>
352.	<b>MacGillivray's Warbler</b>	<b>0.0212%</b>
353.	<b>Rose-throated Becard</b>	<b>0.0205%</b>
354.	<b>Band-rumped Storm-Petrel</b>	<b>0.0191%</b>
355.	<b>Green-tailed Towhee</b>	<b>0.0191%</b>
356.	<b>Lazuli Bunting</b>	<b>0.0191%</b>
357.	<b>Greater Scaup</b>	<b>0.0184%</b>
358.	<b>Masked Duck</b>	<b>0.0184%</b>
359.	<b>Piping Plover</b>	<b>0.0184%</b>
360.	<b>Pomarine Jaeger</b>	<b>0.0171%</b>
361.	<b>Bufflehead</b>	<b>0.0164%</b>
362.	<b>American Bittern</b>	<b>0.0164%</b>
363.	<b>Prairie Falcon</b>	<b>0.0164%</b>
364.	<b>Swainson's Thrush</b>	<b>0.0164%</b>
365.	<b>Least Flycatcher</b>	<b>0.0157%</b>
366.	<b>American Goldfinch</b>	<b>0.0157%</b>
367.	<b>Magnolia Warbler</b>	<b>0.0157%</b>
368.	<b>Rose-breasted Grosbeak</b>	<b>0.0157%</b>
369.	<b>Anna's Hummingbird</b>	<b>0.0150%</b>
370.	<b>Upland Sandpiper</b>	<b>0.0150%</b>

371.	<b>Hook-billed Kite</b>	<b>0.0150%</b>
372.	<b>Dark-eyed Junco</b>	<b>0.0150%</b>
373.	<b>Broad-billed Hummingbird</b>	<b>0.0143%</b>
374.	<b>Sora</b>	<b>0.0143%</b>
375.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0143%</b>
376.	<b>Surf Scoter</b>	<b>0.0130%</b>
377.	<b>Solitary Sandpiper</b>	<b>0.0130%</b>
378.	<b>Dusky Flycatcher</b>	<b>0.0130%</b>
379.	<b>Alder Flycatcher</b>	<b>0.0116%</b>
380.	<b>Savannah Sparrow</b>	<b>0.0116%</b>
381.	<b>Mourning Warbler</b>	<b>0.0116%</b>
382.	<b>Flammulated Owl</b>	<b>0.0109%</b>
383.	<b>Buff-breasted Flycatcher</b>	<b>0.0109%</b>
384.	<b>Ross's Goose</b>	<b>0.0102%</b>
385.	<b>Muscovy Duck</b>	<b>0.0102%</b>
386.	<b>Greater Prairie-Chicken</b>	<b>0.0102%</b>
387.	<b>Brown Jay</b>	<b>0.0102%</b>
388.	<b>Slate-throated Redstart</b>	<b>0.0102%</b>
389.	<b>Tamaulipas Crow</b>	<b>0.0096%</b>
390.	<b>Black-throated Gray Warbler</b>	<b>0.0096%</b>
391.	<b>Black-throated Green Warbler</b>	<b>0.0096%</b>
392.	<b>Masked Booby</b>	<b>0.0089%</b>
393.	<b>Pygmy Nuthatch</b>	<b>0.0089%</b>
394.	<b>Blackburnian Warbler</b>	<b>0.0089%</b>
395.	<b>Rufous Hummingbird</b>	<b>0.0082%</b>

396.	<b>Juniper Titmouse</b>	<b>0.0082%</b>
397.	<b>Eastern Towhee</b>	<b>0.0082%</b>
398.	<b>Ovenbird</b>	<b>0.0082%</b>
399.	<b>Buff-breasted Sandpiper</b>	<b>0.0075%</b>
400.	<b>Glaucous-winged Gull</b>	<b>0.0075%</b>
401.	<b>White-crowned Sparrow</b>	<b>0.0075%</b>
402.	<b>White-throated Sparrow</b>	<b>0.0075%</b>
403.	<b>Flame-colored Tanager</b>	<b>0.0068%</b>
404.	<b>Common Merganser</b>	<b>0.0061%</b>
405.	<b>Lesser Prairie-Chicken</b>	<b>0.0061%</b>
406.	<b>Virginia Rail</b>	<b>0.0061%</b>
407.	<b>Thick-billed Kingbird</b>	<b>0.0061%</b>
408.	<b>Black-headed Nightingale-Thrush</b>	<b>0.0061%</b>
409.	<b>Orange-crowned Warbler</b>	<b>0.0061%</b>
410.	<b>Northern Saw-whet Owl</b>	<b>0.0055%</b>
411.	<b>Brown Creeper</b>	<b>0.0055%</b>
412.	<b>Northern Waterthrush</b>	<b>0.0055%</b>
413.	<b>Nashville Warbler</b>	<b>0.0055%</b>
414.	<b>Chestnut-sided Warbler</b>	<b>0.0055%</b>
415.	<b>Black-billed Cuckoo</b>	<b>0.0048%</b>
416.	<b>Sandhill Crane</b>	<b>0.0048%</b>
417.	<b>Red-necked Phalarope</b>	<b>0.0048%</b>
418.	<b>Bridled Tern</b>	<b>0.0048%</b>
419.	<b>Leach's Storm-Petrel</b>	<b>0.0048%</b>
420.	<b>Cory's Shearwater</b>	<b>0.0048%</b>

421.	<b>Red Crossbill</b>	<b>0.0048%</b>
422.	<b>Blue-headed Vireo</b>	<b>0.0041%</b>
423.	<b>Canada Warbler</b>	<b>0.0041%</b>
424.	<b>Ferruginous Hawk</b>	<b>0.0034%</b>
425.	<b>Clay-colored Sparrow</b>	<b>0.0034%</b>
426.	<b>Vesper Sparrow</b>	<b>0.0034%</b>
427.	<b>Brewer's Blackbird</b>	<b>0.0034%</b>
428.	<b>Tennessee Warbler</b>	<b>0.0034%</b>
429.	<b>Rufous-capped Warbler</b>	<b>0.0034%</b>
430.	<b>Red-faced Warbler</b>	<b>0.0034%</b>
431.	<b>Horned Grebe</b>	<b>0.0027%</b>
432.	<b>White-eared Hummingbird</b>	<b>0.0027%</b>
433.	<b>Glaucous Gull</b>	<b>0.0027%</b>
434.	<b>Short-tailed Hawk</b>	<b>0.0027%</b>
435.	<b>Lincoln's Sparrow</b>	<b>0.0027%</b>
436.	<b>Yellow-faced Grassquit</b>	<b>0.0027%</b>
437.	<b>Mangrove Cuckoo</b>	<b>0.0021%</b>
438.	<b>Whooping Crane</b>	<b>0.0021%</b>
439.	<b>Mountain Plover</b>	<b>0.0021%</b>
440.	<b>Arctic Tern</b>	<b>0.0021%</b>
441.	<b>Spotted Owl</b>	<b>0.0021%</b>
442.	<b>Hammond's Flycatcher</b>	<b>0.0021%</b>
443.	<b>Social Flycatcher</b>	<b>0.0021%</b>
444.	<b>Red-breasted Nuthatch</b>	<b>0.0021%</b>
445.	<b>Veery</b>	<b>0.0021%</b>

446.	<b>Gray-cheeked Thrush</b>	<b>0.0021%</b>
447.	<b>American Pipit</b>	<b>0.0021%</b>
448.	<b>Blackpoll Warbler</b>	<b>0.0021%</b>
449.	<b>Scarlet Tanager</b>	<b>0.0021%</b>
450.	<b>American Flamingo</b>	<b>0.0014%</b>
451.	<b>Parasitic Jaeger</b>	<b>0.0014%</b>
452.	<b>California Gull</b>	<b>0.0014%</b>
453.	<b>Great Black-backed Gull</b>	<b>0.0014%</b>
454.	<b>Manx Shearwater</b>	<b>0.0014%</b>
455.	<b>Audubon's Shearwater</b>	<b>0.0014%</b>
456.	<b>Mountain Bluebird</b>	<b>0.0014%</b>
457.	<b>Brewer's Sparrow</b>	<b>0.0014%</b>
458.	<b>Black-vented Oriole</b>	<b>0.0014%</b>
459.	<b>Gray-crowned Yellowthroat</b>	<b>0.0014%</b>
460.	<b>Black Scoter</b>	<b>0.0007%</b>
461.	<b>Long-tailed Duck</b>	<b>0.0007%</b>
462.	<b>Common Goldeneye</b>	<b>0.0007%</b>
463.	<b>Red-necked Grebe</b>	<b>0.0007%</b>
464.	<b>Eastern Whip-poor-will</b>	<b>0.0007%</b>
465.	<b>Calliope Hummingbird</b>	<b>0.0007%</b>
466.	<b>Northern Jacana</b>	<b>0.0007%</b>
467.	<b>Curlew Sandpiper</b>	<b>0.0007%</b>
468.	<b>American Woodcock</b>	<b>0.0007%</b>
469.	<b>Wilson's Snipe</b>	<b>0.0007%</b>
470.	<b>Elegant Tern</b>	<b>0.0007%</b>

471.	<b>Pacific Loon</b>	<b>0.0007%</b>
472.	<b>Northern Pygmy-Owl</b>	<b>0.0007%</b>
473.	<b>Yellow-bellied Sapsucker</b>	<b>0.0007%</b>
474.	<b>Merlin</b>	<b>0.0007%</b>
475.	<b>Greater Pewee</b>	<b>0.0007%</b>
476.	<b>Cassin's Vireo</b>	<b>0.0007%</b>
477.	<b>Philadelphia Vireo</b>	<b>0.0007%</b>
478.	<b>Ruby-crowned Kinglet</b>	<b>0.0007%</b>
479.	<b>Sedge Wren</b>	<b>0.0007%</b>
480.	<b>Townsend's Solitaire</b>	<b>0.0007%</b>
481.	<b>Evening Grosbeak</b>	<b>0.0007%</b>
482.	<b>Lapland Longspur</b>	<b>0.0007%</b>
483.	<b>American Tree Sparrow</b>	<b>0.0007%</b>
484.	<b>Golden-winged Warbler</b>	<b>0.0007%</b>
485.	<b>Cape May Warbler</b>	<b>0.0007%</b>
486.	<b>Bay-breasted Warbler</b>	<b>0.0007%</b>
487.	<b>Black-throated Blue Warbler</b>	<b>0.0007%</b>
488.	<b>Palm Warbler</b>	<b>0.0007%</b>
489.	<b>Costa's Hummingbird</b>	<b>0.0000%</b>
490.	<b>Red-necked Stint</b>	<b>0.0000%</b>
491.	<b>Purple Sandpiper</b>	<b>0.0000%</b>
492.	<b>Long-tailed Jaeger</b>	<b>0.0000%</b>
493.	<b>Sabine's Gull</b>	<b>0.0000%</b>
494.	<b>Little Gull</b>	<b>0.0000%</b>
495.	<b>Brown Noddy</b>	<b>0.0000%</b>

496.	<b>Roseate Tern</b>	<b>0.0000%</b>
497.	<b>Red-billed Tropicbird</b>	<b>0.0000%</b>
498.	<b>Wilson's Storm-Petrel</b>	<b>0.0000%</b>
499.	<b>Great Shearwater</b>	<b>0.0000%</b>
500.	<b>Wedge-tailed Shearwater</b>	<b>0.0000%</b>
501.	<b>Blue-footed Booby</b>	<b>0.0000%</b>
502.	<b>Snail Kite</b>	<b>0.0000%</b>
503.	<b>Short-eared Owl</b>	<b>0.0000%</b>
504.	<b>Ivory-billed Woodpecker</b>	<b>0.0000%</b>
505.	<b>Gray Kingbird</b>	<b>0.0000%</b>
506.	<b>Pinyon Jay</b>	<b>0.0000%</b>
507.	<b>Clark's Nutcracker</b>	<b>0.0000%</b>
508.	<b>Blue Mockingbird</b>	<b>0.0000%</b>
509.	<b>Black Catbird</b>	<b>0.0000%</b>
510.	<b>Varied Thrush</b>	<b>0.0000%</b>
511.	<b>Common Redpoll</b>	<b>0.0000%</b>
512.	<b>Snow Bunting</b>	<b>0.0000%</b>
513.	<b>Harris's Sparrow</b>	<b>0.0000%</b>
514.	<b>Henslow's Sparrow</b>	<b>0.0000%</b>
515.	<b>Bobolink</b>	<b>0.0000%</b>
516.	<b>Blue-winged Warbler</b>	<b>0.0000%</b>

**EXOTIC: PROVISIONAL**

517.	<b>Egyptian Goose</b>	<b>0.8065%</b> frequency
518.	<b>Red-lore Parrot</b>	<b>0.0451%</b>
519.	<b>White-fronted Parrot</b>	<b>0.0218%</b>

520. **Tropical Mockingbird** 0.0137%

521. **Lilac-crowned Parrot** 0.0123%

**EXOTIC: ESCAPEE**

**Mute Swan** 0.1762% frequency

**Swan Goose** 0.1338%

**Graylag Goose** 0.1236%

**Indian Peafowl** 0.0833%

**Helmeted Guineafowl** 0.0335%

**Yellow-headed Parrot** 0.0321%

**Budgerigar** 0.0259%

**Northern Red Bishop** 0.0198%

**Ringed Teal** 0.0082%

**African Collared-Dove** 0.0068%

**Ferruginous Duck** 0.0061%

**Red Junglefowl** 0.0055%

**Bar-headed Goose** 0.0027%

**Red-crested Pochard** 0.0027%

**Pin-tailed Whydah** 0.0027%

**Mandarin Duck** 0.0021%

**Cockatiel** 0.0014%

**Black Swan** 0.0007%

**Chukar** 0.0007%

**Greater Flamingo** 0.0007%

**Little Corella** 0.0007%

**Rosy-faced Lovebird** 0.0007%

<b>Chestnut-fronted Macaw</b>	<b>0.0007%</b>
<b>Bronze Mannikin</b>	<b>0.0007%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0007%</b>
<b>Venezuelan Troupial</b>	<b>0.0007%</b>
<b>Black-necked Swan</b>	<b>0.0000%</b>
<b>Diamond Dove</b>	<b>0.0000%</b>
<b>Rose-ringed Parakeet</b>	<b>0.0000%</b>
<b>Fischer's Lovebird</b>	<b>0.0000%</b>
<b>Yellow-chevroned Parakeet</b>	<b>0.0000%</b>
<b>Nanday Parakeet</b>	<b>0.0000%</b>
<b>Mitred Parakeet</b>	<b>0.0000%</b>
<b>Orange-breasted Bunting</b>	<b>0.0000%</b>
<b>White-cheeked Pintail</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Tufted x Black-crested Titmouse (hybrid)	<b>1.53%</b> frequency
Mallard x Mexican Duck (hybrid)	<b>0.0396%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0314%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0137%</b>
Graylag x Swan Goose (hybrid)	<b>0.0082%</b>
Golden-fronted x Red-bellied Woodpecker (hybrid)	<b>0.0075%</b>
Barn x Cave Swallow (hybrid)	<b>0.0075%</b>
Colima x Virginia's Warbler (hybrid)	<b>0.0075%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0068%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0068%</b>

Northern x Tropical Parula (hybrid)	<b>0.0061%</b>
Varied x Painted Bunting (hybrid)	<b>0.0041%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0034%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0027%</b>
Black x Eastern Phoebe (hybrid)	<b>0.0027%</b>
Altamira x Audubon's Oriole (hybrid)	<b>0.0027%</b>
Double-crested x Neotropic Cormorant (hybrid)	<b>0.0021%</b>
Western x Clark's Grebe (hybrid)	<b>0.0007%</b>
Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0007%</b>
Western x Flame-colored Tanager (hybrid)	<b>0.0007%</b>
Western x Eastern Kingbird (hybrid)	<b>0.0000%</b>
Tropical x Northern Mockingbird (hybrid)	<b>0.0000%</b>