

Target Species

Based on 146,435 complete checklists

521 species observed in Texas, US (region/US-TX) in **Jun** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	13.00% frequency
2. Fulvous Whistling-Duck	1.22%
3. Snow Goose	0.0389%
4. Ross's Goose	0.0102%
5. Greater White-fronted Goose	0.0246%
6. Cackling Goose	0.0601%
7. Canada Goose	1.64%
8. Muscovy Duck	0.0102%
9. Wood Duck	3.02%
10. Blue-winged Teal	1.68%
11. Cinnamon Teal	0.1420%
12. Northern Shoveler	0.7730%
13. Gadwall	0.3059%
14. American Wigeon	0.0956%
15. Mallard	4.24%
16. Mexican Duck	0.4603%
17. Mottled Duck	2.95%
18. Northern Pintail	0.1052%
19. Green-winged Teal	0.2062%
20. Canvasback	0.0341%

21. Redhead	0.4193%
22. Ring-necked Duck	0.0901%
23. Greater Scaup	0.0184%
24. Lesser Scaup	0.1830%
25. Surf Scoter	0.0130%
26. Black Scoter	0.0007%
27. Long-tailed Duck	0.0007%
28. Bufflehead	0.0164%
29. Common Goldeneye	0.0007%
30. Hooded Merganser	0.0266%
31. Common Merganser	0.0061%
32. Red-breasted Merganser	0.0253%
33. Masked Duck	0.0184%
34. Ruddy Duck	0.9759%
35. Plain Chachalaca	1.59%
36. Northern Bobwhite	6.31%
37. Scaled Quail	1.21%
38. Gambel's Quail	0.4439%
39. Montezuma Quail	0.1625%
40. Wild Turkey	1.84%
41. Greater Prairie-Chicken	0.0102%
42. Lesser Prairie-Chicken	0.0061%
43. Ring-necked Pheasant	0.1243%
44. American Flamingo	0.0014%
45. Least Grebe	0.7806%

46.	Pied-billed Grebe	1.84%
47.	Horned Grebe	0.0027%
48.	Red-necked Grebe	0.0007%
49.	Eared Grebe	0.0915%
50.	Western Grebe	0.0881%
51.	Clark's Grebe	0.0901%
52.	Rock Pigeon	9.50%
53.	Red-billed Pigeon	0.0540%
54.	Band-tailed Pigeon	0.1250%
55.	Eurasian Collared-Dove	10.02%
56.	Inca Dove	6.12%
57.	Common Ground Dove	2.83%
58.	White-tipped Dove	1.68%
59.	White-winged Dove	38.52%
60.	Mourning Dove	44.92%
61.	Groove-billed Ani	1.23%
62.	Greater Roadrunner	4.29%
63.	Yellow-billed Cuckoo	16.19%
64.	Mangrove Cuckoo	0.0021%
65.	Black-billed Cuckoo	0.0048%
66.	Lesser Nighthawk	1.02%
67.	Common Nighthawk	7.66%
68.	Common Pauraque	0.5101%
69.	Common Poorwill	0.4138%
70.	Chuck-will's-widow	1.36%

71. Eastern Whip-poor-will	0.0007%
72. Mexican Whip-poor-will	0.0840%
73. Chimney Swift	13.59%
74. White-throated Swift	0.4166%
75. Mexican Violetear	0.0683%
76. Rivoli's Hummingbird	0.0731%
77. Blue-throated Mountain-gem	0.0990%
78. Lucifer Hummingbird	0.2288%
79. Ruby-throated Hummingbird	4.16%
80. Black-chinned Hummingbird	13.96%
81. Anna's Hummingbird	0.0150%
82. Costa's Hummingbird	0.0000%
83. Calliope Hummingbird	0.0007%
84. Rufous Hummingbird	0.0082%
85. Broad-tailed Hummingbird	0.3688%
86. Broad-billed Hummingbird	0.0143%
87. White-eared Hummingbird	0.0027%
88. Buff-bellied Hummingbird	1.66%
89. King Rail	0.1735%
90. Clapper Rail	0.6262%
91. Virginia Rail	0.0061%
92. Sora	0.0143%
93. Common Gallinule	2.95%
94. American Coot	3.40%
95. Purple Gallinule	1.04%

96.	Black Rail	0.0478%
97.	Limpkin	0.1837%
98.	Sandhill Crane	0.0048%
99.	Whooping Crane	0.0021%
100.	Black-necked Stilt	5.86%
101.	American Avocet	1.13%
102.	American Oystercatcher	0.5299%
103.	Black-bellied Plover	0.4589%
104.	American Golden-Plover	0.0259%
105.	Snowy Plover	0.3380%
106.	Wilson's Plover	0.8188%
107.	Semipalmated Plover	0.2882%
108.	Piping Plover	0.0184%
109.	Killdeer	14.76%
110.	Mountain Plover	0.0021%
111.	Northern Jacana	0.0007%
112.	Upland Sandpiper	0.0150%
113.	Whimbrel	0.0601%
114.	Long-billed Curlew	0.5347%
115.	Black-tailed Godwit	0.0792%
116.	Hudsonian Godwit	0.0724%
117.	Marbled Godwit	0.3237%
118.	Ruddy Turnstone	0.5668%
119.	Red Knot	0.0328%
120.	Stilt Sandpiper	0.0737%

121.	Curlew Sandpiper	0.0007%
122.	Red-necked Stint	0.0000%
123.	Sanderling	0.5108%
124.	Dunlin	0.0669%
125.	Purple Sandpiper	0.0000%
126.	Baird's Sandpiper	0.0403%
127.	Least Sandpiper	0.2192%
128.	White-rumped Sandpiper	0.4849%
129.	Buff-breasted Sandpiper	0.0075%
130.	Pectoral Sandpiper	0.1127%
131.	Semipalmated Sandpiper	0.1666%
132.	Western Sandpiper	0.1195%
133.	Short-billed Dowitcher	0.1496%
134.	Long-billed Dowitcher	0.0341%
135.	American Woodcock	0.0007%
136.	Wilson's Snipe	0.0007%
137.	Wilson's Phalarope	0.1564%
138.	Red-necked Phalarope	0.0048%
139.	Red Phalarope	0.1038%
140.	Spotted Sandpiper	0.2295%
141.	Solitary Sandpiper	0.0130%
142.	Greater Yellowlegs	0.4685%
143.	Willet	3.27%
144.	Lesser Yellowlegs	0.3278%
145.	Pomarine Jaeger	0.0171%

146.	Parasitic Jaeger	0.0014%
147.	Long-tailed Jaeger	0.0000%
148.	Sabine's Gull	0.0000%
149.	Little Gull	0.0000%
150.	Laughing Gull	9.01%
151.	Franklin's Gull	0.1202%
152.	Ring-billed Gull	0.4330%
153.	California Gull	0.0014%
154.	Herring Gull	0.2267%
155.	Lesser Black-backed Gull	0.0246%
156.	Glaucous-winged Gull	0.0075%
157.	Glaucous Gull	0.0027%
158.	Great Black-backed Gull	0.0014%
159.	Brown Noddy	0.0000%
160.	Sooty Tern	0.0437%
161.	Bridled Tern	0.0048%
162.	Least Tern	3.01%
163.	Gull-billed Tern	1.15%
164.	Caspian Tern	1.25%
165.	Black Tern	0.7669%
166.	Roseate Tern	0.0000%
167.	Common Tern	0.3155%
168.	Arctic Tern	0.0021%
169.	Forster's Tern	2.51%
170.	Royal Tern	2.62%

171.	Sandwich Tern	1.31%
172.	Elegant Tern	0.0007%
173.	Black Skimmer	1.51%
174.	Red-billed Tropicbird	0.0000%
175.	Pacific Loon	0.0007%
176.	Common Loon	0.0505%
177.	Wilson's Storm-Petrel	0.0000%
178.	Leach's Storm-Petrel	0.0048%
179.	Band-rumped Storm-Petrel	0.0191%
180.	Cory's Shearwater	0.0048%
181.	Great Shearwater	0.0000%
182.	Wedge-tailed Shearwater	0.0000%
183.	Manx Shearwater	0.0014%
184.	Audubon's Shearwater	0.0014%
185.	Wood Stork	0.8516%
186.	Magnificent Frigatebird	0.7642%
187.	Masked Booby	0.0089%
188.	Blue-footed Booby	0.0000%
189.	Brown Booby	0.1195%
190.	Anhinga	1.69%
191.	Double-crested Cormorant	1.64%
192.	Neotropic Cormorant	7.28%
193.	American White Pelican	1.23%
194.	Brown Pelican	3.75%
195.	American Bittern	0.0164%

196.	Least Bittern	0.9718%
197.	Great Blue Heron	16.30%
198.	Great Egret	19.13%
199.	Snowy Egret	11.98%
200.	Little Blue Heron	7.73%
201.	Tricolored Heron	4.82%
202.	Reddish Egret	1.62%
203.	Cattle Egret	11.80%
204.	Green Heron	11.87%
205.	Black-crowned Night-Heron	2.68%
206.	Yellow-crowned Night-Heron	9.40%
207.	White Ibis	6.20%
208.	Glossy Ibis	0.1277%
209.	White-faced Ibis	1.69%
210.	Roseate Spoonbill	3.84%
211.	Black Vulture	17.77%
212.	Turkey Vulture	28.75%
213.	Osprey	1.02%
214.	White-tailed Kite	0.5572%
215.	Hook-billed Kite	0.0150%
216.	Swallow-tailed Kite	0.2657%
217.	Golden Eagle	0.0280%
218.	Snail Kite	0.0000%
219.	Mississippi Kite	7.17%
220.	Northern Harrier	0.0990%

221.	Sharp-shinned Hawk	0.0218%
222.	Cooper's Hawk	2.73%
223.	Bald Eagle	0.3251%
224.	Common Black Hawk	0.1250%
225.	Harris's Hawk	0.8488%
226.	White-tailed Hawk	0.6153%
227.	Gray Hawk	0.3052%
228.	Red-shouldered Hawk	8.82%
229.	Broad-winged Hawk	0.6583%
230.	Short-tailed Hawk	0.0027%
231.	Swainson's Hawk	2.56%
232.	Zone-tailed Hawk	0.3606%
233.	Red-tailed Hawk	6.81%
234.	Ferruginous Hawk	0.0034%
235.	Barn Owl	0.2684%
236.	Flammulated Owl	0.0109%
237.	Western Screech-Owl	0.1093%
238.	Eastern Screech-Owl	0.6993%
239.	Great Horned Owl	1.02%
240.	Northern Pygmy-Owl	0.0007%
241.	Ferruginous Pygmy-Owl	0.0471%
242.	Elf Owl	0.2377%
243.	Burrowing Owl	0.4808%
244.	Spotted Owl	0.0021%
245.	Barred Owl	1.46%

246.	Short-eared Owl	0.0000%
247.	Northern Saw-whet Owl	0.0055%
248.	Ringed Kingfisher	0.2759%
249.	Belted Kingfisher	1.09%
250.	Green Kingfisher	0.5743%
251.	Yellow-bellied Sapsucker	0.0007%
252.	Red-headed Woodpecker	1.95%
253.	Acorn Woodpecker	0.9117%
254.	Golden-fronted Woodpecker	10.04%
255.	Red-bellied Woodpecker	16.30%
256.	Downy Woodpecker	11.68%
257.	Ladder-backed Woodpecker	10.29%
258.	Red-cockaded Woodpecker	0.1461%
259.	Hairy Woodpecker	0.2977%
260.	Ivory-billed Woodpecker	0.0000%
261.	Pileated Woodpecker	2.76%
262.	Northern Flicker	0.4808%
263.	Crested Caracara	5.08%
264.	American Kestrel	1.47%
265.	Merlin	0.0007%
266.	Aplomado Falcon	0.0901%
267.	Peregrine Falcon	0.0983%
268.	Prairie Falcon	0.0164%
269.	Monk Parakeet	0.9226%
270.	Red-crowned Parrot	0.3394%

271.	Green Parakeet	0.3865%
272.	Rose-throated Becard	0.0205%
273.	Northern Beardless-Tyrannulet	0.2096%
274.	Olive-sided Flycatcher	0.1209%
275.	Greater Pewee	0.0007%
276.	Western Wood-Pewee	0.7860%
277.	Eastern Wood-Pewee	1.82%
278.	Yellow-bellied Flycatcher	0.0328%
279.	Acadian Flycatcher	0.9123%
280.	Alder Flycatcher	0.0116%
281.	Willow Flycatcher	0.0382%
282.	Least Flycatcher	0.0157%
283.	Hammond's Flycatcher	0.0021%
284.	Gray Flycatcher	0.3305%
285.	Dusky Flycatcher	0.0130%
286.	Cordilleran Flycatcher	0.1427%
287.	Buff-breasted Flycatcher	0.0109%
288.	Black Phoebe	0.5470%
289.	Eastern Phoebe	11.09%
290.	Say's Phoebe	1.24%
291.	Vermilion Flycatcher	2.28%
292.	Dusky-capped Flycatcher	0.0355%
293.	Ash-throated Flycatcher	5.87%
294.	Great Crested Flycatcher	6.69%
295.	Brown-crested Flycatcher	3.82%

296.	Great Kiskadee	3.29%
297.	Social Flycatcher	0.0021%
298.	Sulphur-bellied Flycatcher	0.0143%
299.	Tropical Kingbird	0.7901%
300.	Couch's Kingbird	3.63%
301.	Cassin's Kingbird	0.9458%
302.	Thick-billed Kingbird	0.0061%
303.	Western Kingbird	15.16%
304.	Eastern Kingbird	3.64%
305.	Gray Kingbird	0.0000%
306.	Scissor-tailed Flycatcher	21.76%
307.	Black-capped Vireo	1.11%
308.	White-eyed Vireo	17.56%
309.	Bell's Vireo	3.73%
310.	Gray Vireo	0.1359%
311.	Hutton's Vireo	0.6064%
312.	Yellow-throated Vireo	1.76%
313.	Cassin's Vireo	0.0007%
314.	Blue-headed Vireo	0.0041%
315.	Plumbeous Vireo	0.3353%
316.	Philadelphia Vireo	0.0007%
317.	Warbling Vireo	0.2684%
318.	Red-eyed Vireo	5.48%
319.	Yellow-green Vireo	0.2254%
320.	Loggerhead Shrike	4.22%

321.	Brown Jay	0.0102%
322.	Green Jay	2.13%
323.	Pinyon Jay	0.0000%
324.	Steller's Jay	0.0444%
325.	Blue Jay	26.65%
326.	Woodhouse's Scrub-Jay	2.55%
327.	Mexican Jay	0.3681%
328.	Clark's Nutcracker	0.0000%
329.	American Crow	16.54%
330.	Tamaulipas Crow	0.0096%
331.	Fish Crow	0.6406%
332.	Chihuahuan Raven	0.6085%
333.	Common Raven	2.27%
334.	Carolina Chickadee	27.38%
335.	Mountain Chickadee	0.0854%
336.	Juniper Titmouse	0.0082%
337.	Tufted Titmouse	10.51%
338.	Black-crested Titmouse	14.18%
339.	Verdin	2.67%
340.	Horned Lark	1.10%
341.	Northern Rough-winged Swallow	1.96%
342.	Purple Martin	18.43%
343.	Tree Swallow	0.5013%
344.	Violet-green Swallow	0.2458%
345.	Bank Swallow	0.2663%

346.	Barn Swallow	27.25%
347.	Cliff Swallow	12.45%
348.	Cave Swallow	3.44%
349.	Red-vented Bulbul	0.3660%
350.	Bushtit	0.7396%
351.	Ruby-crowned Kinglet	0.0007%
352.	Red-breasted Nuthatch	0.0021%
353.	White-breasted Nuthatch	1.62%
354.	Pygmy Nuthatch	0.0089%
355.	Brown-headed Nuthatch	0.5743%
356.	Brown Creeper	0.0055%
357.	Blue-gray Gnatcatcher	8.20%
358.	Black-tailed Gnatcatcher	0.5088%
359.	Rock Wren	0.4931%
360.	Canyon Wren	2.06%
361.	House Wren	0.0615%
362.	Sedge Wren	0.0007%
363.	Marsh Wren	0.1871%
364.	Carolina Wren	28.34%
365.	Bewick's Wren	13.90%
366.	Cactus Wren	1.94%
367.	European Starling	20.36%
368.	Blue Mockingbird	0.0000%
369.	Black Catbird	0.0000%
370.	Gray Catbird	0.3401%

371.	Curve-billed Thrasher	3.43%
372.	Brown Thrasher	1.21%
373.	Long-billed Thrasher	2.39%
374.	Crissal Thrasher	0.1721%
375.	Northern Mockingbird	52.20%
376.	Eastern Bluebird	10.84%
377.	Western Bluebird	0.1407%
378.	Mountain Bluebird	0.0014%
379.	Townsend's Solitaire	0.0007%
380.	Varied Thrush	0.0000%
381.	Black-headed Nightingale-Thrush	0.0061%
382.	Veery	0.0021%
383.	Gray-cheeked Thrush	0.0021%
384.	Swainson's Thrush	0.0164%
385.	Hermit Thrush	0.0362%
386.	Wood Thrush	0.4364%
387.	Clay-colored Thrush	0.9683%
388.	American Robin	7.96%
389.	Cedar Waxwing	0.0656%
390.	Phainopepla	0.3141%
391.	Scaly-breasted Munia	0.2855%
392.	House Sparrow	29.48%
393.	American Pipit	0.0021%
394.	Evening Grosbeak	0.0007%
395.	House Finch	22.23%

396.	Common Redpoll	0.0000%
397.	Red Crossbill	0.0048%
398.	Pine Siskin	0.0792%
399.	Lesser Goldfinch	11.00%
400.	American Goldfinch	0.0157%
401.	Lapland Longspur	0.0007%
402.	Snow Bunting	0.0000%
403.	Botteri's Sparrow	0.1584%
404.	Cassin's Sparrow	2.20%
405.	Bachman's Sparrow	0.0492%
406.	Grasshopper Sparrow	0.8051%
407.	Olive Sparrow	2.66%
408.	Chipping Sparrow	1.77%
409.	Clay-colored Sparrow	0.0034%
410.	Black-chinned Sparrow	0.2083%
411.	Field Sparrow	1.97%
412.	Brewer's Sparrow	0.0014%
413.	Black-throated Sparrow	2.37%
414.	Lark Sparrow	10.10%
415.	Lark Bunting	0.0430%
416.	American Tree Sparrow	0.0007%
417.	Dark-eyed Junco	0.0150%
418.	White-crowned Sparrow	0.0075%
419.	Harris's Sparrow	0.0000%
420.	White-throated Sparrow	0.0075%

421.	Vesper Sparrow	0.0034%
422.	Seaside Sparrow	0.2342%
423.	Savannah Sparrow	0.0116%
424.	Henslow's Sparrow	0.0000%
425.	Lincoln's Sparrow	0.0027%
426.	Canyon Towhee	2.02%
427.	Rufous-crowned Sparrow	2.72%
428.	Green-tailed Towhee	0.0191%
429.	Spotted Towhee	0.4719%
430.	Eastern Towhee	0.0082%
431.	Yellow-breasted Chat	2.97%
432.	Yellow-headed Blackbird	0.0594%
433.	Bobolink	0.0000%
434.	Western Meadowlark	1.06%
435.	Eastern Meadowlark	5.29%
436.	Chihuahuan Meadowlark	0.2896%
437.	Black-vented Oriole	0.0014%
438.	Orchard Oriole	3.57%
439.	Hooded Oriole	1.32%
440.	Streak-backed Oriole	0.0266%
441.	Bullock's Oriole	3.02%
442.	Altamira Oriole	0.7724%
443.	Audubon's Oriole	0.3298%
444.	Baltimore Oriole	0.3510%
445.	Scott's Oriole	1.63%

446.	Red-winged Blackbird	<u>18.45%</u>
447.	Bronzed Cowbird	<u>4.90%</u>
448.	Brown-headed Cowbird	<u>17.88%</u>
449.	Brewer's Blackbird	0.0034%
450.	Common Grackle	<u>9.54%</u>
451.	Boat-tailed Grackle	<u>1.18%</u>
452.	Great-tailed Grackle	<u>32.08%</u>
453.	Ovenbird	0.0082%
454.	Worm-eating Warbler	0.0232%
455.	Louisiana Waterthrush	0.2349%
456.	Northern Waterthrush	0.0055%
457.	Golden-winged Warbler	0.0007%
458.	Blue-winged Warbler	0.0000%
459.	Black-and-white Warbler	1.20%
460.	Prothonotary Warbler	1.18%
461.	Swainson's Warbler	0.3633%
462.	Tennessee Warbler	0.0034%
463.	Orange-crowned Warbler	0.0061%
464.	Colima Warbler	0.1687%
465.	Lucy's Warbler	0.0355%
466.	Nashville Warbler	0.0055%
467.	Virginia's Warbler	0.0301%
468.	Gray-crowned Yellowthroat	0.0014%
469.	MacGillivray's Warbler	0.0212%
470.	Mourning Warbler	0.0116%

471.	Kentucky Warbler	0.2896%
472.	Common Yellowthroat	1.98%
473.	Hooded Warbler	0.8236%
474.	American Redstart	0.0417%
475.	Cape May Warbler	0.0007%
476.	Northern Parula	2.26%
477.	Tropical Parula	0.0997%
478.	Magnolia Warbler	0.0157%
479.	Bay-breasted Warbler	0.0007%
480.	Blackburnian Warbler	0.0089%
481.	Yellow Warbler	0.0772%
482.	Chestnut-sided Warbler	0.0055%
483.	Blackpoll Warbler	0.0021%
484.	Black-throated Blue Warbler	0.0007%
485.	Palm Warbler	0.0007%
486.	Pine Warbler	2.70%
487.	Yellow-rumped Warbler	0.0533%
488.	Yellow-throated Warbler	1.31%
489.	Prairie Warbler	0.1222%
490.	Grace's Warbler	0.1345%
491.	Black-throated Gray Warbler	0.0096%
492.	Golden-cheeked Warbler	1.06%
493.	Black-throated Green Warbler	0.0096%
494.	Rufous-capped Warbler	0.0034%
495.	Canada Warbler	0.0041%

496.	Wilson's Warbler	0.0253%
497.	Red-faced Warbler	0.0034%
498.	Painted Redstart	0.0703%
499.	Slate-throated Redstart	0.0102%
500.	Hepatic Tanager	0.4753%
501.	Summer Tanager	10.62%
502.	Scarlet Tanager	0.0021%
503.	Western Tanager	0.2397%
504.	Flame-colored Tanager	0.0068%
505.	Northern Cardinal	55.62%
506.	Pyrrhuloxia	2.08%
507.	Rose-breasted Grosbeak	0.0157%
508.	Black-headed Grosbeak	1.04%
509.	Blue Grosbeak	6.69%
510.	Lazuli Bunting	0.0191%
511.	Indigo Bunting	5.09%
512.	Varied Bunting	0.4405%
513.	Painted Bunting	22.28%
514.	Dickcissel	6.16%
515.	Morelet's Seedeater	0.0799%
516.	Yellow-faced Grassquit	0.0027%
EXOTIC: PROVISIONAL		
517.	Egyptian Goose	0.8065% frequency
518.	Lilac-crowned Parrot	0.0123%
519.	Red-lored Parrot	0.0451%

520. **White-fronted Parrot** **0.0218%**

521. **Tropical Mockingbird** **0.0137%**

EXOTIC: ESCAPEE

Bar-headed Goose **0.0027%** frequency

Graylag Goose **0.1236%**

Swan Goose **0.1338%**

Mute Swan **0.1762%**

Black Swan **0.0007%**

Black-necked Swan **0.0000%**

Ringed Teal **0.0082%**

Mandarin Duck **0.0021%**

Red-crested Pochard **0.0027%**

Ferruginous Duck **0.0061%**

Helmeted Guineafowl **0.0335%**

Indian Peafowl **0.0833%**

Red Junglefowl **0.0055%**

Chukar **0.0007%**

Greater Flamingo **0.0007%**

African Collared-Dove **0.0068%**

Diamond Dove **0.0000%**

Little Corella **0.0007%**

Cockatiel **0.0014%**

Rose-ringed Parakeet **0.0000%**

Budgerigar **0.0259%**

Rosy-faced Lovebird **0.0007%**

Fischer's Lovebird	0.0000%
Yellow-chevroned Parakeet	0.0000%
Yellow-headed Parrot	0.0321%
Nanday Parakeet	0.0000%
Chestnut-fronted Macaw	0.0007%
Mitred Parakeet	0.0000%
Northern Red Bishop	0.0198%
Bronze Mannikin	0.0007%
Orange-cheeked Waxbill	0.0007%
Pin-tailed Whydah	0.0027%
Venezuelan Troupial	0.0007%
Orange-breasted Bunting	0.0000%
White-cheeked Pintail	0.0000%

HYBRIDS

Graylag x Swan Goose (hybrid)	0.0082% frequency
Muscovy Duck x Mallard (hybrid)	0.0314%
Mallard x Mexican Duck (hybrid)	0.0396%
Mallard x Mottled Duck (hybrid)	0.0034%
Western x Clark's Grebe (hybrid)	0.0007%
Black-chinned x Anna's Hummingbird (hybrid)	0.0068%
Double-crested x Neotropic Cormorant (hybrid)	0.0021%
Glossy x White-faced Ibis (hybrid)	0.0027%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0075%

Red-crowned x Lilac-crowned Parrot (hybrid)	0.0007%
Black x Eastern Phoebe (hybrid)	0.0027%
Western x Eastern Kingbird (hybrid)	0.0000%
Tufted x Black-crested Titmouse (hybrid)	1.53%
Barn x Cave Swallow (hybrid)	0.0075%
Tropical x Northern Mockingbird (hybrid)	0.0000%
Altamira x Audubon's Oriole (hybrid)	0.0027%
Bullock's x Baltimore Oriole (hybrid)	0.0137%
Colima x Virginia's Warbler (hybrid)	0.0075%
Northern x Tropical Parula (hybrid)	0.0061%
Western x Flame-colored Tanager (hybrid)	0.0007%
Lazuli x Indigo Bunting (hybrid)	0.0068%
Varied x Painted Bunting (hybrid)	0.0041%