

Target Species

Based on 119,900 complete checklists

495 species observed in Texas, US (region/US-TX) in **Jul** that you need for your **World Life List**

1. Northern Cardinal	53.23% frequency
2. Northern Mockingbird	50.00%
3. Mourning Dove	46.16%
4. White-winged Dove	39.79%
5. Great-tailed Grackle	31.09%
6. House Sparrow	30.41%
7. Barn Swallow	29.63%
8. Carolina Wren	27.99%
9. Turkey Vulture	27.89%
10. Blue Jay	27.09%
11. Carolina Chickadee	25.96%
12. Great Egret	22.27%
13. House Finch	22.17%
14. Scissor-tailed Flycatcher	19.91%
15. Painted Bunting	19.02%
16. Purple Martin	18.46%
17. Great Blue Heron	18.43%
18. European Starling	17.59%
19. Black Vulture	17.47%
20. Killdeer	16.95%
21. Red-winged Blackbird	16.87%

[Go to top](#)

22.	American Crow	<u>16.20%</u>
23.	Red-bellied Woodpecker	<u>15.92%</u>
24.	Snowy Egret	<u>15.56%</u>
25.	White-eyed Vireo	<u>15.47%</u>
26.	Black-chinned Hummingbird	<u>15.30%</u>
27.	Western Kingbird	<u>14.88%</u>
28.	Cattle Egret	<u>14.70%</u>
29.	Green Heron	<u>14.08%</u>
30.	Black-bellied Whistling-Duck	<u>13.12%</u>
31.	Chimney Swift	<u>13.02%</u>
32.	Black-crested Titmouse	<u>12.47%</u>
33.	Brown-headed Cowbird	<u>12.36%</u>
34.	Yellow-billed Cuckoo	<u>11.88%</u>
35.	Downy Woodpecker	<u>11.51%</u>
36.	Rock Pigeon	<u>11.07%</u>
37.	Bewick's Wren	<u>11.04%</u>
38.	Eurasian Collared-Dove	<u>10.58%</u>
39.	Laughing Gull	<u>10.42%</u>
40.	Little Blue Heron	<u>10.33%</u>
41.	Lesser Goldfinch	<u>10.19%</u>
42.	Mississippi Kite	<u>10.10%</u>
43.	Cliff Swallow	<u>9.92%</u>
44.	Golden-fronted Woodpecker	<u>9.57%</u>
45.	Eastern Bluebird	<u>9.56%</u>
46.	Tufted Titmouse	<u>9.56%</u>

47.	Ladder-backed Woodpecker	9.42%
48.	Yellow-crowned Night-Heron	9.39%
49.	Eastern Phoebe	9.03%
50.	Lark Sparrow	8.70%
51.	Neotropic Cormorant	8.49%
52.	American Robin	8.22%
53.	White Ibis	8.10%
54.	Black-necked Stilt	7.58%
55.	Summer Tanager	7.58%
56.	Red-shouldered Hawk	7.36%
57.	Red-tailed Hawk	7.25%
58.	Common Nighthawk	7.21%
59.	Tricolored Heron	7.08%
60.	Blue-gray Gnatcatcher	7.01%
61.	Inca Dove	6.87%
62.	Common Grackle	6.62%
63.	Ruby-throated Hummingbird	6.28%
64.	Blue Grosbeak	5.59%
65.	Loggerhead Shrike	5.26%
66.	Crested Caracara	5.07%
67.	Dickcissel	4.77%
68.	Northern Bobwhite	4.73%
69.	Orchard Oriole	4.63%
70.	Roseate Spoonbill	4.61%
71.	Least Sandpiper	4.55%

72.	Eastern Meadowlark	4.48%
73.	Brown Pelican	4.46%
74.	Indigo Bunting	4.44%
75.	Willet	4.17%
76.	Great Crested Flycatcher	4.11%
77.	Greater Roadrunner	4.10%
78.	Mallard	3.93%
79.	Bronzed Cowbird	3.89%
80.	Eastern Kingbird	3.89%
81.	Least Tern	3.80%
82.	American Coot	3.68%
83.	Couch's Kingbird	3.56%
84.	Cave Swallow	3.55%
85.	Spotted Sandpiper	3.51%
86.	Curve-billed Thrasher	3.48%
87.	Ash-throated Flycatcher	3.45%
88.	Common Gallinule	3.41%
89.	Great Kiskadee	3.33%
90.	Red-eyed Vireo	3.32%
91.	Royal Tern	3.27%
92.	Black-crowned Night-Heron	3.18%
93.	Wood Duck	3.10%
94.	Pileated Woodpecker	3.01%
95.	Mottled Duck	2.93%
96.	Forster's Tern	2.92%

97.	Cooper's Hawk	2.83%
98.	Common Ground Dove	2.83%
99.	Swainson's Hawk	2.73%
100.	Pied-billed Grebe	2.62%
101.	Brown-crested Flycatcher	2.60%
102.	Verdin	2.46%
103.	Lesser Yellowlegs	2.46%
104.	Bell's Vireo	2.45%
105.	White-faced Ibis	2.38%
106.	Greater Yellowlegs	2.38%
107.	Woodhouse's Scrub-Jay	2.22%
108.	Canyon Wren	2.20%
109.	Rufous-crowned Sparrow	2.18%
110.	Anhinga	2.14%
111.	Western Sandpiper	2.14%
112.	Long-billed Thrasher	2.13%
113.	Olive Sparrow	2.10%
114.	Green Jay	2.09%
115.	Reddish Egret	2.08%
116.	Bullock's Oriole	2.07%
117.	Black Tern	2.02%
118.	Buff-bellied Hummingbird	2.01%
119.	Canyon Towhee	1.95%
120.	Solitary Sandpiper	1.89%
121.	Canada Goose	1.89%

122.	Red-headed Woodpecker	1.86%
123.	American Avocet	1.84%
124.	Black Skimmer	1.84%
125.	Common Raven	1.81%
126.	Common Yellowthroat	1.81%
127.	Vermilion Flycatcher	1.74%
128.	Belted Kingfisher	1.73%
129.	Black-throated Sparrow	1.72%
130.	Sandwich Tern	1.71%
131.	American Kestrel	1.66%
132.	Pyrrhuloxia	1.66%
133.	Cactus Wren	1.59%
134.	Double-crested Cormorant	1.58%
135.	Semipalmated Sandpiper	1.53%
136.	Wood Stork	1.53%
137.	Long-billed Curlew	1.49%
138.	Caspian Tern	1.46%
139.	Yellow-breasted Chat	1.43%
140.	Northern Rough-winged Swallow	1.42%
141.	White-tipped Dove	1.42%
142.	White-breasted Nuthatch	1.42%
143.	Gull-billed Tern	1.41%
144.	Plain Chachalaca	1.40%
145.	Cassin's Sparrow	1.37%
146.	American White Pelican	1.37%

147.	Eastern Wood-Pewee	1.36%
148.	Black-and-white Warbler	1.34%
149.	Chipping Sparrow	1.29%
150.	Fulvous Whistling-Duck	1.29%
151.	Stilt Sandpiper	1.26%
152.	Barred Owl	1.26%
153.	Groove-billed Ani	1.24%
154.	Field Sparrow	1.24%
155.	Scott's Oriole	1.24%
156.	Wild Turkey	1.21%
157.	Osprey	1.19%
158.	Least Bittern	1.18%
159.	Monk Parakeet	1.12%
160.	Pine Warbler	1.12%
161.	Boat-tailed Grackle	1.10%
162.	Hooded Oriole	1.10%
163.	Purple Gallinule	1.08%
164.	Blue-winged Teal	1.07%
165.	Horned Lark	1.06%
166.	Brown Thrasher	1.04%
167.	Say's Phoebe	1.04%
168.	Sanderling	1.03%
169.	Northern Parula	0.9967%
170.	Yellow-throated Vireo	0.9825%
171.	Great Horned Owl	0.9708%

172.	Wilson's Plover	0.9616%
173.	Tropical Kingbird	0.9616%
174.	Least Grebe	0.9475%
175.	Pectoral Sandpiper	0.9358%
176.	Scaled Quail	0.9249%
177.	Marbled Godwit	0.9149%
178.	Clay-colored Thrush	0.9141%
179.	Harris's Hawk	0.9108%
180.	Magnificent Frigatebird	0.9099%
181.	Ruddy Duck	0.9057%
182.	Clapper Rail	0.8757%
183.	Black-headed Grosbeak	0.8615%
184.	Lesser Nighthawk	0.8599%
185.	Cassin's Kingbird	0.8549%
186.	Acorn Woodpecker	0.8407%
187.	Ruddy Turnstone	0.8382%
188.	Western Meadowlark	0.8215%
189.	Eastern Screech-Owl	0.8207%
190.	Semipalmated Plover	0.8040%
191.	Long-billed Dowitcher	0.7690%
192.	Snowy Plover	0.7256%
193.	Black-bellied Plover	0.7223%
194.	Acadian Flycatcher	0.6956%
195.	White-tailed Kite	0.6756%
196.	American Oystercatcher	0.6355%

197.	Ring-billed Gull	0.6314%
198.	Baird's Sandpiper	0.6080%
199.	White-tailed Hawk	0.6047%
200.	Wilson's Phalarope	0.5972%
201.	Grasshopper Sparrow	0.5938%
202.	Altamira Oriole	0.5938%
203.	Chuck-will's-widow	0.5930%
204.	Yellow-throated Warbler	0.5880%
205.	Short-billed Dowitcher	0.5813%
206.	Bushtit	0.5813%
207.	Prothonotary Warbler	0.5805%
208.	Redhead	0.5713%
209.	Broad-winged Hawk	0.5705%
210.	Green Kingfisher	0.5688%
211.	Rufous Hummingbird	0.5638%
212.	Western Wood-Pewee	0.5571%
213.	Yellow-headed Blackbird	0.5471%
214.	Fish Crow	0.5438%
215.	Piping Plover	0.5363%
216.	Burrowing Owl	0.5263%
217.	Chihuahuan Raven	0.5188%
218.	Black Phoebe	0.5179%
219.	Least Flycatcher	0.5121%
220.	Common Pauraque	0.5038%
221.	Black-capped Vireo	0.4988%

222.	Brown-headed Nuthatch	0.4929%
223.	Golden-cheeked Warbler	0.4846%
224.	Hooded Warbler	0.4787%
225.	Broad-tailed Hummingbird	0.4762%
226.	Northern Flicker	0.4729%
227.	Rock Wren	0.4721%
228.	Northern Shoveler	0.4612%
229.	Green Parakeet	0.4379%
230.	Bank Swallow	0.4279%
231.	Swallow-tailed Kite	0.4112%
232.	Upland Sandpiper	0.4070%
233.	Spotted Towhee	0.3978%
234.	Tree Swallow	0.3970%
235.	Hutton's Vireo	0.3953%
236.	Western Tanager	0.3686%
237.	Black-tailed Gnatcatcher	0.3636%
238.	Red-crowned Parrot	0.3603%
239.	Louisiana Waterthrush	0.3586%
240.	Hepatic Tanager	0.3528%
241.	Common Tern	0.3511%
242.	Zone-tailed Hawk	0.3503%
243.	Bald Eagle	0.3403%
244.	Mexican Duck	0.3370%
245.	Ringed Kingfisher	0.3236%
246.	Varied Bunting	0.3169%

247.	Gambel's Quail	0.3136%
248.	Red-vented Bulbul	0.3036%
249.	Phainopepla	0.3027%
250.	Seaside Sparrow	0.3027%
251.	Common Poorwill	0.2919%
252.	Audubon's Oriole	0.2902%
253.	Herring Gull	0.2869%
254.	Scaly-breasted Munia	0.2852%
255.	Gray Catbird	0.2677%
256.	Mexican Jay	0.2644%
257.	Hairy Woodpecker	0.2627%
258.	Barn Owl	0.2619%
259.	Marsh Wren	0.2577%
260.	Black-chinned Sparrow	0.2519%
261.	Plumbeous Vireo	0.2469%
262.	Wood Thrush	0.2469%
263.	Gray Hawk	0.2419%
264.	White-throated Swift	0.2310%
265.	Lucifer Hummingbird	0.2277%
266.	King Rail	0.2252%
267.	Gadwall	0.2110%
268.	Chihuahuan Meadowlark	0.2093%
269.	Calliope Hummingbird	0.1968%
270.	Baltimore Oriole	0.1910%
271.	Gray Flycatcher	0.1893%

272.	Peregrine Falcon	0.1810%
273.	Northern Beardless-Tyrannulet	0.1760%
274.	Violet-green Swallow	0.1760%
275.	Cinnamon Teal	0.1718%
276.	Limpkin	0.1718%
277.	Crissal Thrasher	0.1601%
278.	Western Bluebird	0.1551%
279.	Kentucky Warbler	0.1551%
280.	Green-winged Teal	0.1510%
281.	Glossy Ibis	0.1443%
282.	Snail Kite	0.1435%
283.	Whimbrel	0.1376%
284.	Brown Booby	0.1376%
285.	Cordilleran Flycatcher	0.1368%
286.	Warbling Vireo	0.1334%
287.	Red-cockaded Woodpecker	0.1284%
288.	Swainson's Warbler	0.1276%
289.	Band-tailed Pigeon	0.1251%
290.	Botteri's Sparrow	0.1243%
291.	Montezuma Quail	0.1193%
292.	Rivoli's Hummingbird	0.1176%
293.	Lesser Scaup	0.1143%
294.	Elf Owl	0.1101%
295.	Northern Harrier	0.1059%
296.	Colima Warbler	0.1059%

297.	Northern Pintail	0.1051%
298.	Gray Vireo	0.1034%
299.	Yellow-green Vireo	0.1026%
300.	Buff-breasted Sandpiper	0.1018%
301.	Common Black Hawk	0.1001%
302.	Ring-necked Pheasant	0.0984%
303.	Clark's Grebe	0.0976%
304.	Blue-throated Mountain-gem	0.0976%
305.	Ring-necked Duck	0.0967%
306.	Yellow Warbler	0.0959%
307.	Mountain Chickadee	0.0909%
308.	American Wigeon	0.0901%
309.	Eared Grebe	0.0901%
310.	Western Grebe	0.0892%
311.	Western Screech-Owl	0.0817%
312.	Pomarine Jaeger	0.0792%
313.	Green-breasted Mango	0.0784%
314.	House Wren	0.0759%
315.	Aplomado Falcon	0.0751%
316.	Grace's Warbler	0.0684%
317.	Cackling Goose	0.0676%
318.	Morelet's Seedeater	0.0667%
319.	Lark Bunting	0.0650%
320.	Black Rail	0.0642%
321.	Red Knot	0.0642%

322.	Steller's Jay	0.0626%
323.	Painted Redstart	0.0600%
324.	Dunlin	0.0567%
325.	Mexican Whip-poor-will	0.0525%
326.	Red-billed Pigeon	0.0500%
327.	Hermit Thrush	0.0492%
328.	Sora	0.0475%
329.	Lesser Black-backed Gull	0.0459%
330.	Golden Eagle	0.0442%
331.	Willow Flycatcher	0.0442%
332.	Sooty Tern	0.0417%
333.	Greater White-fronted Goose	0.0409%
334.	Band-rumped Storm-Petrel	0.0409%
335.	Collared Plover	0.0392%
336.	Broad-billed Hummingbird	0.0384%
337.	Pine Siskin	0.0384%
338.	Snow Goose	0.0375%
339.	Dusky-capped Flycatcher	0.0350%
340.	Bachman's Sparrow	0.0342%
341.	Virginia's Warbler	0.0342%
342.	Prairie Warbler	0.0342%
343.	Anna's Hummingbird	0.0317%
344.	Yellow-rumped Warbler	0.0317%
345.	Sharp-shinned Hawk	0.0300%
346.	Tropical Parula	0.0300%

347.	Mexican Violetear	0.0284%
348.	Cory's Shearwater	0.0275%
349.	Masked Booby	0.0267%
350.	Canvasback	0.0250%
351.	American Redstart	0.0250%
352.	Audubon's Shearwater	0.0242%
353.	Dark-eyed Junco	0.0242%
354.	Franklin's Gull	0.0209%
355.	Greater Prairie-Chicken	0.0200%
356.	Ferruginous Pygmy-Owl	0.0183%
357.	Prairie Falcon	0.0183%
358.	Pygmy Nuthatch	0.0183%
359.	Ross's Goose	0.0175%
360.	Red-necked Phalarope	0.0175%
361.	White-eared Hummingbird	0.0159%
362.	Common Loon	0.0159%
363.	Olive-sided Flycatcher	0.0159%
364.	Lucy's Warbler	0.0159%
365.	Bridled Tern	0.0150%
366.	Muscovy Duck	0.0142%
367.	Sandhill Crane	0.0142%
368.	American Golden-Plover	0.0142%
369.	Buff-breasted Flycatcher	0.0133%
370.	Gray Kingbird	0.0133%
371.	Green-tailed Towhee	0.0133%

372.	White-rumped Sandpiper	0.0125%
373.	Violet-crowned Hummingbird	0.0108%
374.	Elegant Tern	0.0108%
375.	Harris's Sparrow	0.0108%
376.	Lazuli Bunting	0.0108%
377.	Allen's Hummingbird	0.0100%
378.	Leach's Storm-Petrel	0.0100%
379.	Alder Flycatcher	0.0100%
380.	American Goldfinch	0.0100%
381.	Bufflehead	0.0092%
382.	Red Crossbill	0.0092%
383.	Worm-eating Warbler	0.0092%
384.	Black-throated Gray Warbler	0.0092%
385.	Masked Duck	0.0083%
386.	American Bittern	0.0083%
387.	Brown Creeper	0.0083%
388.	Black-headed Nightingale-Thrush	0.0083%
389.	American Woodcock	0.0075%
390.	Great Black-backed Gull	0.0075%
391.	Juniper Titmouse	0.0075%
392.	Black-throated Green Warbler	0.0075%
393.	Surf Scoter	0.0067%
394.	Hooded Merganser	0.0067%
395.	Common Merganser	0.0067%
396.	American Flamingo	0.0067%

397.	Whooping Crane	0.0067%
398.	Great Shearwater	0.0067%
399.	Rose-throated Becard	0.0067%
400.	Red-breasted Nuthatch	0.0067%
401.	White-throated Sparrow	0.0067%
402.	Brant	0.0058%
403.	Red-breasted Merganser	0.0058%
404.	Hook-billed Kite	0.0058%
405.	Dusky Flycatcher	0.0058%
406.	Orange-crowned Warbler	0.0058%
407.	Parasitic Jaeger	0.0050%
408.	Northern Gannet	0.0050%
409.	Spotted Owl	0.0050%
410.	Brown Jay	0.0050%
411.	Vesper Sparrow	0.0050%
412.	Virginia Rail	0.0042%
413.	Black-tailed Godwit	0.0042%
414.	Hudsonian Godwit	0.0042%
415.	Red-necked Stint	0.0042%
416.	Gray-crowned Yellowthroat	0.0042%
417.	Greater Scaup	0.0033%
418.	Ruff	0.0033%
419.	Red-billed Tropicbird	0.0033%
420.	Flammulated Owl	0.0033%
421.	Savannah Sparrow	0.0033%

422.	Rose-breasted Grosbeak	0.0033%
423.	Lesser Prairie-Chicken	0.0025%
424.	Northern Jacana	0.0025%
425.	California Gull	0.0025%
426.	Glaucous Gull	0.0025%
427.	Yellow-bellied Flycatcher	0.0025%
428.	Thick-billed Kingbird	0.0025%
429.	Blue-and-white Swallow	0.0025%
430.	Veery	0.0025%
431.	Evening Grosbeak	0.0025%
432.	Eastern Towhee	0.0025%
433.	Wilson's Warbler	0.0025%
434.	Slate-throated Redstart	0.0025%
435.	Flame-colored Tanager	0.0025%
436.	Arctic Tern	0.0017%
437.	Black-capped Petrel	0.0017%
438.	Ferruginous Hawk	0.0017%
439.	Long-eared Owl	0.0017%
440.	Northern Saw-whet Owl	0.0017%
441.	Greater Pewee	0.0017%
442.	Tamaulipas Crow	0.0017%
443.	White-crowned Sparrow	0.0017%
444.	Black-vented Oriole	0.0017%
445.	Northern Waterthrush	0.0017%
446.	Townsend's Warbler	0.0017%

447.	Hermit Warbler	0.0017%
448.	Horned Grebe	0.0008%
449.	Costa's Hummingbird	0.0008%
450.	Curlew Sandpiper	0.0008%
451.	Wilson's Snipe	0.0008%
452.	Pacific Loon	0.0008%
453.	Sooty Shearwater	0.0008%
454.	Short-tailed Hawk	0.0008%
455.	Cassin's Vireo	0.0008%
456.	Blue-headed Vireo	0.0008%
457.	Ruby-crowned Kinglet	0.0008%
458.	Sedge Wren	0.0008%
459.	Blue Mockingbird	0.0008%
460.	Sage Thrasher	0.0008%
461.	Aztec Thrush	0.0008%
462.	Swamp Sparrow	0.0008%
463.	Bobolink	0.0008%
464.	Brewer's Blackbird	0.0008%
465.	Ovenbird	0.0008%
466.	MacGillivray's Warbler	0.0008%
467.	Canada Warbler	0.0008%
468.	Red-faced Warbler	0.0008%
469.	Eastern Whip-poor-will	0.0000%
470.	Red Phalarope	0.0000%
471.	Sabine's Gull	0.0000%

472.	Bonaparte's Gull	0.0000%
473.	Brown Noddy	0.0000%
474.	White-tailed Tropicbird	0.0000%
475.	Manx Shearwater	0.0000%
476.	Jabiru	0.0000%
477.	Blue-footed Booby	0.0000%
478.	Red-footed Booby	0.0000%
479.	Short-eared Owl	0.0000%
480.	Sulphur-bellied Flycatcher	0.0000%
481.	Pinyon Jay	0.0000%
482.	Mountain Bluebird	0.0000%
483.	Townsend's Solitaire	0.0000%
484.	Gray-cheeked Thrush	0.0000%
485.	Song Sparrow	0.0000%
486.	Nashville Warbler	0.0000%
487.	Cerulean Warbler	0.0000%
488.	Magnolia Warbler	0.0000%
489.	Blackburnian Warbler	0.0000%
490.	Rufous-capped Warbler	0.0000%
EXOTIC: PROVISIONAL		
491.	Egyptian Goose	0.8274% frequency
492.	Red-lored Parrot	0.0475%
493.	White-fronted Parrot	0.0200%
494.	Tropical Mockingbird	0.0167%
495.	Lilac-crowned Parrot	0.0133%

EXOTIC: ESCAPEE

Mute Swan	0.1718% frequency
Graylag Goose	0.1159%
Swan Goose	0.1143%
Indian Peafowl	0.0667%
Budgerigar	0.0400%
Northern Red Bishop	0.0359%
Yellow-headed Parrot	0.0350%
Red Junglefowl	0.0150%
Helmeted Guineafowl	0.0133%
Bronze Mannikin	0.0117%
Orange-cheeked Waxbill	0.0058%
Ringed Teal	0.0050%
Bar-headed Goose	0.0042%
Cockatiel	0.0033%
Chukar	0.0025%
Green-cheeked Parakeet	0.0025%
Mitred Parakeet	0.0025%
Pin-tailed Whydah	0.0025%
African Collared-Dove	0.0017%
Rosy-faced Lovebird	0.0017%
Island Canary	0.0017%
Emu	0.0008%
Black Swan	0.0008%
Chiloe Wigeon	0.0008%

Greater Flamingo	0.0008%
Little Corella	0.0008%
Lilian's Lovebird	0.0008%
Nanday Parakeet	0.0008%
Chestnut-fronted Macaw	0.0008%
West Indian Whistling-Duck	0.0000%
Lesser Flamingo	0.0000%
Alexandrine Parakeet	0.0000%

HYBRIDS

Tufted x Black-crested Titmouse (hybrid)	1.61% frequency
Muscovy Duck x Mallard (hybrid)	0.0242%
Mallard x Mexican Duck (hybrid)	0.0234%
Graylag x Swan Goose (hybrid)	0.0125%
Tropical x Northern Mockingbird (hybrid)	0.0100%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0083%
Black-chinned x Anna's Hummingbird (hybrid)	0.0075%
Varied x Painted Bunting (hybrid)	0.0042%
Lazuli x Indigo Bunting (hybrid)	0.0025%
Mallard x Mottled Duck (hybrid)	0.0017%
Glossy x White-faced Ibis (hybrid)	0.0017%
Bullock's x Baltimore Oriole (hybrid)	0.0017%
Northern x Tropical Parula (hybrid)	0.0017%
Mexican x Mottled Duck (hybrid)	0.0008%
Lucifer x Black-chinned Hummingbird (hybrid)	0.0008%

Downy x Ladder-backed Woodpecker (hybrid)	0.0008%
--	----------------

Altamira x Audubon's Oriole (hybrid)	0.0008%
--------------------------------------	----------------

Domestic goose sp. x Canada Goose (hybrid)	0.0000%
---	----------------