

## Target Species

Based on 283,726 complete checklists

**564** species observed in Texas, US (region/US-TX) in **Mar** that you need for your **World Life List**

1. Northern Cardinal	<b>54.74%</b> frequency
2. Northern Mockingbird	<b>44.48%</b>
3. Mourning Dove	<b>36.57%</b>
4. Turkey Vulture	<b>36.27%</b>
5. Great-tailed Grackle	<b>31.57%</b>
6. Red-winged Blackbird	<b>30.16%</b>
7. White-winged Dove	<b>29.83%</b>
8. Yellow-rumped Warbler	<b>27.61%</b>
9. Carolina Wren	<b>26.57%</b>
10. Carolina Chickadee	<b>25.94%</b>
11. Blue Jay	<b>24.08%</b>
12. Black Vulture	<b>22.97%</b>
13. House Sparrow	<b>22.20%</b>
14. Great Egret	<b>21.45%</b>
15. Great Blue Heron	<b>21.29%</b>
16. Ruby-crowned Kinglet	<b>21.11%</b>
17. European Starling	<b>20.40%</b>
18. American Coot	<b>18.65%</b>
19. American Crow	<b>18.16%</b>
20. Double-crested Cormorant	<b>17.27%</b>

21. Eastern Phoebe	<u>17.08%</u>
22. Killdeer	<u>16.90%</u>
23. Black-crested Titmouse	<u>16.58%</u>
24. Red-bellied Woodpecker	<u>16.11%</u>
25. House Finch	<u>16.06%</u>
26. Barn Swallow	<u>15.92%</u>
27. White-eyed Vireo	<u>15.79%</u>
28. Pied-billed Grebe	<u>15.21%</u>
29. Cedar Waxwing	<u>15.20%</u>
30. Blue-winged Teal	<u>15.08%</u>
31. Orange-crowned Warbler	<u>14.13%</u>
32. Red-tailed Hawk	<u>13.51%</u>
33. American Robin	<u>13.49%</u>
34. Golden-fronted Woodpecker	<u>13.26%</u>
35. Blue-gray Gnatcatcher	<u>13.24%</u>
36. Northern Shoveler	<u>13.11%</u>
37. Lincoln's Sparrow	<u>13.02%</u>
38. Snowy Egret	<u>12.99%</u>
39. Laughing Gull	<u>12.77%</u>
40. Savannah Sparrow	<u>12.72%</u>
41. Brown-headed Cowbird	<u>12.67%</u>
42. Chipping Sparrow	<u>12.49%</u>
43. Downy Woodpecker	<u>12.30%</u>
44. Purple Martin	<u>11.81%</u>
45. Red-shouldered Hawk	<u>11.31%</u>

46.	<b>Ladder-backed Woodpecker</b>	<b><u>11.30%</u></b>
47.	<b>American Kestrel</b>	<b><u>11.23%</u></b>
48.	<b>Eastern Bluebird</b>	<b><u>10.80%</u></b>
49.	<b>Bewick's Wren</b>	<b><u>10.74%</u></b>
50.	<b>Gadwall</b>	<b><u>10.71%</u></b>
51.	<b>American Goldfinch</b>	<b><u>10.69%</u></b>
52.	<b>Tufted Titmouse</b>	<b><u>10.51%</u></b>
53.	<b>Black-bellied Whistling-Duck</b>	<b><u>10.22%</u></b>
54.	<b>Neotropic Cormorant</b>	<b><u>10.06%</u></b>
55.	<b>Ring-billed Gull</b>	<b><u>10.05%</u></b>
56.	<b>Rock Pigeon</b>	<b><u>9.96%</u></b>
57.	<b>White-throated Sparrow</b>	<b><u>9.62%</u></b>
58.	<b>Crested Caracara</b>	<b><u>9.40%</u></b>
59.	<b>Eurasian Collared-Dove</b>	<b><u>9.24%</u></b>
60.	<b>Loggerhead Shrike</b>	<b><u>9.13%</u></b>
61.	<b>White Ibis</b>	<b><u>8.85%</u></b>
62.	<b>Lesser Goldfinch</b>	<b><u>8.61%</u></b>
63.	<b>Osprey</b>	<b><u>8.38%</u></b>
64.	<b>Green-winged Teal</b>	<b><u>8.37%</u></b>
65.	<b>White-crowned Sparrow</b>	<b><u>8.32%</u></b>
66.	<b>Great Kiskadee</b>	<b><u>7.96%</u></b>
67.	<b>Northern Harrier</b>	<b><u>7.92%</u></b>
68.	<b>American White Pelican</b>	<b><u>7.82%</u></b>
69.	<b>Greater Yellowlegs</b>	<b><u>7.75%</u></b>
70.	<b>Eastern Meadowlark</b>	<b><u>7.51%</u></b>

71.	<b>Belted Kingfisher</b>	<b>7.23%</b>
72.	<b>Mallard</b>	<b>7.12%</b>
73.	<b>Inca Dove</b>	<b>7.10%</b>
74.	<b>Common Grackle</b>	<b>6.95%</b>
75.	<b>Green Jay</b>	<b>6.84%</b>
76.	<b>Brown Pelican</b>	<b>6.83%</b>
77.	<b>Dark-eyed Junco</b>	<b>6.69%</b>
78.	<b>Black-necked Stilt</b>	<b>6.56%</b>
79.	<b>Mottled Duck</b>	<b>6.39%</b>
80.	<b>Little Blue Heron</b>	<b>6.35%</b>
81.	<b>Song Sparrow</b>	<b>6.21%</b>
82.	<b>Black-and-white Warbler</b>	<b>6.12%</b>
83.	<b>Lesser Scaup</b>	<b>6.03%</b>
84.	<b>Forster's Tern</b>	<b>5.99%</b>
85.	<b>Least Sandpiper</b>	<b>5.92%</b>
86.	<b>Scissor-tailed Flycatcher</b>	<b>5.77%</b>
87.	<b>American Wigeon</b>	<b>5.75%</b>
88.	<b>Cooper's Hawk</b>	<b>5.74%</b>
89.	<b>Willet</b>	<b>5.65%</b>
90.	<b>Tree Swallow</b>	<b>5.63%</b>
91.	<b>Roseate Spoonbill</b>	<b>5.61%</b>
92.	<b>Field Sparrow</b>	<b>5.60%</b>
93.	<b>Black-chinned Hummingbird</b>	<b>5.59%</b>
94.	<b>Tricolored Heron</b>	<b>5.53%</b>
95.	<b>Couch's Kingbird</b>	<b>5.25%</b>

96.	<b>Long-billed Thrasher</b>	<b>5.25%</b>
97.	<b>Common Gallinule</b>	<b>5.21%</b>
98.	<b>Common Yellowthroat</b>	<b>4.90%</b>
99.	<b>Ring-necked Duck</b>	<b>4.80%</b>
100.	<b>House Wren</b>	<b>4.76%</b>
101.	<b>Ruddy Duck</b>	<b>4.67%</b>
102.	<b>Lesser Yellowlegs</b>	<b>4.58%</b>
103.	<b>Pine Siskin</b>	<b>4.42%</b>
104.	<b>Northern Flicker</b>	<b>4.36%</b>
105.	<b>Spotted Towhee</b>	<b>4.28%</b>
106.	<b>White-tipped Dove</b>	<b>4.20%</b>
107.	<b>Hermit Thrush</b>	<b>4.14%</b>
108.	<b>Spotted Sandpiper</b>	<b>4.07%</b>
109.	<b>Plain Chachalaca</b>	<b>4.06%</b>
110.	<b>Northern Rough-winged Swallow</b>	<b>3.90%</b>
111.	<b>Curve-billed Thrasher</b>	<b>3.73%</b>
112.	<b>Royal Tern</b>	<b>3.73%</b>
113.	<b>Long-billed Dowitcher</b>	<b>3.69%</b>
114.	<b>Northern Parula</b>	<b>3.65%</b>
115.	<b>Olive Sparrow</b>	<b>3.62%</b>
116.	<b>Wood Duck</b>	<b>3.62%</b>
117.	<b>Herring Gull</b>	<b>3.50%</b>
118.	<b>Brown Thrasher</b>	<b>3.47%</b>
119.	<b>Ruby-throated Hummingbird</b>	<b>3.47%</b>
120.	<b>Vesper Sparrow</b>	<b>3.43%</b>

121.	<b>Redhead</b>	<b>3.38%</b>
122.	<b>Cattle Egret</b>	<b>3.36%</b>
123.	<b>Bufflehead</b>	<b>3.28%</b>
124.	<b>Vermilion Flycatcher</b>	<b>3.26%</b>
125.	<b>Yellow-crowned Night-Heron</b>	<b>3.26%</b>
126.	<b>Wilson's Snipe</b>	<b>3.25%</b>
127.	<b>White-faced Ibis</b>	<b>3.24%</b>
128.	<b>Pine Warbler</b>	<b>3.24%</b>
129.	<b>Swamp Sparrow</b>	<b>3.22%</b>
130.	<b>Lark Sparrow</b>	<b>3.20%</b>
131.	<b>Greater Roadrunner</b>	<b>3.17%</b>
132.	<b>Black-crowned Night-Heron</b>	<b>3.16%</b>
133.	<b>Anhinga</b>	<b>3.14%</b>
134.	<b>Caspian Tern</b>	<b>3.11%</b>
135.	<b>Canada Goose</b>	<b>3.09%</b>
136.	<b>Pyrrhuloxia</b>	<b>2.99%</b>
137.	<b>Yellow-bellied Sapsucker</b>	<b>2.99%</b>
138.	<b>Pileated Woodpecker</b>	<b>2.97%</b>
139.	<b>Harris's Hawk</b>	<b>2.90%</b>
140.	<b>American Avocet</b>	<b>2.89%</b>
141.	<b>Altamira Oriole</b>	<b>2.85%</b>
142.	<b>American Pipit</b>	<b>2.84%</b>
143.	<b>Long-billed Curlew</b>	<b>2.83%</b>
144.	<b>Cinnamon Teal</b>	<b>2.80%</b>
145.	<b>Common Raven</b>	<b>2.78%</b>

146.	<b>Cliff Swallow</b>	<b>2.73%</b>
147.	<b>Least Grebe</b>	<b>2.71%</b>
148.	<b>Wild Turkey</b>	<b>2.64%</b>
149.	<b>Western Meadowlark</b>	<b>2.61%</b>
150.	<b>Reddish Egret</b>	<b>2.60%</b>
151.	<b>Black-bellied Plover</b>	<b>2.52%</b>
152.	<b>Gray Catbird</b>	<b>2.48%</b>
153.	<b>Sanderling</b>	<b>2.45%</b>
154.	<b>Great Horned Owl</b>	<b>2.44%</b>
155.	<b>Marsh Wren</b>	<b>2.41%</b>
156.	<b>Verdin</b>	<b>2.40%</b>
157.	<b>Buff-bellied Hummingbird</b>	<b>2.40%</b>
158.	<b>Ruddy Turnstone</b>	<b>2.38%</b>
159.	<b>Sora</b>	<b>2.26%</b>
160.	<b>Woodhouse's Scrub-Jay</b>	<b>2.24%</b>
161.	<b>Common Ground Dove</b>	<b>2.24%</b>
162.	<b>Cave Swallow</b>	<b>2.20%</b>
163.	<b>Northern Pintail</b>	<b>2.18%</b>
164.	<b>Blue-headed Vireo</b>	<b>2.17%</b>
165.	<b>White-tailed Kite</b>	<b>2.09%</b>
166.	<b>Yellow-throated Warbler</b>	<b>2.07%</b>
167.	<b>Sandhill Crane</b>	<b>2.05%</b>
168.	<b>Sharp-shinned Hawk</b>	<b>2.03%</b>
169.	<b>Pectoral Sandpiper</b>	<b>1.98%</b>
170.	<b>Harris's Sparrow</b>	<b>1.95%</b>

171.	<b>Hooded Warbler</b>	<b>1.92%</b>
172.	<b>Green Heron</b>	<b>1.89%</b>
173.	<b>American Golden-Plover</b>	<b>1.87%</b>
174.	<b>Canyon Wren</b>	<b>1.83%</b>
175.	<b>Clay-colored Thrush</b>	<b>1.83%</b>
176.	<b>Barred Owl</b>	<b>1.82%</b>
177.	<b>Boat-tailed Grackle</b>	<b>1.81%</b>
178.	<b>Brewer's Blackbird</b>	<b>1.77%</b>
179.	<b>Black Skimmer</b>	<b>1.74%</b>
180.	<b>Golden-crowned Kinglet</b>	<b>1.71%</b>
181.	<b>Dunlin</b>	<b>1.70%</b>
182.	<b>Black-throated Sparrow</b>	<b>1.68%</b>
183.	<b>Golden-cheeked Warbler</b>	<b>1.65%</b>
184.	<b>Nashville Warbler</b>	<b>1.65%</b>
185.	<b>Bald Eagle</b>	<b>1.65%</b>
186.	<b>Red-breasted Merganser</b>	<b>1.63%</b>
187.	<b>Eastern Screech-Owl</b>	<b>1.59%</b>
188.	<b>Cactus Wren</b>	<b>1.58%</b>
189.	<b>Rufous-crowned Sparrow</b>	<b>1.57%</b>
190.	<b>Hooded Oriole</b>	<b>1.56%</b>
191.	<b>White-tailed Hawk</b>	<b>1.49%</b>
192.	<b>Bonaparte's Gull</b>	<b>1.48%</b>
193.	<b>Swainson's Hawk</b>	<b>1.48%</b>
194.	<b>Chimney Swift</b>	<b>1.43%</b>
195.	<b>Ash-throated Flycatcher</b>	<b>1.41%</b>



196.	<b>Marbled Godwit</b>	<b>1.37%</b>
197.	<b>Broad-winged Hawk</b>	<b>1.37%</b>
198.	<b>Sandwich Tern</b>	<b>1.37%</b>
199.	<b>Western Sandpiper</b>	<b>1.35%</b>
200.	<b>Eared Grebe</b>	<b>1.34%</b>
201.	<b>Canyon Towhee</b>	<b>1.34%</b>
202.	<b>Northern Bobwhite</b>	<b>1.33%</b>
203.	<b>Common Loon</b>	<b>1.33%</b>
204.	<b>Say's Phoebe</b>	<b>1.33%</b>
205.	<b>Solitary Sandpiper</b>	<b>1.28%</b>
206.	<b>Louisiana Waterthrush</b>	<b>1.25%</b>
207.	<b>Common Pauraque</b>	<b>1.25%</b>
208.	<b>Yellow-throated Vireo</b>	<b>1.23%</b>
209.	<b>Gray Hawk</b>	<b>1.22%</b>
210.	<b>Green Kingfisher</b>	<b>1.21%</b>
211.	<b>Chihuahuan Raven</b>	<b>1.19%</b>
212.	<b>Horned Lark</b>	<b>1.15%</b>
213.	<b>Black Phoebe</b>	<b>1.13%</b>
214.	<b>Ringed Kingfisher</b>	<b>1.11%</b>
215.	<b>Gull-billed Tern</b>	<b>1.10%</b>
216.	<b>Short-billed Dowitcher</b>	<b>1.09%</b>
217.	<b>Black-throated Green Warbler</b>	<b>1.09%</b>
218.	<b>Wilson's Warbler</b>	<b>1.05%</b>
219.	<b>Tropical Kingbird</b>	<b>1.05%</b>
220.	<b>American Oystercatcher</b>	<b>1.03%</b>

221.	<b>Bronzed Cowbird</b>	<b>1.02%</b>
222.	<b>Stilt Sandpiper</b>	<b>1.00%</b>
223.	<b>White-breasted Nuthatch</b>	<b>0.9883%</b>
224.	<b>Semipalmated Plover</b>	<b>0.9826%</b>
225.	<b>Canvasback</b>	<b>0.9611%</b>
226.	<b>Merlin</b>	<b>0.9470%</b>
227.	<b>Fulvous Whistling-Duck</b>	<b>0.9347%</b>
228.	<b>Peregrine Falcon</b>	<b>0.9291%</b>
229.	<b>Sedge Wren</b>	<b>0.9227%</b>
230.	<b>Monk Parakeet</b>	<b>0.9210%</b>
231.	<b>Clay-colored Sparrow</b>	<b>0.9044%</b>
232.	<b>Rufous Hummingbird</b>	<b>0.8864%</b>
233.	<b>Brown Creeper</b>	<b>0.8698%</b>
234.	<b>Audubon's Oriole</b>	<b>0.8593%</b>
235.	<b>Clapper Rail</b>	<b>0.8512%</b>
236.	<b>Great Crested Flycatcher</b>	<b>0.8314%</b>
237.	<b>Whooping Crane</b>	<b>0.7842%</b>
238.	<b>Indigo Bunting</b>	<b>0.7842%</b>
239.	<b>Cassin's Sparrow</b>	<b>0.7486%</b>
240.	<b>Fox Sparrow</b>	<b>0.7483%</b>
241.	<b>Wilson's Plover</b>	<b>0.7447%</b>
242.	<b>American Bittern</b>	<b>0.7349%</b>
243.	<b>Snow Goose</b>	<b>0.7257%</b>
244.	<b>Rock Wren</b>	<b>0.7229%</b>
245.	<b>Grasshopper Sparrow</b>	<b>0.6986%</b>

246.	<b>Franklin's Gull</b>	<b>0.6922%</b>
247.	<b>Hooded Merganser</b>	<b>0.6855%</b>
248.	<b>Eastern Towhee</b>	<b>0.6760%</b>
249.	<b>Red-headed Woodpecker</b>	<b>0.6524%</b>
250.	<b>Piping Plover</b>	<b>0.6415%</b>
251.	<b>Red-crowned Parrot</b>	<b>0.6263%</b>
252.	<b>Hutton's Vireo</b>	<b>0.6245%</b>
253.	<b>Red-breasted Nuthatch</b>	<b>0.6203%</b>
254.	<b>Snowy Plover</b>	<b>0.6020%</b>
255.	<b>Lark Bunting</b>	<b>0.5957%</b>
256.	<b>Fish Crow</b>	<b>0.5710%</b>
257.	<b>Winter Wren</b>	<b>0.5692%</b>
258.	<b>Upland Sandpiper</b>	<b>0.5431%</b>
259.	<b>Eastern Kingbird</b>	<b>0.5389%</b>
260.	<b>Baird's Sandpiper</b>	<b>0.5301%</b>
261.	<b>Brown-headed Nuthatch</b>	<b>0.5290%</b>
262.	<b>Common Tern</b>	<b>0.5012%</b>
263.	<b>Scaled Quail</b>	<b>0.4941%</b>
264.	<b>Prothonotary Warbler</b>	<b>0.4726%</b>
265.	<b>Northern Beardless-Tyrannulet</b>	<b>0.4497%</b>
266.	<b>Summer Tanager</b>	<b>0.4473%</b>
267.	<b>Green Parakeet</b>	<b>0.4279%</b>
268.	<b>Least Tern</b>	<b>0.4229%</b>
269.	<b>Acorn Woodpecker</b>	<b>0.4067%</b>
270.	<b>Whimbrel</b>	<b>0.4043%</b>

271.	<b>Mexican Duck</b>	<b>0.4032%</b>
272.	<b>Yellow-headed Blackbird</b>	<b>0.3993%</b>
273.	<b>Purple Finch</b>	<b>0.3972%</b>
274.	<b>Greater Scaup</b>	<b>0.3884%</b>
275.	<b>Worm-eating Warbler</b>	<b>0.3824%</b>
276.	<b>Virginia Rail</b>	<b>0.3577%</b>
277.	<b>Common Goldeneye</b>	<b>0.3525%</b>
278.	<b>Barn Owl</b>	<b>0.3525%</b>
279.	<b>Lesser Black-backed Gull</b>	<b>0.3479%</b>
280.	<b>Hairy Woodpecker</b>	<b>0.3355%</b>
281.	<b>Semipalmated Sandpiper</b>	<b>0.3338%</b>
282.	<b>Scott's Oriole</b>	<b>0.3327%</b>
283.	<b>Seaside Sparrow</b>	<b>0.3278%</b>
284.	<b>Greater White-fronted Goose</b>	<b>0.3207%</b>
285.	<b>Burrowing Owl</b>	<b>0.3133%</b>
286.	<b>Sprague's Pipit</b>	<b>0.3102%</b>
287.	<b>Horned Grebe</b>	<b>0.3080%</b>
288.	<b>Brewer's Sparrow</b>	<b>0.3006%</b>
289.	<b>Bushtit</b>	<b>0.2982%</b>
290.	<b>Palm Warbler</b>	<b>0.2982%</b>
291.	<b>Zone-tailed Hawk</b>	<b>0.2978%</b>
292.	<b>Aplomado Falcon</b>	<b>0.2978%</b>
293.	<b>Green-tailed Towhee</b>	<b>0.2946%</b>
294.	<b>Black-tailed Gnatcatcher</b>	<b>0.2858%</b>
295.	<b>Black-capped Vireo</b>	<b>0.2760%</b>

296.	<b>Cackling Goose</b>	<b>0.2710%</b>
297.	<b>Orchard Oriole</b>	<b>0.2700%</b>
298.	<b>Bell's Vireo</b>	<b>0.2668%</b>
299.	<b>Swallow-tailed Kite</b>	<b>0.2664%</b>
300.	<b>LeConte's Sparrow</b>	<b>0.2291%</b>
301.	<b>Bank Swallow</b>	<b>0.2227%</b>
302.	<b>Rusty Blackbird</b>	<b>0.2227%</b>
303.	<b>Red-eyed Vireo</b>	<b>0.2217%</b>
304.	<b>Wilson's Phalarope</b>	<b>0.2199%</b>
305.	<b>Tropical Parula</b>	<b>0.2196%</b>
306.	<b>Ross's Goose</b>	<b>0.2168%</b>
307.	<b>Mexican Jay</b>	<b>0.2143%</b>
308.	<b>Least Bittern</b>	<b>0.2097%</b>
309.	<b>Common Poorwill</b>	<b>0.2083%</b>
310.	<b>Elf Owl</b>	<b>0.2072%</b>
311.	<b>King Rail</b>	<b>0.2041%</b>
312.	<b>Broad-tailed Hummingbird</b>	<b>0.2020%</b>
313.	<b>Townsend's Solitaire</b>	<b>0.1984%</b>
314.	<b>Red-vented Bulbul</b>	<b>0.1949%</b>
315.	<b>Red-billed Pigeon</b>	<b>0.1928%</b>
316.	<b>Phainopepla</b>	<b>0.1903%</b>
317.	<b>Sage Thrasher</b>	<b>0.1861%</b>
318.	<b>Ferruginous Hawk</b>	<b>0.1836%</b>
319.	<b>Scaly-breasted Munia</b>	<b>0.1724%</b>
320.	<b>Ovenbird</b>	<b>0.1702%</b>

321.	<b>Western Bluebird</b>	<b>0.1639%</b>
322.	<b>Morelet's Seedeater</b>	<b>0.1635%</b>
323.	<b>Yellow Warbler</b>	<b>0.1611%</b>
324.	<b>Black-headed Grosbeak</b>	<b>0.1530%</b>
325.	<b>White-throated Swift</b>	<b>0.1512%</b>
326.	<b>Wood Thrush</b>	<b>0.1491%</b>
327.	<b>Northern Waterthrush</b>	<b>0.1491%</b>
328.	<b>Gambel's Quail</b>	<b>0.1463%</b>
329.	<b>Red-cockaded Woodpecker</b>	<b>0.1378%</b>
330.	<b>Glossy Ibis</b>	<b>0.1371%</b>
331.	<b>Crimson-collared Grosbeak</b>	<b>0.1308%</b>
332.	<b>Mountain Bluebird</b>	<b>0.1276%</b>
333.	<b>Groove-billed Ani</b>	<b>0.1251%</b>
334.	<b>Chuck-will's-widow</b>	<b>0.1198%</b>
335.	<b>Red Knot</b>	<b>0.1198%</b>
336.	<b>Western Grebe</b>	<b>0.1184%</b>
337.	<b>Brown-crested Flycatcher</b>	<b>0.1163%</b>
338.	<b>Chestnut-collared Longspur</b>	<b>0.1131%</b>
339.	<b>Black-throated Gray Warbler</b>	<b>0.1117%</b>
340.	<b>Blue Bunting</b>	<b>0.1089%</b>
341.	<b>Hook-billed Kite</b>	<b>0.1064%</b>
342.	<b>Painted Bunting</b>	<b>0.1057%</b>
343.	<b>Black Tern</b>	<b>0.1047%</b>
344.	<b>Crissal Thrasher</b>	<b>0.1047%</b>
345.	<b>Ferruginous Pygmy-Owl</b>	<b>0.1036%</b>

346.	<b>Chihuahuan Meadowlark</b>	<b>0.1001%</b>
347.	<b>Eastern Whip-poor-will</b>	<b>0.0990%</b>
348.	<b>Tennessee Warbler</b>	<b>0.0990%</b>
349.	<b>Nelson's Sparrow</b>	<b>0.0966%</b>
350.	<b>Prairie Falcon</b>	<b>0.0952%</b>
351.	<b>Blue-winged Warbler</b>	<b>0.0952%</b>
352.	<b>Cassin's Finch</b>	<b>0.0931%</b>
353.	<b>Lesser Nighthawk</b>	<b>0.0906%</b>
354.	<b>Black-chinned Sparrow</b>	<b>0.0892%</b>
355.	<b>Limpkin</b>	<b>0.0825%</b>
356.	<b>Violet-green Swallow</b>	<b>0.0800%</b>
357.	<b>Least Flycatcher</b>	<b>0.0786%</b>
358.	<b>Kentucky Warbler</b>	<b>0.0775%</b>
359.	<b>Calliope Hummingbird</b>	<b>0.0768%</b>
360.	<b>Brown Jay</b>	<b>0.0765%</b>
361.	<b>White Wagtail</b>	<b>0.0737%</b>
362.	<b>Black Rail</b>	<b>0.0733%</b>
363.	<b>Northern Gannet</b>	<b>0.0719%</b>
364.	<b>Common Black Hawk</b>	<b>0.0715%</b>
365.	<b>Common Merganser</b>	<b>0.0701%</b>
366.	<b>Red-naped Sapsucker</b>	<b>0.0691%</b>
367.	<b>Mississippi Kite</b>	<b>0.0680%</b>
368.	<b>Short-eared Owl</b>	<b>0.0659%</b>
369.	<b>Bachman's Sparrow</b>	<b>0.0656%</b>
370.	<b>Golden-crowned Warbler</b>	<b>0.0631%</b>

371.	<b>Ring-necked Pheasant</b>	<b>0.0620%</b>
372.	<b>Purple Gallinule</b>	<b>0.0603%</b>
373.	<b>Rose-throated Becard</b>	<b>0.0589%</b>
374.	<b>Clark's Grebe</b>	<b>0.0585%</b>
375.	<b>Bullock's Oriole</b>	<b>0.0582%</b>
376.	<b>Lucifer Hummingbird</b>	<b>0.0578%</b>
377.	<b>Golden Eagle</b>	<b>0.0578%</b>
378.	<b>Buff-breasted Sandpiper</b>	<b>0.0557%</b>
379.	<b>Greater Prairie-Chicken</b>	<b>0.0546%</b>
380.	<b>Rose-breasted Grosbeak</b>	<b>0.0518%</b>
381.	<b>Western Screech-Owl</b>	<b>0.0504%</b>
382.	<b>American Redstart</b>	<b>0.0504%</b>
383.	<b>Baltimore Oriole</b>	<b>0.0493%</b>
384.	<b>Western Tanager</b>	<b>0.0493%</b>
385.	<b>Greater Pewee</b>	<b>0.0476%</b>
386.	<b>Anna's Hummingbird</b>	<b>0.0465%</b>
387.	<b>Rough-legged Hawk</b>	<b>0.0462%</b>
388.	<b>Yellow-breasted Chat</b>	<b>0.0462%</b>
389.	<b>Surf Scoter</b>	<b>0.0451%</b>
390.	<b>Glaucous Gull</b>	<b>0.0448%</b>
391.	<b>Long-tailed Duck</b>	<b>0.0437%</b>
392.	<b>Pacific Loon</b>	<b>0.0405%</b>
393.	<b>Little Gull</b>	<b>0.0402%</b>
394.	<b>Steller's Jay</b>	<b>0.0402%</b>
395.	<b>Western Kingbird</b>	<b>0.0381%</b>



396.	<b>Mountain Plover</b>	<b>0.0374%</b>
397.	<b>Brown Booby</b>	<b>0.0370%</b>
398.	<b>Montezuma Quail</b>	<b>0.0356%</b>
399.	<b>Swainson's Warbler</b>	<b>0.0356%</b>
400.	<b>Mountain Chickadee</b>	<b>0.0349%</b>
401.	<b>Wood Stork</b>	<b>0.0338%</b>
402.	<b>Elegant Trogon</b>	<b>0.0335%</b>
403.	<b>Social Flycatcher</b>	<b>0.0331%</b>
404.	<b>Prairie Warbler</b>	<b>0.0328%</b>
405.	<b>American Woodcock</b>	<b>0.0324%</b>
406.	<b>Thick-billed Longspur</b>	<b>0.0324%</b>
407.	<b>Lewis's Woodpecker</b>	<b>0.0321%</b>
408.	<b>Red-throated Loon</b>	<b>0.0314%</b>
409.	<b>Red Crossbill</b>	<b>0.0310%</b>
410.	<b>Northern Jacana</b>	<b>0.0289%</b>
411.	<b>Juniper Titmouse</b>	<b>0.0286%</b>
412.	<b>Iceland Gull</b>	<b>0.0282%</b>
413.	<b>Muscovy Duck</b>	<b>0.0278%</b>
414.	<b>Gray Vireo</b>	<b>0.0278%</b>
415.	<b>Cape May Warbler</b>	<b>0.0278%</b>
416.	<b>Golden-crowned Sparrow</b>	<b>0.0275%</b>
417.	<b>Lazuli Bunting</b>	<b>0.0271%</b>
418.	<b>Gray Flycatcher</b>	<b>0.0268%</b>
419.	<b>Tamaulipas Crow</b>	<b>0.0257%</b>
420.	<b>Painted Redstart</b>	<b>0.0250%</b>

421.	<b>Purple Sandpiper</b>	<b>0.0247%</b>
422.	<b>Bat Falcon</b>	<b>0.0240%</b>
423.	<b>Harlequin Duck</b>	<b>0.0236%</b>
424.	<b>Warbling Vireo</b>	<b>0.0233%</b>
425.	<b>California Gull</b>	<b>0.0222%</b>
426.	<b>White-throated Thrush</b>	<b>0.0222%</b>
427.	<b>American Black Duck</b>	<b>0.0218%</b>
428.	<b>Great Black-backed Gull</b>	<b>0.0218%</b>
429.	<b>Gray-crowned Yellowthroat</b>	<b>0.0218%</b>
430.	<b>Blue Grosbeak</b>	<b>0.0215%</b>
431.	<b>Henslow's Sparrow</b>	<b>0.0204%</b>
432.	<b>Lucy's Warbler</b>	<b>0.0201%</b>
433.	<b>Swainson's Thrush</b>	<b>0.0197%</b>
434.	<b>Black Scoter</b>	<b>0.0194%</b>
435.	<b>Masked Duck</b>	<b>0.0194%</b>
436.	<b>Long-eared Owl</b>	<b>0.0190%</b>
437.	<b>Short-billed Gull</b>	<b>0.0183%</b>
438.	<b>Dusky-capped Flycatcher</b>	<b>0.0183%</b>
439.	<b>Magnolia Warbler</b>	<b>0.0183%</b>
440.	<b>Yellow Rail</b>	<b>0.0180%</b>
441.	<b>Plumbeous Vireo</b>	<b>0.0173%</b>
442.	<b>Eurasian Wigeon</b>	<b>0.0169%</b>
443.	<b>Lapland Longspur</b>	<b>0.0169%</b>
444.	<b>Yellow Grosbeak</b>	<b>0.0169%</b>
445.	<b>Pacific-slope Flycatcher</b>	<b>0.0166%</b>

446.	<b>Common Nighthawk</b>	<b>0.0159%</b>
447.	<b>White-winged Scoter</b>	<b>0.0155%</b>
448.	<b>Yellow-faced Grassquit</b>	<b>0.0155%</b>
449.	<b>Evening Grosbeak</b>	<b>0.0148%</b>
450.	<b>Sooty Tern</b>	<b>0.0141%</b>
451.	<b>Northern Shrike</b>	<b>0.0141%</b>
452.	<b>Baird's Sparrow</b>	<b>0.0141%</b>
453.	<b>Dickcissel</b>	<b>0.0141%</b>
454.	<b>Yellow-billed Cuckoo</b>	<b>0.0130%</b>
455.	<b>Ruff</b>	<b>0.0130%</b>
456.	<b>Heermann's Gull</b>	<b>0.0130%</b>
457.	<b>Flame-colored Tanager</b>	<b>0.0130%</b>
458.	<b>Sagebrush Sparrow</b>	<b>0.0127%</b>
459.	<b>Pinyon Jay</b>	<b>0.0120%</b>
460.	<b>Lesser Prairie-Chicken</b>	<b>0.0113%</b>
461.	<b>Allen's Hummingbird</b>	<b>0.0109%</b>
462.	<b>Williamson's Sapsucker</b>	<b>0.0109%</b>
463.	<b>Surfbird</b>	<b>0.0106%</b>
464.	<b>Magnificent Frigatebird</b>	<b>0.0106%</b>
465.	<b>Dusky Flycatcher</b>	<b>0.0099%</b>
466.	<b>Pomarine Jaeger</b>	<b>0.0092%</b>
467.	<b>Black-legged Kittiwake</b>	<b>0.0088%</b>
468.	<b>Blackburnian Warbler</b>	<b>0.0088%</b>
469.	<b>Varied Bunting</b>	<b>0.0085%</b>
470.	<b>Broad-billed Hummingbird</b>	<b>0.0081%</b>

471.	<b>Varied Thrush</b>	<b>0.0081%</b>
472.	<b>American Tree Sparrow</b>	<b>0.0081%</b>
473.	<b>Townsend's Warbler</b>	<b>0.0077%</b>
474.	<b>Black-vented Oriole</b>	<b>0.0071%</b>
475.	<b>Band-tailed Pigeon</b>	<b>0.0067%</b>
476.	<b>Cassin's Vireo</b>	<b>0.0067%</b>
477.	<b>Scarlet Tanager</b>	<b>0.0067%</b>
478.	<b>Hammond's Flycatcher</b>	<b>0.0063%</b>
479.	<b>Tundra Swan</b>	<b>0.0060%</b>
480.	<b>Costa's Hummingbird</b>	<b>0.0060%</b>
481.	<b>Parasitic Jaeger</b>	<b>0.0060%</b>
482.	<b>Cassin's Kingbird</b>	<b>0.0056%</b>
483.	<b>Fork-tailed Flycatcher</b>	<b>0.0056%</b>
484.	<b>Blue-throated Mountain-gem</b>	<b>0.0053%</b>
485.	<b>Chestnut-sided Warbler</b>	<b>0.0053%</b>
486.	<b>Trumpeter Swan</b>	<b>0.0049%</b>
487.	<b>Northern Wheatear</b>	<b>0.0049%</b>
488.	<b>Red-necked Grebe</b>	<b>0.0046%</b>
489.	<b>Slaty-backed Gull</b>	<b>0.0046%</b>
490.	<b>Rufous-capped Warbler</b>	<b>0.0046%</b>
491.	<b>Western Gull</b>	<b>0.0042%</b>
492.	<b>American Flamingo</b>	<b>0.0039%</b>
493.	<b>Hudsonian Godwit</b>	<b>0.0039%</b>
494.	<b>Roadside Hawk</b>	<b>0.0039%</b>
495.	<b>Eastern Wood-Pewee</b>	<b>0.0039%</b>

496.	<b>Snowy Owl</b>	<b>0.0035%</b>
497.	<b>Pygmy Nuthatch</b>	<b>0.0035%</b>
498.	<b>Kelp Gull</b>	<b>0.0032%</b>
499.	<b>Rufous-backed Robin</b>	<b>0.0032%</b>
500.	<b>Streak-backed Oriole</b>	<b>0.0032%</b>
501.	<b>Cerulean Warbler</b>	<b>0.0032%</b>
502.	<b>MacGillivray's Warbler</b>	<b>0.0028%</b>
503.	<b>Common Crane</b>	<b>0.0025%</b>
504.	<b>Acadian Flycatcher</b>	<b>0.0025%</b>
505.	<b>Black-throated Blue Warbler</b>	<b>0.0025%</b>
506.	<b>Ruddy Ground Dove</b>	<b>0.0021%</b>
507.	<b>Flammulated Owl</b>	<b>0.0021%</b>
508.	<b>Hermit Warbler</b>	<b>0.0021%</b>
509.	<b>Hepatic Tanager</b>	<b>0.0021%</b>
510.	<b>Common Redpoll</b>	<b>0.0018%</b>
511.	<b>Black-tailed Gull</b>	<b>0.0014%</b>
512.	<b>Crane Hawk</b>	<b>0.0014%</b>
513.	<b>Red-breasted Sapsucker</b>	<b>0.0014%</b>
514.	<b>Gyr Falcon</b>	<b>0.0014%</b>
515.	<b>Blue Mockingbird</b>	<b>0.0014%</b>
516.	<b>Botteri's Sparrow</b>	<b>0.0014%</b>
517.	<b>Brant</b>	<b>0.0011%</b>
518.	<b>Sabine's Gull</b>	<b>0.0011%</b>
519.	<b>Blue-footed Booby</b>	<b>0.0011%</b>
520.	<b>Short-tailed Hawk</b>	<b>0.0011%</b>

521.	<b>Yellow-eyed Junco</b>	<b>0.0011%</b>
522.	<b>Colima Warbler</b>	<b>0.0011%</b>
523.	<b>Ruddy Quail-Dove</b>	<b>0.0007%</b>
524.	<b>Mexican Whip-poor-will</b>	<b>0.0007%</b>
525.	<b>Black-headed Gull</b>	<b>0.0007%</b>
526.	<b>Sooty Shearwater</b>	<b>0.0007%</b>
527.	<b>Masked Booby</b>	<b>0.0007%</b>
528.	<b>Northern Pygmy-Owl</b>	<b>0.0007%</b>
529.	<b>Northern Saw-whet Owl</b>	<b>0.0007%</b>
530.	<b>Cordilleran Flycatcher</b>	<b>0.0007%</b>
531.	<b>Mourning Warbler</b>	<b>0.0007%</b>
532.	<b>Canada Warbler</b>	<b>0.0007%</b>
533.	<b>Slate-throated Redstart</b>	<b>0.0007%</b>
534.	<b>Rivoli's Hummingbird</b>	<b>0.0003%</b>
535.	<b>Violet-crowned Hummingbird</b>	<b>0.0003%</b>
536.	<b>Eskimo Curlew</b>	<b>0.0003%</b>
537.	<b>Yellow-legged Gull</b>	<b>0.0003%</b>
538.	<b>Bridled Tern</b>	<b>0.0003%</b>
539.	<b>Yellow-billed Loon</b>	<b>0.0003%</b>
540.	<b>Spotted Owl</b>	<b>0.0003%</b>
541.	<b>Piratic Flycatcher</b>	<b>0.0003%</b>
542.	<b>Thick-billed Kingbird</b>	<b>0.0003%</b>
543.	<b>Philadelphia Vireo</b>	<b>0.0003%</b>
544.	<b>Pacific Wren</b>	<b>0.0003%</b>
545.	<b>American Dipper</b>	<b>0.0003%</b>

546.	<b>Gray-cheeked Thrush</b>	<b>0.0003%</b>
547.	<b>Gray Silky-flycatcher</b>	<b>0.0003%</b>
548.	<b>Lawrence's Goldfinch</b>	<b>0.0003%</b>
549.	<b>Golden-winged Warbler</b>	<b>0.0003%</b>
550.	<b>Virginia's Warbler</b>	<b>0.0003%</b>
551.	<b>Blackpoll Warbler</b>	<b>0.0003%</b>
552.	<b>White-cheeked Pintail</b>	<b>0.0000%</b>
553.	<b>Mexican Violetear</b>	<b>0.0000%</b>
554.	<b>Red-necked Phalarope</b>	<b>0.0000%</b>
555.	<b>Northern Goshawk</b>	<b>0.0000%</b>
556.	<b>Steller's Sea-Eagle</b>	<b>0.0000%</b>
557.	<b>Masked Tityra</b>	<b>0.0000%</b>
558.	<b>White-winged Crossbill</b>	<b>0.0000%</b>
559.	<b>Grace's Warbler</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>		
560.	<b>Egyptian Goose</b>	<b>1.06%</b> frequency
561.	<b>Red-lored Parrot</b>	<b>0.1072%</b>
562.	<b>White-fronted Parrot</b>	<b>0.0916%</b>
563.	<b>Lilac-crowned Parrot</b>	<b>0.0419%</b>
564.	<b>Striped Sparrow</b>	<b>0.0077%</b>
<b>EXOTIC: ESCAPEE</b>		
	<b>Mute Swan</b>	<b>0.2347%</b> frequency
	<b>Swan Goose</b>	<b>0.1724%</b>
	<b>Graylag Goose</b>	<b>0.1417%</b>
	<b>Yellow-headed Parrot</b>	<b>0.0708%</b>

<b>Indian Peafowl</b>	<b>0.0490%</b>
<b>Helmeted Guineafowl</b>	<b>0.0247%</b>
<b>Mandarin Duck</b>	<b>0.0099%</b>
<b>Chiloe Wigeon</b>	<b>0.0099%</b>
<b>Red Junglefowl</b>	<b>0.0067%</b>
<b>Bar-headed Goose</b>	<b>0.0060%</b>
<b>Mitred Parakeet</b>	<b>0.0060%</b>
<b>Red-crested Pochard</b>	<b>0.0056%</b>
<b>African Collared-Dove</b>	<b>0.0056%</b>
<b>Black Swan</b>	<b>0.0053%</b>
<b>Budgerigar</b>	<b>0.0039%</b>
<b>White-winged Parakeet</b>	<b>0.0028%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0028%</b>
<b>Northern Red Bishop</b>	<b>0.0025%</b>
<b>Chukar</b>	<b>0.0021%</b>
<b>Ringed Teal</b>	<b>0.0018%</b>
<b>Greater Flamingo</b>	<b>0.0018%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0011%</b>
<b>Island Canary</b>	<b>0.0011%</b>
<b>Emu</b>	<b>0.0007%</b>
<b>Ferruginous Duck</b>	<b>0.0007%</b>
<b>Yellow-chevroned Parakeet</b>	<b>0.0007%</b>
<b>Chestnut-fronted Macaw</b>	<b>0.0007%</b>
<b>Pin-tailed Whydah</b>	<b>0.0007%</b>
<b>Orange-breasted Bunting</b>	<b>0.0007%</b>



<b>West Indian Whistling-Duck</b>	<b>0.0003%</b>
<b>Barnacle Goose</b>	<b>0.0003%</b>
<b>Ruddy Shelduck</b>	<b>0.0003%</b>
<b>Common Shelduck</b>	<b>0.0003%</b>
<b>Yellow-crowned Parrot</b>	<b>0.0003%</b>
<b>Yellow-lored Parrot</b>	<b>0.0003%</b>
<b>Nanday Parakeet</b>	<b>0.0003%</b>
<b>San Blas Jay</b>	<b>0.0003%</b>
<b>Bronze Mannikin</b>	<b>0.0003%</b>
<b>Saffron Finch</b>	<b>0.0003%</b>
<b>Cockatiel</b>	<b>0.0000%</b>
<b>Eclectus Parrot</b>	<b>0.0000%</b>
<b>Scarlet Macaw</b>	<b>0.0000%</b>
<b>Red-whiskered Bulbul</b>	<b>0.0000%</b>
<b>Common Waxbill</b>	<b>0.0000%</b>
<b>Black-headed Siskin</b>	<b>0.0000%</b>

#### **HYBRIDS**

Tufted x Black-crested Titmouse (hybrid)	<b>1.90%</b> frequency
Muscovy Duck x Mallard (hybrid)	<b>0.0511%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0353%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0300%</b>
Gadwall x Northern Pintail (hybrid)	<b>0.0275%</b>
Downy x Ladder-backed Woodpecker (hybrid)	<b>0.0201%</b>
Altamira x Audubon's Oriole (hybrid)	<b>0.0134%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0116%</b>

Golden-fronted x Red-bellied Woodpecker (hybrid)	<b>0.0106%</b>
Graylag x Swan Goose (hybrid)	<b>0.0088%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0085%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0056%</b>
Mexican x Mottled Duck (hybrid)	<b>0.0032%</b>
Tropical x Northern Mockingbird (hybrid)	<b>0.0032%</b>
Curve-billed x Long-billed Thrasher (hybrid)	<b>0.0025%</b>
Northern x Tropical Parula (hybrid)	<b>0.0025%</b>
Black-bellied x Fulvous Whistling-Duck (hybrid)	<b>0.0021%</b>
Gadwall x Mallard (hybrid)	<b>0.0018%</b>
Yellow-bellied x Red-naped Sapsucker (hybrid)	<b>0.0018%</b>
Black x Eastern Phoebe (hybrid)	<b>0.0018%</b>
Northern Cardinal x Pyrrhuloxia (hybrid)	<b>0.0018%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0014%</b>
Northern Shoveler x Gadwall (hybrid)	<b>0.0014%</b>
Blue-winged x Green-winged Teal (hybrid)	<b>0.0014%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0014%</b>
Snow x Ross's Goose (hybrid)	<b>0.0011%</b>
Wood Duck x Mallard (hybrid)	<b>0.0011%</b>
Northern Parula x Yellow-throated Warbler (hybrid)	<b>0.0011%</b>
Graylag x Canada Goose (hybrid)	<b>0.0007%</b>
Cinnamon Teal x Northern Shoveler (hybrid)	<b>0.0007%</b>
Cinnamon x Green-winged Teal (hybrid)	<b>0.0007%</b>

Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0007%</b>
White-crowned x Harris's Sparrow (hybrid)	<b>0.0007%</b>
Gray-crowned x Common Yellowthroat (hybrid)	<b>0.0007%</b>
Snow x Cackling Goose (hybrid)	<b>0.0003%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0003%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0003%</b>
Snow x Canada Goose (hybrid)	<b>0.0003%</b>
Northern Shoveler x Mallard (hybrid)	<b>0.0003%</b>
American Wigeon x Mallard (hybrid)	<b>0.0003%</b>
Mallard x Mexican/Mottled Duck (hybrid)	<b>0.0003%</b>
Mallard x Green-winged Teal (hybrid)	<b>0.0003%</b>
Redhead x Ring-necked Duck (hybrid)	<b>0.0003%</b>
Herring x Glaucous-winged Gull (hybrid)	<b>0.0003%</b>
Snowy Egret x Little Blue Heron (hybrid)	<b>0.0003%</b>
Anna's x Calliope Hummingbird (hybrid)	<b>0.0000%</b>
Western x Glaucous-winged Gull (hybrid)	<b>0.0000%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0000%</b>
Common x Great-tailed Grackle (hybrid)	<b>0.0000%</b>
Brewster's Warbler (hybrid)	<b>0.0000%</b>