

Target Species

Based on 281,499 complete checklists

565 species observed in Texas, US (region/US-TX) in **May** that you need for your **World Life List**

1. Northern Cardinal	57.10% frequency
2. Northern Mockingbird	51.34%
3. Mourning Dove	43.29%
4. White-winged Dove	37.71%
5. Great-tailed Grackle	33.08%
6. Turkey Vulture	31.29%
7. Barn Swallow	30.59%
8. Carolina Wren	29.85%
9. Carolina Chickadee	29.00%
10. Blue Jay	28.47%
11. House Sparrow	26.86%
12. European Starling	23.48%
13. Painted Bunting	22.43%
14. Red-winged Blackbird	22.31%
15. Scissor-tailed Flycatcher	21.19%
16. House Finch	21.09%
17. Brown-headed Cowbird	20.65%
18. White-eyed Vireo	19.99%
19. Black Vulture	19.83%
20. Red-bellied Woodpecker	18.76%

21. Great Egret	<u>18.76%</u>
22. American Crow	<u>17.62%</u>
23. Chimney Swift	<u>17.05%</u>
24. Purple Martin	<u>16.54%</u>
25. Great Blue Heron	<u>16.29%</u>
26. Yellow-billed Cuckoo	<u>15.03%</u>
27. Killdeer	<u>14.98%</u>
28. Black-crested Titmouse	<u>14.92%</u>
29. Western Kingbird	<u>14.67%</u>
30. Summer Tanager	<u>14.58%</u>
31. Downy Woodpecker	<u>13.95%</u>
32. Black-bellied Whistling-Duck	<u>13.44%</u>
33. Great Crested Flycatcher	<u>12.98%</u>
34. Black-chinned Hummingbird	<u>12.81%</u>
35. Cliff Swallow	<u>12.72%</u>
36. Bewick's Wren	<u>12.46%</u>
37. Tufted Titmouse	<u>11.77%</u>
38. Yellow Warbler	<u>11.49%</u>
39. Snowy Egret	<u>11.37%</u>
40. Eastern Phoebe	<u>11.09%</u>
41. Dickcissel	<u>11.04%</u>
42. Green Heron	<u>11.04%</u>
43. Eastern Bluebird	<u>10.97%</u>
44. Lesser Goldfinch	<u>10.94%</u>
45. Cattle Egret	<u>10.66%</u>

46.	Lark Sparrow	<u>10.40%</u>
47.	Red-shouldered Hawk	<u>10.34%</u>
48.	Common Grackle	<u>10.28%</u>
49.	Eurasian Collared-Dove	<u>10.24%</u>
50.	Eastern Wood-Pewee	<u>10.04%</u>
51.	Ladder-backed Woodpecker	<u>9.95%</u>
52.	Indigo Bunting	<u>9.72%</u>
53.	Red-eyed Vireo	<u>9.56%</u>
54.	Golden-fronted Woodpecker	<u>9.56%</u>
55.	Ruby-throated Hummingbird	<u>9.53%</u>
56.	Blue-gray Gnatcatcher	<u>9.50%</u>
57.	Laughing Gull	<u>9.26%</u>
58.	Common Yellowthroat	<u>9.13%</u>
59.	Eastern Kingbird	<u>8.88%</u>
60.	Rock Pigeon	<u>8.77%</u>
61.	Common Nighthawk	<u>8.52%</u>
62.	American Robin	<u>8.41%</u>
63.	Orchard Oriole	<u>8.29%</u>
64.	Mississippi Kite	<u>8.24%</u>
65.	Yellow-crowned Night-Heron	<u>8.15%</u>
66.	Blue Grosbeak	<u>8.04%</u>
67.	American Redstart	<u>7.99%</u>
68.	Red-tailed Hawk	<u>7.78%</u>
69.	Gray Catbird	<u>7.66%</u>
70.	Magnolia Warbler	<u>7.57%</u>

71.	Cedar Waxwing	7.51%
72.	Blue-winged Teal	7.50%
73.	Black-necked Stilt	7.40%
74.	Little Blue Heron	7.00%
75.	Black-and-white Warbler	6.91%
76.	Swainson's Thrush	6.89%
77.	Neotropic Cormorant	6.67%
78.	Inca Dove	6.47%
79.	Spotted Sandpiper	6.43%
80.	Ash-throated Flycatcher	6.22%
81.	American Coot	6.12%
82.	White Ibis	5.97%
83.	Crested Caracara	5.78%
84.	Baltimore Oriole	5.54%
85.	Eastern Meadowlark	5.33%
86.	Wilson's Warbler	5.26%
87.	Mallard	5.19%
88.	Chestnut-sided Warbler	5.19%
89.	Tricolored Heron	5.03%
90.	Bronzed Cowbird	4.98%
91.	Least Flycatcher	4.95%
92.	Black-throated Green Warbler	4.82%
93.	Loggerhead Shrike	4.77%
94.	Yellow-breasted Chat	4.70%
95.	Chipping Sparrow	4.64%

96.	Northern Bobwhite	4.59%
97.	Least Sandpiper	4.44%
98.	Brown Pelican	4.40%
99.	Bell's Vireo	4.37%
100.	Nashville Warbler	4.25%
101.	Tennessee Warbler	4.21%
102.	Greater Roadrunner	4.20%
103.	Lesser Yellowlegs	3.85%
104.	Willet	3.85%
105.	Mottled Duck	3.84%
106.	Rose-breasted Grosbeak	3.83%
107.	Roseate Spoonbill	3.78%
108.	Wilson's Phalarope	3.73%
109.	Couch's Kingbird	3.70%
110.	Brown-crested Flycatcher	3.65%
111.	Swainson's Hawk	3.64%
112.	Common Gallinule	3.61%
113.	Wood Duck	3.60%
114.	Great Kiskadee	3.52%
115.	Blackburnian Warbler	3.44%
116.	Double-crested Cormorant	3.35%
117.	Northern Rough-winged Swallow	3.30%
118.	Forster's Tern	3.29%
119.	Northern Parula	3.26%
120.	Cave Swallow	3.21%

121.	Common Raven	3.20%
122.	Pileated Woodpecker	3.12%
123.	Bullock's Oriole	3.11%
124.	Curve-billed Thrasher	3.11%
125.	Least Tern	3.07%
126.	Cooper's Hawk	3.06%
127.	White-rumped Sandpiper	3.06%
128.	White-faced Ibis	2.99%
129.	Vermilion Flycatcher	2.88%
130.	Long-billed Thrasher	2.87%
131.	Bay-breasted Warbler	2.84%
132.	Black-throated Sparrow	2.81%
133.	Royal Tern	2.76%
134.	Northern Waterthrush	2.74%
135.	Rufous-crowned Sparrow	2.74%
136.	Common Ground Dove	2.72%
137.	Pine Warbler	2.72%
138.	Warbling Vireo	2.71%
139.	Ruddy Turnstone	2.68%
140.	Pied-billed Grebe	2.66%
141.	Stilt Sandpiper	2.65%
142.	Yellow-rumped Warbler	2.65%
143.	Northern Shoveler	2.65%
144.	Lincoln's Sparrow	2.65%
145.	Clay-colored Sparrow	2.64%

146.	Woodhouse's Scrub-Jay	2.60%
147.	Black-crowned Night-Heron	2.60%
148.	Yellow-throated Vireo	2.58%
149.	Wild Turkey	2.58%
150.	Canada Goose	2.55%
151.	White-crowned Sparrow	2.55%
152.	Pectoral Sandpiper	2.51%
153.	Verdin	2.44%
154.	Pyrrhuloxia	2.41%
155.	Olive Sparrow	2.40%
156.	Canyon Towhee	2.40%
157.	Canyon Wren	2.34%
158.	Cactus Wren	2.29%
159.	Canada Warbler	2.29%
160.	Brown Thrasher	2.26%
161.	Savannah Sparrow	2.23%
162.	American Avocet	2.22%
163.	Greater Yellowlegs	2.21%
164.	Blue-headed Vireo	2.19%
165.	Semipalmated Sandpiper	2.14%
166.	Acadian Flycatcher	2.12%
167.	Green Jay	2.12%
168.	Barred Owl	2.12%
169.	Scott's Oriole	2.11%
170.	Cassin's Sparrow	2.07%

171.	Franklin's Gull	2.06%
172.	Black Tern	2.05%
173.	Buff-bellied Hummingbird	2.04%
174.	Ovenbird	2.04%
175.	Philadelphia Vireo	2.03%
176.	Sanderling	2.03%
177.	Black-bellied Plover	2.03%
178.	Red-headed Woodpecker	1.95%
179.	Olive-sided Flycatcher	1.91%
180.	Chuck-will's-widow	1.88%
181.	White-tipped Dove	1.81%
182.	Field Sparrow	1.80%
183.	Long-billed Dowitcher	1.76%
184.	Pine Siskin	1.75%
185.	Boat-tailed Grackle	1.75%
186.	Black-headed Grosbeak	1.71%
187.	Dunlin	1.67%
188.	Reddish Egret	1.67%
189.	Plain Chachalaca	1.67%
190.	Golden-cheeked Warbler	1.62%
191.	Say's Phoebe	1.62%
192.	Ruddy Duck	1.62%
193.	White-breasted Nuthatch	1.61%
194.	Osprey	1.60%
195.	Hooded Warbler	1.60%

196.	Bank Swallow	1.60%
197.	Hooded Oriole	1.59%
198.	Mourning Warbler	1.58%
199.	Anhinga	1.57%
200.	Scaled Quail	1.56%
201.	American White Pelican	1.56%
202.	Prothonotary Warbler	1.54%
203.	Baird's Sandpiper	1.54%
204.	Yellow-bellied Flycatcher	1.51%
205.	Purple Gallinule	1.50%
206.	Western Wood-Pewee	1.49%
207.	Great Horned Owl	1.47%
208.	Black-capped Vireo	1.44%
209.	Caspian Tern	1.42%
210.	Scarlet Tanager	1.40%
211.	Fulvous Whistling-Duck	1.40%
212.	Western Tanager	1.39%
213.	Yellow-throated Warbler	1.39%
214.	Grasshopper Sparrow	1.36%
215.	Yellow-headed Blackbird	1.35%
216.	Tree Swallow	1.35%
217.	American Kestrel	1.34%
218.	Ring-billed Gull	1.34%
219.	Semipalmated Plover	1.32%
220.	Black Skimmer	1.32%

221.	Sandwich Tern	1.28%
222.	Wood Thrush	1.26%
223.	Cassin's Kingbird	1.25%
224.	Acorn Woodpecker	1.24%
225.	Gray-cheeked Thrush	1.23%
226.	Broad-winged Hawk	1.21%
227.	American Goldfinch	1.20%
228.	Ruby-crowned Kinglet	1.20%
229.	Orange-crowned Warbler	1.19%
230.	Belted Kingfisher	1.18%
231.	Veery	1.17%
232.	Eastern Screech-Owl	1.15%
233.	Gull-billed Tern	1.11%
234.	Lesser Nighthawk	1.10%
235.	Groove-billed Ani	1.04%
236.	Least Bittern	1.03%
237.	Willow Flycatcher	1.02%
238.	House Wren	1.02%
239.	Sora	0.9815%
240.	Clay-colored Thrush	0.9723%
241.	Gadwall	0.9709%
242.	Golden-winged Warbler	0.9567%
243.	Solitary Sandpiper	0.9513%
244.	Western Sandpiper	0.9361%
245.	Horned Lark	0.9361%

246.	Harris's Hawk	0.9165%
247.	Clapper Rail	0.9098%
248.	Whimbrel	0.9083%
249.	Spotted Towhee	0.8941%
250.	Least Grebe	0.8643%
251.	Wilson's Plover	0.8608%
252.	Hudsonian Godwit	0.8597%
253.	Western Meadowlark	0.8426%
254.	MacGillivray's Warbler	0.8416%
255.	Hutton's Vireo	0.8256%
256.	Bushtit	0.8174%
257.	Chihuahuan Raven	0.8110%
258.	Altamira Oriole	0.8096%
259.	Marsh Wren	0.7655%
260.	Monk Parakeet	0.7520%
261.	Kentucky Warbler	0.7410%
262.	Tropical Kingbird	0.7300%
263.	Gambel's Quail	0.7268%
264.	Short-billed Dowitcher	0.7261%
265.	Redhead	0.7183%
266.	Hermit Thrush	0.6874%
267.	Black-tailed Gnatcatcher	0.6867%
268.	Black Phoebe	0.6771%
269.	Varied Bunting	0.6618%
270.	Mexican Jay	0.6568%

271.	Fish Crow	0.6487%
272.	Alder Flycatcher	0.6451%
273.	White-tailed Kite	0.6270%
274.	Bald Eagle	0.6263%
275.	Blackpoll Warbler	0.6220%
276.	Green Kingfisher	0.6082%
277.	White-throated Swift	0.6028%
278.	White-tailed Hawk	0.5936%
279.	Brown-headed Nuthatch	0.5748%
280.	Herring Gull	0.5716%
281.	Northern Flicker	0.5581%
282.	Rock Wren	0.5520%
283.	American Oystercatcher	0.5496%
284.	Hepatic Tanager	0.5449%
285.	Common Tern	0.5258%
286.	Magnificent Frigatebird	0.5208%
287.	Mexican Duck	0.5186%
288.	Lazuli Bunting	0.5137%
289.	Zone-tailed Hawk	0.5073%
290.	Common Poorwill	0.4984%
291.	Lesser Scaup	0.4902%
292.	Buff-breasted Sandpiper	0.4849%
293.	Northern Harrier	0.4835%
294.	Louisiana Waterthrush	0.4703%
295.	Common Pauraque	0.4700%

296.	Upland Sandpiper	0.4522%
297.	Lark Bunting	0.4508%
298.	Green-winged Teal	0.4469%
299.	Gray Hawk	0.4380%
300.	Plumbeous Vireo	0.4323%
301.	American Wigeon	0.4220%
302.	Green-tailed Towhee	0.4220%
303.	Bobolink	0.4192%
304.	Elf Owl	0.4167%
305.	Vesper Sparrow	0.4146%
306.	Swainson's Warbler	0.4121%
307.	Broad-tailed Hummingbird	0.4099%
308.	American Golden-Plover	0.3997%
309.	Peregrine Falcon	0.3940%
310.	Eared Grebe	0.3876%
311.	Long-billed Curlew	0.3869%
312.	Marbled Godwit	0.3776%
313.	Hairy Woodpecker	0.3766%
314.	Cinnamon Teal	0.3741%
315.	Snowy Plover	0.3723%
316.	Phainopepla	0.3595%
317.	White-throated Sparrow	0.3520%
318.	Seaside Sparrow	0.3492%
319.	Violet-green Swallow	0.3435%
320.	Ringed Kingfisher	0.3371%

321.	Gray Flycatcher	0.3307%
322.	Blue-winged Warbler	0.3297%
323.	Audubon's Oriole	0.3265%
324.	Burrowing Owl	0.3119%
325.	Lucifer Hummingbird	0.3105%
326.	Green Parakeet	0.3066%
327.	Black-chinned Sparrow	0.3023%
328.	Colima Warbler	0.2973%
329.	King Rail	0.2863%
330.	Red-crowned Parrot	0.2846%
331.	Townsend's Warbler	0.2806%
332.	Cape May Warbler	0.2764%
333.	Chihuahuan Meadowlark	0.2760%
334.	Brewer's Sparrow	0.2696%
335.	Brewer's Blackbird	0.2668%
336.	Black-billed Cuckoo	0.2643%
337.	American Pipit	0.2576%
338.	Sharp-shinned Hawk	0.2533%
339.	Common Black Hawk	0.2508%
340.	Northern Beardless-Tyrannulet	0.2469%
341.	Cordilleran Flycatcher	0.2469%
342.	Barn Owl	0.2437%
343.	Piping Plover	0.2409%
344.	Crissal Thrasher	0.2270%
345.	Scaly-breasted Munia	0.2270%

346.	Worm-eating Warbler	0.2217%
347.	Glossy Ibis	0.2114%
348.	Dusky Flycatcher	0.2100%
349.	Swallow-tailed Kite	0.2082%
350.	Prairie Warbler	0.2082%
351.	Blue-throated Mountain-gem	0.1893%
352.	Western Bluebird	0.1869%
353.	Cerulean Warbler	0.1837%
354.	Northern Pintail	0.1787%
355.	Gray Vireo	0.1783%
356.	Red-vented Bulbul	0.1766%
357.	Common Loon	0.1748%
358.	Ring-necked Duck	0.1716%
359.	Tropical Parula	0.1687%
360.	Sedge Wren	0.1663%
361.	American Bittern	0.1631%
362.	Red Knot	0.1577%
363.	Western Screech-Owl	0.1556%
364.	Lucy's Warbler	0.1528%
365.	Grace's Warbler	0.1528%
366.	Montezuma Quail	0.1506%
367.	Red-cockaded Woodpecker	0.1481%
368.	Botteri's Sparrow	0.1446%
369.	Ring-necked Pheasant	0.1293%
370.	Black-throated Blue Warbler	0.1243%

371.	Virginia's Warbler	0.1229%
372.	Painted Redstart	0.1229%
373.	Mexican Whip-poor-will	0.1197%
374.	Limpkin	0.1194%
375.	Western Grebe	0.1176%
376.	Clark's Grebe	0.1147%
377.	Yellow-green Vireo	0.1073%
378.	Dark-eyed Junco	0.1048%
379.	Red-breasted Merganser	0.1037%
380.	Virginia Rail	0.0874%
381.	Red-breasted Nuthatch	0.0860%
382.	Nelson's Sparrow	0.0849%
383.	Aplomado Falcon	0.0824%
384.	Band-tailed Pigeon	0.0813%
385.	Hooded Merganser	0.0796%
386.	Morelet's Seedeater	0.0771%
387.	Cassin's Vireo	0.0764%
388.	Wood Stork	0.0742%
389.	Harris's Sparrow	0.0739%
390.	Black Rail	0.0696%
391.	Townsend's Solitaire	0.0696%
392.	Snow Goose	0.0686%
393.	Cackling Goose	0.0679%
394.	Swamp Sparrow	0.0675%
395.	Ferruginous Pygmy-Owl	0.0668%

396.	Mountain Chickadee	0.0668%
397.	Rivoli's Hummingbird	0.0636%
398.	Yellow-bellied Sapsucker	0.0632%
399.	Canvasback	0.0611%
400.	Bachman's Sparrow	0.0597%
401.	Hammond's Flycatcher	0.0561%
402.	Brown Booby	0.0558%
403.	Bufflehead	0.0540%
404.	Red-billed Pigeon	0.0536%
405.	Golden Eagle	0.0526%
406.	Eastern Towhee	0.0487%
407.	Flame-colored Tanager	0.0487%
408.	Wilson's Snipe	0.0480%
409.	Merlin	0.0480%
410.	Palm Warbler	0.0476%
411.	Black-throated Gray Warbler	0.0437%
412.	Steller's Jay	0.0433%
413.	Red-necked Phalarope	0.0401%
414.	Dusky-capped Flycatcher	0.0394%
415.	Mangrove Cuckoo	0.0384%
416.	Black-whiskered Vireo	0.0384%
417.	Greater White-fronted Goose	0.0362%
418.	Lesser Black-backed Gull	0.0362%
419.	Greater Scaup	0.0316%
420.	Eastern Whip-poor-will	0.0309%

421.	Bonaparte's Gull	0.0305%
422.	Cassin's Finch	0.0302%
423.	Rose-throated Becard	0.0252%
424.	Whooping Crane	0.0242%
425.	Flammulated Owl	0.0227%
426.	Ruff	0.0224%
427.	Sooty Tern	0.0217%
428.	Gray Kingbird	0.0206%
429.	Hermit Warbler	0.0203%
430.	Song Sparrow	0.0192%
431.	Tamaulipas Crow	0.0188%
432.	Surf Scoter	0.0185%
433.	Masked Duck	0.0185%
434.	Red Crossbill	0.0185%
435.	Prairie Falcon	0.0178%
436.	Muscovy Duck	0.0174%
437.	Brown Jay	0.0174%
438.	Hook-billed Kite	0.0163%
439.	Rufous-capped Warbler	0.0160%
440.	Pomarine Jaeger	0.0142%
441.	Broad-billed Hummingbird	0.0138%
442.	Mexican Violetear	0.0131%
443.	Ross's Goose	0.0128%
444.	Horned Grebe	0.0121%
445.	Greater Prairie-Chicken	0.0117%

446.	Glaucous Gull	0.0117%
447.	Yellow-billed Loon	0.0117%
448.	Crimson-collared Grosbeak	0.0117%
449.	Pinyon Jay	0.0114%
450.	Ferruginous Hawk	0.0110%
451.	Buff-breasted Flycatcher	0.0110%
452.	Slate-throated Redstart	0.0110%
453.	Short-tailed Hawk	0.0107%
454.	Red-naped Sapsucker	0.0092%
455.	Juniper Titmouse	0.0089%
456.	Pygmy Nuthatch	0.0089%
457.	Brown Creeper	0.0089%
458.	Pacific Loon	0.0085%
459.	Long-tailed Duck	0.0075%
460.	Anna's Hummingbird	0.0075%
461.	Northern Saw-whet Owl	0.0071%
462.	Sulphur-bellied Flycatcher	0.0071%
463.	Rufous Hummingbird	0.0068%
464.	Parasitic Jaeger	0.0068%
465.	Golden-crowned Sparrow	0.0068%
466.	LeConte's Sparrow	0.0068%
467.	Common Merganser	0.0064%
468.	Sandhill Crane	0.0060%
469.	American Flamingo	0.0057%
470.	Baird's Sparrow	0.0057%

471.	Sabine's Gull	0.0053%
472.	Northern Pygmy-Owl	0.0053%
473.	Sage Thrasher	0.0053%
474.	Sprague's Pipit	0.0053%
475.	Long-eared Owl	0.0046%
476.	Gray-crowned Yellowthroat	0.0046%
477.	Lesser Prairie-Chicken	0.0043%
478.	Yellow Rail	0.0039%
479.	American Woodcock	0.0036%
480.	Black-vented Oriole	0.0036%
481.	Crescent-chested Warbler	0.0036%
482.	King Eider	0.0032%
483.	Thick-billed Kingbird	0.0032%
484.	Garganey	0.0028%
485.	Violet-crowned Hummingbird	0.0028%
486.	Great Black-backed Gull	0.0028%
487.	Spotted Owl	0.0028%
488.	Common Goldeneye	0.0025%
489.	Piratic Flycatcher	0.0025%
490.	Winter Wren	0.0025%
491.	Mountain Bluebird	0.0025%
492.	Red-faced Warbler	0.0025%
493.	White-winged Scoter	0.0021%
494.	Surfbird	0.0021%
495.	Short-billed Gull	0.0021%

496.	Red-throated Loon	0.0021%
497.	Short-eared Owl	0.0021%
498.	Aztec Thrush	0.0021%
499.	Ruddy Ground Dove	0.0018%
500.	Masked Booby	0.0018%
501.	Blue Mockingbird	0.0018%
502.	Varied Thrush	0.0018%
503.	Black Scoter	0.0014%
504.	Northern Gannet	0.0014%
505.	Yucatan Vireo	0.0014%
506.	Golden-crowned Kinglet	0.0014%
507.	Black-headed Nightingale-Thrush	0.0014%
508.	Evening Grosbeak	0.0014%
509.	Purple Finch	0.0014%
510.	Red-necked Grebe	0.0011%
511.	Mountain Plover	0.0011%
512.	California Gull	0.0011%
513.	Bridled Tern	0.0011%
514.	Calliope Hummingbird	0.0007%
515.	Purple Sandpiper	0.0007%
516.	Red Phalarope	0.0007%
517.	Iceland Gull	0.0007%
518.	Black Noddy	0.0007%
519.	Double-toothed Kite	0.0007%
520.	Williamson's Sapsucker	0.0007%

521.	Greenish Elaenia	0.0007%
522.	Greater Pewee	0.0007%
523.	Fork-tailed Flycatcher	0.0007%
524.	Fox Sparrow	0.0007%
525.	Henslow's Sparrow	0.0007%
526.	Eurasian Wigeon	0.0004%
527.	Black Swift	0.0004%
528.	Collared Plover	0.0004%
529.	Northern Jacana	0.0004%
530.	Black Turnstone	0.0004%
531.	Curlew Sandpiper	0.0004%
532.	Little Gull	0.0004%
533.	Band-rumped Storm-Petrel	0.0004%
534.	Audubon's Shearwater	0.0004%
535.	Bare-throated Tiger-Heron	0.0004%
536.	Roadside Hawk	0.0004%
537.	Lewis's Woodpecker	0.0004%
538.	Small-billed Elaenia	0.0004%
539.	Tufted Flycatcher	0.0004%
540.	Olive Warbler	0.0004%
541.	Lapland Longspur	0.0004%
542.	Chestnut-collared Longspur	0.0004%
543.	Sagebrush Sparrow	0.0004%
544.	Rusty Blackbird	0.0004%
545.	Connecticut Warbler	0.0004%

546.	Sharp-tailed Sandpiper	0.0000%
547.	Wandering Tattler	0.0000%
548.	Western Gull	0.0000%
549.	Brown Noddy	0.0000%
550.	Arctic Tern	0.0000%
551.	Elegant Tern	0.0000%
552.	Red-billed Tropicbird	0.0000%
553.	Leach's Storm-Petrel	0.0000%
554.	Black-capped Petrel	0.0000%
555.	Blue-footed Booby	0.0000%
556.	Red-footed Booby	0.0000%
557.	Elegant Trogon	0.0000%
558.	Social Flycatcher	0.0000%
559.	Common Redpoll	0.0000%
560.	Shiny Cowbird	0.0000%

EXOTIC: PROVISIONAL

561.	Egyptian Goose	0.6916% frequency
562.	Red-lored Parrot	0.0242%
563.	White-fronted Parrot	0.0174%
564.	Tropical Mockingbird	0.0117%
565.	Lilac-crowned Parrot	0.0071%

EXOTIC: ESCAPEE

	Mute Swan	0.1243% frequency
	Swan Goose	0.1016%
	Graylag Goose	0.0927%

Indian Peafowl	0.0671%
Helmeted Guineafowl	0.0444%
Yellow-headed Parrot	0.0121%
Budgerigar	0.0107%
Red Junglefowl	0.0071%
Pin-tailed Whydah	0.0071%
Northern Red Bishop	0.0068%
African Collared-Dove	0.0046%
Philippine Duck	0.0036%
Greater Flamingo	0.0032%
Ringed Teal	0.0025%
Mandarin Duck	0.0025%
Yellow-billed Duck	0.0021%
Ferruginous Duck	0.0021%
Chukar	0.0021%
Black Swan	0.0018%
Rosy-faced Lovebird	0.0018%
Red-crested Pochard	0.0014%
Island Canary	0.0011%
Bar-headed Goose	0.0007%
Chestnut-fronted Macaw	0.0007%
Bronze Mannikin	0.0007%
Cockatiel	0.0004%
Yellow-crowned Parrot	0.0004%
Mitred Parakeet	0.0004%

Black-throated Magpie-Jay	0.0004%
Orange-cheeked Waxbill	0.0004%
Black-rumped Waxbill	0.0004%
West Indian Whistling-Duck	0.0000%
Ruddy Shelduck	0.0000%
Keel-billed Toucan	0.0000%
White-winged Parakeet	0.0000%
European Goldfinch	0.0000%
Orange-breasted Bunting	0.0000%
White-cheeked Pintail	0.0000%

HYBRIDS

Tufted x Black-crested Titmouse (hybrid)	1.97% frequency
Mallard x Mexican Duck (hybrid)	0.0426%
Muscovy Duck x Mallard (hybrid)	0.0355%
Downy x Ladder-backed Woodpecker (hybrid)	0.0220%
Glossy x White-faced Ibis (hybrid)	0.0131%
Bullock's x Baltimore Oriole (hybrid)	0.0131%
Mallard x Mottled Duck (hybrid)	0.0082%
Varied x Painted Bunting (hybrid)	0.0078%
Brewster's Warbler (hybrid)	0.0068%
Northern x Tropical Parula (hybrid)	0.0064%
Colima x Virginia's Warbler (hybrid)	0.0053%
Western x Flame-colored Tanager (hybrid)	0.0050%
Altamira x Audubon's Oriole (hybrid)	0.0043%

Golden-winged x Blue-winged Warbler (hybrid)	0.0043%
Lazuli x Indigo Bunting (hybrid)	0.0043%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0032%
Graylag x Swan Goose (hybrid)	0.0025%
Black-chinned x Anna's Hummingbird (hybrid)	0.0021%
Mexican x Mottled Duck (hybrid)	0.0018%
Lawrence's Warbler (hybrid)	0.0014%
Northern Parula x Yellow-throated Warbler (hybrid)	0.0014%
Greater White-fronted x Canada Goose (hybrid)	0.0007%
Blue-winged x Cinnamon Teal (hybrid)	0.0007%
Black x Eastern Phoebe (hybrid)	0.0007%
Common Yellowthroat x Rufous-capped Warbler (hybrid)	0.0007%
Domestic goose sp. x Canada Goose (hybrid)	0.0004%
American Wigeon x Mallard (hybrid)	0.0004%
Western x Clark's Grebe (hybrid)	0.0004%
Lucifer x Black-chinned Hummingbird (hybrid)	0.0004%
Ruby-throated x Black-chinned Hummingbird (hybrid)	0.0004%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0004%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0004%
Tropical x Northern Mockingbird (hybrid)	0.0004%
MacGillivray's x Mourning Warbler (hybrid)	0.0004%

Gray-crowned x Common Yellowthroat (hybrid)	0.0004%
Townsend's x Hermit Warbler (hybrid)	0.0004%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0004%
Red-crowned x Lilac-crowned Parrot (hybrid)	0.0000%
Grace's x Black-throated Gray Warbler (hybrid)	0.0000%