

Target Species

Based on 281,499 complete checklists

565 species observed in Texas, US (region/US-TX) in **May** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	13.44% frequency
2. Fulvous Whistling-Duck	1.40%
3. Snow Goose	0.0686%
4. Ross's Goose	0.0128%
5. Greater White-fronted Goose	0.0362%
6. Cackling Goose	0.0679%
7. Canada Goose	2.55%
8. Muscovy Duck	0.0174%
9. Wood Duck	3.60%
10. Garganey	0.0028%
11. Blue-winged Teal	7.50%
12. Cinnamon Teal	0.3741%
13. Northern Shoveler	2.65%
14. Gadwall	0.9709%
15. Eurasian Wigeon	0.0004%
16. American Wigeon	0.4220%
17. Mallard	5.19%
18. Mexican Duck	0.5186%
19. Mottled Duck	3.84%
20. Northern Pintail	0.1787%

21.	Green-winged Teal	0.4469%
22.	Canvasback	0.0611%
23.	Redhead	0.7183%
24.	Ring-necked Duck	0.1716%
25.	Greater Scaup	0.0316%
26.	Lesser Scaup	0.4902%
27.	King Eider	0.0032%
28.	Surf Scoter	0.0185%
29.	White-winged Scoter	0.0021%
30.	Black Scoter	0.0014%
31.	Long-tailed Duck	0.0075%
32.	Bufflehead	0.0540%
33.	Common Goldeneye	0.0025%
34.	Hooded Merganser	0.0796%
35.	Common Merganser	0.0064%
36.	Red-breasted Merganser	0.1037%
37.	Masked Duck	0.0185%
38.	Ruddy Duck	1.62%
39.	Plain Chachalaca	1.67%
40.	Northern Bobwhite	4.59%
41.	Scaled Quail	1.56%
42.	Gambel's Quail	0.7268%
43.	Montezuma Quail	0.1506%
44.	Wild Turkey	2.58%
45.	Greater Prairie-Chicken	0.0117%

46. Lesser Prairie-Chicken	0.0043%
47. Ring-necked Pheasant	0.1293%
48. American Flamingo	0.0057%
49. Least Grebe	0.8643%
50. Pied-billed Grebe	2.66%
51. Horned Grebe	0.0121%
52. Red-necked Grebe	0.0011%
53. Eared Grebe	0.3876%
54. Western Grebe	0.1176%
55. Clark's Grebe	0.1147%
56. Rock Pigeon	8.77%
57. Red-billed Pigeon	0.0536%
58. Band-tailed Pigeon	0.0813%
59. Eurasian Collared-Dove	10.24%
60. Inca Dove	6.47%
61. Common Ground Dove	2.72%
62. Ruddy Ground Dove	0.0018%
63. White-tipped Dove	1.81%
64. White-winged Dove	37.71%
65. Mourning Dove	43.29%
66. Groove-billed Ani	1.04%
67. Greater Roadrunner	4.20%
68. Yellow-billed Cuckoo	15.03%
69. Mangrove Cuckoo	0.0384%
70. Black-billed Cuckoo	0.2643%

71. Lesser Nighthawk	1.10%
72. Common Nighthawk	8.52%
73. Common Pauraque	0.4700%
74. Common Poorwill	0.4984%
75. Chuck-will's-widow	1.88%
76. Eastern Whip-poor-will	0.0309%
77. Mexican Whip-poor-will	0.1197%
78. Black Swift	0.0004%
79. Chimney Swift	17.05%
80. White-throated Swift	0.6028%
81. Mexican Violetear	0.0131%
82. Rivoli's Hummingbird	0.0636%
83. Blue-throated Mountain-gem	0.1893%
84. Lucifer Hummingbird	0.3105%
85. Ruby-throated Hummingbird	9.53%
86. Black-chinned Hummingbird	12.81%
87. Anna's Hummingbird	0.0075%
88. Calliope Hummingbird	0.0007%
89. Rufous Hummingbird	0.0068%
90. Broad-tailed Hummingbird	0.4099%
91. Broad-billed Hummingbird	0.0138%
92. Violet-crowned Hummingbird	0.0028%
93. Buff-bellied Hummingbird	2.04%
94. King Rail	0.2863%
95. Clapper Rail	0.9098%

96.	Virginia Rail	0.0874%
97.	Sora	0.9815%
98.	Common Gallinule	3.61%
99.	American Coot	6.12%
100.	Purple Gallinule	1.50%
101.	Yellow Rail	0.0039%
102.	Black Rail	0.0696%
103.	Limpkin	0.1194%
104.	Sandhill Crane	0.0060%
105.	Whooping Crane	0.0242%
106.	Black-necked Stilt	7.40%
107.	American Avocet	2.22%
108.	American Oystercatcher	0.5496%
109.	Black-bellied Plover	2.03%
110.	American Golden-Plover	0.3997%
111.	Collared Plover	0.0004%
112.	Snowy Plover	0.3723%
113.	Wilson's Plover	0.8608%
114.	Semipalmated Plover	1.32%
115.	Piping Plover	0.2409%
116.	Killdeer	14.98%
117.	Mountain Plover	0.0011%
118.	Northern Jacana	0.0004%
119.	Upland Sandpiper	0.4522%
120.	Whimbrel	0.9083%

121.	Long-billed Curlew	0.3869%
122.	Hudsonian Godwit	0.8597%
123.	Marbled Godwit	0.3776%
124.	Ruddy Turnstone	2.68%
125.	Black Turnstone	0.0004%
126.	Red Knot	0.1577%
127.	Surfbird	0.0021%
128.	Ruff	0.0224%
129.	Sharp-tailed Sandpiper	0.0000%
130.	Stilt Sandpiper	2.65%
131.	Curlew Sandpiper	0.0004%
132.	Sanderling	2.03%
133.	Dunlin	1.67%
134.	Purple Sandpiper	0.0007%
135.	Baird's Sandpiper	1.54%
136.	Least Sandpiper	4.44%
137.	White-rumped Sandpiper	3.06%
138.	Buff-breasted Sandpiper	0.4849%
139.	Pectoral Sandpiper	2.51%
140.	Semipalmated Sandpiper	2.14%
141.	Western Sandpiper	0.9361%
142.	Short-billed Dowitcher	0.7261%
143.	Long-billed Dowitcher	1.76%
144.	American Woodcock	0.0036%
145.	Wilson's Snipe	0.0480%

146.	Wilson's Phalarope	3.73%
147.	Red-necked Phalarope	0.0401%
148.	Red Phalarope	0.0007%
149.	Spotted Sandpiper	6.43%
150.	Solitary Sandpiper	0.9513%
151.	Wandering Tattler	0.0000%
152.	Greater Yellowlegs	2.21%
153.	Willet	3.85%
154.	Lesser Yellowlegs	3.85%
155.	Pomarine Jaeger	0.0142%
156.	Parasitic Jaeger	0.0068%
157.	Sabine's Gull	0.0053%
158.	Bonaparte's Gull	0.0305%
159.	Little Gull	0.0004%
160.	Laughing Gull	9.26%
161.	Franklin's Gull	2.06%
162.	Short-billed Gull	0.0021%
163.	Ring-billed Gull	1.34%
164.	Western Gull	0.0000%
165.	California Gull	0.0011%
166.	Herring Gull	0.5716%
167.	Iceland Gull	0.0007%
168.	Lesser Black-backed Gull	0.0362%
169.	Glaucous Gull	0.0117%
170.	Great Black-backed Gull	0.0028%

171.	Brown Noddy	0.0000%
172.	Black Noddy	0.0007%
173.	Sooty Tern	0.0217%
174.	Bridled Tern	0.0011%
175.	Least Tern	3.07%
176.	Gull-billed Tern	1.11%
177.	Caspian Tern	1.42%
178.	Black Tern	2.05%
179.	Common Tern	0.5258%
180.	Arctic Tern	0.0000%
181.	Forster's Tern	3.29%
182.	Royal Tern	2.76%
183.	Sandwich Tern	1.28%
184.	Elegant Tern	0.0000%
185.	Black Skimmer	1.32%
186.	Red-billed Tropicbird	0.0000%
187.	Red-throated Loon	0.0021%
188.	Pacific Loon	0.0085%
189.	Common Loon	0.1748%
190.	Yellow-billed Loon	0.0117%
191.	Leach's Storm-Petrel	0.0000%
192.	Band-rumped Storm-Petrel	0.0004%
193.	Black-capped Petrel	0.0000%
194.	Audubon's Shearwater	0.0004%
195.	Wood Stork	0.0742%

196.	Magnificent Frigatebird	0.5208%
197.	Masked Booby	0.0018%
198.	Blue-footed Booby	0.0000%
199.	Brown Booby	0.0558%
200.	Red-footed Booby	0.0000%
201.	Northern Gannet	0.0014%
202.	Anhinga	1.57%
203.	Double-crested Cormorant	3.35%
204.	Neotropic Cormorant	6.67%
205.	American White Pelican	1.56%
206.	Brown Pelican	4.40%
207.	American Bittern	0.1631%
208.	Least Bittern	1.03%
209.	Bare-throated Tiger-Heron	0.0004%
210.	Great Blue Heron	16.29%
211.	Great Egret	18.76%
212.	Snowy Egret	11.37%
213.	Little Blue Heron	7.00%
214.	Tricolored Heron	5.03%
215.	Reddish Egret	1.67%
216.	Cattle Egret	10.66%
217.	Green Heron	11.04%
218.	Black-crowned Night-Heron	2.60%
219.	Yellow-crowned Night-Heron	8.15%
220.	White Ibis	5.97%

221.	Glossy Ibis	0.2114%
222.	White-faced Ibis	2.99%
223.	Roseate Spoonbill	3.78%
224.	Black Vulture	19.83%
225.	Turkey Vulture	31.29%
226.	Osprey	1.60%
227.	White-tailed Kite	0.6270%
228.	Hook-billed Kite	0.0163%
229.	Swallow-tailed Kite	0.2082%
230.	Golden Eagle	0.0526%
231.	Double-toothed Kite	0.0007%
232.	Mississippi Kite	8.24%
233.	Northern Harrier	0.4835%
234.	Sharp-shinned Hawk	0.2533%
235.	Cooper's Hawk	3.06%
236.	Bald Eagle	0.6263%
237.	Common Black Hawk	0.2508%
238.	Roadside Hawk	0.0004%
239.	Harris's Hawk	0.9165%
240.	White-tailed Hawk	0.5936%
241.	Gray Hawk	0.4380%
242.	Red-shouldered Hawk	10.34%
243.	Broad-winged Hawk	1.21%
244.	Short-tailed Hawk	0.0107%
245.	Swainson's Hawk	3.64%

246.	Zone-tailed Hawk	0.5073%
247.	Red-tailed Hawk	7.78%
248.	Ferruginous Hawk	0.0110%
249.	Barn Owl	0.2437%
250.	Flammulated Owl	0.0227%
251.	Western Screech-Owl	0.1556%
252.	Eastern Screech-Owl	1.15%
253.	Great Horned Owl	1.47%
254.	Northern Pygmy-Owl	0.0053%
255.	Ferruginous Pygmy-Owl	0.0668%
256.	Elf Owl	0.4167%
257.	Burrowing Owl	0.3119%
258.	Spotted Owl	0.0028%
259.	Barred Owl	2.12%
260.	Long-eared Owl	0.0046%
261.	Short-eared Owl	0.0021%
262.	Northern Saw-whet Owl	0.0071%
263.	Elegant Trogon	0.0000%
264.	Ringed Kingfisher	0.3371%
265.	Belted Kingfisher	1.18%
266.	Green Kingfisher	0.6082%
267.	Williamson's Sapsucker	0.0007%
268.	Yellow-bellied Sapsucker	0.0632%
269.	Red-naped Sapsucker	0.0092%
270.	Lewis's Woodpecker	0.0004%

271.	Red-headed Woodpecker	1.95%
272.	Acorn Woodpecker	1.24%
273.	Golden-fronted Woodpecker	9.56%
274.	Red-bellied Woodpecker	18.76%
275.	Downy Woodpecker	13.95%
276.	Ladder-backed Woodpecker	9.95%
277.	Red-cockaded Woodpecker	0.1481%
278.	Hairy Woodpecker	0.3766%
279.	Pileated Woodpecker	3.12%
280.	Northern Flicker	0.5581%
281.	Crested Caracara	5.78%
282.	American Kestrel	1.34%
283.	Merlin	0.0480%
284.	Aplomado Falcon	0.0824%
285.	Peregrine Falcon	0.3940%
286.	Prairie Falcon	0.0178%
287.	Monk Parakeet	0.7520%
288.	Red-crowned Parrot	0.2846%
289.	Green Parakeet	0.3066%
290.	Rose-throated Becard	0.0252%
291.	Northern Beardless-Tyrannulet	0.2469%
292.	Greenish Elaenia	0.0007%
293.	Small-billed Elaenia	0.0004%
294.	Tufted Flycatcher	0.0004%
295.	Olive-sided Flycatcher	1.91%

296.	Greater Pewee	0.0007%
297.	Western Wood-Pewee	1.49%
298.	Eastern Wood-Pewee	10.04%
299.	Yellow-bellied Flycatcher	1.51%
300.	Acadian Flycatcher	2.12%
301.	Alder Flycatcher	0.6451%
302.	Willow Flycatcher	1.02%
303.	Least Flycatcher	4.95%
304.	Hammond's Flycatcher	0.0561%
305.	Gray Flycatcher	0.3307%
306.	Dusky Flycatcher	0.2100%
307.	Cordilleran Flycatcher	0.2469%
308.	Buff-breasted Flycatcher	0.0110%
309.	Black Phoebe	0.6771%
310.	Eastern Phoebe	11.09%
311.	Say's Phoebe	1.62%
312.	Vermilion Flycatcher	2.88%
313.	Dusky-capped Flycatcher	0.0394%
314.	Ash-throated Flycatcher	6.22%
315.	Great Crested Flycatcher	12.98%
316.	Brown-crested Flycatcher	3.65%
317.	Great Kiskadee	3.52%
318.	Social Flycatcher	0.0000%
319.	Sulphur-bellied Flycatcher	0.0071%
320.	Piratic Flycatcher	0.0025%

321.	Tropical Kingbird	0.7300%
322.	Couch's Kingbird	3.70%
323.	Cassin's Kingbird	1.25%
324.	Thick-billed Kingbird	0.0032%
325.	Western Kingbird	14.67%
326.	Eastern Kingbird	8.88%
327.	Gray Kingbird	0.0206%
328.	Scissor-tailed Flycatcher	21.19%
329.	Fork-tailed Flycatcher	0.0007%
330.	Black-capped Vireo	1.44%
331.	White-eyed Vireo	19.99%
332.	Bell's Vireo	4.37%
333.	Gray Vireo	0.1783%
334.	Hutton's Vireo	0.8256%
335.	Yellow-throated Vireo	2.58%
336.	Cassin's Vireo	0.0764%
337.	Blue-headed Vireo	2.19%
338.	Plumbeous Vireo	0.4323%
339.	Philadelphia Vireo	2.03%
340.	Warbling Vireo	2.71%
341.	Red-eyed Vireo	9.56%
342.	Yellow-green Vireo	0.1073%
343.	Black-whiskered Vireo	0.0384%
344.	Yucatan Vireo	0.0014%
345.	Loggerhead Shrike	4.77%

346.	Brown Jay	0.0174%
347.	Green Jay	2.12%
348.	Pinyon Jay	0.0114%
349.	Steller's Jay	0.0433%
350.	Blue Jay	28.47%
351.	Woodhouse's Scrub-Jay	2.60%
352.	Mexican Jay	0.6568%
353.	American Crow	17.62%
354.	Tamaulipas Crow	0.0188%
355.	Fish Crow	0.6487%
356.	Chihuahuan Raven	0.8110%
357.	Common Raven	3.20%
358.	Carolina Chickadee	29.00%
359.	Mountain Chickadee	0.0668%
360.	Juniper Titmouse	0.0089%
361.	Tufted Titmouse	11.77%
362.	Black-crested Titmouse	14.92%
363.	Verdin	2.44%
364.	Horned Lark	0.9361%
365.	Northern Rough-winged Swallow	3.30%
366.	Purple Martin	16.54%
367.	Tree Swallow	1.35%
368.	Violet-green Swallow	0.3435%
369.	Bank Swallow	1.60%
370.	Barn Swallow	30.59%

371. Cliff Swallow	12.72%
372. Cave Swallow	3.21%
373. Red-vented Bulbul	0.1766%
374. Bushtit	0.8174%
375. Ruby-crowned Kinglet	1.20%
376. Golden-crowned Kinglet	0.0014%
377. Red-breasted Nuthatch	0.0860%
378. White-breasted Nuthatch	1.61%
379. Pygmy Nuthatch	0.0089%
380. Brown-headed Nuthatch	0.5748%
381. Brown Creeper	0.0089%
382. Blue-gray Gnatcatcher	9.50%
383. Black-tailed Gnatcatcher	0.6867%
384. Rock Wren	0.5520%
385. Canyon Wren	2.34%
386. House Wren	1.02%
387. Winter Wren	0.0025%
388. Sedge Wren	0.1663%
389. Marsh Wren	0.7655%
390. Carolina Wren	29.85%
391. Bewick's Wren	12.46%
392. Cactus Wren	2.29%
393. European Starling	23.48%
394. Blue Mockingbird	0.0018%
395. Gray Catbird	7.66%

396.	Curve-billed Thrasher	3.11%
397.	Brown Thrasher	2.26%
398.	Long-billed Thrasher	2.87%
399.	Crissal Thrasher	0.2270%
400.	Sage Thrasher	0.0053%
401.	Northern Mockingbird	51.34%
402.	Eastern Bluebird	10.97%
403.	Western Bluebird	0.1869%
404.	Mountain Bluebird	0.0025%
405.	Townsend's Solitaire	0.0696%
406.	Varied Thrush	0.0018%
407.	Black-headed Nightingale-Thrush	0.0014%
408.	Veery	1.17%
409.	Gray-cheeked Thrush	1.23%
410.	Swainson's Thrush	6.89%
411.	Hermit Thrush	0.6874%
412.	Wood Thrush	1.26%
413.	Aztec Thrush	0.0021%
414.	Clay-colored Thrush	0.9723%
415.	American Robin	8.41%
416.	Cedar Waxwing	7.51%
417.	Phainopepla	0.3595%
418.	Olive Warbler	0.0004%
419.	Scaly-breasted Munia	0.2270%
420.	House Sparrow	26.86%

421.	American Pipit	0.2576%
422.	Sprague's Pipit	0.0053%
423.	Evening Grosbeak	0.0014%
424.	House Finch	21.09%
425.	Purple Finch	0.0014%
426.	Cassin's Finch	0.0302%
427.	Common Redpoll	0.0000%
428.	Red Crossbill	0.0185%
429.	Pine Siskin	1.75%
430.	Lesser Goldfinch	10.94%
431.	American Goldfinch	1.20%
432.	Lapland Longspur	0.0004%
433.	Chestnut-collared Longspur	0.0004%
434.	Botteri's Sparrow	0.1446%
435.	Cassin's Sparrow	2.07%
436.	Bachman's Sparrow	0.0597%
437.	Grasshopper Sparrow	1.36%
438.	Olive Sparrow	2.40%
439.	Chipping Sparrow	4.64%
440.	Clay-colored Sparrow	2.64%
441.	Black-chinned Sparrow	0.3023%
442.	Field Sparrow	1.80%
443.	Brewer's Sparrow	0.2696%
444.	Black-throated Sparrow	2.81%
445.	Lark Sparrow	10.40%

446.	Lark Bunting	0.4508%
447.	Fox Sparrow	0.0007%
448.	Dark-eyed Junco	0.1048%
449.	White-crowned Sparrow	2.55%
450.	Golden-crowned Sparrow	0.0068%
451.	Harris's Sparrow	0.0739%
452.	White-throated Sparrow	0.3520%
453.	Sagebrush Sparrow	0.0004%
454.	Vesper Sparrow	0.4146%
455.	LeConte's Sparrow	0.0068%
456.	Seaside Sparrow	0.3492%
457.	Nelson's Sparrow	0.0849%
458.	Savannah Sparrow	2.23%
459.	Baird's Sparrow	0.0057%
460.	Henslow's Sparrow	0.0007%
461.	Song Sparrow	0.0192%
462.	Lincoln's Sparrow	2.65%
463.	Swamp Sparrow	0.0675%
464.	Canyon Towhee	2.40%
465.	Rufous-crowned Sparrow	2.74%
466.	Green-tailed Towhee	0.4220%
467.	Spotted Towhee	0.8941%
468.	Eastern Towhee	0.0487%
469.	Yellow-breasted Chat	4.70%
470.	Yellow-headed Blackbird	1.35%

471. Bobolink	0.4192%
472. Western Meadowlark	0.8426%
473. Eastern Meadowlark	5.33%
474. Chihuahuan Meadowlark	0.2760%
475. Black-vented Oriole	0.0036%
476. Orchard Oriole	8.29%
477. Hooded Oriole	1.59%
478. Bullock's Oriole	3.11%
479. Altamira Oriole	0.8096%
480. Audubon's Oriole	0.3265%
481. Baltimore Oriole	5.54%
482. Scott's Oriole	2.11%
483. Red-winged Blackbird	22.31%
484. Shiny Cowbird	0.0000%
485. Bronzed Cowbird	4.98%
486. Brown-headed Cowbird	20.65%
487. Rusty Blackbird	0.0004%
488. Brewer's Blackbird	0.2668%
489. Common Grackle	10.28%
490. Boat-tailed Grackle	1.75%
491. Great-tailed Grackle	33.08%
492. Ovenbird	2.04%
493. Worm-eating Warbler	0.2217%
494. Louisiana Waterthrush	0.4703%
495. Northern Waterthrush	2.74%

496.	Golden-winged Warbler	0.9567%
497.	Blue-winged Warbler	0.3297%
498.	Black-and-white Warbler	6.91%
499.	Prothonotary Warbler	1.54%
500.	Swainson's Warbler	0.4121%
501.	Crescent-chested Warbler	0.0036%
502.	Tennessee Warbler	4.21%
503.	Orange-crowned Warbler	1.19%
504.	Colima Warbler	0.2973%
505.	Lucy's Warbler	0.1528%
506.	Nashville Warbler	4.25%
507.	Virginia's Warbler	0.1229%
508.	Connecticut Warbler	0.0004%
509.	Gray-crowned Yellowthroat	0.0046%
510.	MacGillivray's Warbler	0.8416%
511.	Mourning Warbler	1.58%
512.	Kentucky Warbler	0.7410%
513.	Common Yellowthroat	9.13%
514.	Hooded Warbler	1.60%
515.	American Redstart	7.99%
516.	Cape May Warbler	0.2764%
517.	Cerulean Warbler	0.1837%
518.	Northern Parula	3.26%
519.	Tropical Parula	0.1687%
520.	Magnolia Warbler	7.57%

521.	Bay-breasted Warbler	2.84%
522.	Blackburnian Warbler	3.44%
523.	Yellow Warbler	11.49%
524.	Chestnut-sided Warbler	5.19%
525.	Blackpoll Warbler	0.6220%
526.	Black-throated Blue Warbler	0.1243%
527.	Palm Warbler	0.0476%
528.	Pine Warbler	2.72%
529.	Yellow-rumped Warbler	2.65%
530.	Yellow-throated Warbler	1.39%
531.	Prairie Warbler	0.2082%
532.	Grace's Warbler	0.1528%
533.	Black-throated Gray Warbler	0.0437%
534.	Townsend's Warbler	0.2806%
535.	Hermit Warbler	0.0203%
536.	Golden-cheeked Warbler	1.62%
537.	Black-throated Green Warbler	4.82%
538.	Rufous-capped Warbler	0.0160%
539.	Canada Warbler	2.29%
540.	Wilson's Warbler	5.26%
541.	Red-faced Warbler	0.0025%
542.	Painted Redstart	0.1229%
543.	Slate-throated Redstart	0.0110%
544.	Hepatic Tanager	0.5449%
545.	Summer Tanager	14.58%

546.	Scarlet Tanager	1.40%
547.	Western Tanager	1.39%
548.	Flame-colored Tanager	0.0487%
549.	Crimson-collared Grosbeak	0.0117%
550.	Northern Cardinal	57.10%
551.	Pyrrhuloxia	2.41%
552.	Rose-breasted Grosbeak	3.83%
553.	Black-headed Grosbeak	1.71%
554.	Blue Grosbeak	8.04%
555.	Lazuli Bunting	0.5137%
556.	Indigo Bunting	9.72%
557.	Varied Bunting	0.6618%
558.	Painted Bunting	22.43%
559.	Dickcissel	11.04%
560.	Morelet's Seedeater	0.0771%
EXOTIC: PROVISIONAL		
561.	Egyptian Goose	0.6916% frequency
562.	Lilac-crowned Parrot	0.0071%
563.	Red-lored Parrot	0.0242%
564.	White-fronted Parrot	0.0174%
565.	Tropical Mockingbird	0.0117%
EXOTIC: ESCAPEE		
	West Indian Whistling-Duck	0.0000% frequency
	Bar-headed Goose	0.0007%
	Graylag Goose	0.0927%

Swan Goose	0.1016%
Mute Swan	0.1243%
Black Swan	0.0018%
Ruddy Shelduck	0.0000%
Ringed Teal	0.0025%
Mandarin Duck	0.0025%
Yellow-billed Duck	0.0021%
Philippine Duck	0.0036%
Red-crested Pochard	0.0014%
Ferruginous Duck	0.0021%
Helmeted Guineafowl	0.0444%
Indian Peafowl	0.0671%
Red Junglefowl	0.0071%
Chukar	0.0021%
Greater Flamingo	0.0032%
African Collared-Dove	0.0046%
Keel-billed Toucan	0.0000%
Cockatiel	0.0004%
Budgerigar	0.0107%
Rosy-faced Lovebird	0.0018%
White-winged Parakeet	0.0000%
Yellow-headed Parrot	0.0121%
Yellow-crowned Parrot	0.0004%
Chestnut-fronted Macaw	0.0007%
Mitred Parakeet	0.0004%

Black-throated Magpie-Jay	0.0004%
Northern Red Bishop	0.0068%
Bronze Mannikin	0.0007%
Orange-cheeked Waxbill	0.0004%
Black-rumped Waxbill	0.0004%
Pin-tailed Whydah	0.0071%
European Goldfinch	0.0000%
Island Canary	0.0011%
Orange-breasted Bunting	0.0000%
White-cheeked Pintail	0.0000%
HYBRIDS	
Graylag x Swan Goose (hybrid)	0.0025% frequency
Greater White-fronted x Canada Goose (hybrid)	0.0007%
Domestic goose sp. x Canada Goose (hybrid)	0.0004%
Blue-winged x Cinnamon Teal (hybrid)	0.0007%
Muscovy Duck x Mallard (hybrid)	0.0355%
American Wigeon x Mallard (hybrid)	0.0004%
Mallard x Mexican Duck (hybrid)	0.0426%
Mallard x Mottled Duck (hybrid)	0.0082%
Mexican x Mottled Duck (hybrid)	0.0018%
Western x Clark's Grebe (hybrid)	0.0004%
Lucifer x Black-chinned Hummingbird (hybrid)	0.0004%
Ruby-throated x Black-chinned Hummingbird (hybrid)	0.0004%

Black-chinned x Anna's Hummingbird (hybrid)	0.0021%
Glossy x White-faced Ibis (hybrid)	0.0131%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0004%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0032%
Downy x Ladder-backed Woodpecker (hybrid)	0.0220%
Red-crowned x Lilac-crowned Parrot (hybrid)	0.0000%
Black x Eastern Phoebe (hybrid)	0.0007%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0004%
Tufted x Black-crested Titmouse (hybrid)	1.97%
Tropical x Northern Mockingbird (hybrid)	0.0004%
Altamira x Audubon's Oriole (hybrid)	0.0043%
Bullock's x Baltimore Oriole (hybrid)	0.0131%
Golden-winged x Blue-winged Warbler (hybrid)	0.0043%
Brewster's Warbler (hybrid)	0.0068%
Lawrence's Warbler (hybrid)	0.0014%
Colima x Virginia's Warbler (hybrid)	0.0053%
MacGillivray's x Mourning Warbler (hybrid)	0.0004%
Gray-crowned x Common Yellowthroat (hybrid)	0.0004%
Northern x Tropical Parula (hybrid)	0.0064%
Northern Parula x Yellow-throated Warbler (hybrid)	0.0014%
Grace's x Black-throated Gray Warbler (hybrid)	0.0000%

Townsend's x Hermit Warbler (hybrid)	0.0004%
Common Yellowthroat x Rufous-capped Warbler (hybrid)	0.0007%
Western x Flame-colored Tanager (hybrid)	0.0050%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0004%
Lazuli x Indigo Bunting (hybrid)	0.0043%
Varied x Painted Bunting (hybrid)	0.0078%