

Target Species

Based on 199,576 complete checklists

562 species observed in Texas, US (region/US-TX) in **Nov** that you need for your **World Life List**

1. Northern Mockingbird	42.58% frequency
2. Northern Cardinal	39.65%
3. Eastern Phoebe	31.76%
4. Turkey Vulture	31.16%
5. Great-tailed Grackle	29.60%
6. Ruby-crowned Kinglet	28.92%
7. Mourning Dove	27.89%
8. Great Blue Heron	27.24%
9. Great Egret	26.48%
10. Yellow-rumped Warbler	26.08%
11. Carolina Chickadee	24.25%
12. White-winged Dove	22.96%
13. Blue Jay	22.59%
14. Carolina Wren	22.53%
15. Black Vulture	21.51%
16. American Crow	20.58%
17. American Kestrel	20.46%
18. Killdeer	20.42%
19. Red-winged Blackbird	20.35%
20. Red-tailed Hawk	20.04%

21. House Sparrow	<u>19.89%</u>
22. American Coot	<u>19.26%</u>
23. European Starling	<u>19.03%</u>
24. Orange-crowned Warbler	<u>18.97%</u>
25. Pied-billed Grebe	<u>18.61%</u>
26. Double-crested Cormorant	<u>17.81%</u>
27. Red-bellied Woodpecker	<u>15.54%</u>
28. Golden-fronted Woodpecker	<u>15.05%</u>
29. Loggerhead Shrike	<u>14.72%</u>
30. Snowy Egret	<u>14.56%</u>
31. House Finch	<u>14.55%</u>
32. Black-crested Titmouse	<u>14.41%</u>
33. Belted Kingfisher	<u>13.50%</u>
34. House Wren	<u>13.19%</u>
35. Northern Shoveler	<u>13.17%</u>
36. Northern Harrier	<u>12.83%</u>
37. Savannah Sparrow	<u>12.81%</u>
38. American Robin	<u>12.38%</u>
39. Gadwall	<u>12.09%</u>
40. Rock Pigeon	<u>11.93%</u>
41. Blue-gray Gnatcatcher	<u>11.89%</u>
42. Ladder-backed Woodpecker	<u>11.87%</u>
43. Eastern Bluebird	<u>11.83%</u>
44. Osprey	<u>11.21%</u>
45. Red-shouldered Hawk	<u>11.10%</u>

46.	Downy Woodpecker	<u>11.10%</u>
47.	Crested Caracara	<u>11.09%</u>
48.	Great Kiskadee	<u>11.03%</u>
49.	American White Pelican	<u>10.94%</u>
50.	Ring-billed Gull	<u>10.78%</u>
51.	White Ibis	<u>10.07%</u>
52.	Laughing Gull	<u>10.04%</u>
53.	White-throated Sparrow	<u>9.99%</u>
54.	White-crowned Sparrow	<u>9.99%</u>
55.	Chipping Sparrow	<u>9.99%</u>
56.	Northern Flicker	<u>9.95%</u>
57.	Lincoln's Sparrow	<u>9.85%</u>
58.	Green Jay	<u>9.57%</u>
59.	Neotropic Cormorant	<u>9.15%</u>
60.	Green-winged Teal	<u>8.87%</u>
61.	Blue-winged Teal	<u>8.68%</u>
62.	Eastern Meadowlark	<u>8.59%</u>
63.	Mallard	<u>8.57%</u>
64.	American Goldfinch	<u>8.54%</u>
65.	Greater Yellowlegs	<u>8.46%</u>
66.	American Wigeon	<u>8.00%</u>
67.	Dark-eyed Junco	<u>7.97%</u>
68.	Tufted Titmouse	<u>7.93%</u>
69.	Ruddy Duck	<u>7.81%</u>
70.	Cooper's Hawk	<u>7.77%</u>

71.	Song Sparrow	7.70%
72.	Bewick's Wren	7.60%
73.	Least Sandpiper	7.54%
74.	Brown Pelican	7.41%
75.	Northern Pintail	7.39%
76.	Eurasian Collared-Dove	7.39%
77.	Inca Dove	7.25%
78.	Black-bellied Whistling-Duck	7.23%
79.	American Pipit	6.85%
80.	Lesser Scaup	6.77%
81.	Mottled Duck	6.34%
82.	Ring-necked Duck	6.24%
83.	Tricolored Heron	6.21%
84.	Yellow-bellied Sapsucker	6.06%
85.	Spotted Sandpiper	6.04%
86.	Hermit Thrush	6.03%
87.	Long-billed Thrasher	5.79%
88.	Forster's Tern	5.76%
89.	Common Yellowthroat	5.67%
90.	Lesser Goldfinch	5.62%
91.	Roseate Spoonbill	5.52%
92.	White-eyed Vireo	5.36%
93.	Brown-headed Cowbird	5.36%
94.	Redhead	5.32%
95.	Willet	5.28%

96.	Little Blue Heron	5.19%
97.	Black-necked Stilt	4.95%
98.	Common Gallinule	4.95%
99.	Sandhill Crane	4.95%
100.	Field Sparrow	4.85%
101.	Plain Chachalaca	4.76%
102.	Vesper Sparrow	4.74%
103.	Wilson's Snipe	4.72%
104.	Vermilion Flycatcher	4.68%
105.	Harris's Hawk	4.63%
106.	Golden-crowned Kinglet	4.54%
107.	Curve-billed Thrasher	4.46%
108.	Spotted Towhee	4.22%
109.	Scissor-tailed Flycatcher	4.20%
110.	Anhinga	4.10%
111.	American Avocet	4.07%
112.	Swamp Sparrow	4.06%
113.	Bufflehead	4.04%
114.	Sharp-shinned Hawk	3.96%
115.	Marsh Wren	3.93%
116.	Pine Warbler	3.90%
117.	Least Grebe	3.87%
118.	Western Meadowlark	3.78%
119.	White-tipped Dove	3.76%
120.	Common Grackle	3.72%

121.	Caspian Tern	3.69%
122.	Buff-bellied Hummingbird	3.69%
123.	Snow Goose	3.67%
124.	Royal Tern	3.44%
125.	Blue-headed Vireo	3.43%
126.	Tree Swallow	3.42%
127.	Black-crowned Night-Heron	3.40%
128.	Cattle Egret	3.40%
129.	Long-billed Curlew	3.39%
130.	Couch's Kingbird	3.36%
131.	White-faced Ibis	3.28%
132.	Pine Siskin	3.26%
133.	White-tailed Kite	3.22%
134.	Gray Catbird	3.07%
135.	Black-bellied Plover	3.03%
136.	Sanderling	3.01%
137.	Lesser Yellowlegs	3.01%
138.	Reddish Egret	3.01%
139.	Long-billed Dowitcher	3.00%
140.	Herring Gull	2.98%
141.	White-tailed Hawk	2.96%
142.	Altamira Oriole	2.83%
143.	Pyrrhuloxia	2.81%
144.	Canvasback	2.80%
145.	Canada Goose	2.79%

146.	Ruddy Turnstone	2.79%
147.	Brown Thrasher	2.77%
148.	Franklin's Gull	2.77%
149.	Dunlin	2.71%
150.	Cedar Waxwing	2.69%
151.	Green Kingfisher	2.68%
152.	Olive Sparrow	2.67%
153.	Barn Swallow	2.64%
154.	Pileated Woodpecker	2.62%
155.	Common Ground Dove	2.60%
156.	Wood Duck	2.59%
157.	Verdin	2.55%
158.	Common Raven	2.49%
159.	Greater White-fronted Goose	2.48%
160.	Ruby-throated Hummingbird	2.48%
161.	Hooded Merganser	2.33%
162.	Greater Roadrunner	2.33%
163.	Nashville Warbler	2.30%
164.	Tropical Kingbird	2.29%
165.	Bald Eagle	2.28%
166.	Sedge Wren	2.28%
167.	Western Sandpiper	2.19%
168.	Merlin	2.15%
169.	Wilson's Warbler	2.14%
170.	Clay-colored Thrush	2.05%

171.	Lark Sparrow	2.00%
172.	Sora	1.98%
173.	Ringed Kingfisher	1.98%
174.	Brewer's Blackbird	1.97%
175.	Harris's Sparrow	1.91%
176.	Great Horned Owl	1.89%
177.	Black Phoebe	1.89%
178.	Woodhouse's Scrub-Jay	1.88%
179.	Yellow-crowned Night-Heron	1.87%
180.	Black-and-white Warbler	1.79%
181.	Indigo Bunting	1.79%
182.	Eared Grebe	1.77%
183.	Brown Creeper	1.75%
184.	Green Heron	1.72%
185.	Gray Hawk	1.70%
186.	Peregrine Falcon	1.69%
187.	Rufous Hummingbird	1.62%
188.	Northern Rough-winged Swallow	1.62%
189.	Black-throated Green Warbler	1.59%
190.	Marbled Godwit	1.53%
191.	Black Skimmer	1.52%
192.	Common Pauraque	1.50%
193.	Northern Bobwhite	1.47%
194.	Wild Turkey	1.40%
195.	Semipalmated Plover	1.39%

196.	Say's Phoebe	1.36%
197.	Winter Wren	1.35%
198.	Eastern Screech-Owl	1.32%
199.	Red-breasted Nuthatch	1.31%
200.	White-breasted Nuthatch	1.26%
201.	American Oystercatcher	1.22%
202.	Fox Sparrow	1.20%
203.	Sandwich Tern	1.19%
204.	Bronzed Cowbird	1.18%
205.	Piping Plover	1.18%
206.	Black-throated Sparrow	1.17%
207.	Monk Parakeet	1.16%
208.	Cave Swallow	1.16%
209.	Ross's Goose	1.14%
210.	Stilt Sandpiper	1.11%
211.	Common Loon	1.09%
212.	Horned Lark	1.09%
213.	Rufous-crowned Sparrow	1.09%
214.	Canyon Towhee	1.09%
215.	Clapper Rail	1.08%
216.	Cactus Wren	1.07%
217.	Cinnamon Teal	1.06%
218.	Barred Owl	1.02%
219.	Chihuahuan Raven	1.02%
220.	Canyon Wren	0.9771%

221.	Short-billed Dowitcher	0.9615%
222.	Boat-tailed Grackle	0.9570%
223.	Grasshopper Sparrow	0.9395%
224.	Red-breasted Merganser	0.9204%
225.	Yellow-throated Warbler	0.9154%
226.	Fulvous Whistling-Duck	0.8884%
227.	Sprague's Pipit	0.8683%
228.	Snowy Plover	0.8283%
229.	Rock Wren	0.8177%
230.	Tennessee Warbler	0.7917%
231.	Bonaparte's Gull	0.7401%
232.	Lark Bunting	0.7250%
233.	Cackling Goose	0.7220%
234.	Green Parakeet	0.7165%
235.	Summer Tanager	0.7160%
236.	Audubon's Oriole	0.7035%
237.	Gull-billed Tern	0.6945%
238.	LeConte's Sparrow	0.6930%
239.	American Bittern	0.6915%
240.	Red-crowned Parrot	0.6880%
241.	Solitary Sandpiper	0.6789%
242.	Red-headed Woodpecker	0.6378%
243.	Horned Grebe	0.6278%
244.	Eastern Towhee	0.6248%
245.	Black-chinned Hummingbird	0.6188%

246.	Aplomado Falcon	0.5667%
247.	Scaled Quail	0.5507%
248.	Clay-colored Sparrow	0.5487%
249.	Whooping Crane	0.5436%
250.	Ferruginous Hawk	0.5341%
251.	Western Bluebird	0.5216%
252.	Northern Parula	0.4910%
253.	Mexican Duck	0.4820%
254.	American Redstart	0.4815%
255.	Virginia Rail	0.4810%
256.	Lesser Black-backed Gull	0.4730%
257.	Burrowing Owl	0.4715%
258.	Brown-headed Nuthatch	0.4710%
259.	Greater Scaup	0.4545%
260.	Barn Owl	0.4545%
261.	Hairy Woodpecker	0.4454%
262.	Northern Beardless-Tyrannulet	0.4449%
263.	Wood Stork	0.4364%
264.	Eastern Wood-Pewee	0.4184%
265.	Palm Warbler	0.4154%
266.	Broad-winged Hawk	0.4119%
267.	Acorn Woodpecker	0.4114%
268.	Magnolia Warbler	0.4104%
269.	Zone-tailed Hawk	0.3918%
270.	Mountain Bluebird	0.3893%

271.	Hooded Oriole	0.3788%
272.	Swainson's Hawk	0.3728%
273.	Green-tailed Towhee	0.3708%
274.	Scaly-breasted Munia	0.3638%
275.	Groove-billed Ani	0.3573%
276.	Anna's Hummingbird	0.3573%
277.	Common Goldeneye	0.3462%
278.	Black-throated Gray Warbler	0.3367%
279.	Rose-breasted Grosbeak	0.3282%
280.	Townsend's Solitaire	0.3011%
281.	Surf Scoter	0.3006%
282.	Prairie Falcon	0.2991%
283.	Wood Thrush	0.2926%
284.	Seaside Sparrow	0.2916%
285.	Cassin's Sparrow	0.2881%
286.	Yellow Warbler	0.2846%
287.	Western Grebe	0.2776%
288.	Sage Thrasher	0.2691%
289.	Purple Finch	0.2631%
290.	Black-tailed Gnatcatcher	0.2591%
291.	Common Tern	0.2540%
292.	Yellow-headed Blackbird	0.2510%
293.	Broad-tailed Hummingbird	0.2490%
294.	Phainopepla	0.2490%
295.	Brewer's Sparrow	0.2200%

296.	Red Knot	0.2190%
297.	King Rail	0.2120%
298.	Ovenbird	0.2104%
299.	Dickcissel	0.2100%
300.	Red-naped Sapsucker	0.2074%
301.	American Woodcock	0.1999%
302.	Ferruginous Pygmy-Owl	0.1989%
303.	Whimbrel	0.1949%
304.	Bushtit	0.1899%
305.	Tropical Parula	0.1889%
306.	Nelson's Sparrow	0.1884%
307.	Wilson's Plover	0.1869%
308.	Northern Waterthrush	0.1864%
309.	Least Flycatcher	0.1849%
310.	Least Bittern	0.1809%
311.	Ash-throated Flycatcher	0.1759%
312.	Hutton's Vireo	0.1734%
313.	Red-vented Bulbul	0.1729%
314.	Morelet's Seedeater	0.1669%
315.	Wilson's Phalarope	0.1568%
316.	Fish Crow	0.1548%
317.	Golden Eagle	0.1488%
318.	Fork-tailed Flycatcher	0.1468%
319.	Northern Shrike	0.1468%
320.	Rusty Blackbird	0.1458%

321.	Cassin's Finch	0.1428%
322.	Chestnut-collared Longspur	0.1413%
323.	Social Flycatcher	0.1408%
324.	Gambel's Quail	0.1378%
325.	Painted Bunting	0.1363%
326.	Clark's Grebe	0.1338%
327.	Mexican Jay	0.1328%
328.	Hook-billed Kite	0.1313%
329.	Blue Grosbeak	0.1298%
330.	Amazon Kingfisher	0.1288%
331.	Glossy Ibis	0.1283%
332.	Brown Booby	0.1278%
333.	Hooded Warbler	0.1268%
334.	Yellow-billed Cuckoo	0.1258%
335.	Western Kingbird	0.1228%
336.	Short-eared Owl	0.1208%
337.	Greater Pewee	0.1187%
338.	Golden-crowned Warbler	0.1163%
339.	Magnificent Frigatebird	0.1152%
340.	Semipalmated Sandpiper	0.1147%
341.	Crissal Thrasher	0.1147%
342.	Rose-throated Becard	0.1107%
343.	Rough-legged Hawk	0.1092%
344.	Bank Swallow	0.1062%
345.	White-winged Scoter	0.1037%

346.	Mountain Plover	0.1022%
347.	Red Crossbill	0.1022%
348.	Thick-billed Longspur	0.1002%
349.	Mountain Chickadee	0.0997%
350.	Long-tailed Duck	0.0957%
351.	Smooth-billed Ani	0.0947%
352.	Broad-billed Hummingbird	0.0947%
353.	Allen's Hummingbird	0.0922%
354.	Chihuahuan Meadowlark	0.0917%
355.	Red-cockaded Woodpecker	0.0907%
356.	Black Scoter	0.0897%
357.	Tamaulipas Crow	0.0897%
358.	Dusky-capped Flycatcher	0.0877%
359.	Swainson's Thrush	0.0872%
360.	Western Tanager	0.0872%
361.	Cliff Swallow	0.0867%
362.	Crimson-collared Grosbeak	0.0837%
363.	Common Merganser	0.0817%
364.	Juniper Titmouse	0.0797%
365.	Masked Booby	0.0777%
366.	Calliope Hummingbird	0.0767%
367.	White-throated Swift	0.0752%
368.	Northern Jacana	0.0752%
369.	Steller's Jay	0.0752%
370.	Black-chinned Sparrow	0.0742%

371.	Lesser Nighthawk	0.0716%
372.	Scarlet Tanager	0.0697%
373.	Pectoral Sandpiper	0.0676%
374.	Pacific-slope Flycatcher	0.0671%
375.	Ring-necked Pheasant	0.0666%
376.	American Golden-Plover	0.0666%
377.	Painted Redstart	0.0656%
378.	Lapland Longspur	0.0636%
379.	Baltimore Oriole	0.0611%
380.	Bay-breasted Warbler	0.0581%
381.	Philadelphia Vireo	0.0576%
382.	Roadside Hawk	0.0566%
383.	Ruddy Ground Dove	0.0561%
384.	Lewis's Woodpecker	0.0551%
385.	Purple Gallinule	0.0541%
386.	Williamson's Sapsucker	0.0541%
387.	Common Nighthawk	0.0521%
388.	Sagebrush Sparrow	0.0511%
389.	Red-billed Pigeon	0.0466%
390.	Townsend's Warbler	0.0446%
391.	Chestnut-sided Warbler	0.0416%
392.	Elegant Trogon	0.0406%
393.	Red-eyed Vireo	0.0406%
394.	Black-throated Blue Warbler	0.0406%
395.	Ruff	0.0401%

396.	Black-headed Grosbeak	0.0401%
397.	Blackburnian Warbler	0.0396%
398.	Limpkin	0.0391%
399.	Black-legged Kittiwake	0.0366%
400.	California Gull	0.0361%
401.	Long-eared Owl	0.0361%
402.	American Tree Sparrow	0.0361%
403.	Plumbeous Vireo	0.0336%
404.	Common Poorwill	0.0331%
405.	Red-necked Grebe	0.0321%
406.	Cassin's Kingbird	0.0306%
407.	Varied Thrush	0.0301%
408.	Red-necked Phalarope	0.0276%
409.	Yellow-bellied Flycatcher	0.0271%
410.	Greater Prairie-Chicken	0.0266%
411.	Hammond's Flycatcher	0.0266%
412.	Bullock's Oriole	0.0266%
413.	Montezuma Quail	0.0261%
414.	Yellow-breasted Chat	0.0261%
415.	Cape May Warbler	0.0261%
416.	Northern Gannet	0.0256%
417.	Brown Jay	0.0250%
418.	Evening Grosbeak	0.0246%
419.	Eurasian Wigeon	0.0240%
420.	Common Crane	0.0240%

421.	Muscovy Duck	0.0221%
422.	Black Tern	0.0221%
423.	Brown-crested Flycatcher	0.0221%
424.	Yellow-throated Vireo	0.0215%
425.	Iceland Gull	0.0210%
426.	Chimney Swift	0.0205%
427.	Baird's Sandpiper	0.0205%
428.	Hepatic Tanager	0.0205%
429.	Parasitic Jaeger	0.0200%
430.	Pacific Loon	0.0195%
431.	Brant	0.0190%
432.	Warbling Vireo	0.0190%
433.	Scott's Oriole	0.0190%
434.	Hermit Warbler	0.0180%
435.	Little Gull	0.0175%
436.	Yellow Rail	0.0170%
437.	Pomarine Jaeger	0.0170%
438.	Golden-winged Warbler	0.0160%
439.	Orchard Oriole	0.0155%
440.	Prairie Warbler	0.0155%
441.	Sabine's Gull	0.0145%
442.	Western Screech-Owl	0.0145%
443.	Costa's Hummingbird	0.0135%
444.	Henslow's Sparrow	0.0135%
445.	Cassin's Vireo	0.0130%

446.	Swainson's Warbler	0.0130%
447.	Acadian Flycatcher	0.0125%
448.	Chuck-will's-widow	0.0120%
449.	Purple Martin	0.0120%
450.	Blue-throated Mountain-gem	0.0110%
451.	Canada Warbler	0.0110%
452.	Pygmy Nuthatch	0.0105%
453.	Smith's Longspur	0.0105%
454.	Red-throated Loon	0.0100%
455.	Black Rail	0.0095%
456.	Pinyon Jay	0.0095%
457.	Blackpoll Warbler	0.0095%
458.	Gray Flycatcher	0.0090%
459.	Red Phalarope	0.0085%
460.	Great Crested Flycatcher	0.0085%
461.	Bachman's Sparrow	0.0085%
462.	Eastern Whip-poor-will	0.0080%
463.	Short-billed Gull	0.0080%
464.	Western Gull	0.0080%
465.	Mississippi Kite	0.0080%
466.	Olive-sided Flycatcher	0.0080%
467.	Eastern Kingbird	0.0080%
468.	Pacific Wren	0.0080%
469.	Red-legged Honeycreeper	0.0080%
470.	Masked Duck	0.0075%

471.	Yellow-billed Loon	0.0075%
472.	MacGillivray's Warbler	0.0075%
473.	Upland Sandpiper	0.0070%
474.	Kelp Gull	0.0070%
475.	Baird's Sparrow	0.0070%
476.	Blue Bunting	0.0070%
477.	Black-billed Cuckoo	0.0065%
478.	Bell's Vireo	0.0065%
479.	Long-tailed Jaeger	0.0060%
480.	Elegant Tern	0.0060%
481.	Dusky Flycatcher	0.0060%
482.	Rufous-backed Robin	0.0060%
483.	Tundra Swan	0.0055%
484.	Band-tailed Pigeon	0.0050%
485.	Lucifer Hummingbird	0.0045%
486.	Gray Kingbird	0.0045%
487.	Gray Vireo	0.0045%
488.	Lazuli Bunting	0.0045%
489.	American Flamingo	0.0040%
490.	Bar-tailed Godwit	0.0040%
491.	Heermann's Gull	0.0040%
492.	Great Black-backed Gull	0.0040%
493.	Tufted Flycatcher	0.0040%
494.	Clark's Nutcracker	0.0040%
495.	Mourning Warbler	0.0040%

496.	Yellow-eyed Junco	0.0035%
497.	Blue-winged Warbler	0.0035%
498.	Rufous-capped Warbler	0.0035%
499.	Bridled Tern	0.0030%
500.	Audubon's Shearwater	0.0030%
501.	Cordilleran Flycatcher	0.0030%
502.	Veery	0.0030%
503.	Louisiana Waterthrush	0.0030%
504.	Prothonotary Warbler	0.0030%
505.	Varied Bunting	0.0030%
506.	Black-vented Oriole	0.0025%
507.	Green-breasted Mango	0.0020%
508.	Least Tern	0.0020%
509.	Buff-breasted Sandpiper	0.0015%
510.	Red-footed Booby	0.0015%
511.	Violet-green Swallow	0.0015%
512.	American Dipper	0.0015%
513.	Lawrence's Goldfinch	0.0015%
514.	Worm-eating Warbler	0.0015%
515.	Kentucky Warbler	0.0015%
516.	Lesser Prairie-Chicken	0.0010%
517.	Sharp-tailed Sandpiper	0.0010%
518.	Purple Sandpiper	0.0010%
519.	Cory's Shearwater	0.0010%
520.	Blue-footed Booby	0.0010%

521.	Spotted Owl	0.0010%
522.	Willow Flycatcher	0.0010%
523.	Gray-cheeked Thrush	0.0010%
524.	Gray Silky-flycatcher	0.0010%
525.	Gray-crowned Rosy-Finch	0.0010%
526.	White-winged Crossbill	0.0010%
527.	Trumpeter Swan	0.0005%
528.	Rivoli's Hummingbird	0.0005%
529.	Hudsonian Godwit	0.0005%
530.	Curlew Sandpiper	0.0005%
531.	White-rumped Sandpiper	0.0005%
532.	Northern Goshawk	0.0005%
533.	Common Black Hawk	0.0005%
534.	Short-tailed Hawk	0.0005%
535.	Western Wood-Pewee	0.0005%
536.	Alder Flycatcher	0.0005%
537.	Blue Mockingbird	0.0005%
538.	Northern Wheatear	0.0005%
539.	Olive Warbler	0.0005%
540.	Common Redpoll	0.0005%
541.	Botteri's Sparrow	0.0005%
542.	Virginia's Warbler	0.0005%
543.	American Black Duck	0.0000%
544.	Barrow's Goldeneye	0.0000%
545.	Violet-crowned Hummingbird	0.0000%

546.	Black-headed Gull	0.0000%
547.	Glaucous Gull	0.0000%
548.	Sooty Tern	0.0000%
549.	Red-billed Tropicbird	0.0000%
550.	Band-rumped Storm-Petrel	0.0000%
551.	Crane Hawk	0.0000%
552.	Flammulated Owl	0.0000%
553.	Elf Owl	0.0000%
554.	Northern Saw-whet Owl	0.0000%
555.	Ivory-billed Woodpecker	0.0000%
556.	Pine Grosbeak	0.0000%
557.	Golden-crowned Sparrow	0.0000%
558.	Grace's Warbler	0.0000%
EXOTIC: PROVISIONAL		
559.	Egyptian Goose	0.8257% frequency
560.	Red-lored Parrot	0.2591%
561.	White-fronted Parrot	0.1408%
562.	Lilac-crowned Parrot	0.0947%
EXOTIC: ESCAPEE		
	Mute Swan	0.2305% frequency
	Graylag Goose	0.1769%
	Swan Goose	0.1658%
	Yellow-headed Parrot	0.1383%
	Indian Peafowl	0.0256%
	Northern Red Bishop	0.0200%

Rose-ringed Parakeet	0.0155%
Bronze Mannikin	0.0155%
Budgerigar	0.0115%
Greater Flamingo	0.0095%
Black Swan	0.0065%
Helmeted Guineafowl	0.0065%
Ruddy Shelduck	0.0055%
Chukar	0.0055%
Red-crested Pochard	0.0050%
Red Junglefowl	0.0045%
Mitred Parakeet	0.0045%
White-winged Parakeet	0.0035%
Bar-headed Goose	0.0025%
South African Shelduck	0.0025%
African Collared-Dove	0.0020%
Nanday Parakeet	0.0020%
Black-throated Magpie-Jay	0.0020%
Orange-cheeked Waxbill	0.0020%
Pin-tailed Whydah	0.0020%
Ringed Teal	0.0015%
Mandarin Duck	0.0015%
Sulphur-crested Cockatoo	0.0015%
Chestnut-fronted Macaw	0.0015%
Chiloe Wigeon	0.0010%
Ferruginous Duck	0.0010%

Rosy-faced Lovebird	0.0010%
Yellow-crowned Parrot	0.0010%
Yellow-chevroned Parakeet	0.0005%
Red-masked Parakeet	0.0005%
Island Canary	0.0005%
Emu	0.0000%
Cockatiel	0.0000%
White-crowned Parrot	0.0000%
HYBRIDS	
Tufted x Black-crested Titmouse (hybrid)	1.43% frequency
Muscovy Duck x Mallard (hybrid)	0.0626%
Gadwall x Northern Pintail (hybrid)	0.0491%
Mallard x Mexican Duck (hybrid)	0.0371%
Mallard x Mottled Duck (hybrid)	0.0155%
Graylag x Swan Goose (hybrid)	0.0150%
Altamira x Audubon's Oriole (hybrid)	0.0125%
Spotted x Eastern Towhee (hybrid)	0.0090%
Northern Shoveler x Gadwall (hybrid)	0.0065%
Blue-winged x Cinnamon Teal (hybrid)	0.0060%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0050%
Red-crowned x Red-lored Parrot (hybrid)	0.0045%
Gadwall x Mallard (hybrid)	0.0035%
Mallard x Northern Pintail (hybrid)	0.0030%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0030%

Snow x Cackling Goose (hybrid)	0.0025%
Snow x Canada Goose (hybrid)	0.0025%
Snow/Ross's x Cackling/Canada Goose (hybrid)	0.0025%
American Wigeon x Mallard (hybrid)	0.0025%
Northern x Tropical Parula (hybrid)	0.0025%
Ross's x Cackling Goose (hybrid)	0.0020%
Greater White-fronted x Cackling Goose (hybrid)	0.0020%
Mexican x Mottled Duck (hybrid)	0.0015%
Swan Goose x Canada Goose (hybrid)	0.0010%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0010%
Glossy x White-faced Ibis (hybrid)	0.0010%
Downy x Ladder-backed Woodpecker (hybrid)	0.0010%
Couch's Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0010%
Curve-billed x Long-billed Thrasher (hybrid)	0.0010%
Northern Cardinal x Pyrrhuloxia (hybrid)	0.0010%
Black-bellied x Fulvous Whistling-Duck (hybrid)	0.0005%
Snow x Ross's Goose (hybrid)	0.0005%
Ross's x Canada Goose (hybrid)	0.0005%
Gadwall x American Wigeon (hybrid)	0.0005%
Eurasian x American Wigeon (hybrid)	0.0005%
Redhead x scaup sp. (hybrid)	0.0005%
Anna's x Calliope Hummingbird (hybrid)	0.0005%
Anna's x Rufous Hummingbird (hybrid)	0.0005%

Red-crowned x Lilac-crowned Parrot (hybrid)	0.0005%
Black x Eastern Phoebe (hybrid)	0.0005%
Dark-eyed Junco x White-throated Sparrow (hybrid)	0.0005%
Swainson's x Rough-legged Hawk (hybrid)	0.0000%
