

Target Species

Based on 199,576 complete checklists

562 species observed in Texas, US (region/US-TX) in **Nov** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	7.23% frequency
2. Fulvous Whistling-Duck	0.8884%
3. Snow Goose	3.67%
4. Ross's Goose	1.14%
5. Greater White-fronted Goose	2.48%
6. Brant	0.0190%
7. Cackling Goose	0.7220%
8. Canada Goose	2.79%
9. Trumpeter Swan	0.0005%
10. Tundra Swan	0.0055%
11. Muscovy Duck	0.0221%
12. Wood Duck	2.59%
13. Blue-winged Teal	8.68%
14. Cinnamon Teal	1.06%
15. Northern Shoveler	13.17%
16. Gadwall	12.09%
17. Eurasian Wigeon	0.0240%
18. American Wigeon	8.00%
19. Mallard	8.57%
20. Mexican Duck	0.4820%

21. American Black Duck	0.0000%
22. Mottled Duck	6.34%
23. Northern Pintail	7.39%
24. Green-winged Teal	8.87%
25. Canvasback	2.80%
26. Redhead	5.32%
27. Ring-necked Duck	6.24%
28. Greater Scaup	0.4545%
29. Lesser Scaup	6.77%
30. Surf Scoter	0.3006%
31. White-winged Scoter	0.1037%
32. Black Scoter	0.0897%
33. Long-tailed Duck	0.0957%
34. Bufflehead	4.04%
35. Common Goldeneye	0.3462%
36. Barrow's Goldeneye	0.0000%
37. Hooded Merganser	2.33%
38. Common Merganser	0.0817%
39. Red-breasted Merganser	0.9204%
40. Masked Duck	0.0075%
41. Ruddy Duck	7.81%
42. Plain Chachalaca	4.76%
43. Northern Bobwhite	1.47%
44. Scaled Quail	0.5507%
45. Gambel's Quail	0.1378%

46.	Montezuma Quail	0.0261%
47.	Wild Turkey	1.40%
48.	Greater Prairie-Chicken	0.0266%
49.	Lesser Prairie-Chicken	0.0010%
50.	Ring-necked Pheasant	0.0666%
51.	American Flamingo	0.0040%
52.	Least Grebe	3.87%
53.	Pied-billed Grebe	18.61%
54.	Horned Grebe	0.6278%
55.	Red-necked Grebe	0.0321%
56.	Eared Grebe	1.77%
57.	Western Grebe	0.2776%
58.	Clark's Grebe	0.1338%
59.	Rock Pigeon	11.93%
60.	Red-billed Pigeon	0.0466%
61.	Band-tailed Pigeon	0.0050%
62.	Eurasian Collared-Dove	7.39%
63.	Inca Dove	7.25%
64.	Common Ground Dove	2.60%
65.	Ruddy Ground Dove	0.0561%
66.	White-tipped Dove	3.76%
67.	White-winged Dove	22.96%
68.	Mourning Dove	27.89%
69.	Smooth-billed Ani	0.0947%
70.	Groove-billed Ani	0.3573%

71. Greater Roadrunner	2.33%
72. Yellow-billed Cuckoo	0.1258%
73. Black-billed Cuckoo	0.0065%
74. Lesser Nighthawk	0.0716%
75. Common Nighthawk	0.0521%
76. Common Pauraque	1.50%
77. Common Poorwill	0.0331%
78. Chuck-will's-widow	0.0120%
79. Eastern Whip-poor-will	0.0080%
80. Chimney Swift	0.0205%
81. White-throated Swift	0.0752%
82. Green-breasted Mango	0.0020%
83. Rivoli's Hummingbird	0.0005%
84. Blue-throated Mountain-gem	0.0110%
85. Lucifer Hummingbird	0.0045%
86. Ruby-throated Hummingbird	2.48%
87. Black-chinned Hummingbird	0.6188%
88. Anna's Hummingbird	0.3573%
89. Costa's Hummingbird	0.0135%
90. Calliope Hummingbird	0.0767%
91. Rufous Hummingbird	1.62%
92. Allen's Hummingbird	0.0922%
93. Broad-tailed Hummingbird	0.2490%
94. Broad-billed Hummingbird	0.0947%
95. Violet-crowned Hummingbird	0.0000%

96.	Buff-bellied Hummingbird	3.69%
97.	King Rail	0.2120%
98.	Clapper Rail	1.08%
99.	Virginia Rail	0.4810%
100.	Sora	1.98%
101.	Common Gallinule	4.95%
102.	American Coot	19.26%
103.	Purple Gallinule	0.0541%
104.	Yellow Rail	0.0170%
105.	Black Rail	0.0095%
106.	Limpkin	0.0391%
107.	Sandhill Crane	4.95%
108.	Common Crane	0.0240%
109.	Whooping Crane	0.5436%
110.	Black-necked Stilt	4.95%
111.	American Avocet	4.07%
112.	American Oystercatcher	1.22%
113.	Black-bellied Plover	3.03%
114.	American Golden-Plover	0.0666%
115.	Snowy Plover	0.8283%
116.	Wilson's Plover	0.1869%
117.	Semipalmated Plover	1.39%
118.	Piping Plover	1.18%
119.	Killdeer	20.42%
120.	Mountain Plover	0.1022%

121.	Northern Jacana	0.0752%
122.	Upland Sandpiper	0.0070%
123.	Whimbrel	0.1949%
124.	Long-billed Curlew	3.39%
125.	Bar-tailed Godwit	0.0040%
126.	Hudsonian Godwit	0.0005%
127.	Marbled Godwit	1.53%
128.	Ruddy Turnstone	2.79%
129.	Red Knot	0.2190%
130.	Ruff	0.0401%
131.	Sharp-tailed Sandpiper	0.0010%
132.	Stilt Sandpiper	1.11%
133.	Curlew Sandpiper	0.0005%
134.	Sanderling	3.01%
135.	Dunlin	2.71%
136.	Purple Sandpiper	0.0010%
137.	Baird's Sandpiper	0.0205%
138.	Least Sandpiper	7.54%
139.	White-rumped Sandpiper	0.0005%
140.	Buff-breasted Sandpiper	0.0015%
141.	Pectoral Sandpiper	0.0676%
142.	Semipalmated Sandpiper	0.1147%
143.	Western Sandpiper	2.19%
144.	Short-billed Dowitcher	0.9615%
145.	Long-billed Dowitcher	3.00%

146.	American Woodcock	0.1999%
147.	Wilson's Snipe	4.72%
148.	Wilson's Phalarope	0.1568%
149.	Red-necked Phalarope	0.0276%
150.	Red Phalarope	0.0085%
151.	Spotted Sandpiper	6.04%
152.	Solitary Sandpiper	0.6789%
153.	Greater Yellowlegs	8.46%
154.	Willet	5.28%
155.	Lesser Yellowlegs	3.01%
156.	Pomarine Jaeger	0.0170%
157.	Parasitic Jaeger	0.0200%
158.	Long-tailed Jaeger	0.0060%
159.	Black-legged Kittiwake	0.0366%
160.	Sabine's Gull	0.0145%
161.	Bonaparte's Gull	0.7401%
162.	Black-headed Gull	0.0000%
163.	Little Gull	0.0175%
164.	Laughing Gull	10.04%
165.	Franklin's Gull	2.77%
166.	Heermann's Gull	0.0040%
167.	Short-billed Gull	0.0080%
168.	Ring-billed Gull	10.78%
169.	Western Gull	0.0080%
170.	California Gull	0.0361%

171.	Herring Gull	2.98%
172.	Iceland Gull	0.0210%
173.	Lesser Black-backed Gull	0.4730%
174.	Glaucous Gull	0.0000%
175.	Great Black-backed Gull	0.0040%
176.	Kelp Gull	0.0070%
177.	Sooty Tern	0.0000%
178.	Bridled Tern	0.0030%
179.	Least Tern	0.0020%
180.	Gull-billed Tern	0.6945%
181.	Caspian Tern	3.69%
182.	Black Tern	0.0221%
183.	Common Tern	0.2540%
184.	Forster's Tern	5.76%
185.	Royal Tern	3.44%
186.	Sandwich Tern	1.19%
187.	Elegant Tern	0.0060%
188.	Black Skimmer	1.52%
189.	Red-billed Tropicbird	0.0000%
190.	Red-throated Loon	0.0100%
191.	Pacific Loon	0.0195%
192.	Common Loon	1.09%
193.	Yellow-billed Loon	0.0075%
194.	Band-rumped Storm-Petrel	0.0000%
195.	Cory's Shearwater	0.0010%

196.	Audubon's Shearwater	0.0030%
197.	Wood Stork	0.4364%
198.	Magnificent Frigatebird	0.1152%
199.	Masked Booby	0.0777%
200.	Blue-footed Booby	0.0010%
201.	Brown Booby	0.1278%
202.	Red-footed Booby	0.0015%
203.	Northern Gannet	0.0256%
204.	Anhinga	4.10%
205.	Double-crested Cormorant	17.81%
206.	Neotropic Cormorant	9.15%
207.	American White Pelican	10.94%
208.	Brown Pelican	7.41%
209.	American Bittern	0.6915%
210.	Least Bittern	0.1809%
211.	Great Blue Heron	27.24%
212.	Great Egret	26.48%
213.	Snowy Egret	14.56%
214.	Little Blue Heron	5.19%
215.	Tricolored Heron	6.21%
216.	Reddish Egret	3.01%
217.	Cattle Egret	3.40%
218.	Green Heron	1.72%
219.	Black-crowned Night-Heron	3.40%
220.	Yellow-crowned Night-Heron	1.87%

221.	White Ibis	10.07%
222.	Glossy Ibis	0.1283%
223.	White-faced Ibis	3.28%
224.	Roseate Spoonbill	5.52%
225.	Black Vulture	21.51%
226.	Turkey Vulture	31.16%
227.	Osprey	11.21%
228.	White-tailed Kite	3.22%
229.	Hook-billed Kite	0.1313%
230.	Golden Eagle	0.1488%
231.	Mississippi Kite	0.0080%
232.	Northern Harrier	12.83%
233.	Sharp-shinned Hawk	3.96%
234.	Cooper's Hawk	7.77%
235.	Northern Goshawk	0.0005%
236.	Bald Eagle	2.28%
237.	Crane Hawk	0.0000%
238.	Common Black Hawk	0.0005%
239.	Roadside Hawk	0.0566%
240.	Harris's Hawk	4.63%
241.	White-tailed Hawk	2.96%
242.	Gray Hawk	1.70%
243.	Red-shouldered Hawk	11.10%
244.	Broad-winged Hawk	0.4119%
245.	Short-tailed Hawk	0.0005%

246.	Swainson's Hawk	0.3728%
247.	Zone-tailed Hawk	0.3918%
248.	Red-tailed Hawk	20.04%
249.	Rough-legged Hawk	0.1092%
250.	Ferruginous Hawk	0.5341%
251.	Barn Owl	0.4545%
252.	Flammulated Owl	0.0000%
253.	Western Screech-Owl	0.0145%
254.	Eastern Screech-Owl	1.32%
255.	Great Horned Owl	1.89%
256.	Ferruginous Pygmy-Owl	0.1989%
257.	Elf Owl	0.0000%
258.	Burrowing Owl	0.4715%
259.	Spotted Owl	0.0010%
260.	Barred Owl	1.02%
261.	Long-eared Owl	0.0361%
262.	Short-eared Owl	0.1208%
263.	Northern Saw-whet Owl	0.0000%
264.	Elegant Trogon	0.0406%
265.	Ringed Kingfisher	1.98%
266.	Belted Kingfisher	13.50%
267.	Amazon Kingfisher	0.1288%
268.	Green Kingfisher	2.68%
269.	Williamson's Sapsucker	0.0541%
270.	Yellow-bellied Sapsucker	6.06%

271.	Red-naped Sapsucker	0.2074%
272.	Lewis's Woodpecker	0.0551%
273.	Red-headed Woodpecker	0.6378%
274.	Acorn Woodpecker	0.4114%
275.	Golden-fronted Woodpecker	15.05%
276.	Red-bellied Woodpecker	15.54%
277.	Downy Woodpecker	11.10%
278.	Ladder-backed Woodpecker	11.87%
279.	Red-cockaded Woodpecker	0.0907%
280.	Hairy Woodpecker	0.4454%
281.	Ivory-billed Woodpecker	0.0000%
282.	Pileated Woodpecker	2.62%
283.	Northern Flicker	9.95%
284.	Crested Caracara	11.09%
285.	American Kestrel	20.46%
286.	Merlin	2.15%
287.	Aplomado Falcon	0.5667%
288.	Peregrine Falcon	1.69%
289.	Prairie Falcon	0.2991%
290.	Monk Parakeet	1.16%
291.	Red-crowned Parrot	0.6880%
292.	Green Parakeet	0.7165%
293.	Rose-throated Becard	0.1107%
294.	Northern Beardless-Tyrannulet	0.4449%
295.	Tufted Flycatcher	0.0040%

296.	Olive-sided Flycatcher	0.0080%
297.	Greater Pewee	0.1187%
298.	Western Wood-Pewee	0.0005%
299.	Eastern Wood-Pewee	0.4184%
300.	Yellow-bellied Flycatcher	0.0271%
301.	Acadian Flycatcher	0.0125%
302.	Alder Flycatcher	0.0005%
303.	Willow Flycatcher	0.0010%
304.	Least Flycatcher	0.1849%
305.	Hammond's Flycatcher	0.0266%
306.	Gray Flycatcher	0.0090%
307.	Dusky Flycatcher	0.0060%
308.	Pacific-slope Flycatcher	0.0671%
309.	Cordilleran Flycatcher	0.0030%
310.	Black Phoebe	1.89%
311.	Eastern Phoebe	31.76%
312.	Say's Phoebe	1.36%
313.	Vermilion Flycatcher	4.68%
314.	Dusky-capped Flycatcher	0.0877%
315.	Ash-throated Flycatcher	0.1759%
316.	Great Crested Flycatcher	0.0085%
317.	Brown-crested Flycatcher	0.0221%
318.	Great Kiskadee	11.03%
319.	Social Flycatcher	0.1408%
320.	Tropical Kingbird	2.29%

321.	Couch's Kingbird	3.36%
322.	Cassin's Kingbird	0.0306%
323.	Western Kingbird	0.1228%
324.	Eastern Kingbird	0.0080%
325.	Gray Kingbird	0.0045%
326.	Scissor-tailed Flycatcher	4.20%
327.	Fork-tailed Flycatcher	0.1468%
328.	White-eyed Vireo	5.36%
329.	Bell's Vireo	0.0065%
330.	Gray Vireo	0.0045%
331.	Hutton's Vireo	0.1734%
332.	Yellow-throated Vireo	0.0215%
333.	Cassin's Vireo	0.0130%
334.	Blue-headed Vireo	3.43%
335.	Plumbeous Vireo	0.0336%
336.	Philadelphia Vireo	0.0576%
337.	Warbling Vireo	0.0190%
338.	Red-eyed Vireo	0.0406%
339.	Loggerhead Shrike	14.72%
340.	Northern Shrike	0.1468%
341.	Brown Jay	0.0250%
342.	Green Jay	9.57%
343.	Pinyon Jay	0.0095%
344.	Steller's Jay	0.0752%
345.	Blue Jay	22.59%

346.	Woodhouse's Scrub-Jay	1.88%
347.	Mexican Jay	0.1328%
348.	Clark's Nutcracker	0.0040%
349.	American Crow	20.58%
350.	Tamaulipas Crow	0.0897%
351.	Fish Crow	0.1548%
352.	Chihuahuan Raven	1.02%
353.	Common Raven	2.49%
354.	Carolina Chickadee	24.25%
355.	Mountain Chickadee	0.0997%
356.	Juniper Titmouse	0.0797%
357.	Tufted Titmouse	7.93%
358.	Black-crested Titmouse	14.41%
359.	Verdin	2.55%
360.	Horned Lark	1.09%
361.	Northern Rough-winged Swallow	1.62%
362.	Purple Martin	0.0120%
363.	Tree Swallow	3.42%
364.	Violet-green Swallow	0.0015%
365.	Bank Swallow	0.1062%
366.	Barn Swallow	2.64%
367.	Cliff Swallow	0.0867%
368.	Cave Swallow	1.16%
369.	Red-vented Bulbul	0.1729%
370.	Bushtit	0.1899%

371. Ruby-crowned Kinglet	28.92%
372. Golden-crowned Kinglet	4.54%
373. Red-breasted Nuthatch	1.31%
374. White-breasted Nuthatch	1.26%
375. Pygmy Nuthatch	0.0105%
376. Brown-headed Nuthatch	0.4710%
377. Brown Creeper	1.75%
378. Blue-gray Gnatcatcher	11.89%
379. Black-tailed Gnatcatcher	0.2591%
380. Rock Wren	0.8177%
381. Canyon Wren	0.9771%
382. House Wren	13.19%
383. Pacific Wren	0.0080%
384. Winter Wren	1.35%
385. Sedge Wren	2.28%
386. Marsh Wren	3.93%
387. Carolina Wren	22.53%
388. Bewick's Wren	7.60%
389. Cactus Wren	1.07%
390. American Dipper	0.0015%
391. European Starling	19.03%
392. Blue Mockingbird	0.0005%
393. Gray Catbird	3.07%
394. Curve-billed Thrasher	4.46%
395. Brown Thrasher	2.77%

396.	Long-billed Thrasher	5.79%
397.	Crissal Thrasher	0.1147%
398.	Sage Thrasher	0.2691%
399.	Northern Mockingbird	42.58%
400.	Eastern Bluebird	11.83%
401.	Western Bluebird	0.5216%
402.	Mountain Bluebird	0.3893%
403.	Townsend's Solitaire	0.3011%
404.	Varied Thrush	0.0301%
405.	Veery	0.0030%
406.	Gray-cheeked Thrush	0.0010%
407.	Swainson's Thrush	0.0872%
408.	Hermit Thrush	6.03%
409.	Wood Thrush	0.2926%
410.	Clay-colored Thrush	2.05%
411.	American Robin	12.38%
412.	Rufous-backed Robin	0.0060%
413.	Northern Wheatear	0.0005%
414.	Cedar Waxwing	2.69%
415.	Gray Silky-flycatcher	0.0010%
416.	Phainopepla	0.2490%
417.	Olive Warbler	0.0005%
418.	Scaly-breasted Munia	0.3638%
419.	House Sparrow	19.89%
420.	American Pipit	6.85%

421.	Sprague's Pipit	0.8683%
422.	Evening Grosbeak	0.0246%
423.	Pine Grosbeak	0.0000%
424.	Gray-crowned Rosy-Finch	0.0010%
425.	House Finch	14.55%
426.	Purple Finch	0.2631%
427.	Cassin's Finch	0.1428%
428.	Common Redpoll	0.0005%
429.	Red Crossbill	0.1022%
430.	White-winged Crossbill	0.0010%
431.	Pine Siskin	3.26%
432.	Lesser Goldfinch	5.62%
433.	Lawrence's Goldfinch	0.0015%
434.	American Goldfinch	8.54%
435.	Lapland Longspur	0.0636%
436.	Chestnut-collared Longspur	0.1413%
437.	Smith's Longspur	0.0105%
438.	Thick-billed Longspur	0.1002%
439.	Botteri's Sparrow	0.0005%
440.	Cassin's Sparrow	0.2881%
441.	Bachman's Sparrow	0.0085%
442.	Grasshopper Sparrow	0.9395%
443.	Olive Sparrow	2.67%
444.	Chipping Sparrow	9.99%
445.	Clay-colored Sparrow	0.5487%

446.	Black-chinned Sparrow	0.0742%
447.	Field Sparrow	4.85%
448.	Brewer's Sparrow	0.2200%
449.	Black-throated Sparrow	1.17%
450.	Lark Sparrow	2.00%
451.	Lark Bunting	0.7250%
452.	American Tree Sparrow	0.0361%
453.	Fox Sparrow	1.20%
454.	Dark-eyed Junco	7.97%
455.	Yellow-eyed Junco	0.0035%
456.	White-crowned Sparrow	9.99%
457.	Golden-crowned Sparrow	0.0000%
458.	Harris's Sparrow	1.91%
459.	White-throated Sparrow	9.99%
460.	Sagebrush Sparrow	0.0511%
461.	Vesper Sparrow	4.74%
462.	LeConte's Sparrow	0.6930%
463.	Seaside Sparrow	0.2916%
464.	Nelson's Sparrow	0.1884%
465.	Savannah Sparrow	12.81%
466.	Baird's Sparrow	0.0070%
467.	Henslow's Sparrow	0.0135%
468.	Song Sparrow	7.70%
469.	Lincoln's Sparrow	9.85%
470.	Swamp Sparrow	4.06%

471.	Canyon Towhee	1.09%
472.	Rufous-crowned Sparrow	1.09%
473.	Green-tailed Towhee	0.3708%
474.	Spotted Towhee	4.22%
475.	Eastern Towhee	0.6248%
476.	Yellow-breasted Chat	0.0261%
477.	Yellow-headed Blackbird	0.2510%
478.	Western Meadowlark	3.78%
479.	Eastern Meadowlark	8.59%
480.	Chihuahuan Meadowlark	0.0917%
481.	Black-vented Oriole	0.0025%
482.	Orchard Oriole	0.0155%
483.	Hooded Oriole	0.3788%
484.	Bullock's Oriole	0.0266%
485.	Altamira Oriole	2.83%
486.	Audubon's Oriole	0.7035%
487.	Baltimore Oriole	0.0611%
488.	Scott's Oriole	0.0190%
489.	Red-winged Blackbird	20.35%
490.	Bronzed Cowbird	1.18%
491.	Brown-headed Cowbird	5.36%
492.	Rusty Blackbird	0.1458%
493.	Brewer's Blackbird	1.97%
494.	Common Grackle	3.72%
495.	Boat-tailed Grackle	0.9570%

496.	Great-tailed Grackle	29.60%
497.	Ovenbird	0.2104%
498.	Worm-eating Warbler	0.0015%
499.	Louisiana Waterthrush	0.0030%
500.	Northern Waterthrush	0.1864%
501.	Golden-winged Warbler	0.0160%
502.	Blue-winged Warbler	0.0035%
503.	Black-and-white Warbler	1.79%
504.	Prothonotary Warbler	0.0030%
505.	Swainson's Warbler	0.0130%
506.	Tennessee Warbler	0.7917%
507.	Orange-crowned Warbler	18.97%
508.	Nashville Warbler	2.30%
509.	Virginia's Warbler	0.0005%
510.	MacGillivray's Warbler	0.0075%
511.	Mourning Warbler	0.0040%
512.	Kentucky Warbler	0.0015%
513.	Common Yellowthroat	5.67%
514.	Hooded Warbler	0.1268%
515.	American Redstart	0.4815%
516.	Cape May Warbler	0.0261%
517.	Northern Parula	0.4910%
518.	Tropical Parula	0.1889%
519.	Magnolia Warbler	0.4104%
520.	Bay-breasted Warbler	0.0581%

521.	Blackburnian Warbler	0.0396%
522.	Yellow Warbler	0.2846%
523.	Chestnut-sided Warbler	0.0416%
524.	Blackpoll Warbler	0.0095%
525.	Black-throated Blue Warbler	0.0406%
526.	Palm Warbler	0.4154%
527.	Pine Warbler	3.90%
528.	Yellow-rumped Warbler	26.08%
529.	Yellow-throated Warbler	0.9154%
530.	Prairie Warbler	0.0155%
531.	Grace's Warbler	0.0000%
532.	Black-throated Gray Warbler	0.3367%
533.	Townsend's Warbler	0.0446%
534.	Hermit Warbler	0.0180%
535.	Black-throated Green Warbler	1.59%
536.	Rufous-capped Warbler	0.0035%
537.	Golden-crowned Warbler	0.1163%
538.	Canada Warbler	0.0110%
539.	Wilson's Warbler	2.14%
540.	Painted Redstart	0.0656%
541.	Hepatic Tanager	0.0205%
542.	Summer Tanager	0.7160%
543.	Scarlet Tanager	0.0697%
544.	Western Tanager	0.0872%
545.	Crimson-collared Grosbeak	0.0837%

546.	Northern Cardinal	39.65%
547.	Pyrrhuloxia	2.81%
548.	Rose-breasted Grosbeak	0.3282%
549.	Black-headed Grosbeak	0.0401%
550.	Blue Bunting	0.0070%
551.	Blue Grosbeak	0.1298%
552.	Lazuli Bunting	0.0045%
553.	Indigo Bunting	1.79%
554.	Varied Bunting	0.0030%
555.	Painted Bunting	0.1363%
556.	Dickcissel	0.2100%
557.	Red-legged Honeycreeper	0.0080%
558.	Morelet's Seedeater	0.1669%
EXOTIC: PROVISIONAL		
559.	Egyptian Goose	0.8257% frequency
560.	Lilac-crowned Parrot	0.0947%
561.	Red-lored Parrot	0.2591%
562.	White-fronted Parrot	0.1408%
EXOTIC: ESCAPEE		
	Emu	0.0000% frequency
	Bar-headed Goose	0.0025%
	Graylag Goose	0.1769%
	Swan Goose	0.1658%
	Mute Swan	0.2305%
	Black Swan	0.0065%

Ruddy Shelduck	0.0055%
South African Shelduck	0.0025%
Ringed Teal	0.0015%
Mandarin Duck	0.0015%
Chiloe Wigeon	0.0010%
Red-crested Pochard	0.0050%
Ferruginous Duck	0.0010%
Helmeted Guineafowl	0.0065%
Indian Peafowl	0.0256%
Red Junglefowl	0.0045%
Chukar	0.0055%
Greater Flamingo	0.0095%
African Collared-Dove	0.0020%
Sulphur-crested Cockatoo	0.0015%
Cockatiel	0.0000%
Rose-ringed Parakeet	0.0155%
Budgerigar	0.0115%
Rosy-faced Lovebird	0.0010%
White-winged Parakeet	0.0035%
Yellow-chevroned Parakeet	0.0005%
White-crowned Parrot	0.0000%
Yellow-headed Parrot	0.1383%
Yellow-crowned Parrot	0.0010%
Nanday Parakeet	0.0020%
Chestnut-fronted Macaw	0.0015%

Mitred Parakeet	0.0045%
Red-masked Parakeet	0.0005%
Black-throated Magpie-Jay	0.0020%
Northern Red Bishop	0.0200%
Bronze Mannikin	0.0155%
Orange-cheeked Waxbill	0.0020%
Pin-tailed Whydah	0.0020%
Island Canary	0.0005%
HYBRIDS	
Black-bellied x Fulvous Whistling-Duck (hybrid)	0.0005% frequency
Snow x Ross's Goose (hybrid)	0.0005%
Graylag x Swan Goose (hybrid)	0.0150%
Snow x Cackling Goose (hybrid)	0.0025%
Ross's x Cackling Goose (hybrid)	0.0020%
Greater White-fronted x Cackling Goose (hybrid)	0.0020%
Swan Goose x Canada Goose (hybrid)	0.0010%
Snow x Canada Goose (hybrid)	0.0025%
Ross's x Canada Goose (hybrid)	0.0005%
Snow/Ross's x Cackling/Canada Goose (hybrid)	0.0025%
Blue-winged x Cinnamon Teal (hybrid)	0.0060%
Northern Shoveler x Gadwall (hybrid)	0.0065%
Gadwall x American Wigeon (hybrid)	0.0005%
Eurasian x American Wigeon (hybrid)	0.0005%
Muscovy Duck x Mallard (hybrid)	0.0626%

Gadwall x Mallard (hybrid)	0.0035%
American Wigeon x Mallard (hybrid)	0.0025%
Mallard x Mexican Duck (hybrid)	0.0371%
Mallard x Mottled Duck (hybrid)	0.0155%
Mexican x Mottled Duck (hybrid)	0.0015%
Gadwall x Northern Pintail (hybrid)	0.0491%
Mallard x Northern Pintail (hybrid)	0.0030%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0010%
Redhead x scaup sp. (hybrid)	0.0005%
Anna's x Calliope Hummingbird (hybrid)	0.0005%
Anna's x Rufous Hummingbird (hybrid)	0.0005%
Glossy x White-faced Ibis (hybrid)	0.0010%
Swainson's x Rough-legged Hawk (hybrid)	0.0000%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0030%
Golden-fronted x Red-bellied Woodpecker (hybrid)	0.0050%
Downy x Ladder-backed Woodpecker (hybrid)	0.0010%
Red-crowned x Lilac-crowned Parrot (hybrid)	0.0005%
Red-crowned x Red-lored Parrot (hybrid)	0.0045%
Black x Eastern Phoebe (hybrid)	0.0005%
Couch's Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0010%
Tufted x Black-crested Titmouse (hybrid)	1.43%
Curve-billed x Long-billed Thrasher (hybrid)	0.0010%
Dark-eyed Junco x White-throated Sparrow (hybrid)	0.0005%

Spotted x Eastern Towhee (hybrid)	0.0090%
Altamira x Audubon's Oriole (hybrid)	0.0125%
Northern x Tropical Parula (hybrid)	0.0025%
Northern Cardinal x Pyrrhuloxia (hybrid)	0.0010%