

## Target Species

Based on 163,018 complete checklists

**558** species observed in Texas, US (region/US-TX) in **Oct** that you need for your **World Life List**

1. Northern Mockingbird	<b>45.77%</b> frequency
2. Northern Cardinal	<b>42.69%</b>
3. Blue Jay	<b>34.80%</b>
4. Turkey Vulture	<b>34.26%</b>
5. Mourning Dove	<b>31.72%</b>
6. White-winged Dove	<b>28.34%</b>
7. Great-tailed Grackle	<b>27.64%</b>
8. Carolina Chickadee	<b>27.17%</b>
9. Great Egret	<b>26.72%</b>
10. Eastern Phoebe	<b>26.57%</b>
11. Carolina Wren	<b>26.22%</b>
12. Great Blue Heron	<b>25.62%</b>
13. American Crow	<b>24.21%</b>
14. Black Vulture	<b>21.68%</b>
15. Killdeer	<b>20.88%</b>
16. Red-bellied Woodpecker	<b>20.44%</b>
17. European Starling	<b>19.83%</b>
18. House Sparrow	<b>19.20%</b>
19. House Finch	<b>17.04%</b>
20. Scissor-tailed Flycatcher	<b>16.93%</b>

21. American Kestrel	<b><u>16.81%</u></b>
22. Ruby-crowned Kinglet	<b><u>16.59%</u></b>
23. Snowy Egret	<b><u>15.89%</u></b>
24. Red-winged Blackbird	<b><u>14.92%</u></b>
25. Downy Woodpecker	<b><u>14.23%</u></b>
26. Red-tailed Hawk	<b><u>13.96%</u></b>
27. Belted Kingfisher	<b><u>13.90%</u></b>
28. Red-shouldered Hawk	<b><u>13.53%</u></b>
29. Pied-billed Grebe	<b><u>13.01%</u></b>
30. Blue-gray Gnatcatcher	<b><u>12.87%</u></b>
31. American Coot	<b><u>12.64%</u></b>
32. Loggerhead Shrike	<b><u>12.42%</u></b>
33. Ruby-throated Hummingbird	<b><u>12.27%</u></b>
34. Rock Pigeon	<b><u>11.60%</u></b>
35. Black-crested Titmouse	<b><u>11.36%</u></b>
36. Double-crested Cormorant	<b><u>11.29%</u></b>
37. Northern Flicker	<b><u>11.24%</u></b>
38. Eastern Bluebird	<b><u>11.16%</u></b>
39. Barn Swallow	<b><u>11.02%</u></b>
40. House Wren	<b><u>10.49%</u></b>
41. Osprey	<b><u>10.38%</u></b>
42. White Ibis	<b><u>10.18%</u></b>
43. Orange-crowned Warbler	<b><u>9.89%</u></b>
44. Golden-fronted Woodpecker	<b><u>9.86%</u></b>
45. Tufted Titmouse	<b><u>9.45%</u></b>

46.	<b>Laughing Gull</b>	<b><u>9.37%</u></b>
47.	<b>Blue-winged Teal</b>	<b><u>9.36%</u></b>
48.	<b>Ladder-backed Woodpecker</b>	<b><u>9.33%</u></b>
49.	<b>Yellow-rumped Warbler</b>	<b><u>8.88%</u></b>
50.	<b>Neotropic Cormorant</b>	<b><u>8.83%</u></b>
51.	<b>Cooper's Hawk</b>	<b><u>8.76%</u></b>
52.	<b>Lincoln's Sparrow</b>	<b><u>8.12%</u></b>
53.	<b>Nashville Warbler</b>	<b><u>8.05%</u></b>
54.	<b>American Robin</b>	<b><u>8.02%</u></b>
55.	<b>Lesser Goldfinch</b>	<b><u>7.92%</u></b>
56.	<b>Bewick's Wren</b>	<b><u>7.90%</u></b>
57.	<b>Northern Harrier</b>	<b><u>7.72%</u></b>
58.	<b>Eurasian Collared-Dove</b>	<b><u>7.70%</u></b>
59.	<b>Least Sandpiper</b>	<b><u>7.64%</u></b>
60.	<b>Crested Caracara</b>	<b><u>7.39%</u></b>
61.	<b>Common Yellowthroat</b>	<b><u>7.07%</u></b>
62.	<b>White-eyed Vireo</b>	<b><u>6.97%</u></b>
63.	<b>Cattle Egret</b>	<b><u>6.85%</u></b>
64.	<b>Black-bellied Whistling-Duck</b>	<b><u>6.76%</u></b>
65.	<b>Brown Thrasher</b>	<b><u>6.65%</u></b>
66.	<b>Indigo Bunting</b>	<b><u>6.58%</u></b>
67.	<b>Greater Yellowlegs</b>	<b><u>6.55%</u></b>
68.	<b>Brown Pelican</b>	<b><u>6.40%</u></b>
69.	<b>American White Pelican</b>	<b><u>6.36%</u></b>
70.	<b>Little Blue Heron</b>	<b><u>6.28%</u></b>

71.	<b>Tricolored Heron</b>	<b>6.27%</b>
72.	<b>Inca Dove</b>	<b>6.23%</b>
73.	<b>Savannah Sparrow</b>	<b>6.09%</b>
74.	<b>Mallard</b>	<b>6.07%</b>
75.	<b>Northern Shoveler</b>	<b>5.98%</b>
76.	<b>Eastern Meadowlark</b>	<b>5.90%</b>
77.	<b>Common Grackle</b>	<b>5.68%</b>
78.	<b>Brown-headed Cowbird</b>	<b>5.60%</b>
79.	<b>Great Kiskadee</b>	<b>5.59%</b>
80.	<b>Gray Catbird</b>	<b>5.30%</b>
81.	<b>Roseate Spoonbill</b>	<b>5.13%</b>
82.	<b>Spotted Sandpiper</b>	<b>4.89%</b>
83.	<b>Willet</b>	<b>4.58%</b>
84.	<b>Chimney Swift</b>	<b>4.48%</b>
85.	<b>Wilson's Warbler</b>	<b>4.47%</b>
86.	<b>Forster's Tern</b>	<b>4.44%</b>
87.	<b>Green-winged Teal</b>	<b>4.44%</b>
88.	<b>Chipping Sparrow</b>	<b>4.42%</b>
89.	<b>Couch's Kingbird</b>	<b>4.41%</b>
90.	<b>Green Jay</b>	<b>4.36%</b>
91.	<b>Sharp-shinned Hawk</b>	<b>4.35%</b>
92.	<b>Mottled Duck</b>	<b>4.25%</b>
93.	<b>White-crowned Sparrow</b>	<b>4.21%</b>
94.	<b>Gadwall</b>	<b>4.18%</b>
95.	<b>Yellow-bellied Sapsucker</b>	<b>4.10%</b>

96.	<b>American Wigeon</b>	<b>4.01%</b>
97.	<b>Common Gallinule</b>	<b>3.93%</b>
98.	<b>White-faced Ibis</b>	<b>3.89%</b>
99.	<b>American Avocet</b>	<b>3.86%</b>
100.	<b>Pileated Woodpecker</b>	<b>3.85%</b>
101.	<b>Northern Rough-winged Swallow</b>	<b>3.83%</b>
102.	<b>Black-necked Stilt</b>	<b>3.81%</b>
103.	<b>Ring-billed Gull</b>	<b>3.73%</b>
104.	<b>Wilson's Snipe</b>	<b>3.33%</b>
105.	<b>Anhinga</b>	<b>3.32%</b>
106.	<b>Lesser Yellowlegs</b>	<b>3.30%</b>
107.	<b>Wood Duck</b>	<b>3.25%</b>
108.	<b>Royal Tern</b>	<b>3.20%</b>
109.	<b>Ruddy Duck</b>	<b>3.18%</b>
110.	<b>Long-billed Thrasher</b>	<b>3.14%</b>
111.	<b>Curve-billed Thrasher</b>	<b>3.10%</b>
112.	<b>Green Heron</b>	<b>2.93%</b>
113.	<b>Northern Pintail</b>	<b>2.93%</b>
114.	<b>Lark Sparrow</b>	<b>2.82%</b>
115.	<b>Common Raven</b>	<b>2.75%</b>
116.	<b>Long-billed Dowitcher</b>	<b>2.71%</b>
117.	<b>Vesper Sparrow</b>	<b>2.70%</b>
118.	<b>American Redstart</b>	<b>2.67%</b>
119.	<b>Sanderling</b>	<b>2.67%</b>
120.	<b>Broad-winged Hawk</b>	<b>2.67%</b>

121.	<b>Tree Swallow</b>	<b>2.66%</b>
122.	<b>Vermilion Flycatcher</b>	<b>2.66%</b>
123.	<b>Swainson's Hawk</b>	<b>2.63%</b>
124.	<b>Marsh Wren</b>	<b>2.63%</b>
125.	<b>Caspian Tern</b>	<b>2.61%</b>
126.	<b>Woodhouse's Scrub-Jay</b>	<b>2.60%</b>
127.	<b>Black-crowned Night-Heron</b>	<b>2.59%</b>
128.	<b>Black-and-white Warbler</b>	<b>2.57%</b>
129.	<b>Black-throated Green Warbler</b>	<b>2.56%</b>
130.	<b>Black-bellied Plover</b>	<b>2.54%</b>
131.	<b>Pine Warbler</b>	<b>2.52%</b>
132.	<b>Buff-bellied Hummingbird</b>	<b>2.44%</b>
133.	<b>Reddish Egret</b>	<b>2.44%</b>
134.	<b>Western Meadowlark</b>	<b>2.40%</b>
135.	<b>White-throated Sparrow</b>	<b>2.35%</b>
136.	<b>Cave Swallow</b>	<b>2.31%</b>
137.	<b>Great Horned Owl</b>	<b>2.31%</b>
138.	<b>Greater Roadrunner</b>	<b>2.28%</b>
139.	<b>Canada Goose</b>	<b>2.28%</b>
140.	<b>Common Ground Dove</b>	<b>2.27%</b>
141.	<b>Spotted Towhee</b>	<b>2.26%</b>
142.	<b>Yellow-crowned Night-Heron</b>	<b>2.22%</b>
143.	<b>Clay-colored Sparrow</b>	<b>2.22%</b>
144.	<b>Redhead</b>	<b>2.20%</b>
145.	<b>Western Sandpiper</b>	<b>2.17%</b>

146.	<b>Hermit Thrush</b>	<b>2.14%</b>
147.	<b>Plain Chachalaca</b>	<b>2.12%</b>
148.	<b>Harris's Hawk</b>	<b>2.10%</b>
149.	<b>Merlin</b>	<b>2.09%</b>
150.	<b>Eastern Wood-Pewee</b>	<b>2.09%</b>
151.	<b>Dark-eyed Junco</b>	<b>2.08%</b>
152.	<b>Ruddy Turnstone</b>	<b>2.06%</b>
153.	<b>Sandhill Crane</b>	<b>2.03%</b>
154.	<b>Bald Eagle</b>	<b>2.02%</b>
155.	<b>American Pipit</b>	<b>1.96%</b>
156.	<b>Dickcissel</b>	<b>1.92%</b>
157.	<b>Long-billed Curlew</b>	<b>1.88%</b>
158.	<b>Ring-necked Duck</b>	<b>1.88%</b>
159.	<b>Magnolia Warbler</b>	<b>1.88%</b>
160.	<b>Least Grebe</b>	<b>1.85%</b>
161.	<b>Verdin</b>	<b>1.84%</b>
162.	<b>Pyrrhuloxia</b>	<b>1.76%</b>
163.	<b>Blue-headed Vireo</b>	<b>1.76%</b>
164.	<b>White-tailed Kite</b>	<b>1.75%</b>
165.	<b>Swamp Sparrow</b>	<b>1.74%</b>
166.	<b>Northern Parula</b>	<b>1.71%</b>
167.	<b>White-tipped Dove</b>	<b>1.65%</b>
168.	<b>Peregrine Falcon</b>	<b>1.61%</b>
169.	<b>Sora</b>	<b>1.60%</b>
170.	<b>Rufous Hummingbird</b>	<b>1.59%</b>

171.	<b>Barred Owl</b>	<b>1.59%</b>
172.	<b>Song Sparrow</b>	<b>1.56%</b>
173.	<b>Boat-tailed Grackle</b>	<b>1.55%</b>
174.	<b>Franklin's Gull</b>	<b>1.54%</b>
175.	<b>Yellow Warbler</b>	<b>1.53%</b>
176.	<b>Herring Gull</b>	<b>1.51%</b>
177.	<b>Summer Tanager</b>	<b>1.48%</b>
178.	<b>White-breasted Nuthatch</b>	<b>1.46%</b>
179.	<b>Tennessee Warbler</b>	<b>1.45%</b>
180.	<b>Field Sparrow</b>	<b>1.44%</b>
181.	<b>Black-chinned Hummingbird</b>	<b>1.41%</b>
182.	<b>Semipalmated Plover</b>	<b>1.39%</b>
183.	<b>Sedge Wren</b>	<b>1.37%</b>
184.	<b>Northern Bobwhite</b>	<b>1.36%</b>
185.	<b>White-tailed Hawk</b>	<b>1.32%</b>
186.	<b>Blue Grosbeak</b>	<b>1.25%</b>
187.	<b>Olive Sparrow</b>	<b>1.23%</b>
188.	<b>Canyon Towhee</b>	<b>1.23%</b>
189.	<b>Wild Turkey</b>	<b>1.22%</b>
190.	<b>Marbled Godwit</b>	<b>1.21%</b>
191.	<b>Wood Stork</b>	<b>1.21%</b>
192.	<b>Stilt Sandpiper</b>	<b>1.20%</b>
193.	<b>Say's Phoebe</b>	<b>1.19%</b>
194.	<b>Monk Parakeet</b>	<b>1.18%</b>
195.	<b>Red-breasted Nuthatch</b>	<b>1.18%</b>



196.	<b>Piping Plover</b>	<b>1.16%</b>
197.	<b>Rufous-crowned Sparrow</b>	<b>1.14%</b>
198.	<b>Eastern Screech-Owl</b>	<b>1.13%</b>
199.	<b>Red-headed Woodpecker</b>	<b>1.13%</b>
200.	<b>Canyon Wren</b>	<b>1.12%</b>
201.	<b>Pine Siskin</b>	<b>1.12%</b>
202.	<b>Clapper Rail</b>	<b>1.11%</b>
203.	<b>Greater White-fronted Goose</b>	<b>1.09%</b>
204.	<b>Sandwich Tern</b>	<b>1.09%</b>
205.	<b>Black Skimmer</b>	<b>1.06%</b>
206.	<b>Golden-crowned Kinglet</b>	<b>1.06%</b>
207.	<b>Rose-breasted Grosbeak</b>	<b>1.05%</b>
208.	<b>American Oystercatcher</b>	<b>1.04%</b>
209.	<b>Cliff Swallow</b>	<b>1.04%</b>
210.	<b>Green Kingfisher</b>	<b>1.04%</b>
211.	<b>Bronzed Cowbird</b>	<b>1.03%</b>
212.	<b>Black-throated Sparrow</b>	<b>1.02%</b>
213.	<b>Tropical Kingbird</b>	<b>1.01%</b>
214.	<b>Altamira Oriole</b>	<b>0.9821%</b>
215.	<b>Rock Wren</b>	<b>0.9723%</b>
216.	<b>Least Flycatcher</b>	<b>0.9600%</b>
217.	<b>Lesser Scaup</b>	<b>0.9330%</b>
218.	<b>Cactus Wren</b>	<b>0.8993%</b>
219.	<b>Eared Grebe</b>	<b>0.8974%</b>
220.	<b>Hooded Warbler</b>	<b>0.8698%</b>

221.	<b>Black Phoebe</b>	<b>0.8686%</b>
222.	<b>Ringed Kingfisher</b>	<b>0.8564%</b>
223.	<b>Solitary Sandpiper</b>	<b>0.8490%</b>
224.	<b>Brewer's Blackbird</b>	<b>0.8287%</b>
225.	<b>Horned Lark</b>	<b>0.8195%</b>
226.	<b>Clay-colored Thrush</b>	<b>0.8103%</b>
227.	<b>Snowy Plover</b>	<b>0.7981%</b>
228.	<b>Baltimore Oriole</b>	<b>0.7809%</b>
229.	<b>Gray Hawk</b>	<b>0.7649%</b>
230.	<b>American Goldfinch</b>	<b>0.7508%</b>
231.	<b>Dunlin</b>	<b>0.7472%</b>
232.	<b>Common Pauraque</b>	<b>0.7398%</b>
233.	<b>Yellow-billed Cuckoo</b>	<b>0.7263%</b>
234.	<b>American Bittern</b>	<b>0.7257%</b>
235.	<b>Short-billed Dowitcher</b>	<b>0.7110%</b>
236.	<b>Groove-billed Ani</b>	<b>0.6723%</b>
237.	<b>Pectoral Sandpiper</b>	<b>0.6576%</b>
238.	<b>Scaly-breasted Munia</b>	<b>0.6294%</b>
239.	<b>Chihuahuan Raven</b>	<b>0.6275%</b>
240.	<b>Painted Bunting</b>	<b>0.6245%</b>
241.	<b>Yellow-throated Warbler</b>	<b>0.6232%</b>
242.	<b>Grasshopper Sparrow</b>	<b>0.6190%</b>
243.	<b>Common Nighthawk</b>	<b>0.6110%</b>
244.	<b>Yellow-headed Blackbird</b>	<b>0.6097%</b>
245.	<b>Red-eyed Vireo</b>	<b>0.5987%</b>

246.	<b>Ovenbird</b>	<b>0.5901%</b>
247.	<b>Acorn Woodpecker</b>	<b>0.5889%</b>
248.	<b>Lesser Black-backed Gull</b>	<b>0.5754%</b>
249.	<b>Hairy Woodpecker</b>	<b>0.5742%</b>
250.	<b>Bank Swallow</b>	<b>0.5662%</b>
251.	<b>Brown-headed Nuthatch</b>	<b>0.5533%</b>
252.	<b>Palm Warbler</b>	<b>0.5496%</b>
253.	<b>Scaled Quail</b>	<b>0.5380%</b>
254.	<b>Snow Goose</b>	<b>0.5361%</b>
255.	<b>Semipalmated Sandpiper</b>	<b>0.5245%</b>
256.	<b>Barn Owl</b>	<b>0.5245%</b>
257.	<b>Magnificent Frigatebird</b>	<b>0.5085%</b>
258.	<b>Great Crested Flycatcher</b>	<b>0.5079%</b>
259.	<b>Winter Wren</b>	<b>0.5048%</b>
260.	<b>Northern Waterthrush</b>	<b>0.5018%</b>
261.	<b>Fulvous Whistling-Duck</b>	<b>0.4877%</b>
262.	<b>Brown Creeper</b>	<b>0.4858%</b>
263.	<b>Yellow-breasted Chat</b>	<b>0.4668%</b>
264.	<b>Red-naped Sapsucker</b>	<b>0.4631%</b>
265.	<b>Mississippi Kite</b>	<b>0.4576%</b>
266.	<b>Purple Martin</b>	<b>0.4196%</b>
267.	<b>Gull-billed Tern</b>	<b>0.4190%</b>
268.	<b>Warbling Vireo</b>	<b>0.4190%</b>
269.	<b>Canvasback</b>	<b>0.4135%</b>
270.	<b>Broad-tailed Hummingbird</b>	<b>0.4085%</b>

271.	<b>Common Tern</b>	<b>0.4061%</b>
272.	<b>Swainson's Thrush</b>	<b>0.4018%</b>
273.	<b>Wood Thrush</b>	<b>0.3877%</b>
274.	<b>Green-tailed Towhee</b>	<b>0.3834%</b>
275.	<b>Cinnamon Teal</b>	<b>0.3797%</b>
276.	<b>Lark Bunting</b>	<b>0.3736%</b>
277.	<b>Cassin's Kingbird</b>	<b>0.3638%</b>
278.	<b>Red Knot</b>	<b>0.3625%</b>
279.	<b>Green Parakeet</b>	<b>0.3570%</b>
280.	<b>Philadelphia Vireo</b>	<b>0.3552%</b>
281.	<b>Eastern Kingbird</b>	<b>0.3546%</b>
282.	<b>Mexican Duck</b>	<b>0.3533%</b>
283.	<b>Western Kingbird</b>	<b>0.3503%</b>
284.	<b>Chestnut-sided Warbler</b>	<b>0.3423%</b>
285.	<b>Virginia Rail</b>	<b>0.3417%</b>
286.	<b>Hooded Oriole</b>	<b>0.3356%</b>
287.	<b>Burrowing Owl</b>	<b>0.3288%</b>
288.	<b>Purple Gallinule</b>	<b>0.3110%</b>
289.	<b>Yellow-bellied Flycatcher</b>	<b>0.2981%</b>
290.	<b>Sprague's Pipit</b>	<b>0.2963%</b>
291.	<b>Brewer's Sparrow</b>	<b>0.2963%</b>
292.	<b>Seaside Sparrow</b>	<b>0.2901%</b>
293.	<b>Red-crowned Parrot</b>	<b>0.2871%</b>
294.	<b>Audubon's Oriole</b>	<b>0.2840%</b>
295.	<b>Anna's Hummingbird</b>	<b>0.2718%</b>

296.	<b>Cedar Waxwing</b>	<b>0.2711%</b>
297.	<b>Wilson's Phalarope</b>	<b>0.2632%</b>
298.	<b>Least Bittern</b>	<b>0.2527%</b>
299.	<b>Mourning Warbler</b>	<b>0.2423%</b>
300.	<b>Western Tanager</b>	<b>0.2417%</b>
301.	<b>Ferruginous Hawk</b>	<b>0.2386%</b>
302.	<b>Hutton's Vireo</b>	<b>0.2294%</b>
303.	<b>Bushtit</b>	<b>0.2270%</b>
304.	<b>Western Bluebird</b>	<b>0.2270%</b>
305.	<b>Yellow-throated Vireo</b>	<b>0.2264%</b>
306.	<b>Townsend's Warbler</b>	<b>0.2245%</b>
307.	<b>Townsend's Solitaire</b>	<b>0.2165%</b>
308.	<b>Phainopepla</b>	<b>0.2165%</b>
309.	<b>Scarlet Tanager</b>	<b>0.2165%</b>
310.	<b>Sage Thrasher</b>	<b>0.2159%</b>
311.	<b>Cackling Goose</b>	<b>0.2135%</b>
312.	<b>Brown Booby</b>	<b>0.2110%</b>
313.	<b>Fish Crow</b>	<b>0.2098%</b>
314.	<b>Cassin's Sparrow</b>	<b>0.2049%</b>
315.	<b>Prairie Falcon</b>	<b>0.2043%</b>
316.	<b>Bufflehead</b>	<b>0.2037%</b>
317.	<b>Wilson's Plover</b>	<b>0.2037%</b>
318.	<b>Baird's Sandpiper</b>	<b>0.2018%</b>
319.	<b>Chuck-will's-widow</b>	<b>0.2006%</b>
320.	<b>Black Tern</b>	<b>0.2006%</b>

321.	<b>Lesser Nighthawk</b>	<b>0.1988%</b>
322.	<b>King Rail</b>	<b>0.1951%</b>
323.	<b>Scott's Oriole</b>	<b>0.1951%</b>
324.	<b>Black-tailed Gnatcatcher</b>	<b>0.1945%</b>
325.	<b>Bay-breasted Warbler</b>	<b>0.1945%</b>
326.	<b>LeConte's Sparrow</b>	<b>0.1859%</b>
327.	<b>Nelson's Sparrow</b>	<b>0.1834%</b>
328.	<b>Ash-throated Flycatcher</b>	<b>0.1810%</b>
329.	<b>Zone-tailed Hawk</b>	<b>0.1779%</b>
330.	<b>Common Poorwill</b>	<b>0.1730%</b>
331.	<b>Canada Warbler</b>	<b>0.1699%</b>
332.	<b>Red-vented Bulbul</b>	<b>0.1693%</b>
333.	<b>Hooded Merganser</b>	<b>0.1681%</b>
334.	<b>American Golden-Plover</b>	<b>0.1656%</b>
335.	<b>Olive-sided Flycatcher</b>	<b>0.1644%</b>
336.	<b>Black-throated Gray Warbler</b>	<b>0.1583%</b>
337.	<b>Western Grebe</b>	<b>0.1558%</b>
338.	<b>Gambel's Quail</b>	<b>0.1503%</b>
339.	<b>Mexican Jay</b>	<b>0.1454%</b>
340.	<b>Common Loon</b>	<b>0.1435%</b>
341.	<b>Mountain Bluebird</b>	<b>0.1429%</b>
342.	<b>White-throated Swift</b>	<b>0.1417%</b>
343.	<b>Red-legged Honeycreeper</b>	<b>0.1386%</b>
344.	<b>Black-throated Blue Warbler</b>	<b>0.1380%</b>
345.	<b>Blue-winged Warbler</b>	<b>0.1374%</b>

346.	<b>Northern Beardless-Tyrannulet</b>	<b>0.1356%</b>
347.	<b>Ross's Goose</b>	<b>0.1349%</b>
348.	<b>Eastern Towhee</b>	<b>0.1349%</b>
349.	<b>Aplomado Falcon</b>	<b>0.1337%</b>
350.	<b>Mountain Chickadee</b>	<b>0.1264%</b>
351.	<b>Whimbrel</b>	<b>0.1202%</b>
352.	<b>Crissal Thrasher</b>	<b>0.1178%</b>
353.	<b>Acadian Flycatcher</b>	<b>0.1147%</b>
354.	<b>Cape May Warbler</b>	<b>0.1147%</b>
355.	<b>Clark's Grebe</b>	<b>0.1141%</b>
356.	<b>Tropical Parula</b>	<b>0.1135%</b>
357.	<b>Bell's Vireo</b>	<b>0.1110%</b>
358.	<b>Blackburnian Warbler</b>	<b>0.1110%</b>
359.	<b>Orchard Oriole</b>	<b>0.1092%</b>
360.	<b>Greater Pewee</b>	<b>0.1086%</b>
361.	<b>Horned Grebe</b>	<b>0.1067%</b>
362.	<b>Red-necked Phalarope</b>	<b>0.1024%</b>
363.	<b>Juniper Titmouse</b>	<b>0.1000%</b>
364.	<b>Cassin's Finch</b>	<b>0.0926%</b>
365.	<b>Varied Thrush</b>	<b>0.0908%</b>
366.	<b>Ring-necked Pheasant</b>	<b>0.0883%</b>
367.	<b>Hepatic Tanager</b>	<b>0.0871%</b>
368.	<b>Prairie Warbler</b>	<b>0.0865%</b>
369.	<b>Worm-eating Warbler</b>	<b>0.0847%</b>
370.	<b>Golden Eagle</b>	<b>0.0834%</b>

371.	<b>Steller's Jay</b>	<b>0.0828%</b>
372.	<b>Fox Sparrow</b>	<b>0.0822%</b>
373.	<b>Eastern Whip-poor-will</b>	<b>0.0816%</b>
374.	<b>Northern Jacana</b>	<b>0.0816%</b>
375.	<b>Surf Scoter</b>	<b>0.0779%</b>
376.	<b>Chihuahuan Meadowlark</b>	<b>0.0779%</b>
377.	<b>White-crowned Pigeon</b>	<b>0.0773%</b>
378.	<b>Lewis's Woodpecker</b>	<b>0.0773%</b>
379.	<b>Least Tern</b>	<b>0.0767%</b>
380.	<b>Western Wood-Pewee</b>	<b>0.0761%</b>
381.	<b>Upland Sandpiper</b>	<b>0.0742%</b>
382.	<b>Black-headed Grosbeak</b>	<b>0.0730%</b>
383.	<b>Bonaparte's Gull</b>	<b>0.0718%</b>
384.	<b>Red-cockaded Woodpecker</b>	<b>0.0693%</b>
385.	<b>Golden-winged Warbler</b>	<b>0.0669%</b>
386.	<b>MacGillivray's Warbler</b>	<b>0.0650%</b>
387.	<b>Calliope Hummingbird</b>	<b>0.0620%</b>
388.	<b>Williamson's Sapsucker</b>	<b>0.0601%</b>
389.	<b>Black-chinned Sparrow</b>	<b>0.0595%</b>
390.	<b>Glossy Ibis</b>	<b>0.0534%</b>
391.	<b>Parasitic Jaeger</b>	<b>0.0527%</b>
392.	<b>Lucifer Hummingbird</b>	<b>0.0521%</b>
393.	<b>Cassin's Vireo</b>	<b>0.0515%</b>
394.	<b>Allen's Hummingbird</b>	<b>0.0509%</b>
395.	<b>Broad-billed Hummingbird</b>	<b>0.0491%</b>



396.	<b>Chestnut-collared Longspur</b>	<b>0.0485%</b>
397.	<b>Limpkin</b>	<b>0.0460%</b>
398.	<b>Hook-billed Kite</b>	<b>0.0454%</b>
399.	<b>Plumbeous Vireo</b>	<b>0.0454%</b>
400.	<b>Golden-crowned Warbler</b>	<b>0.0448%</b>
401.	<b>Buff-breasted Sandpiper</b>	<b>0.0429%</b>
402.	<b>Morelet's Seedeater</b>	<b>0.0417%</b>
403.	<b>Brown-crested Flycatcher</b>	<b>0.0405%</b>
404.	<b>Willow Flycatcher</b>	<b>0.0393%</b>
405.	<b>Hammond's Flycatcher</b>	<b>0.0386%</b>
406.	<b>Pomarine Jaeger</b>	<b>0.0380%</b>
407.	<b>Greater Scaup</b>	<b>0.0356%</b>
408.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0344%</b>
409.	<b>Bullock's Oriole</b>	<b>0.0337%</b>
410.	<b>Whooping Crane</b>	<b>0.0331%</b>
411.	<b>Black-billed Cuckoo</b>	<b>0.0325%</b>
412.	<b>Masked Booby</b>	<b>0.0325%</b>
413.	<b>Fork-tailed Flycatcher</b>	<b>0.0325%</b>
414.	<b>Painted Redstart</b>	<b>0.0325%</b>
415.	<b>Montezuma Quail</b>	<b>0.0319%</b>
416.	<b>Western Screech-Owl</b>	<b>0.0319%</b>
417.	<b>Variegated Flycatcher</b>	<b>0.0313%</b>
418.	<b>Harris's Sparrow</b>	<b>0.0313%</b>
419.	<b>Alder Flycatcher</b>	<b>0.0301%</b>
420.	<b>Gray-cheeked Thrush</b>	<b>0.0301%</b>

421.	<b>Greater Prairie-Chicken</b>	<b>0.0294%</b>
422.	<b>Ruddy Ground Dove</b>	<b>0.0282%</b>
423.	<b>Rufous-capped Warbler</b>	<b>0.0282%</b>
424.	<b>American Flamingo</b>	<b>0.0276%</b>
425.	<b>Red Phalarope</b>	<b>0.0276%</b>
426.	<b>Prothonotary Warbler</b>	<b>0.0276%</b>
427.	<b>Cordilleran Flycatcher</b>	<b>0.0270%</b>
428.	<b>Kentucky Warbler</b>	<b>0.0270%</b>
429.	<b>Yellow Rail</b>	<b>0.0251%</b>
430.	<b>Lazuli Bunting</b>	<b>0.0251%</b>
431.	<b>Sabine's Gull</b>	<b>0.0245%</b>
432.	<b>Red-billed Pigeon</b>	<b>0.0227%</b>
433.	<b>Gray Flycatcher</b>	<b>0.0227%</b>
434.	<b>Hermit Warbler</b>	<b>0.0227%</b>
435.	<b>Band-tailed Pigeon</b>	<b>0.0221%</b>
436.	<b>Short-eared Owl</b>	<b>0.0221%</b>
437.	<b>Western Gull</b>	<b>0.0215%</b>
438.	<b>Red-breasted Merganser</b>	<b>0.0209%</b>
439.	<b>Mountain Plover</b>	<b>0.0209%</b>
440.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0209%</b>
441.	<b>Veery</b>	<b>0.0202%</b>
442.	<b>White-winged Scoter</b>	<b>0.0196%</b>
443.	<b>Rivoli's Hummingbird</b>	<b>0.0196%</b>
444.	<b>Blackpoll Warbler</b>	<b>0.0184%</b>
445.	<b>Yellow-billed Loon</b>	<b>0.0178%</b>

446.	<b>Dusky Flycatcher</b>	<b>0.0172%</b>
447.	<b>Sagebrush Sparrow</b>	<b>0.0172%</b>
448.	<b>Costa's Hummingbird</b>	<b>0.0166%</b>
449.	<b>Swallow-tailed Kite</b>	<b>0.0166%</b>
450.	<b>Thick-billed Longspur</b>	<b>0.0166%</b>
451.	<b>Black Rail</b>	<b>0.0159%</b>
452.	<b>Violet-green Swallow</b>	<b>0.0147%</b>
453.	<b>Common Black Hawk</b>	<b>0.0141%</b>
454.	<b>Flammulated Owl</b>	<b>0.0135%</b>
455.	<b>Pygmy Nuthatch</b>	<b>0.0135%</b>
456.	<b>Swainson's Warbler</b>	<b>0.0135%</b>
457.	<b>American Woodcock</b>	<b>0.0129%</b>
458.	<b>Virginia's Warbler</b>	<b>0.0123%</b>
459.	<b>Rough-legged Hawk</b>	<b>0.0117%</b>
460.	<b>Green-breasted Mango</b>	<b>0.0110%</b>
461.	<b>Amazon Kingfisher</b>	<b>0.0110%</b>
462.	<b>Evening Grosbeak</b>	<b>0.0110%</b>
463.	<b>Red Crossbill</b>	<b>0.0104%</b>
464.	<b>Dusky-capped Flycatcher</b>	<b>0.0098%</b>
465.	<b>Audubon's Shearwater</b>	<b>0.0092%</b>
466.	<b>Yellow-eyed Junco</b>	<b>0.0092%</b>
467.	<b>Varied Bunting</b>	<b>0.0092%</b>
468.	<b>Bar-tailed Godwit</b>	<b>0.0086%</b>
469.	<b>Gray Vireo</b>	<b>0.0086%</b>
470.	<b>Pinyon Jay</b>	<b>0.0086%</b>

471.	<b>Brown Jay</b>	<b>0.0074%</b>
472.	<b>Louisiana Waterthrush</b>	<b>0.0074%</b>
473.	<b>Black Scoter</b>	<b>0.0068%</b>
474.	<b>Bridled Tern</b>	<b>0.0068%</b>
475.	<b>Social Flycatcher</b>	<b>0.0068%</b>
476.	<b>Collared Plover</b>	<b>0.0061%</b>
477.	<b>California Gull</b>	<b>0.0061%</b>
478.	<b>Elf Owl</b>	<b>0.0061%</b>
479.	<b>Long-eared Owl</b>	<b>0.0061%</b>
480.	<b>Lapland Longspur</b>	<b>0.0061%</b>
481.	<b>Blue-throated Mountain-gem</b>	<b>0.0055%</b>
482.	<b>Great Black-backed Gull</b>	<b>0.0055%</b>
483.	<b>Cory's Shearwater</b>	<b>0.0055%</b>
484.	<b>Common Merganser</b>	<b>0.0049%</b>
485.	<b>Lucy's Warbler</b>	<b>0.0049%</b>
486.	<b>Muscovy Duck</b>	<b>0.0043%</b>
487.	<b>Tamaulipas Crow</b>	<b>0.0043%</b>
488.	<b>Bachman's Sparrow</b>	<b>0.0043%</b>
489.	<b>Bobolink</b>	<b>0.0043%</b>
490.	<b>Crimson-collared Grosbeak</b>	<b>0.0043%</b>
491.	<b>Eurasian Wigeon</b>	<b>0.0037%</b>
492.	<b>Short-tailed Hawk</b>	<b>0.0037%</b>
493.	<b>Rusty Blackbird</b>	<b>0.0037%</b>
494.	<b>Common Goldeneye</b>	<b>0.0031%</b>
495.	<b>Ruff</b>	<b>0.0031%</b>

496.	<b>Great Shearwater</b>	<b>0.0031%</b>
497.	<b>Rose-throated Becard</b>	<b>0.0031%</b>
498.	<b>Purple Finch</b>	<b>0.0031%</b>
499.	<b>White-rumped Sandpiper</b>	<b>0.0025%</b>
500.	<b>Red-billed Tropicbird</b>	<b>0.0025%</b>
501.	<b>Blue-footed Booby</b>	<b>0.0025%</b>
502.	<b>Lawrence's Goldfinch</b>	<b>0.0025%</b>
503.	<b>Golden-crowned Sparrow</b>	<b>0.0025%</b>
504.	<b>Cerulean Warbler</b>	<b>0.0025%</b>
505.	<b>Lesser Prairie-Chicken</b>	<b>0.0018%</b>
506.	<b>Elegant Tern</b>	<b>0.0018%</b>
507.	<b>Manx Shearwater</b>	<b>0.0018%</b>
508.	<b>Rufous-backed Robin</b>	<b>0.0018%</b>
509.	<b>Baird's Sparrow</b>	<b>0.0018%</b>
510.	<b>Grace's Warbler</b>	<b>0.0018%</b>
511.	<b>Mexican Whip-poor-will</b>	<b>0.0012%</b>
512.	<b>South Polar Skua</b>	<b>0.0012%</b>
513.	<b>Long-tailed Jaeger</b>	<b>0.0012%</b>
514.	<b>Short-billed Gull</b>	<b>0.0012%</b>
515.	<b>Iceland Gull</b>	<b>0.0012%</b>
516.	<b>Roadside Hawk</b>	<b>0.0012%</b>
517.	<b>Black-capped Vireo</b>	<b>0.0012%</b>
518.	<b>Botteri's Sparrow</b>	<b>0.0012%</b>
519.	<b>Long-tailed Duck</b>	<b>0.0006%</b>
520.	<b>Masked Duck</b>	<b>0.0006%</b>

521.	<b>Hudsonian Godwit</b>	<b>0.0006%</b>
522.	<b>Little Gull</b>	<b>0.0006%</b>
523.	<b>Sooty Tern</b>	<b>0.0006%</b>
524.	<b>Arctic Tern</b>	<b>0.0006%</b>
525.	<b>Northern Gannet</b>	<b>0.0006%</b>
526.	<b>Northern Pygmy-Owl</b>	<b>0.0006%</b>
527.	<b>Northern Saw-whet Owl</b>	<b>0.0006%</b>
528.	<b>Pacific-slope Flycatcher</b>	<b>0.0006%</b>
529.	<b>Blue Mockingbird</b>	<b>0.0006%</b>
530.	<b>Black-headed Nightingale-Thrush</b>	<b>0.0006%</b>
531.	<b>American Tree Sparrow</b>	<b>0.0006%</b>
532.	<b>Henslow's Sparrow</b>	<b>0.0006%</b>
533.	<b>Black-vented Oriole</b>	<b>0.0006%</b>
534.	<b>Brant</b>	<b>0.0000%</b>
535.	<b>American Black Duck</b>	<b>0.0000%</b>
536.	<b>Amethyst-throated Mountain-gem</b>	<b>0.0000%</b>
537.	<b>White-eared Hummingbird</b>	<b>0.0000%</b>
538.	<b>Violet-crowned Hummingbird</b>	<b>0.0000%</b>
539.	<b>Black-headed Gull</b>	<b>0.0000%</b>
540.	<b>Glaucous Gull</b>	<b>0.0000%</b>
541.	<b>Red-throated Loon</b>	<b>0.0000%</b>
542.	<b>Pacific Loon</b>	<b>0.0000%</b>
543.	<b>Yellow-nosed Albatross</b>	<b>0.0000%</b>
544.	<b>Band-rumped Storm-Petrel</b>	<b>0.0000%</b>
545.	<b>Northern Goshawk</b>	<b>0.0000%</b>

546.	<b>Tufted Flycatcher</b>	<b>0.0000%</b>
547.	<b>Gray Kingbird</b>	<b>0.0000%</b>
548.	<b>Yellow-green Vireo</b>	<b>0.0000%</b>
549.	<b>Northern Shrike</b>	<b>0.0000%</b>
550.	<b>Clark's Nutcracker</b>	<b>0.0000%</b>
551.	<b>American Dipper</b>	<b>0.0000%</b>
552.	<b>Olive Warbler</b>	<b>0.0000%</b>
553.	<b>Smith's Longspur</b>	<b>0.0000%</b>
554.	<b>Blue Bunting</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>		
555.	<b>Egyptian Goose</b>	<b>0.9158%</b> frequency
556.	<b>Red-lored Parrot</b>	<b>0.0638%</b>
557.	<b>White-fronted Parrot</b>	<b>0.0546%</b>
558.	<b>Lilac-crowned Parrot</b>	<b>0.0061%</b>
<b>EXOTIC: ESCAPEE</b>		
	<b>Mute Swan</b>	<b>0.2055%</b> frequency
	<b>Graylag Goose</b>	<b>0.1638%</b>
	<b>Swan Goose</b>	<b>0.1380%</b>
	<b>Indian Peafowl</b>	<b>0.0515%</b>
	<b>Yellow-headed Parrot</b>	<b>0.0411%</b>
	<b>Northern Red Bishop</b>	<b>0.0307%</b>
	<b>Budgerigar</b>	<b>0.0209%</b>
	<b>Pin-tailed Whydah</b>	<b>0.0178%</b>
	<b>Mandarin Duck</b>	<b>0.0147%</b>
	<b>Helmeted Guineafowl</b>	<b>0.0123%</b>

<b>Bronze Mannikin</b>	<b>0.0123%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0123%</b>
<b>Black Swan</b>	<b>0.0080%</b>
<b>Greater Flamingo</b>	<b>0.0080%</b>
<b>Red Junglefowl</b>	<b>0.0074%</b>
<b>South African Shelduck</b>	<b>0.0037%</b>
<b>African Collared-Dove</b>	<b>0.0037%</b>
<b>Rose-ringed Parakeet</b>	<b>0.0037%</b>
<b>Bar-headed Goose</b>	<b>0.0031%</b>
<b>Ruddy Shelduck</b>	<b>0.0025%</b>
<b>Red-crested Pochard</b>	<b>0.0025%</b>
<b>Chestnut-fronted Macaw</b>	<b>0.0018%</b>
<b>Indian Silverbill</b>	<b>0.0018%</b>
<b>Emu</b>	<b>0.0006%</b>
<b>Ringed Teal</b>	<b>0.0006%</b>
<b>Philippine Duck</b>	<b>0.0006%</b>
<b>Chukar</b>	<b>0.0006%</b>
<b>Western Red-billed Hornbill</b>	<b>0.0006%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0006%</b>
<b>Yellow-chevroned Parakeet</b>	<b>0.0006%</b>
<b>Yellow-crowned Parrot</b>	<b>0.0006%</b>
<b>Nanday Parakeet</b>	<b>0.0006%</b>
<b>Blue-crowned Parakeet</b>	<b>0.0006%</b>
<b>Mitred Parakeet</b>	<b>0.0006%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0006%</b>



<b>Rosy-billed Pochard</b>	<b>0.0000%</b>
<b>Blue-and-yellow Macaw</b>	<b>0.0000%</b>
<b>Pied Crow</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Tufted x Black-crested Titmouse (hybrid)	<b>1.60%</b> frequency
Muscovy Duck x Mallard (hybrid)	<b>0.0601%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0245%</b>
Downy x Ladder-backed Woodpecker (hybrid)	<b>0.0159%</b>
Graylag x Swan Goose (hybrid)	<b>0.0117%</b>
Golden-fronted x Red-bellied Woodpecker (hybrid)	<b>0.0061%</b>
Couch's Kingbird x Scissor-tailed Flycatcher (hybrid)	<b>0.0055%</b>
Snowy Egret x Little Blue Heron (hybrid)	<b>0.0037%</b>
Northern x Tropical Parula (hybrid)	<b>0.0037%</b>
Northern Shoveler x Gadwall (hybrid)	<b>0.0025%</b>
Gadwall x Mallard (hybrid)	<b>0.0025%</b>
Anna's x Rufous Hummingbird (hybrid)	<b>0.0025%</b>
Yellow-bellied x Red-naped Sapsucker (hybrid)	<b>0.0025%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0018%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0018%</b>
Redhead x Ring-necked Duck (hybrid)	<b>0.0018%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0018%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0018%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0012%</b>

Blue-winged x Cinnamon Teal (hybrid)	<b>0.0012%</b>
Gadwall x Northern Pintail (hybrid)	<b>0.0012%</b>
Altamira x Audubon's Oriole (hybrid)	<b>0.0012%</b>
Black-bellied x Fulvous Whistling-Duck (hybrid)	<b>0.0006%</b>
Snow x Ross's Goose (hybrid)	<b>0.0006%</b>
Ross's x Cackling Goose (hybrid)	<b>0.0006%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0006%</b>
Gadwall x American Wigeon (hybrid)	<b>0.0006%</b>
Wood Duck x Mallard (hybrid)	<b>0.0006%</b>
Mallard x Mexican/Mottled Duck (hybrid)	<b>0.0006%</b>
Mexican x Mottled Duck (hybrid)	<b>0.0006%</b>
Herring x Lesser Black-backed Gull (hybrid)	<b>0.0006%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0006%</b>
Tropical x Northern Mockingbird (hybrid)	<b>0.0006%</b>
Brewster's Warbler (hybrid)	<b>0.0006%</b>
Lawrence's Warbler (hybrid)	<b>0.0006%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0006%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0006%</b>
Anna's x Calliope Hummingbird (hybrid)	<b>0.0000%</b>