

## Target Species

Based on 152,303 complete checklists

**546** species observed in Texas, US (region/US-TX) in **Sep** that you need for your **World Life List**

1. Northern Cardinal	<b>46.77%</b> frequency
2. Mourning Dove	<b>39.19%</b>
3. Northern Mockingbird	<b>38.97%</b>
4. Blue Jay	<b>35.58%</b>
5. White-winged Dove	<b>35.11%</b>
6. Turkey Vulture	<b>31.80%</b>
7. Carolina Chickadee	<b>30.12%</b>
8. Carolina Wren	<b>30.01%</b>
9. Ruby-throated Hummingbird	<b>26.82%</b>
10. Great Egret	<b>25.64%</b>
11. Great-tailed Grackle	<b>24.09%</b>
12. Great Blue Heron	<b>22.55%</b>
13. Blue-gray Gnatcatcher	<b>22.50%</b>
14. American Crow	<b>21.06%</b>
15. House Sparrow	<b>20.25%</b>
16. Killdeer	<b>19.89%</b>
17. European Starling	<b>19.01%</b>
18. Red-bellied Woodpecker	<b>18.98%</b>
19. Black Vulture	<b>18.84%</b>
20. Snowy Egret	<b>18.09%</b>

21.	<b>White-eyed Vireo</b>	<b><u>18.00%</u></b>
22.	<b>House Finch</b>	<b><u>17.38%</u></b>
23.	<b>Barn Swallow</b>	<b><u>17.17%</u></b>
24.	<b>Scissor-tailed Flycatcher</b>	<b><u>16.85%</u></b>
25.	<b>Downy Woodpecker</b>	<b><u>15.82%</u></b>
26.	<b>Chimney Swift</b>	<b><u>13.82%</u></b>
27.	<b>Red-shouldered Hawk</b>	<b><u>13.54%</u></b>
28.	<b>Yellow Warbler</b>	<b><u>13.40%</u></b>
29.	<b>Eastern Phoebe</b>	<b><u>12.94%</u></b>
30.	<b>Black-crested Titmouse</b>	<b><u>12.69%</u></b>
31.	<b>Loggerhead Shrike</b>	<b><u>12.49%</u></b>
32.	<b>Lesser Goldfinch</b>	<b><u>11.78%</u></b>
33.	<b>Cattle Egret</b>	<b><u>11.74%</u></b>
34.	<b>Rock Pigeon</b>	<b><u>11.22%</u></b>
35.	<b>Tufted Titmouse</b>	<b><u>10.46%</u></b>
36.	<b>Ladder-backed Woodpecker</b>	<b><u>10.41%</u></b>
37.	<b>Eurasian Collared-Dove</b>	<b><u>9.93%</u></b>
38.	<b>Golden-fronted Woodpecker</b>	<b><u>9.92%</u></b>
39.	<b>Green Heron</b>	<b><u>9.82%</u></b>
40.	<b>White Ibis</b>	<b><u>9.62%</u></b>
41.	<b>Laughing Gull</b>	<b><u>9.50%</u></b>
42.	<b>Wilson's Warbler</b>	<b><u>9.43%</u></b>
43.	<b>Red-winged Blackbird</b>	<b><u>9.30%</u></b>
44.	<b>Baltimore Oriole</b>	<b><u>9.24%</u></b>
45.	<b>Little Blue Heron</b>	<b><u>9.09%</u></b>

46.	<b>Bewick's Wren</b>	<b><u>8.73%</u></b>
47.	<b>Black-bellied Whistling-Duck</b>	<b><u>8.58%</u></b>
48.	<b>Red-tailed Hawk</b>	<b><u>8.53%</u></b>
49.	<b>Blue-winged Teal</b>	<b><u>8.44%</u></b>
50.	<b>Inca Dove</b>	<b><u>8.37%</u></b>
51.	<b>Least Sandpiper</b>	<b><u>8.37%</u></b>
52.	<b>Eastern Bluebird</b>	<b><u>8.17%</u></b>
53.	<b>Neotropic Cormorant</b>	<b><u>8.16%</u></b>
54.	<b>Belted Kingfisher</b>	<b><u>8.08%</u></b>
55.	<b>Tricolored Heron</b>	<b><u>7.50%</u></b>
56.	<b>Great Crested Flycatcher</b>	<b><u>6.91%</u></b>
57.	<b>Osprey</b>	<b><u>6.78%</u></b>
58.	<b>Black-chinned Hummingbird</b>	<b><u>6.76%</u></b>
59.	<b>American Robin</b>	<b><u>6.71%</u></b>
60.	<b>Summer Tanager</b>	<b><u>6.63%</u></b>
61.	<b>American Kestrel</b>	<b><u>6.59%</u></b>
62.	<b>Spotted Sandpiper</b>	<b><u>6.39%</u></b>
63.	<b>Cooper's Hawk</b>	<b><u>6.38%</u></b>
64.	<b>Pied-billed Grebe</b>	<b><u>6.06%</u></b>
65.	<b>Black-necked Stilt</b>	<b><u>6.06%</u></b>
66.	<b>Eastern Kingbird</b>	<b><u>5.69%</u></b>
67.	<b>Lark Sparrow</b>	<b><u>5.57%</u></b>
68.	<b>Crested Caracara</b>	<b><u>5.55%</u></b>
69.	<b>Brown Pelican</b>	<b><u>5.55%</u></b>
70.	<b>Yellow-crowned Night-Heron</b>	<b><u>5.42%</u></b>

71.	<b>Eastern Wood-Pewee</b>	<b>5.38%</b>
72.	<b>Least Flycatcher</b>	<b>5.26%</b>
73.	<b>Dickcissel</b>	<b>5.15%</b>
74.	<b>Roseate Spoonbill</b>	<b>5.10%</b>
75.	<b>Common Grackle</b>	<b>4.96%</b>
76.	<b>Great Kiskadee</b>	<b>4.95%</b>
77.	<b>Nashville Warbler</b>	<b>4.89%</b>
78.	<b>Couch's Kingbird</b>	<b>4.88%</b>
79.	<b>Mississippi Kite</b>	<b>4.76%</b>
80.	<b>Greater Yellowlegs</b>	<b>4.64%</b>
81.	<b>Willet</b>	<b>4.48%</b>
82.	<b>Forster's Tern</b>	<b>4.42%</b>
83.	<b>Black-and-white Warbler</b>	<b>4.41%</b>
84.	<b>Mallard</b>	<b>4.32%</b>
85.	<b>White-faced Ibis</b>	<b>4.15%</b>
86.	<b>American Coot</b>	<b>4.03%</b>
87.	<b>Pileated Woodpecker</b>	<b>4.02%</b>
88.	<b>Lesser Yellowlegs</b>	<b>4.00%</b>
89.	<b>Cave Swallow</b>	<b>3.90%</b>
90.	<b>Cliff Swallow</b>	<b>3.84%</b>
91.	<b>Brown-headed Cowbird</b>	<b>3.83%</b>
92.	<b>Swainson's Hawk</b>	<b>3.77%</b>
93.	<b>Mottled Duck</b>	<b>3.64%</b>
94.	<b>Broad-winged Hawk</b>	<b>3.63%</b>
95.	<b>Painted Bunting</b>	<b>3.62%</b>

96.	<b>Double-crested Cormorant</b>	<b>3.49%</b>
97.	<b>Blue Grosbeak</b>	<b>3.44%</b>
98.	<b>Green Jay</b>	<b>3.43%</b>
99.	<b>Orchard Oriole</b>	<b>3.39%</b>
100.	<b>Royal Tern</b>	<b>3.34%</b>
101.	<b>Western Sandpiper</b>	<b>3.34%</b>
102.	<b>Anhinga</b>	<b>3.31%</b>
103.	<b>Common Gallinule</b>	<b>3.30%</b>
104.	<b>Wood Duck</b>	<b>3.29%</b>
105.	<b>Curve-billed Thrasher</b>	<b>3.23%</b>
106.	<b>Indigo Bunting</b>	<b>3.17%</b>
107.	<b>Greater Roadrunner</b>	<b>3.15%</b>
108.	<b>Buff-bellied Hummingbird</b>	<b>3.05%</b>
109.	<b>American Avocet</b>	<b>3.04%</b>
110.	<b>Purple Martin</b>	<b>3.00%</b>
111.	<b>Northern Shoveler</b>	<b>2.96%</b>
112.	<b>Common Nighthawk</b>	<b>2.92%</b>
113.	<b>Black-crowned Night-Heron</b>	<b>2.84%</b>
114.	<b>Yellow-billed Cuckoo</b>	<b>2.75%</b>
115.	<b>Common Yellowthroat</b>	<b>2.73%</b>
116.	<b>Woodhouse's Scrub-Jay</b>	<b>2.71%</b>
117.	<b>Common Ground Dove</b>	<b>2.70%</b>
118.	<b>Sanderling</b>	<b>2.64%</b>
119.	<b>Yellow-breasted Chat</b>	<b>2.63%</b>
120.	<b>American White Pelican</b>	<b>2.59%</b>

121.	<b>Brown Thrasher</b>	<b>2.58%</b>
122.	<b>Reddish Egret</b>	<b>2.55%</b>
123.	<b>Olive-sided Flycatcher</b>	<b>2.52%</b>
124.	<b>Long-billed Thrasher</b>	<b>2.51%</b>
125.	<b>Rufous Hummingbird</b>	<b>2.49%</b>
126.	<b>Red-eyed Vireo</b>	<b>2.42%</b>
127.	<b>American Redstart</b>	<b>2.42%</b>
128.	<b>Solitary Sandpiper</b>	<b>2.38%</b>
129.	<b>Vermilion Flycatcher</b>	<b>2.36%</b>
130.	<b>Black Tern</b>	<b>2.35%</b>
131.	<b>Bank Swallow</b>	<b>2.33%</b>
132.	<b>Caspian Tern</b>	<b>2.32%</b>
133.	<b>Northern Rough-winged Swallow</b>	<b>2.31%</b>
134.	<b>Mourning Warbler</b>	<b>2.30%</b>
135.	<b>Black-bellied Plover</b>	<b>2.26%</b>
136.	<b>Ruddy Turnstone</b>	<b>2.26%</b>
137.	<b>Pine Warbler</b>	<b>2.16%</b>
138.	<b>Northern Harrier</b>	<b>2.10%</b>
139.	<b>Olive Sparrow</b>	<b>2.08%</b>
140.	<b>Chipping Sparrow</b>	<b>2.07%</b>
141.	<b>Common Raven</b>	<b>2.06%</b>
142.	<b>Wood Stork</b>	<b>2.05%</b>
143.	<b>Upland Sandpiper</b>	<b>2.03%</b>
144.	<b>Great Horned Owl</b>	<b>2.03%</b>
145.	<b>Stilt Sandpiper</b>	<b>2.01%</b>

146.	<b>Pectoral Sandpiper</b>	<b>1.98%</b>
147.	<b>Semipalmated Plover</b>	<b>1.96%</b>
148.	<b>Canada Warbler</b>	<b>1.95%</b>
149.	<b>Canada Goose</b>	<b>1.95%</b>
150.	<b>Yellow-bellied Flycatcher</b>	<b>1.89%</b>
151.	<b>Verdin</b>	<b>1.87%</b>
152.	<b>Northern Bobwhite</b>	<b>1.84%</b>
153.	<b>Northern Waterthrush</b>	<b>1.81%</b>
154.	<b>Ring-billed Gull</b>	<b>1.81%</b>
155.	<b>Plain Chachalaca</b>	<b>1.79%</b>
156.	<b>Ruby-crowned Kinglet</b>	<b>1.77%</b>
157.	<b>Red-headed Woodpecker</b>	<b>1.76%</b>
158.	<b>House Wren</b>	<b>1.76%</b>
159.	<b>Tree Swallow</b>	<b>1.72%</b>
160.	<b>Semipalmated Sandpiper</b>	<b>1.72%</b>
161.	<b>White-tipped Dove</b>	<b>1.72%</b>
162.	<b>Barred Owl</b>	<b>1.70%</b>
163.	<b>Long-billed Curlew</b>	<b>1.67%</b>
164.	<b>Warbling Vireo</b>	<b>1.66%</b>
165.	<b>Groove-billed Ani</b>	<b>1.66%</b>
166.	<b>Western Kingbird</b>	<b>1.64%</b>
167.	<b>Canyon Towhee</b>	<b>1.64%</b>
168.	<b>Clay-colored Sparrow</b>	<b>1.58%</b>
169.	<b>Harris's Hawk</b>	<b>1.57%</b>
170.	<b>Green-winged Teal</b>	<b>1.57%</b>

171.	<b>Sharp-shinned Hawk</b>	<b>1.54%</b>
172.	<b>White-breasted Nuthatch</b>	<b>1.51%</b>
173.	<b>Wilson's Phalarope</b>	<b>1.45%</b>
174.	<b>Bell's Vireo</b>	<b>1.43%</b>
175.	<b>Least Grebe</b>	<b>1.42%</b>
176.	<b>Eastern Meadowlark</b>	<b>1.42%</b>
177.	<b>Canyon Wren</b>	<b>1.40%</b>
178.	<b>Rufous-crowned Sparrow</b>	<b>1.40%</b>
179.	<b>Northern Flicker</b>	<b>1.38%</b>
180.	<b>Sandwich Tern</b>	<b>1.37%</b>
181.	<b>Hooded Warbler</b>	<b>1.37%</b>
182.	<b>Long-billed Dowitcher</b>	<b>1.34%</b>
183.	<b>Least Tern</b>	<b>1.32%</b>
184.	<b>Bullock's Oriole</b>	<b>1.31%</b>
185.	<b>Northern Parula</b>	<b>1.27%</b>
186.	<b>Black Skimmer</b>	<b>1.27%</b>
187.	<b>Hooded Oriole</b>	<b>1.25%</b>
188.	<b>Orange-crowned Warbler</b>	<b>1.23%</b>
189.	<b>Cactus Wren</b>	<b>1.23%</b>
190.	<b>Black-throated Green Warbler</b>	<b>1.22%</b>
191.	<b>Bronzed Cowbird</b>	<b>1.22%</b>
192.	<b>Gray Catbird</b>	<b>1.20%</b>
193.	<b>Peregrine Falcon</b>	<b>1.18%</b>
194.	<b>Pyrrhuloxia</b>	<b>1.17%</b>
195.	<b>Black-throated Sparrow</b>	<b>1.16%</b>



196.	<b>Wild Turkey</b>	<b>1.15%</b>
197.	<b>Boat-tailed Grackle</b>	<b>1.14%</b>
198.	<b>White-tailed Hawk</b>	<b>1.13%</b>
199.	<b>Baird's Sandpiper</b>	<b>1.13%</b>
200.	<b>Marbled Godwit</b>	<b>1.12%</b>
201.	<b>Eastern Screech-Owl</b>	<b>1.09%</b>
202.	<b>Tropical Kingbird</b>	<b>1.09%</b>
203.	<b>Western Wood-Pewee</b>	<b>1.09%</b>
204.	<b>Piping Plover</b>	<b>1.08%</b>
205.	<b>White-tailed Kite</b>	<b>1.08%</b>
206.	<b>Monk Parakeet</b>	<b>1.07%</b>
207.	<b>Say's Phoebe</b>	<b>1.03%</b>
208.	<b>Yellow-rumped Warbler</b>	<b>1.02%</b>
209.	<b>Yellow-headed Blackbird</b>	<b>0.9639%</b>
210.	<b>American Oystercatcher</b>	<b>0.9356%</b>
211.	<b>Sora</b>	<b>0.9284%</b>
212.	<b>Yellow-throated Vireo</b>	<b>0.9212%</b>
213.	<b>Merlin</b>	<b>0.9100%</b>
214.	<b>Northern Pintail</b>	<b>0.9054%</b>
215.	<b>Willow Flycatcher</b>	<b>0.9041%</b>
216.	<b>Green Kingfisher</b>	<b>0.8975%</b>
217.	<b>Clapper Rail</b>	<b>0.8910%</b>
218.	<b>Magnificent Frigatebird</b>	<b>0.8562%</b>
219.	<b>Snowy Plover</b>	<b>0.8522%</b>
220.	<b>Brown-crested Flycatcher</b>	<b>0.8503%</b>

221.	<b>Western Tanager</b>	<b>0.8444%</b>
222.	<b>Blue-headed Vireo</b>	<b>0.8128%</b>
223.	<b>Ruddy Duck</b>	<b>0.7872%</b>
224.	<b>Scaly-breasted Munia</b>	<b>0.7794%</b>
225.	<b>Altamira Oriole</b>	<b>0.7373%</b>
226.	<b>Bald Eagle</b>	<b>0.7367%</b>
227.	<b>Clay-colored Thrush</b>	<b>0.7275%</b>
228.	<b>Buff-breasted Sandpiper</b>	<b>0.7085%</b>
229.	<b>Acadian Flycatcher</b>	<b>0.7032%</b>
230.	<b>Chuck-will's-widow</b>	<b>0.7006%</b>
231.	<b>Wilson's Snipe</b>	<b>0.6947%</b>
232.	<b>Scaled Quail</b>	<b>0.6802%</b>
233.	<b>Field Sparrow</b>	<b>0.6789%</b>
234.	<b>Short-billed Dowitcher</b>	<b>0.6664%</b>
235.	<b>Horned Lark</b>	<b>0.6632%</b>
236.	<b>Common Tern</b>	<b>0.6625%</b>
237.	<b>Acorn Woodpecker</b>	<b>0.6546%</b>
238.	<b>Black Phoebe</b>	<b>0.6520%</b>
239.	<b>Broad-tailed Hummingbird</b>	<b>0.6513%</b>
240.	<b>Magnolia Warbler</b>	<b>0.6395%</b>
241.	<b>Alder Flycatcher</b>	<b>0.6389%</b>
242.	<b>Fulvous Whistling-Duck</b>	<b>0.6336%</b>
243.	<b>Yellow-throated Warbler</b>	<b>0.6277%</b>
244.	<b>Ovenbird</b>	<b>0.6231%</b>
245.	<b>Cassin's Kingbird</b>	<b>0.6224%</b>

246.	<b>Ringed Kingfisher</b>	<b>0.6106%</b>
247.	<b>Lincoln's Sparrow</b>	<b>0.6067%</b>
248.	<b>Scott's Oriole</b>	<b>0.5850%</b>
249.	<b>Common Pauraque</b>	<b>0.5804%</b>
250.	<b>Townsend's Warbler</b>	<b>0.5745%</b>
251.	<b>Least Bittern</b>	<b>0.5719%</b>
252.	<b>Gray Hawk</b>	<b>0.5640%</b>
253.	<b>Gadwall</b>	<b>0.5568%</b>
254.	<b>Brown-headed Nuthatch</b>	<b>0.5489%</b>
255.	<b>Purple Gallinule</b>	<b>0.5469%</b>
256.	<b>Gull-billed Tern</b>	<b>0.5436%</b>
257.	<b>Prothonotary Warbler</b>	<b>0.5266%</b>
258.	<b>Savannah Sparrow</b>	<b>0.5246%</b>
259.	<b>Western Meadowlark</b>	<b>0.5194%</b>
260.	<b>American Wigeon</b>	<b>0.5029%</b>
261.	<b>Chihuahuan Raven</b>	<b>0.4990%</b>
262.	<b>Rock Wren</b>	<b>0.4938%</b>
263.	<b>Herring Gull</b>	<b>0.4846%</b>
264.	<b>Black-headed Grosbeak</b>	<b>0.4846%</b>
265.	<b>Lark Bunting</b>	<b>0.4800%</b>
266.	<b>Tennessee Warbler</b>	<b>0.4760%</b>
267.	<b>Hairy Woodpecker</b>	<b>0.4681%</b>
268.	<b>Wilson's Plover</b>	<b>0.4576%</b>
269.	<b>Ash-throated Flycatcher</b>	<b>0.4268%</b>
270.	<b>Cassin's Sparrow</b>	<b>0.4018%</b>

271.	<b>Cinnamon Teal</b>	<b>0.4005%</b>
272.	<b>Brewer's Sparrow</b>	<b>0.3979%</b>
273.	<b>Blue-winged Warbler</b>	<b>0.3966%</b>
274.	<b>Lesser Nighthawk</b>	<b>0.3835%</b>
275.	<b>Zone-tailed Hawk</b>	<b>0.3749%</b>
276.	<b>Burrowing Owl</b>	<b>0.3749%</b>
277.	<b>Lesser Black-backed Gull</b>	<b>0.3736%</b>
278.	<b>Blackburnian Warbler</b>	<b>0.3683%</b>
279.	<b>Kentucky Warbler</b>	<b>0.3624%</b>
280.	<b>Green Parakeet</b>	<b>0.3447%</b>
281.	<b>Eared Grebe</b>	<b>0.3388%</b>
282.	<b>Worm-eating Warbler</b>	<b>0.3289%</b>
283.	<b>Vesper Sparrow</b>	<b>0.3237%</b>
284.	<b>American Goldfinch</b>	<b>0.3217%</b>
285.	<b>Red-crowned Parrot</b>	<b>0.3211%</b>
286.	<b>Chestnut-sided Warbler</b>	<b>0.3171%</b>
287.	<b>Mexican Duck</b>	<b>0.3138%</b>
288.	<b>Red Knot</b>	<b>0.3132%</b>
289.	<b>MacGillivray's Warbler</b>	<b>0.3112%</b>
290.	<b>Calliope Hummingbird</b>	<b>0.3099%</b>
291.	<b>Marsh Wren</b>	<b>0.3092%</b>
292.	<b>Redhead</b>	<b>0.3060%</b>
293.	<b>Swallow-tailed Kite</b>	<b>0.3040%</b>
294.	<b>Hutton's Vireo</b>	<b>0.3014%</b>
295.	<b>Barn Owl</b>	<b>0.3001%</b>

296.	<b>Bushtit</b>	<b>0.2974%</b>
297.	<b>Green-tailed Towhee</b>	<b>0.2869%</b>
298.	<b>Swainson's Thrush</b>	<b>0.2699%</b>
299.	<b>White-crowned Sparrow</b>	<b>0.2594%</b>
300.	<b>Common Poorwill</b>	<b>0.2587%</b>
301.	<b>Louisiana Waterthrush</b>	<b>0.2521%</b>
302.	<b>Philadelphia Vireo</b>	<b>0.2462%</b>
303.	<b>Red-necked Phalarope</b>	<b>0.2436%</b>
304.	<b>Spotted Towhee</b>	<b>0.2423%</b>
305.	<b>Red-vented Bulbul</b>	<b>0.2396%</b>
306.	<b>Audubon's Oriole</b>	<b>0.2252%</b>
307.	<b>American Bittern</b>	<b>0.2226%</b>
308.	<b>Grasshopper Sparrow</b>	<b>0.2206%</b>
309.	<b>Gambel's Quail</b>	<b>0.2127%</b>
310.	<b>Hermit Thrush</b>	<b>0.2101%</b>
311.	<b>Black-tailed Gnatcatcher</b>	<b>0.2042%</b>
312.	<b>Prairie Warbler</b>	<b>0.1963%</b>
313.	<b>Brown Booby</b>	<b>0.1957%</b>
314.	<b>Plumbeous Vireo</b>	<b>0.1930%</b>
315.	<b>Fish Crow</b>	<b>0.1865%</b>
316.	<b>Cordilleran Flycatcher</b>	<b>0.1845%</b>
317.	<b>Seaside Sparrow</b>	<b>0.1806%</b>
318.	<b>Sabine's Gull</b>	<b>0.1773%</b>
319.	<b>Lazuli Bunting</b>	<b>0.1773%</b>
320.	<b>Red-breasted Nuthatch</b>	<b>0.1760%</b>

321.	<b>Phainopepla</b>	<b>0.1720%</b>
322.	<b>King Rail</b>	<b>0.1681%</b>
323.	<b>Pine Siskin</b>	<b>0.1641%</b>
324.	<b>Hepatic Tanager</b>	<b>0.1635%</b>
325.	<b>Mexican Jay</b>	<b>0.1622%</b>
326.	<b>Virginia's Warbler</b>	<b>0.1563%</b>
327.	<b>American Golden-Plover</b>	<b>0.1510%</b>
328.	<b>Anna's Hummingbird</b>	<b>0.1438%</b>
329.	<b>Dunlin</b>	<b>0.1438%</b>
330.	<b>Cassin's Vireo</b>	<b>0.1399%</b>
331.	<b>Crissal Thrasher</b>	<b>0.1399%</b>
332.	<b>Lucifer Hummingbird</b>	<b>0.1366%</b>
333.	<b>Northern Beardless-Tyrannulet</b>	<b>0.1254%</b>
334.	<b>Gray Flycatcher</b>	<b>0.1215%</b>
335.	<b>Black-throated Gray Warbler</b>	<b>0.1215%</b>
336.	<b>White-throated Swift</b>	<b>0.1202%</b>
337.	<b>Black-capped Vireo</b>	<b>0.1182%</b>
338.	<b>Prairie Falcon</b>	<b>0.1175%</b>
339.	<b>Cedar Waxwing</b>	<b>0.1142%</b>
340.	<b>Rose-breasted Grosbeak</b>	<b>0.1136%</b>
341.	<b>Brewer's Blackbird</b>	<b>0.1129%</b>
342.	<b>Whimbrel</b>	<b>0.1110%</b>
343.	<b>Franklin's Gull</b>	<b>0.1097%</b>
344.	<b>Red-naped Sapsucker</b>	<b>0.1077%</b>
345.	<b>Clark's Grebe</b>	<b>0.1044%</b>

346.	<b>Hammond's Flycatcher</b>	<b>0.1037%</b>
347.	<b>Eastern Whip-poor-will</b>	<b>0.1024%</b>
348.	<b>Ring-necked Duck</b>	<b>0.1005%</b>
349.	<b>Western Grebe</b>	<b>0.0998%</b>
350.	<b>Scarlet Tanager</b>	<b>0.0985%</b>
351.	<b>Lesser Scaup</b>	<b>0.0959%</b>
352.	<b>Dusky Flycatcher</b>	<b>0.0945%</b>
353.	<b>Dark-eyed Junco</b>	<b>0.0945%</b>
354.	<b>Varied Bunting</b>	<b>0.0939%</b>
355.	<b>Cackling Goose</b>	<b>0.0932%</b>
356.	<b>American Pipit</b>	<b>0.0906%</b>
357.	<b>Ring-necked Pheasant</b>	<b>0.0860%</b>
358.	<b>Virginia Rail</b>	<b>0.0808%</b>
359.	<b>Chihuahuan Meadowlark</b>	<b>0.0801%</b>
360.	<b>Black-chinned Sparrow</b>	<b>0.0788%</b>
361.	<b>Mountain Chickadee</b>	<b>0.0762%</b>
362.	<b>Aplomado Falcon</b>	<b>0.0742%</b>
363.	<b>Western Bluebird</b>	<b>0.0689%</b>
364.	<b>Violet-green Swallow</b>	<b>0.0676%</b>
365.	<b>Snow Goose</b>	<b>0.0637%</b>
366.	<b>Yellow-bellied Sapsucker</b>	<b>0.0637%</b>
367.	<b>Swainson's Warbler</b>	<b>0.0630%</b>
368.	<b>Black-throated Blue Warbler</b>	<b>0.0617%</b>
369.	<b>Northern Wheatear</b>	<b>0.0597%</b>
370.	<b>Rivoli's Hummingbird</b>	<b>0.0558%</b>

371.	<b>Limpkin</b>	<b>0.0545%</b>
372.	<b>Veery</b>	<b>0.0538%</b>
373.	<b>Greater White-fronted Goose</b>	<b>0.0532%</b>
374.	<b>Northern Jacana</b>	<b>0.0519%</b>
375.	<b>Red-cockaded Woodpecker</b>	<b>0.0506%</b>
376.	<b>Wood Thrush</b>	<b>0.0506%</b>
377.	<b>Western Screech-Owl</b>	<b>0.0492%</b>
378.	<b>Cerulean Warbler</b>	<b>0.0492%</b>
379.	<b>Golden-winged Warbler</b>	<b>0.0486%</b>
380.	<b>Gray Vireo</b>	<b>0.0473%</b>
381.	<b>Black-billed Cuckoo</b>	<b>0.0453%</b>
382.	<b>Steller's Jay</b>	<b>0.0453%</b>
383.	<b>Pomarine Jaeger</b>	<b>0.0446%</b>
384.	<b>Glossy Ibis</b>	<b>0.0446%</b>
385.	<b>Allen's Hummingbird</b>	<b>0.0433%</b>
386.	<b>Morelet's Seedeater</b>	<b>0.0427%</b>
387.	<b>Sedge Wren</b>	<b>0.0420%</b>
388.	<b>Golden Eagle</b>	<b>0.0407%</b>
389.	<b>Band-tailed Pigeon</b>	<b>0.0394%</b>
390.	<b>Painted Redstart</b>	<b>0.0394%</b>
391.	<b>Montezuma Quail</b>	<b>0.0368%</b>
392.	<b>Cory's Shearwater</b>	<b>0.0348%</b>
393.	<b>Common Black Hawk</b>	<b>0.0348%</b>
394.	<b>Ferruginous Hawk</b>	<b>0.0348%</b>
395.	<b>Sage Thrasher</b>	<b>0.0335%</b>



396.	<b>Sandhill Crane</b>	<b>0.0328%</b>
397.	<b>Masked Booby</b>	<b>0.0328%</b>
398.	<b>Broad-billed Hummingbird</b>	<b>0.0315%</b>
399.	<b>Cape May Warbler</b>	<b>0.0315%</b>
400.	<b>Palm Warbler</b>	<b>0.0315%</b>
401.	<b>Tropical Parula</b>	<b>0.0309%</b>
402.	<b>Elegant Tern</b>	<b>0.0302%</b>
403.	<b>Elf Owl</b>	<b>0.0295%</b>
404.	<b>Audubon's Shearwater</b>	<b>0.0289%</b>
405.	<b>Bridled Tern</b>	<b>0.0276%</b>
406.	<b>Blue-throated Mountain-gem</b>	<b>0.0269%</b>
407.	<b>Juniper Titmouse</b>	<b>0.0269%</b>
408.	<b>Variegated Flycatcher</b>	<b>0.0263%</b>
409.	<b>Song Sparrow</b>	<b>0.0256%</b>
410.	<b>Long-tailed Jaeger</b>	<b>0.0249%</b>
411.	<b>Williamson's Sapsucker</b>	<b>0.0243%</b>
412.	<b>Grace's Warbler</b>	<b>0.0243%</b>
413.	<b>Townsend's Solitaire</b>	<b>0.0236%</b>
414.	<b>Botteri's Sparrow</b>	<b>0.0230%</b>
415.	<b>Red-billed Pigeon</b>	<b>0.0217%</b>
416.	<b>Hermit Warbler</b>	<b>0.0217%</b>
417.	<b>Ferruginous Pygmy-Owl</b>	<b>0.0203%</b>
418.	<b>White-throated Sparrow</b>	<b>0.0197%</b>
419.	<b>Sooty Tern</b>	<b>0.0177%</b>
420.	<b>Ross's Goose</b>	<b>0.0171%</b>

421.	<b>Canvasback</b>	<b>0.0171%</b>
422.	<b>Bay-breasted Warbler</b>	<b>0.0171%</b>
423.	<b>Costa's Hummingbird</b>	<b>0.0164%</b>
424.	<b>Crimson-collared Grosbeak</b>	<b>0.0164%</b>
425.	<b>Red Phalarope</b>	<b>0.0158%</b>
426.	<b>Pygmy Nuthatch</b>	<b>0.0144%</b>
427.	<b>Greater Prairie-Chicken</b>	<b>0.0131%</b>
428.	<b>Common Loon</b>	<b>0.0131%</b>
429.	<b>Yellow-green Vireo</b>	<b>0.0131%</b>
430.	<b>Black Rail</b>	<b>0.0118%</b>
431.	<b>Hook-billed Kite</b>	<b>0.0118%</b>
432.	<b>Short-tailed Hawk</b>	<b>0.0118%</b>
433.	<b>Greater Pewee</b>	<b>0.0118%</b>
434.	<b>Parasitic Jaeger</b>	<b>0.0105%</b>
435.	<b>Blackpoll Warbler</b>	<b>0.0105%</b>
436.	<b>Mexican Whip-poor-will</b>	<b>0.0099%</b>
437.	<b>Collared Plover</b>	<b>0.0099%</b>
438.	<b>Fork-tailed Flycatcher</b>	<b>0.0099%</b>
439.	<b>Bobolink</b>	<b>0.0099%</b>
440.	<b>Band-rumped Storm-Petrel</b>	<b>0.0092%</b>
441.	<b>Colima Warbler</b>	<b>0.0092%</b>
442.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0079%</b>
443.	<b>Bachman's Sparrow</b>	<b>0.0079%</b>
444.	<b>Lucy's Warbler</b>	<b>0.0079%</b>
445.	<b>Brown Noddy</b>	<b>0.0072%</b>

446.	<b>Red-billed Tropicbird</b>	<b>0.0072%</b>
447.	<b>Red-breasted Merganser</b>	<b>0.0059%</b>
448.	<b>Ruff</b>	<b>0.0059%</b>
449.	<b>Bonaparte's Gull</b>	<b>0.0059%</b>
450.	<b>Flammulated Owl</b>	<b>0.0059%</b>
451.	<b>Brown Creeper</b>	<b>0.0059%</b>
452.	<b>Sprague's Pipit</b>	<b>0.0059%</b>
453.	<b>Horned Grebe</b>	<b>0.0052%</b>
454.	<b>Northern Gannet</b>	<b>0.0052%</b>
455.	<b>Gray-cheeked Thrush</b>	<b>0.0052%</b>
456.	<b>Common Merganser</b>	<b>0.0046%</b>
457.	<b>Pacific-slope Flycatcher</b>	<b>0.0046%</b>
458.	<b>Fan-tailed Warbler</b>	<b>0.0046%</b>
459.	<b>Golden-crowned Warbler</b>	<b>0.0046%</b>
460.	<b>White-eared Hummingbird</b>	<b>0.0039%</b>
461.	<b>Mountain Plover</b>	<b>0.0039%</b>
462.	<b>Blue-footed Booby</b>	<b>0.0039%</b>
463.	<b>Red Crossbill</b>	<b>0.0039%</b>
464.	<b>Bufflehead</b>	<b>0.0033%</b>
465.	<b>Hooded Merganser</b>	<b>0.0033%</b>
466.	<b>Long-eared Owl</b>	<b>0.0033%</b>
467.	<b>Rose-throated Becard</b>	<b>0.0033%</b>
468.	<b>Social Flycatcher</b>	<b>0.0033%</b>
469.	<b>Cassin's Finch</b>	<b>0.0033%</b>
470.	<b>Harris's Sparrow</b>	<b>0.0033%</b>

471.	<b>Nelson's Sparrow</b>	<b>0.0033%</b>
472.	<b>Swamp Sparrow</b>	<b>0.0033%</b>
473.	<b>Greater Scaup</b>	<b>0.0026%</b>
474.	<b>White-crowned Pigeon</b>	<b>0.0026%</b>
475.	<b>Green-breasted Mango</b>	<b>0.0026%</b>
476.	<b>Whooping Crane</b>	<b>0.0026%</b>
477.	<b>Northern Pygmy-Owl</b>	<b>0.0026%</b>
478.	<b>Brown Jay</b>	<b>0.0026%</b>
479.	<b>Winter Wren</b>	<b>0.0026%</b>
480.	<b>Golden-cheeked Warbler</b>	<b>0.0026%</b>
481.	<b>Rufous-capped Warbler</b>	<b>0.0026%</b>
482.	<b>Muscovy Duck</b>	<b>0.0020%</b>
483.	<b>Masked Duck</b>	<b>0.0020%</b>
484.	<b>Yellow Rail</b>	<b>0.0020%</b>
485.	<b>White-rumped Sandpiper</b>	<b>0.0020%</b>
486.	<b>Short-eared Owl</b>	<b>0.0020%</b>
487.	<b>Tamaulipas Crow</b>	<b>0.0020%</b>
488.	<b>Mountain Bluebird</b>	<b>0.0020%</b>
489.	<b>Fox Sparrow</b>	<b>0.0020%</b>
490.	<b>Yellow-eyed Junco</b>	<b>0.0020%</b>
491.	<b>LeConte's Sparrow</b>	<b>0.0020%</b>
492.	<b>Baird's Sparrow</b>	<b>0.0020%</b>
493.	<b>Black-vented Oriole</b>	<b>0.0020%</b>
494.	<b>Lesser Prairie-Chicken</b>	<b>0.0013%</b>
495.	<b>Curlew Sandpiper</b>	<b>0.0013%</b>

496.	<b>American Woodcock</b>	<b>0.0013%</b>
497.	<b>California Gull</b>	<b>0.0013%</b>
498.	<b>Leach's Storm-Petrel</b>	<b>0.0013%</b>
499.	<b>Great Shearwater</b>	<b>0.0013%</b>
500.	<b>Sooty Shearwater</b>	<b>0.0013%</b>
501.	<b>Manx Shearwater</b>	<b>0.0013%</b>
502.	<b>Jabiru</b>	<b>0.0013%</b>
503.	<b>Spotted Owl</b>	<b>0.0013%</b>
504.	<b>Buff-breasted Flycatcher</b>	<b>0.0013%</b>
505.	<b>Dusky-capped Flycatcher</b>	<b>0.0013%</b>
506.	<b>Piratic Flycatcher</b>	<b>0.0013%</b>
507.	<b>Purple Finch</b>	<b>0.0013%</b>
508.	<b>Chestnut-collared Longspur</b>	<b>0.0013%</b>
509.	<b>Sagebrush Sparrow</b>	<b>0.0013%</b>
510.	<b>Eastern Towhee</b>	<b>0.0013%</b>
511.	<b>Ruddy Ground Dove</b>	<b>0.0007%</b>
512.	<b>Mexican Violetear</b>	<b>0.0007%</b>
513.	<b>Violet-crowned Hummingbird</b>	<b>0.0007%</b>
514.	<b>Bar-tailed Godwit</b>	<b>0.0007%</b>
515.	<b>Hudsonian Godwit</b>	<b>0.0007%</b>
516.	<b>Black-legged Kittiwake</b>	<b>0.0007%</b>
517.	<b>Heermann's Gull</b>	<b>0.0007%</b>
518.	<b>Glaucous Gull</b>	<b>0.0007%</b>
519.	<b>Arctic Tern</b>	<b>0.0007%</b>
520.	<b>Yellow-nosed Albatross</b>	<b>0.0007%</b>

521.	<b>Northern Saw-whet Owl</b>	<b>0.0007%</b>
522.	<b>Lewis's Woodpecker</b>	<b>0.0007%</b>
523.	<b>Black-whiskered Vireo</b>	<b>0.0007%</b>
524.	<b>Pinyon Jay</b>	<b>0.0007%</b>
525.	<b>Golden-crowned Kinglet</b>	<b>0.0007%</b>
526.	<b>Blue Mockingbird</b>	<b>0.0007%</b>
527.	<b>Golden-crowned Sparrow</b>	<b>0.0007%</b>
528.	<b>Rusty Blackbird</b>	<b>0.0007%</b>
529.	<b>Connecticut Warbler</b>	<b>0.0007%</b>
530.	<b>Slate-throated Redstart</b>	<b>0.0007%</b>
531.	<b>American Black Duck</b>	<b>0.0000%</b>
532.	<b>Surf Scoter</b>	<b>0.0000%</b>
533.	<b>Common Goldeneye</b>	<b>0.0000%</b>
534.	<b>American Flamingo</b>	<b>0.0000%</b>
535.	<b>Berylline Hummingbird</b>	<b>0.0000%</b>
536.	<b>Sharp-tailed Sandpiper</b>	<b>0.0000%</b>
537.	<b>Spotted Redshank</b>	<b>0.0000%</b>
538.	<b>Stejneger's Petrel</b>	<b>0.0000%</b>
539.	<b>Red-footed Booby</b>	<b>0.0000%</b>
540.	<b>Barred Antshrike</b>	<b>0.0000%</b>
541.	<b>Thick-billed Longspur</b>	<b>0.0000%</b>
542.	<b>Streak-backed Oriole</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>		
543.	<b>Egyptian Goose</b>	<b>0.8122%</b> frequency
544.	<b>Red-lored Parrot</b>	<b>0.0538%</b>

545. **White-fronted Parrot** **0.0302%**

546. **Lilac-crowned Parrot** **0.0059%**

**EXOTIC: ESCAPEE**

**Mute Swan** **0.1392%** frequency

**Graylag Goose** **0.1274%**

**Swan Goose** **0.1169%**

**Northern Red Bishop** **0.0624%**

**Budgerigar** **0.0446%**

**Indian Peafowl** **0.0420%**

**Yellow-headed Parrot** **0.0374%**

**Orange-cheeked Waxbill** **0.0263%**

**Helmeted Guineafowl** **0.0171%**

**Red Junglefowl** **0.0171%**

**Bronze Mannikin** **0.0131%**

**Bar-headed Goose** **0.0059%**

**Mandarin Duck** **0.0059%**

**Pin-tailed Whydah** **0.0052%**

**Nanday Parakeet** **0.0033%**

**Chestnut-fronted Macaw** **0.0033%**

**South African Shelduck** **0.0026%**

**African Collared-Dove** **0.0026%**

**White-winged Parakeet** **0.0026%**

**Black Swan** **0.0020%**

**Chukar** **0.0020%**

**Greater Flamingo** **0.0020%**

<b>Red-crested Pochard</b>	<b>0.0013%</b>
<b>Ferruginous Duck</b>	<b>0.0013%</b>
<b>Rose-ringed Parakeet</b>	<b>0.0013%</b>
<b>Black-rumped Waxbill</b>	<b>0.0013%</b>
<b>Emu</b>	<b>0.0007%</b>
<b>Ruddy Shelduck</b>	<b>0.0007%</b>
<b>Ringed Teal</b>	<b>0.0007%</b>
<b>Green Pheasant</b>	<b>0.0007%</b>
<b>Alexandrine Parakeet</b>	<b>0.0007%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0007%</b>
<b>Hyacinth Macaw</b>	<b>0.0007%</b>
<b>Magpie Mannikin</b>	<b>0.0007%</b>
<b>Island Canary</b>	<b>0.0007%</b>
<b>Black-necked Swan</b>	<b>0.0000%</b>
<b>Whooper Swan</b>	<b>0.0000%</b>
<b>Coscoroba Swan</b>	<b>0.0000%</b>
<b>Cockatiel</b>	<b>0.0000%</b>
<b>Mitred Parakeet</b>	<b>0.0000%</b>
<b>Red-masked Parakeet</b>	<b>0.0000%</b>
<b>Trumpeter Swan</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Tufted x Black-crested Titmouse (hybrid)	<b>2.02%</b> frequency
Muscovy Duck x Mallard (hybrid)	<b>0.0492%</b>
Downy x Ladder-backed Woodpecker (hybrid)	<b>0.0223%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0184%</b>



Graylag x Swan Goose (hybrid)	<b>0.0085%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0052%</b>
Anna's x Rufous Hummingbird (hybrid)	<b>0.0039%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0033%</b>
Golden-fronted x Red-bellied Woodpecker (hybrid)	<b>0.0026%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0020%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0020%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0013%</b>
Snowy Egret x Tricolored Heron (hybrid)	<b>0.0013%</b>
Tropical x Northern Mockingbird (hybrid)	<b>0.0013%</b>
Brewster's Warbler (hybrid)	<b>0.0013%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0007%</b>
Wood Duck x Mallard (hybrid)	<b>0.0007%</b>
Gadwall x Mallard (hybrid)	<b>0.0007%</b>
Lucifer x Black-chinned Hummingbird (hybrid)	<b>0.0007%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0007%</b>
Altamira x Audubon's Oriole (hybrid)	<b>0.0007%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0007%</b>
Lawrence's Warbler (hybrid)	<b>0.0007%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0007%</b>
Snowy Egret x Little Blue Heron (hybrid)	<b>0.0000%</b>