

Target Species

Based on 294,557 complete checklists

555 species observed in California, US (region/US-CA) in **Aug** that you need for your **World Life List**

1. House Finch	44.51% frequency
2. Black Phoebe	39.35%
3. Mourning Dove	39.10%
4. Anna's Hummingbird	38.05%
5. American Crow	33.74%
6. California Scrub-Jay	31.01%
7. California Towhee	29.62%
8. Lesser Goldfinch	27.33%
9. Turkey Vulture	26.23%
10. Mallard	26.19%
11. Song Sparrow	25.20%
12. Barn Swallow	23.47%
13. Common Raven	22.82%
14. Western Gull	22.69%
15. Double-crested Cormorant	21.22%
16. Great Egret	20.90%
17. Bushtit	20.08%
18. Great Blue Heron	19.28%
19. Nuttall's Woodpecker	18.89%
20. Snowy Egret	18.89%

21.	Bewick's Wren	<u>17.75%</u>
22.	Red-tailed Hawk	<u>17.31%</u>
23.	European Starling	<u>17.10%</u>
24.	Northern Mockingbird	<u>16.45%</u>
25.	Killdeer	<u>16.32%</u>
26.	Spotted Towhee	<u>16.21%</u>
27.	Acorn Woodpecker	<u>16.11%</u>
28.	Dark-eyed Junco	<u>15.83%</u>
29.	Eurasian Collared-Dove	<u>15.78%</u>
30.	Rock Pigeon	<u>15.49%</u>
31.	Brown Pelican	<u>15.27%</u>
32.	Oak Titmouse	<u>15.26%</u>
33.	California Gull	<u>14.93%</u>
34.	Canada Goose	<u>13.94%</u>
35.	Chestnut-backed Chickadee	<u>13.93%</u>
36.	Least Sandpiper	<u>13.76%</u>
37.	Steller's Jay	<u>13.03%</u>
38.	House Sparrow	<u>12.71%</u>
39.	American Robin	<u>12.24%</u>
40.	Caspian Tern	<u>12.11%</u>
41.	White-breasted Nuthatch	<u>11.68%</u>
42.	Western Bluebird	<u>11.64%</u>
43.	Western Sandpiper	<u>11.57%</u>
44.	Pied-billed Grebe	<u>11.49%</u>
45.	Red-winged Blackbird	<u>11.16%</u>

46.	Wrentit	<u>11.14%</u>
47.	Brewer's Blackbird	<u>11.07%</u>
48.	California Quail	<u>10.62%</u>
49.	American Coot	<u>10.61%</u>
50.	Red-shouldered Hawk	<u>10.46%</u>
51.	Common Yellowthroat	<u>10.42%</u>
52.	Wilson's Warbler	<u>10.13%</u>
53.	Willet	<u>10.11%</u>
54.	Greater Yellowlegs	<u>10.00%</u>
55.	Cliff Swallow	<u>9.71%</u>
56.	Orange-crowned Warbler	<u>9.64%</u>
57.	Northern Flicker	<u>9.47%</u>
58.	Black-necked Stilt	<u>9.34%</u>
59.	Allen's Hummingbird	<u>9.09%</u>
60.	Black-crowned Night Heron	<u>8.87%</u>
61.	Hooded Oriole	<u>8.85%</u>
62.	Yellow Warbler	<u>8.57%</u>
63.	Belted Kingfisher	<u>8.21%</u>
64.	Marbled Godwit	<u>8.05%</u>
65.	Heermann's Gull	<u>8.04%</u>
66.	American Goldfinch	<u>8.02%</u>
67.	Downy Woodpecker	<u>7.98%</u>
68.	American Kestrel	<u>7.98%</u>
69.	House Wren	<u>7.72%</u>
70.	Osprey	<u>7.59%</u>

71.	Semipalmated Plover	7.47%
72.	Black-headed Grosbeak	7.41%
73.	Western Tanager	7.40%
74.	Band-tailed Pigeon	7.30%
75.	Cooper's Hawk	7.28%
76.	Spotted Sandpiper	6.97%
77.	Long-billed Curlew	6.88%
78.	American White Pelican	6.88%
79.	Red-necked Phalarope	6.83%
80.	Ring-billed Gull	6.75%
81.	Western Flycatcher	6.69%
82.	Elegant Tern	6.53%
83.	Green Heron	6.32%
84.	Black-bellied Plover	6.10%
85.	Brandt's Cormorant	6.08%
86.	Whimbrel	6.08%
87.	Mountain Chickadee	6.07%
88.	American Avocet	5.97%
89.	White-crowned Sparrow	5.94%
90.	Western Wood-Pewee	5.67%
91.	Pygmy Nuthatch	5.50%
92.	Savannah Sparrow	5.41%
93.	Cassin's Kingbird	5.18%
94.	Brown Creeper	5.17%
95.	Forster's Tern	5.16%

96.	Hairy Woodpecker	5.14%
97.	Western Kingbird	5.06%
98.	Long-billed Dowitcher	5.03%
99.	Red-breasted Nuthatch	4.83%
100.	Tree Swallow	4.81%
101.	White-faced Ibis	4.63%
102.	California Thrasher	4.63%
103.	Hutton's Vireo	4.48%
104.	Ruddy Duck	4.31%
105.	Brown-headed Cowbird	4.29%
106.	White-tailed Kite	4.11%
107.	Violet-green Swallow	4.10%
108.	Black-chinned Hummingbird	4.09%
109.	Great-tailed Grackle	4.07%
110.	Gadwall	4.04%
111.	Scaly-breasted Munia	3.95%
112.	Northern Rough-winged Swallow	3.91%
113.	Cinnamon Teal	3.88%
114.	Marsh Wren	3.88%
115.	Western Grebe	3.63%
116.	Wilson's Phalarope	3.57%
117.	Northern Harrier	3.55%
118.	Warbling Vireo	3.53%
119.	Black Turnstone	3.51%
120.	Black Oystercatcher	3.44%

121.	Lesser Yellowlegs	3.24%
122.	Yellow-rumped Warbler	3.23%
123.	Ash-throated Flycatcher	3.15%
124.	Short-billed Dowitcher	3.14%
125.	Northern Shoveler	3.12%
126.	Blue-gray Gnatcatcher	3.09%
127.	Pelagic Cormorant	3.01%
128.	Loggerhead Shrike	2.96%
129.	Peregrine Falcon	2.95%
130.	Lazuli Bunting	2.91%
131.	Rufous Hummingbird	2.87%
132.	Bullock's Oriole	2.87%
133.	Sanderling	2.75%
134.	Great Horned Owl	2.70%
135.	Common Murre	2.69%
136.	Black-throated Gray Warbler	2.66%
137.	Wild Turkey	2.53%
138.	Willow Flycatcher	2.45%
139.	Pigeon Guillemot	2.43%
140.	Snowy Plover	2.43%
141.	Western Meadowlark	2.42%
142.	Clark's Grebe	2.39%
143.	Wood Duck	2.34%
144.	Purple Finch	2.31%
145.	Surf Scoter	2.07%

146.	Clark's Nutcracker	1.97%
147.	MacGillivray's Warbler	1.96%
148.	Cedar Waxwing	1.95%
149.	Common Gallinule	1.94%
150.	Say's Phoebe	1.91%
151.	Lark Sparrow	1.90%
152.	Nashville Warbler	1.86%
153.	Sooty Shearwater	1.83%
154.	Swainson's Hawk	1.83%
155.	Black Skimmer	1.81%
156.	Eared Grebe	1.80%
157.	White-throated Swift	1.79%
158.	Horned Lark	1.75%
159.	Green-winged Teal	1.69%
160.	Common Merganser	1.66%
161.	Hermit Warbler	1.65%
162.	Ruddy Turnstone	1.62%
163.	Baird's Sandpiper	1.62%
164.	Chipping Sparrow	1.60%
165.	Royal Tern	1.57%
166.	Phainopepla	1.55%
167.	Virginia Rail	1.52%
168.	Northern Pintail	1.49%
169.	White-headed Woodpecker	1.46%
170.	Pine Siskin	1.44%

171.	Wandering Tattler	1.43%
172.	Cassin's Vireo	1.43%
173.	Townsend's Warbler	1.43%
174.	Barn Owl	1.39%
175.	Costa's Hummingbird	1.39%
176.	Olive-sided Flycatcher	1.38%
177.	Least Tern	1.37%
178.	Swainson's Thrush	1.36%
179.	Golden-crowned Kinglet	1.33%
180.	Yellow-billed Magpie	1.29%
181.	Bell's Vireo	1.27%
182.	Blue Grosbeak	1.25%
183.	Green-tailed Towhee	1.24%
184.	Pacific Wren	1.16%
185.	Cassin's Finch	1.16%
186.	Vaux's Swift	1.11%
187.	Sora	1.09%
188.	Greater Roadrunner	1.08%
189.	Yellow-headed Blackbird	1.03%
190.	Rock Wren	1.01%
191.	Pink-footed Shearwater	1.01%
192.	Surfbird	0.9703%
193.	Red-breasted Sapsucker	0.9485%
194.	Pileated Woodpecker	0.9278%
195.	Bald Eagle	0.9143%

196.	Bell's Sparrow	0.8902%
197.	Common Loon	0.8891%
198.	Verdin	0.8776%
199.	Red-masked Parakeet	0.8755%
200.	California Gnatcatcher	0.8579%
201.	Rufous-crowned Sparrow	0.8443%
202.	Red-crowned Parrot	0.8433%
203.	Brewer's Sparrow	0.8362%
204.	Solitary Sandpiper	0.8127%
205.	Dusky Flycatcher	0.7798%
206.	Black-capped Chickadee	0.7659%
207.	Fox Sparrow	0.7459%
208.	Reddish Egret	0.7326%
209.	Black Tern	0.7075%
210.	Bank Swallow	0.6854%
211.	Ridgway's Rail	0.6803%
212.	Canyon Wren	0.6654%
213.	Red Crossbill	0.6637%
214.	Western Cattle Egret	0.6623%
215.	Mountain Quail	0.6613%
216.	Townsend's Solitaire	0.6545%
217.	Semipalmated Sandpiper	0.6528%
218.	White-winged Dove	0.6522%
219.	Yellow-breasted Chat	0.6467%
220.	Cactus Wren	0.6447%

221.	Golden Eagle	0.6342%
222.	Yellow-crowned Night Heron	0.6223%
223.	Glaucous-winged Gull	0.6216%
224.	Redhead	0.6158%
225.	Rhinoceros Auklet	0.6006%
226.	Pacific Loon	0.5965%
227.	Red Knot	0.5849%
228.	Western Screech-Owl	0.5751%
229.	Lawrence's Goldfinch	0.5714%
230.	Little Blue Heron	0.5568%
231.	Common Nighthawk	0.5462%
232.	Bufflehead	0.5442%
233.	Red-whiskered Bulbul	0.5439%
234.	Black-vented Shearwater	0.5289%
235.	Mountain Bluebird	0.5232%
236.	Black-billed Magpie	0.5150%
237.	Cassin's Auklet	0.4997%
238.	American Wigeon	0.4987%
239.	Vermilion Flycatcher	0.4933%
240.	Red Phalarope	0.4906%
241.	Parasitic Jaeger	0.4906%
242.	Sharp-shinned Hawk	0.4838%
243.	Black-footed Albatross	0.4749%
244.	Tricolored Blackbird	0.4733%
245.	Common Ground Dove	0.4671%

246.	Ring-necked Pheasant	0.4651%
247.	Wilson's Snipe	0.4644%
248.	Common Tern	0.4593%
249.	Least Bittern	0.4515%
250.	Brant	0.4457%
251.	Black-throated Sparrow	0.4325%
252.	Lesser Nighthawk	0.4308%
253.	Burrowing Owl	0.4271%
254.	Williamson's Sapsucker	0.4176%
255.	Pomarine Jaeger	0.4132%
256.	Bonaparte's Gull	0.4064%
257.	Northern Fulmar	0.4047%
258.	Gambel's Quail	0.4040%
259.	Mitred Parakeet	0.4003%
260.	Sabine's Gull	0.3992%
261.	American Dipper	0.3992%
262.	Purple Martin	0.3887%
263.	Red-throated Loon	0.3857%
264.	Pectoral Sandpiper	0.3751%
265.	Ashy Storm-Petrel	0.3548%
266.	Hermit Thrush	0.3521%
267.	Sage Thrasher	0.3487%
268.	Yellow-chevroned Parakeet	0.3480%
269.	Sandhill Crane	0.3466%
270.	American Bittern	0.3449%

271.	Ladder-backed Woodpecker	0.3449%
272.	Blue-winged Teal	0.3371%
273.	Lincoln's Sparrow	0.3286%
274.	Black Storm-Petrel	0.3215%
275.	Evening Grosbeak	0.3151%
276.	Lesser Scaup	0.3117%
277.	Greater Scaup	0.3072%
278.	Marbled Murrelet	0.2977%
279.	Abert's Towhee	0.2977%
280.	Buller's Shearwater	0.2814%
281.	Black-tailed Gnatcatcher	0.2777%
282.	Greater White-fronted Goose	0.2634%
283.	Pinyon Jay	0.2570%
284.	Ring-necked Duck	0.2539%
285.	Tufted Puffin	0.2529%
286.	Prairie Falcon	0.2529%
287.	Sooty Grouse	0.2441%
288.	Yellow-footed Gull	0.2427%
289.	Red-breasted Merganser	0.2410%
290.	Ruff	0.2390%
291.	Northern Pygmy-Owl	0.2319%
292.	Vesper Sparrow	0.2298%
293.	Gray Flycatcher	0.2251%
294.	Calliope Hummingbird	0.2220%
295.	Common Poorwill	0.2203%

296.	Neotropic Cormorant	0.2159%
297.	Pacific Golden-Plover	0.2156%
298.	Summer Tanager	0.2071%
299.	Long-tailed Jaeger	0.2061%
300.	Canvasback	0.2054%
301.	Black-backed Woodpecker	0.1928%
302.	Hammond's Flycatcher	0.1911%
303.	California Condor	0.1847%
304.	Laughing Gull	0.1721%
305.	Stilt Sandpiper	0.1714%
306.	Arctic Tern	0.1606%
307.	American Redstart	0.1572%
308.	Pine Grosbeak	0.1558%
309.	Lewis's Woodpecker	0.1467%
310.	Snow Goose	0.1460%
311.	LeConte's Thrasher	0.1436%
312.	Northern Waterthrush	0.1426%
313.	Hooded Merganser	0.1395%
314.	Cackling Goose	0.1389%
315.	Brown Booby	0.1382%
316.	Nanday Parakeet	0.1375%
317.	Gray-crowned Rosy-Finch	0.1358%
318.	American Goshawk	0.1331%
319.	Common Goldeneye	0.1314%
320.	Gull-billed Tern	0.1236%

321.	White-winged Scoter	0.1205%
322.	Indigo Bunting	0.1168%
323.	Chukar	0.1147%
324.	Sagebrush Sparrow	0.1130%
325.	Leach's Storm-Petrel	0.1103%
326.	Canada Jay	0.1039%
327.	Black Swift	0.1032%
328.	Lucy's Warbler	0.0988%
329.	Ruby-crowned Kinglet	0.0968%
330.	Spotted Dove	0.0930%
331.	Fork-tailed Storm-Petrel	0.0900%
332.	Franklin's Gull	0.0893%
333.	Scripps's Murrelet	0.0886%
334.	Island Scrub-Jay	0.0883%
335.	Northern Gannet	0.0879%
336.	American Pipit	0.0859%
337.	Dunlin	0.0828%
338.	South Polar Skua	0.0818%
339.	Northern Saw-whet Owl	0.0808%
340.	Woodhouse's Scrub-Jay	0.0767%
341.	Inca Dove	0.0740%
342.	Spotted Owl	0.0737%
343.	Grasshopper Sparrow	0.0733%
344.	Red-necked Stint	0.0716%
345.	Least Storm-Petrel	0.0713%

346.	Ross's Goose	0.0696%
347.	Lilac-crowned Parrot	0.0682%
348.	Black-chinned Sparrow	0.0662%
349.	Gila Woodpecker	0.0645%
350.	Rose-breasted Grosbeak	0.0632%
351.	Buff-breasted Sandpiper	0.0618%
352.	Harlequin Duck	0.0591%
353.	Red-necked Grebe	0.0591%
354.	Red-eyed Vireo	0.0584%
355.	Varied Thrush	0.0577%
356.	Wilson's Storm-Petrel	0.0570%
357.	Northern Parula	0.0560%
358.	Long-eared Owl	0.0547%
359.	Black-and-white Warbler	0.0536%
360.	Scott's Oriole	0.0523%
361.	Short-billed Gull	0.0519%
362.	Tennessee Warbler	0.0499%
363.	Craveri's Murrelet	0.0485%
364.	Wood Stork	0.0485%
365.	Bar-tailed Godwit	0.0479%
366.	Juniper Titmouse	0.0475%
367.	Eastern Kingbird	0.0472%
368.	Long-tailed Duck	0.0468%
369.	Sulphur-bellied Flycatcher	0.0465%
370.	Brown-crested Flycatcher	0.0452%

371.	Horned Grebe	0.0448%
372.	Gray Catbird	0.0445%
373.	Hooded Warbler	0.0441%
374.	Wedge-rumped Storm-Petrel	0.0421%
375.	Greater Sage-Grouse	0.0418%
376.	Chestnut-sided Warbler	0.0407%
377.	Hudsonian Godwit	0.0397%
378.	Yellow-billed Cuckoo	0.0387%
379.	Common Ringed Plover	0.0384%
380.	Virginia's Warbler	0.0384%
381.	Black Rail	0.0380%
382.	Nazca Booby	0.0377%
383.	Laysan Albatross	0.0370%
384.	Painted Bunting	0.0322%
385.	Broad-tailed Hummingbird	0.0302%
386.	Crissal Thrasher	0.0295%
387.	Least Flycatcher	0.0285%
388.	Blue-footed Booby	0.0282%
389.	Merlin	0.0282%
390.	Tundra Bean-Goose	0.0272%
391.	White-eyed Vireo	0.0261%
392.	Common Crane	0.0255%
393.	Orchard Oriole	0.0238%
394.	Cook's Petrel	0.0234%
395.	Black Scoter	0.0227%

396.	Red-footed Booby	0.0227%
397.	Herring Gull	0.0204%
398.	Chimney Swift	0.0193%
399.	Lesser Black-backed Gull	0.0193%
400.	Flesh-footed Shearwater	0.0193%
401.	Great Gray Owl	0.0193%
402.	Townsend's Storm-Petrel	0.0190%
403.	Manx Shearwater	0.0190%
404.	Prairie Warbler	0.0170%
405.	American Oystercatcher	0.0166%
406.	Barred Owl	0.0160%
407.	Curlew Sandpiper	0.0156%
408.	American Golden-Plover	0.0149%
409.	Tundra Swan	0.0146%
410.	Hawaiian Petrel	0.0146%
411.	Zone-tailed Hawk	0.0146%
412.	Flammulated Owl	0.0143%
413.	Bobolink	0.0143%
414.	Plumbeous Vireo	0.0139%
415.	Clay-colored Sparrow	0.0136%
416.	Lark Bunting	0.0136%
417.	Magnificent Frigatebird	0.0132%
418.	Parakeet Auklet	0.0126%
419.	Magnolia Warbler	0.0126%
420.	Bendire's Thrasher	0.0115%

421.	Short-eared Owl	0.0112%
422.	Yellow-throated Vireo	0.0112%
423.	Scissor-tailed Flycatcher	0.0105%
424.	Mexican Duck	0.0095%
425.	White-tailed Ptarmigan	0.0095%
426.	Red-billed Tropicbird	0.0095%
427.	Canada Warbler	0.0095%
428.	Red-naped Sapsucker	0.0092%
429.	Gray Vireo	0.0092%
430.	Yellow Rail	0.0088%
431.	Little Stint	0.0085%
432.	Baltimore Oriole	0.0082%
433.	Guadalupe Murrelet	0.0078%
434.	Brown Thrasher	0.0075%
435.	Ruffed Grouse	0.0071%
436.	Golden-crowned Sparrow	0.0071%
437.	Blackburnian Warbler	0.0071%
438.	Little Gull	0.0065%
439.	Yellow-billed Loon	0.0065%
440.	Scarlet Tanager	0.0065%
441.	Sooty Tern	0.0061%
442.	Short-tailed Shearwater	0.0061%
443.	Prothonotary Warbler	0.0061%
444.	Ferruginous Hawk	0.0058%
445.	Bronzed Cowbird	0.0058%

446.	Ruddy Ground Dove	0.0054%
447.	Ancient Murrelet	0.0054%
448.	Black Vulture	0.0054%
449.	Cape May Warbler	0.0054%
450.	Piping Plover	0.0051%
451.	Fulvous Whistling-Duck	0.0047%
452.	Horned Puffin	0.0047%
453.	Tricolored Heron	0.0047%
454.	Crested Caracara	0.0047%
455.	Blackpoll Warbler	0.0044%
456.	Wilson's Plover	0.0041%
457.	Masked Booby	0.0037%
458.	Siberian Sand-Plover	0.0034%
459.	Black-legged Kittiwake	0.0034%
460.	White Ibis	0.0034%
461.	Ruby-throated Hummingbird	0.0031%
462.	Arctic Loon	0.0031%
463.	Black-bellied Whistling-Duck	0.0020%
464.	Belcher's Gull	0.0020%
465.	Glossy Ibis	0.0020%
466.	Roseate Spoonbill	0.0020%
467.	Harris's Hawk	0.0020%
468.	Tropical Kingbird	0.0020%
469.	Yellow-green Vireo	0.0020%
470.	White Wagtail	0.0020%

471.	Long-billed Murrelet	0.0017%
472.	Yellow-bellied Flycatcher	0.0017%
473.	White-throated Sparrow	0.0017%
474.	Bay-breasted Warbler	0.0017%
475.	Painted Redstart	0.0017%
476.	Eurasian Wigeon	0.0014%
477.	Mexican Whip-poor-will	0.0014%
478.	Upland Sandpiper	0.0014%
479.	Little Curlew	0.0014%
480.	Common Greenshank	0.0014%
481.	Black-headed Gull	0.0014%
482.	Wedge-tailed Shearwater	0.0014%
483.	Broad-winged Hawk	0.0014%
484.	Ovenbird	0.0014%
485.	Red-faced Warbler	0.0014%
486.	Barrow's Goldeneye	0.0010%
487.	Mountain Plover	0.0010%
488.	White-rumped Sandpiper	0.0010%
489.	Iceland Gull	0.0010%
490.	Streaked Shearwater	0.0010%
491.	Mississippi Kite	0.0010%
492.	Curve-billed Thrasher	0.0010%
493.	Golden-winged Warbler	0.0010%
494.	Mourning Warbler	0.0010%
495.	Pyrrhuloxia	0.0010%

496.	Tufted Duck	0.0007%
497.	Thick-billed Murre	0.0007%
498.	Gray-faced Petrel	0.0007%
499.	Great Shearwater	0.0007%
500.	Common Black Hawk	0.0007%
501.	Gilded Flicker	0.0007%
502.	Worm-eating Warbler	0.0007%
503.	Louisiana Waterthrush	0.0007%
504.	Kentucky Warbler	0.0007%
505.	Palm Warbler	0.0007%
506.	Hepatic Tanager	0.0007%
507.	Dickcissel	0.0007%
508.	Trumpeter Swan	0.0003%
509.	King Eider	0.0003%
510.	Black-billed Cuckoo	0.0003%
511.	Violet-crowned Hummingbird	0.0003%
512.	Eurasian Dotterel	0.0003%
513.	Terek Sandpiper	0.0003%
514.	Long-toed Stint	0.0003%
515.	Bridled Tern	0.0003%
516.	White-winged Tern	0.0003%
517.	Red-tailed Tropicbird	0.0003%
518.	Short-tailed Albatross	0.0003%
519.	Cory's Shearwater	0.0003%
520.	Eastern Phoebe	0.0003%

521.	Dusky-capped Flycatcher	0.0003%
522.	Eastern Yellow Wagtail	0.0003%
523.	Chestnut-collared Longspur	0.0003%
524.	Common Grackle	0.0003%
525.	Blue-winged Warbler	0.0003%
526.	Yellow-throated Warbler	0.0003%
527.	Garganey	0.0000%
528.	Mexican Violetear	0.0000%
529.	Sharp-tailed Sandpiper	0.0000%
530.	Kittlitz's Murrelet	0.0000%
531.	Glaucous Gull	0.0000%
532.	White-capped Albatross	0.0000%
533.	Ringed Storm-Petrel	0.0000%
534.	Newell's Shearwater	0.0000%
535.	Elf Owl	0.0000%
536.	Red-headed Woodpecker	0.0000%
537.	Swamp Sparrow	0.0000%
EXOTIC: PROVISIONAL		
538.	Pin-tailed Whydah	0.8335% frequency
539.	Swinhoe's White-eye	0.8117%
540.	Egyptian Goose	0.7268%
541.	Mute Swan	0.5890%
542.	Northern Red Bishop	0.4057%
543.	Indian Peafowl	0.1429%
544.	Yellow-headed Parrot	0.0730%

545.	Rose-ringed Parakeet	0.0156%
546.	Northern Cardinal	0.0156%
547.	Red-lored Parrot	0.0129%
548.	Blue-crowned Parakeet	0.0122%
549.	Gray Thrasher	0.0051%
550.	Monk Parakeet	0.0020%
551.	Burrowing Parakeet	0.0020%
552.	Yellow Grosbeak	0.0007%
553.	House Crow	0.0003%
554.	Eurasian Tree Sparrow	0.0003%
555.	Mandarin Duck	0.0000%

EXOTIC: ESCAPEE

	Muscovy Duck	0.4553% frequency
	Graylag Goose	0.2495%
	Swan Goose	0.1467%
	Orange-cheeked Waxbill	0.0764%
	Black-throated Magpie-Jay	0.0468%
	Bronze Mannikin	0.0421%
	Budgerigar	0.0289%
	American Flamingo	0.0187%
	Yellow-crowned Bishop	0.0149%
	Fischer's Lovebird	0.0139%
	European Goldfinch	0.0132%
	Orange-fronted Parakeet	0.0105%
	Cockatiel	0.0102%

Black Swan	0.0061%
Chilean Flamingo	0.0061%
Cinnamon-rumped Seedeater	0.0058%
Zebra Finch	0.0054%
Helmeted Guineafowl	0.0047%
Yellow-fronted Canary	0.0047%
Black-headed Weaver	0.0034%
African Collared-Dove	0.0027%
Rosy-faced Lovebird	0.0020%
Red Junglefowl	0.0017%
Diamond Dove	0.0017%
Saffron Finch	0.0017%
Ruddy Shelduck	0.0014%
Lesser Flamingo	0.0014%
Great Tit	0.0014%
Black-necked Swan	0.0010%
Ringed Teal	0.0010%
White-winged Parakeet	0.0010%
Yellow-crowned Parrot	0.0010%
Lady Amherst's Pheasant	0.0007%
Greater Flamingo	0.0007%
Indian White-eye	0.0007%
Diamond Firetail	0.0007%
Black-rumped Waxbill	0.0007%
Red-cheeked Cordonbleu	0.0007%

Island Canary	0.0007%
Crested Oropendola	0.0007%
Yellow-faced Grassquit	0.0007%
Bar-headed Goose	0.0003%
South African Shelduck	0.0003%
Common Shelduck	0.0003%
White-cheeked Pintail	0.0003%
Common Quail	0.0003%
Speckled Pigeon	0.0003%
Yellow-collared Lovebird	0.0003%
Scaly-headed Parrot	0.0003%
Turquoise-fronted Parrot	0.0003%
Green Jay	0.0003%
Common Hill Myna	0.0003%
Common Myna	0.0003%
Golden Palm Weaver	0.0003%
White-winged Widowbird	0.0003%
Indian Silverbill	0.0003%
Common Waxbill	0.0003%
Red Avadavat	0.0003%
Red-billed Firefinch	0.0003%
Hawaiian Goose	0.0000%
Northern Bobwhite	0.0000%
African Sacred Ibis	0.0000%
Keel-billed Toucan	0.0000%

Alexandrine Parakeet	0.0000%
White-fronted Parrot	0.0000%
Yellow-faced Parrotlet	0.0000%
Jandaya Parakeet	0.0000%
Scarlet Macaw	0.0000%
White-eyed Parakeet	0.0000%
Red-billed Leiothrix	0.0000%
Gouldian Finch	0.0000%
Cut-throat	0.0000%
Black-throated Canary	0.0000%
Whooper Swan	0.0000%

HYBRIDS

Western x Glaucous-winged Gull (hybrid)	0.1443% frequency
Domestic goose sp. x Canada Goose (hybrid)	0.0502%
American x Black Oystercatcher (hybrid)	0.0278%
Muscovy Duck x Mallard (hybrid)	0.0173%
Graylag x Swan Goose (hybrid)	0.0115%
Western x Clark's Grebe (hybrid)	0.0109%
Graylag x Canada Goose (hybrid)	0.0092%
Townsend's x Hermit Warbler (hybrid)	0.0085%
Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0082%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0075%
Lazuli x Indigo Bunting (hybrid)	0.0047%
Anna's x Costa's Hummingbird (hybrid)	0.0037%

Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0037%
California x Gambel's Quail (hybrid)	0.0034%
Nuttall's x Ladder-backed Woodpecker (hybrid)	0.0031%
Greater White-fronted x Canada Goose (hybrid)	0.0027%
Mallard x Mexican Duck (hybrid)	0.0027%
Snow x Ross's Goose (hybrid)	0.0024%
Swan Goose x Canada Goose (hybrid)	0.0024%
Herring x Glaucous-winged Gull (hybrid)	0.0024%
Common Black x Red-shouldered Hawk (hybrid)	0.0024%
Gadwall x Mallard (hybrid)	0.0014%
Great Knot x Surfbird (hybrid)	0.0014%
Costa's x Broad-billed Hummingbird (hybrid)	0.0007%
Yellow-crowned x Black-crowned Night Heron (hybrid)	0.0007%
Spotted x Barred Owl (hybrid)	0.0007%
American Wigeon x Mallard (hybrid)	0.0003%
Glossy x White-faced Ibis (hybrid)	0.0003%
Downy x Nuttall's Woodpecker (hybrid)	0.0003%
Red-crowned x Lilac-crowned Parrot (hybrid)	0.0003%
Red-whiskered x Red-vented Bulbul (hybrid)	0.0003%
Black-chinned x Anna's Hummingbird (hybrid)	0.0000%
Sandwich x Elegant Tern (hybrid)	0.0000%

Double-crested x Neotropic Cormorant
(hybrid)

0.0000%

Fischer's x Yellow-collared Lovebird
(hybrid)

0.0000%