

## Target Species

Based on 366,406 complete checklists

**610** species observed in California, US (region/US-CA) in **Oct** that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0038%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0014%</b>
3. <b>Emperor Goose</b>	<b>0.0112%</b>
4. <b>Snow Goose</b>	<b>0.9408%</b>
5. <b>Ross's Goose</b>	<b>0.2710%</b>
6. <b>Greater White-fronted Goose</b>	<b>3.27%</b>
7. <b>Tundra Bean-Goose</b>	<b>0.0303%</b>
8. <b>Brant</b>	<b>0.3395%</b>
9. <b>Cackling Goose</b>	<b>2.31%</b>
10. <b>Canada Goose</b>	<b>14.17%</b>
11. <b>Trumpeter Swan</b>	<b>0.0005%</b>
12. <b>Tundra Swan</b>	<b>0.0786%</b>
13. <b>Wood Duck</b>	<b>2.02%</b>
14. <b>Garganey</b>	<b>0.0194%</b>
15. <b>Blue-winged Teal</b>	<b>2.11%</b>
16. <b>Cinnamon Teal</b>	<b>4.04%</b>
17. <b>Northern Shoveler</b>	<b>8.97%</b>
18. <b>Gadwall</b>	<b>6.62%</b>
19. <b>Falcated Duck</b>	<b>0.0000%</b>
20. <b>Eurasian Wigeon</b>	<b>0.3649%</b>

21. <b>American Wigeon</b>	<b>7.47%</b>
22. <b>Mallard</b>	<b>24.69%</b>
23. <b>Mexican Duck</b>	<b>0.0063%</b>
24. <b>Northern Pintail</b>	<b>4.64%</b>
25. <b>Green-winged Teal</b>	<b>5.89%</b>
26. <b>Canvasback</b>	<b>0.6444%</b>
27. <b>Redhead</b>	<b>1.01%</b>
28. <b>Ring-necked Duck</b>	<b>3.20%</b>
29. <b>Tufted Duck</b>	<b>0.0049%</b>
30. <b>Greater Scaup</b>	<b>0.9817%</b>
31. <b>Lesser Scaup</b>	<b>1.28%</b>
32. <b>Steller's Eider</b>	<b>0.0003%</b>
33. <b>King Eider</b>	<b>0.0005%</b>
34. <b>Harlequin Duck</b>	<b>0.0811%</b>
35. <b>Surf Scoter</b>	<b>3.15%</b>
36. <b>White-winged Scoter</b>	<b>0.2574%</b>
37. <b>Black Scoter</b>	<b>0.0947%</b>
38. <b>Long-tailed Duck</b>	<b>0.0445%</b>
39. <b>Bufflehead</b>	<b>2.20%</b>
40. <b>Common Goldeneye</b>	<b>0.1321%</b>
41. <b>Barrow's Goldeneye</b>	<b>0.0066%</b>
42. <b>Hooded Merganser</b>	<b>0.3758%</b>
43. <b>Common Merganser</b>	<b>1.52%</b>
44. <b>Red-breasted Merganser</b>	<b>0.2421%</b>
45. <b>Ruddy Duck</b>	<b>9.07%</b>

46.	<b>Mountain Quail</b>	<b>0.2617%</b>
47.	<b>California Quail</b>	<b>9.43%</b>
48.	<b>Gambel's Quail</b>	<b>0.5185%</b>
49.	<b>Wild Turkey</b>	<b>2.48%</b>
50.	<b>Ruffed Grouse</b>	<b>0.0071%</b>
51.	<b>Greater Sage-Grouse</b>	<b>0.0139%</b>
52.	<b>Sooty Grouse</b>	<b>0.0448%</b>
53.	<b>White-tailed Ptarmigan</b>	<b>0.0011%</b>
54.	<b>Ring-necked Pheasant</b>	<b>0.5128%</b>
55.	<b>Chukar</b>	<b>0.1329%</b>
56.	<b>Least Grebe</b>	<b>0.0000%</b>
57.	<b>Pied-billed Grebe</b>	<b>13.85%</b>
58.	<b>Horned Grebe</b>	<b>1.08%</b>
59.	<b>Red-necked Grebe</b>	<b>0.2590%</b>
60.	<b>Eared Grebe</b>	<b>8.03%</b>
61.	<b>Western Grebe</b>	<b>6.44%</b>
62.	<b>Clark's Grebe</b>	<b>2.43%</b>
63.	<b>Rock Pigeon</b>	<b>14.47%</b>
64.	<b>Band-tailed Pigeon</b>	<b>5.69%</b>
65.	<b>Oriental Turtle-Dove</b>	<b>0.0003%</b>
66.	<b>Eurasian Collared-Dove</b>	<b>10.74%</b>
67.	<b>Spotted Dove</b>	<b>0.1135%</b>
68.	<b>Inca Dove</b>	<b>0.0770%</b>
69.	<b>Common Ground Dove</b>	<b>0.3038%</b>
70.	<b>Ruddy Ground Dove</b>	<b>0.0142%</b>

71. <b>White-winged Dove</b>	<b>0.2866%</b>
72. <b>Mourning Dove</b>	<b>27.29%</b>
73. <b>Groove-billed Ani</b>	<b>0.0025%</b>
74. <b>Greater Roadrunner</b>	<b>0.9375%</b>
75. <b>Yellow-billed Cuckoo</b>	<b>0.0025%</b>
76. <b>Black-billed Cuckoo</b>	<b>0.0000%</b>
77. <b>Common Cuckoo</b>	<b>0.0052%</b>
78. <b>Lesser Nighthawk</b>	<b>0.0428%</b>
79. <b>Common Nighthawk</b>	<b>0.0126%</b>
80. <b>Common Poorwill</b>	<b>0.1900%</b>
81. <b>Chuck-will's-widow</b>	<b>0.0000%</b>
82. <b>Mexican Whip-poor-will</b>	<b>0.0003%</b>
83. <b>Black Swift</b>	<b>0.0082%</b>
84. <b>Chimney Swift</b>	<b>0.0036%</b>
85. <b>Vaux's Swift</b>	<b>0.7988%</b>
86. <b>Common Swift</b>	<b>0.0003%</b>
87. <b>White-throated Swift</b>	<b>1.45%</b>
88. <b>Rivoli's Hummingbird</b>	<b>0.0005%</b>
89. <b>Ruby-throated Hummingbird</b>	<b>0.0033%</b>
90. <b>Black-chinned Hummingbird</b>	<b>0.0379%</b>
91. <b>Anna's Hummingbird</b>	<b>41.80%</b>
92. <b>Costa's Hummingbird</b>	<b>1.25%</b>
93. <b>Calliope Hummingbird</b>	<b>0.0011%</b>
94. <b>Rufous Hummingbird</b>	<b>0.0789%</b>
95. <b>Allen's Hummingbird</b>	<b>8.76%</b>

96.	<b>Broad-tailed Hummingbird</b>	<b>0.0016%</b>
97.	<b>Broad-billed Hummingbird</b>	<b>0.0720%</b>
98.	<b>Ridgway's Rail</b>	<b>0.5857%</b>
99.	<b>Virginia Rail</b>	<b>2.25%</b>
100.	<b>Sora</b>	<b>2.80%</b>
101.	<b>Common Gallinule</b>	<b>1.89%</b>
102.	<b>American Coot</b>	<b><u>20.87%</u></b>
103.	<b>Purple Gallinule</b>	<b>0.0074%</b>
104.	<b>Yellow Rail</b>	<b>0.0008%</b>
105.	<b>Black Rail</b>	<b>0.0186%</b>
106.	<b>Sandhill Crane</b>	<b>1.36%</b>
107.	<b>Black-necked Stilt</b>	<b><u>5.89%</u></b>
108.	<b>American Avocet</b>	<b><u>4.08%</u></b>
109.	<b>American Oystercatcher</b>	<b>0.0112%</b>
110.	<b>Black Oystercatcher</b>	<b><u>2.48%</u></b>
111.	<b>Black-bellied Plover</b>	<b><u>5.80%</u></b>
112.	<b>American Golden-Plover</b>	<b>0.0963%</b>
113.	<b>Pacific Golden-Plover</b>	<b>0.3185%</b>
114.	<b>Eurasian Dotterel</b>	<b>0.0008%</b>
115.	<b>Killdeer</b>	<b><u>17.07%</u></b>
116.	<b>Common Ringed Plover</b>	<b>0.0175%</b>
117.	<b>Semipalmated Plover</b>	<b><u>2.12%</u></b>
118.	<b>Piping Plover</b>	<b>0.0005%</b>
119.	<b>Siberian Sand-Plover</b>	<b>0.0117%</b>
120.	<b>Wilson's Plover</b>	<b>0.0005%</b>

121.	<b>Mountain Plover</b>	<b>0.0865%</b>
122.	<b>Snowy Plover</b>	<b>1.21%</b>
123.	<b>Upland Sandpiper</b>	<b>0.0003%</b>
124.	<b>Whimbrel</b>	<b>3.52%</b>
125.	<b>Little Curlew</b>	<b>0.0000%</b>
126.	<b>Long-billed Curlew</b>	<b>4.83%</b>
127.	<b>Bar-tailed Godwit</b>	<b>0.0707%</b>
128.	<b>Hudsonian Godwit</b>	<b>0.0317%</b>
129.	<b>Marbled Godwit</b>	<b>5.90%</b>
130.	<b>Short-billed Dowitcher</b>	<b>0.9258%</b>
131.	<b>Long-billed Dowitcher</b>	<b>4.43%</b>
132.	<b>Wilson's Snipe</b>	<b>2.11%</b>
133.	<b>Wilson's Phalarope</b>	<b>0.0428%</b>
134.	<b>Red Phalarope</b>	<b>0.3300%</b>
135.	<b>Red-necked Phalarope</b>	<b>1.07%</b>
136.	<b>Spotted Sandpiper</b>	<b>4.55%</b>
137.	<b>Solitary Sandpiper</b>	<b>0.0478%</b>
138.	<b>Wandering Tattler</b>	<b>0.4670%</b>
139.	<b>Marsh Sandpiper</b>	<b>0.0000%</b>
140.	<b>Lesser Yellowlegs</b>	<b>0.8834%</b>
141.	<b>Willet</b>	<b>6.89%</b>
142.	<b>Spotted Redshank</b>	<b>0.0000%</b>
143.	<b>Common Greenshank</b>	<b>0.0101%</b>
144.	<b>Greater Yellowlegs</b>	<b>8.23%</b>
145.	<b>Ruddy Turnstone</b>	<b>0.7975%</b>

146.	<b>Black Turnstone</b>	<b>2.88%</b>
147.	<b>Red Knot</b>	<b>0.3280%</b>
148.	<b>Surfbird</b>	<b>0.7743%</b>
149.	<b>Ruff</b>	<b>0.1037%</b>
150.	<b>Sharp-tailed Sandpiper</b>	<b>0.0685%</b>
151.	<b>Curlew Sandpiper</b>	<b>0.0161%</b>
152.	<b>Stilt Sandpiper</b>	<b>0.0483%</b>
153.	<b>Buff-breasted Sandpiper</b>	<b>0.0852%</b>
154.	<b>Sanderling</b>	<b>2.56%</b>
155.	<b>Dunlin</b>	<b>3.17%</b>
156.	<b>Rock Sandpiper</b>	<b>0.0101%</b>
157.	<b>Baird's Sandpiper</b>	<b>0.0966%</b>
158.	<b>Little Stint</b>	<b>0.0117%</b>
159.	<b>White-rumped Sandpiper</b>	<b>0.0052%</b>
160.	<b>Least Sandpiper</b>	<b>8.24%</b>
161.	<b>Pectoral Sandpiper</b>	<b>0.8643%</b>
162.	<b>Western Sandpiper</b>	<b>4.19%</b>
163.	<b>Semipalmated Sandpiper</b>	<b>0.0082%</b>
164.	<b>Long-tailed Jaeger</b>	<b>0.0513%</b>
165.	<b>Parasitic Jaeger</b>	<b>0.7099%</b>
166.	<b>Pomarine Jaeger</b>	<b>0.5524%</b>
167.	<b>South Polar Skua</b>	<b>0.1610%</b>
168.	<b>Rhinoceros Auklet</b>	<b>0.5235%</b>
169.	<b>Tufted Puffin</b>	<b>0.0540%</b>
170.	<b>Horned Puffin</b>	<b>0.0008%</b>

171.	<b>Cassin's Auklet</b>	<b>0.4948%</b>
172.	<b>Parakeet Auklet</b>	<b>0.0003%</b>
173.	<b>Long-billed Murrelet</b>	<b>0.0003%</b>
174.	<b>Marbled Murrelet</b>	<b>0.1253%</b>
175.	<b>Pigeon Guillemot</b>	<b>0.2123%</b>
176.	<b>Thick-billed Murre</b>	<b>0.0036%</b>
177.	<b>Common Murre</b>	<b>1.53%</b>
178.	<b>Ancient Murrelet</b>	<b>0.0177%</b>
179.	<b>Scripps's Murrelet</b>	<b>0.0251%</b>
180.	<b>Guadalupe Murrelet</b>	<b>0.0120%</b>
181.	<b>Craveri's Murrelet</b>	<b>0.0186%</b>
182.	<b>Swallow-tailed Gull</b>	<b>0.0000%</b>
183.	<b>Little Gull</b>	<b>0.0019%</b>
184.	<b>Black-legged Kittiwake</b>	<b>0.0360%</b>
185.	<b>Sabine's Gull</b>	<b>0.2268%</b>
186.	<b>Bonaparte's Gull</b>	<b>0.7544%</b>
187.	<b>Black-headed Gull</b>	<b>0.0003%</b>
188.	<b>Laughing Gull</b>	<b>0.0562%</b>
189.	<b>Franklin's Gull</b>	<b>0.0418%</b>
190.	<b>Belcher's Gull</b>	<b>0.0005%</b>
191.	<b>Black-tailed Gull</b>	<b>0.0011%</b>
192.	<b>Heermann's Gull</b>	<b>5.41%</b>
193.	<b>Short-billed Gull</b>	<b>0.7560%</b>
194.	<b>Ring-billed Gull</b>	<b>6.99%</b>
195.	<b>Yellow-footed Gull</b>	<b>0.0478%</b>



196.	<b>Western Gull</b>	<b>18.13%</b>
197.	<b>Herring Gull</b>	<b>2.26%</b>
198.	<b>Glaucous Gull</b>	<b>0.0016%</b>
199.	<b>Lesser Black-backed Gull</b>	<b>0.0167%</b>
200.	<b>California Gull</b>	<b>12.30%</b>
201.	<b>Glaucous-winged Gull</b>	<b>1.64%</b>
202.	<b>Iceland Gull</b>	<b>0.1818%</b>
203.	<b>Black Skimmer</b>	<b>0.2707%</b>
204.	<b>Least Tern</b>	<b>0.0005%</b>
205.	<b>Gull-billed Tern</b>	<b>0.0030%</b>
206.	<b>Caspian Tern</b>	<b>1.37%</b>
207.	<b>Black Tern</b>	<b>0.0322%</b>
208.	<b>White-winged Tern</b>	<b>0.0011%</b>
209.	<b>Forster's Tern</b>	<b>2.94%</b>
210.	<b>Arctic Tern</b>	<b>0.0308%</b>
211.	<b>Common Tern</b>	<b>0.2126%</b>
212.	<b>Elegant Tern</b>	<b>3.26%</b>
213.	<b>Royal Tern</b>	<b>1.25%</b>
214.	<b>Red-billed Tropicbird</b>	<b>0.0095%</b>
215.	<b>Red-tailed Tropicbird</b>	<b>0.0000%</b>
216.	<b>Red-throated Loon</b>	<b>0.7279%</b>
217.	<b>Pacific Loon</b>	<b>0.9274%</b>
218.	<b>Common Loon</b>	<b>2.09%</b>
219.	<b>Yellow-billed Loon</b>	<b>0.0150%</b>
220.	<b>Laysan Albatross</b>	<b>0.0188%</b>

221.	<b>Black-footed Albatross</b>	<b>0.2421%</b>
222.	<b>Short-tailed Albatross</b>	<b>0.0011%</b>
223.	<b>Wilson's Storm-Petrel</b>	<b>0.0199%</b>
224.	<b>Fork-tailed Storm-Petrel</b>	<b>0.0268%</b>
225.	<b>Leach's Storm-Petrel</b>	<b>0.0396%</b>
226.	<b>Townsend's Storm-Petrel</b>	<b>0.0019%</b>
227.	<b>Ashy Storm-Petrel</b>	<b>0.1561%</b>
228.	<b>Wedge-rumped Storm-Petrel</b>	<b>0.0014%</b>
229.	<b>Black Storm-Petrel</b>	<b>0.1474%</b>
230.	<b>Least Storm-Petrel</b>	<b>0.0401%</b>
231.	<b>Northern Fulmar</b>	<b>0.4268%</b>
232.	<b>Gray-faced Petrel</b>	<b>0.0005%</b>
233.	<b>Hawaiian Petrel</b>	<b>0.0008%</b>
234.	<b>Cook's Petrel</b>	<b>0.0014%</b>
235.	<b>Stejneger's Petrel</b>	<b>0.0000%</b>
236.	<b>White-chinned Petrel</b>	<b>0.0016%</b>
237.	<b>Parkinson's Petrel</b>	<b>0.0000%</b>
238.	<b>Streaked Shearwater</b>	<b>0.0011%</b>
239.	<b>Cory's Shearwater</b>	<b>0.0003%</b>
240.	<b>Pink-footed Shearwater</b>	<b>0.7243%</b>
241.	<b>Flesh-footed Shearwater</b>	<b>0.0942%</b>
242.	<b>Great Shearwater</b>	<b>0.0030%</b>
243.	<b>Wedge-tailed Shearwater</b>	<b>0.0014%</b>
244.	<b>Buller's Shearwater</b>	<b>0.3431%</b>
245.	<b>Sooty Shearwater</b>	<b>0.7069%</b>

246.	<b>Short-tailed Shearwater</b>	<b>0.0745%</b>
247.	<b>Manx Shearwater</b>	<b>0.0175%</b>
248.	<b>Black-vented Shearwater</b>	<b>0.7213%</b>
249.	<b>Wood Stork</b>	<b>0.0030%</b>
250.	<b>Magnificent Frigatebird</b>	<b>0.0019%</b>
251.	<b>Great Frigatebird</b>	<b>0.0000%</b>
252.	<b>Northern Gannet</b>	<b>0.0661%</b>
253.	<b>Red-footed Booby</b>	<b>0.0158%</b>
254.	<b>Brown Booby</b>	<b>0.1654%</b>
255.	<b>Masked Booby</b>	<b>0.0278%</b>
256.	<b>Nazca Booby</b>	<b>0.0210%</b>
257.	<b>Blue-footed Booby</b>	<b>0.0800%</b>
258.	<b>Brandt's Cormorant</b>	<b>4.43%</b>
259.	<b>Pelagic Cormorant</b>	<b>2.50%</b>
260.	<b>Double-crested Cormorant</b>	<b>19.60%</b>
261.	<b>Neotropic Cormorant</b>	<b>0.1064%</b>
262.	<b>American White Pelican</b>	<b>5.77%</b>
263.	<b>Brown Pelican</b>	<b>12.42%</b>
264.	<b>American Bittern</b>	<b>0.4127%</b>
265.	<b>Least Bittern</b>	<b>0.2091%</b>
266.	<b>Yellow-crowned Night Heron</b>	<b>0.3600%</b>
267.	<b>Black-crowned Night Heron</b>	<b>6.44%</b>
268.	<b>Little Blue Heron</b>	<b>0.4296%</b>
269.	<b>Tricolored Heron</b>	<b>0.0821%</b>
270.	<b>Reddish Egret</b>	<b>0.4588%</b>

271.	<b>Snowy Egret</b>	<b>15.22%</b>
272.	<b>Green Heron</b>	<b>3.47%</b>
273.	<b>Western Cattle Egret</b>	<b>0.6231%</b>
274.	<b>Great Egret</b>	<b>19.77%</b>
275.	<b>Great Blue Heron</b>	<b>17.44%</b>
276.	<b>White Ibis</b>	<b>0.0019%</b>
277.	<b>White-faced Ibis</b>	<b>2.74%</b>
278.	<b>Roseate Spoonbill</b>	<b>0.0022%</b>
279.	<b>California Condor</b>	<b>0.1561%</b>
280.	<b>Black Vulture</b>	<b>0.0098%</b>
281.	<b>Turkey Vulture</b>	<b>24.37%</b>
282.	<b>Osprey</b>	<b>5.07%</b>
283.	<b>White-tailed Kite</b>	<b>5.43%</b>
284.	<b>Swallow-tailed Kite</b>	<b>0.0000%</b>
285.	<b>Golden Eagle</b>	<b>1.05%</b>
286.	<b>Mississippi Kite</b>	<b>0.0003%</b>
287.	<b>Northern Harrier</b>	<b>7.88%</b>
288.	<b>Sharp-shinned Hawk</b>	<b>3.44%</b>
289.	<b>Cooper's Hawk</b>	<b>10.48%</b>
290.	<b>American Goshawk</b>	<b>0.0393%</b>
291.	<b>Bald Eagle</b>	<b>1.03%</b>
292.	<b>Harris's Hawk</b>	<b>0.0098%</b>
293.	<b>Red-shouldered Hawk</b>	<b>15.12%</b>
294.	<b>Broad-winged Hawk</b>	<b>0.1651%</b>
295.	<b>Swainson's Hawk</b>	<b>0.2639%</b>

296.	<b>Zone-tailed Hawk</b>	<b>0.0382%</b>
297.	<b>Red-tailed Hawk</b>	<b>25.91%</b>
298.	<b>Rough-legged Hawk</b>	<b>0.0873%</b>
299.	<b>Ferruginous Hawk</b>	<b>0.6547%</b>
300.	<b>Barn Owl</b>	<b>1.22%</b>
301.	<b>Flammulated Owl</b>	<b>0.0008%</b>
302.	<b>Western Screech-Owl</b>	<b>0.5016%</b>
303.	<b>Great Horned Owl</b>	<b>2.89%</b>
304.	<b>Northern Pygmy-Owl</b>	<b>0.2555%</b>
305.	<b>Burrowing Owl</b>	<b>0.7898%</b>
306.	<b>Spotted Owl</b>	<b>0.0379%</b>
307.	<b>Barred Owl</b>	<b>0.0104%</b>
308.	<b>Great Gray Owl</b>	<b>0.0120%</b>
309.	<b>Long-eared Owl</b>	<b>0.0767%</b>
310.	<b>Short-eared Owl</b>	<b>0.0974%</b>
311.	<b>Northern Saw-whet Owl</b>	<b>0.1296%</b>
312.	<b>Belted Kingfisher</b>	<b>10.72%</b>
313.	<b>Williamson's Sapsucker</b>	<b>0.2066%</b>
314.	<b>Yellow-bellied Sapsucker</b>	<b>0.0914%</b>
315.	<b>Red-naped Sapsucker</b>	<b>0.4812%</b>
316.	<b>Red-breasted Sapsucker</b>	<b>2.89%</b>
317.	<b>Lewis's Woodpecker</b>	<b>0.8212%</b>
318.	<b>Red-headed Woodpecker</b>	<b>0.0000%</b>
319.	<b>Acorn Woodpecker</b>	<b>15.75%</b>
320.	<b>Gila Woodpecker</b>	<b>0.0549%</b>

321.	<b>Black-backed Woodpecker</b>	<b>0.0469%</b>
322.	<b>Downy Woodpecker</b>	<b>8.13%</b>
323.	<b>Nuttall's Woodpecker</b>	<b>19.14%</b>
324.	<b>Ladder-backed Woodpecker</b>	<b>0.4806%</b>
325.	<b>Hairy Woodpecker</b>	<b>4.32%</b>
326.	<b>White-headed Woodpecker</b>	<b>0.7811%</b>
327.	<b>Pileated Woodpecker</b>	<b>0.7380%</b>
328.	<b>Northern Flicker</b>	<b>28.01%</b>
329.	<b>Gilded Flicker</b>	<b>0.0022%</b>
330.	<b>Crested Caracara</b>	<b>0.0041%</b>
331.	<b>Eurasian Kestrel</b>	<b>0.0000%</b>
332.	<b>American Kestrel</b>	<b>13.51%</b>
333.	<b>Merlin</b>	<b>2.27%</b>
334.	<b>Gyr Falcon</b>	<b>0.0003%</b>
335.	<b>Peregrine Falcon</b>	<b>3.98%</b>
336.	<b>Prairie Falcon</b>	<b>0.6777%</b>
337.	<b>Yellow-chevroned Parakeet</b>	<b>0.4268%</b>
338.	<b>Red-crowned Parrot</b>	<b>0.6741%</b>
339.	<b>Lilac-crowned Parrot</b>	<b>0.0611%</b>
340.	<b>Nanday Parakeet</b>	<b>0.1605%</b>
341.	<b>Mitred Parakeet</b>	<b>0.2410%</b>
342.	<b>Red-masked Parakeet</b>	<b>0.4874%</b>
343.	<b>Olive-sided Flycatcher</b>	<b>0.0633%</b>
344.	<b>Greater Pewee</b>	<b>0.0186%</b>
345.	<b>Western Wood-Pewee</b>	<b>1.02%</b>

346.	<b>Eastern Wood-Pewee</b>	<b>0.0038%</b>
347.	<b>Yellow-bellied Flycatcher</b>	<b>0.0139%</b>
348.	<b>Alder Flycatcher</b>	<b>0.0003%</b>
349.	<b>Willow Flycatcher</b>	<b>0.3234%</b>
350.	<b>Least Flycatcher</b>	<b>0.0516%</b>
351.	<b>Hammond's Flycatcher</b>	<b>0.2052%</b>
352.	<b>Gray Flycatcher</b>	<b>0.1086%</b>
353.	<b>Dusky Flycatcher</b>	<b>0.0265%</b>
354.	<b>Western Flycatcher</b>	<b>2.73%</b>
355.	<b>Black Phoebe</b>	<b>51.00%</b>
356.	<b>Eastern Phoebe</b>	<b>0.0418%</b>
357.	<b>Say's Phoebe</b>	<b>16.21%</b>
358.	<b>Vermilion Flycatcher</b>	<b>0.8881%</b>
359.	<b>Dusky-capped Flycatcher</b>	<b>0.0003%</b>
360.	<b>Ash-throated Flycatcher</b>	<b>0.1588%</b>
361.	<b>Great Crested Flycatcher</b>	<b>0.0499%</b>
362.	<b>Brown-crested Flycatcher</b>	<b>0.0060%</b>
363.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0036%</b>
364.	<b>Tropical Kingbird</b>	<b>0.6618%</b>
365.	<b>Cassin's Kingbird</b>	<b>7.19%</b>
366.	<b>Thick-billed Kingbird</b>	<b>0.0210%</b>
367.	<b>Western Kingbird</b>	<b>0.2653%</b>
368.	<b>Eastern Kingbird</b>	<b>0.0115%</b>
369.	<b>Scissor-tailed Flycatcher</b>	<b>0.0177%</b>
370.	<b>Fork-tailed Flycatcher</b>	<b>0.0000%</b>

371.	<b>White-eyed Vireo</b>	<b>0.0041%</b>
372.	<b>Bell's Vireo</b>	<b>0.0180%</b>
373.	<b>Gray Vireo</b>	<b>0.0038%</b>
374.	<b>Hutton's Vireo</b>	<b>5.78%</b>
375.	<b>Yellow-throated Vireo</b>	<b>0.0049%</b>
376.	<b>Cassin's Vireo</b>	<b>0.3425%</b>
377.	<b>Blue-headed Vireo</b>	<b>0.0423%</b>
378.	<b>Plumbeous Vireo</b>	<b>0.2705%</b>
379.	<b>Philadelphia Vireo</b>	<b>0.0898%</b>
380.	<b>Warbling Vireo</b>	<b>1.96%</b>
381.	<b>Red-eyed Vireo</b>	<b>0.0327%</b>
382.	<b>Yellow-green Vireo</b>	<b>0.1288%</b>
383.	<b>Loggerhead Shrike</b>	<b>3.32%</b>
384.	<b>Northern Shrike</b>	<b>0.0161%</b>
385.	<b>Canada Jay</b>	<b>0.0748%</b>
386.	<b>Pinyon Jay</b>	<b>0.1869%</b>
387.	<b>Steller's Jay</b>	<b>11.53%</b>
388.	<b>Blue Jay</b>	<b>0.0008%</b>
389.	<b>Island Scrub-Jay</b>	<b>0.1127%</b>
390.	<b>California Scrub-Jay</b>	<b>35.00%</b>
391.	<b>Woodhouse's Scrub-Jay</b>	<b>0.0568%</b>
392.	<b>Black-billed Magpie</b>	<b>0.5076%</b>
393.	<b>Yellow-billed Magpie</b>	<b>1.55%</b>
394.	<b>Clark's Nutcracker</b>	<b>0.8616%</b>
395.	<b>American Crow</b>	<b>42.72%</b>



396.	<b>Common Raven</b>	<b>29.02%</b>
397.	<b>Black-capped Chickadee</b>	<b>0.7915%</b>
398.	<b>Mountain Chickadee</b>	<b>3.67%</b>
399.	<b>Chestnut-backed Chickadee</b>	<b>15.38%</b>
400.	<b>Oak Titmouse</b>	<b>15.55%</b>
401.	<b>Juniper Titmouse</b>	<b>0.0243%</b>
402.	<b>Verdin</b>	<b>1.31%</b>
403.	<b>Horned Lark</b>	<b>2.42%</b>
404.	<b>Eurasian Skylark</b>	<b>0.0005%</b>
405.	<b>Bank Swallow</b>	<b>0.0213%</b>
406.	<b>Tree Swallow</b>	<b>2.31%</b>
407.	<b>Violet-green Swallow</b>	<b>1.51%</b>
408.	<b>Purple Martin</b>	<b>0.0022%</b>
409.	<b>Northern Rough-winged Swallow</b>	<b>0.3447%</b>
410.	<b>Barn Swallow</b>	<b>2.58%</b>
411.	<b>Cliff Swallow</b>	<b>0.1054%</b>
412.	<b>Red-whiskered Bulbul</b>	<b>0.3111%</b>
413.	<b>Wood Warbler</b>	<b>0.0549%</b>
414.	<b>Yellow-browed Warbler</b>	<b>0.0071%</b>
415.	<b>Dusky Warbler</b>	<b>0.1089%</b>
416.	<b>Willow Warbler</b>	<b>0.0666%</b>
417.	<b>Bushtit</b>	<b>21.72%</b>
418.	<b>Wrentit</b>	<b>9.96%</b>
419.	<b>Ruby-crowned Kinglet</b>	<b>25.25%</b>
420.	<b>Golden-crowned Kinglet</b>	<b>2.29%</b>

421.	<b>White-breasted Nuthatch</b>	<b>10.28%</b>
422.	<b>Pygmy Nuthatch</b>	<b>5.20%</b>
423.	<b>Red-breasted Nuthatch</b>	<b>7.05%</b>
424.	<b>Brown Creeper</b>	<b>3.92%</b>
425.	<b>Blue-gray Gnatcatcher</b>	<b>5.16%</b>
426.	<b>Black-tailed Gnatcatcher</b>	<b>0.3395%</b>
427.	<b>California Gnatcatcher</b>	<b>0.6569%</b>
428.	<b>Rock Wren</b>	<b>2.12%</b>
429.	<b>Canyon Wren</b>	<b>0.5125%</b>
430.	<b>House Wren</b>	<b>10.75%</b>
431.	<b>Pacific Wren</b>	<b>1.86%</b>
432.	<b>Winter Wren</b>	<b>0.0008%</b>
433.	<b>Sedge Wren</b>	<b>0.0131%</b>
434.	<b>Marsh Wren</b>	<b>6.71%</b>
435.	<b>Bewick's Wren</b>	<b>21.14%</b>
436.	<b>Cactus Wren</b>	<b>0.6288%</b>
437.	<b>American Dipper</b>	<b>0.3081%</b>
438.	<b>European Starling</b>	<b>22.68%</b>
439.	<b>Gray Catbird</b>	<b>0.0969%</b>
440.	<b>Curve-billed Thrasher</b>	<b>0.0033%</b>
441.	<b>Brown Thrasher</b>	<b>0.0338%</b>
442.	<b>Bendire's Thrasher</b>	<b>0.0019%</b>
443.	<b>California Thrasher</b>	<b>5.09%</b>
444.	<b>LeConte's Thrasher</b>	<b>0.1198%</b>
445.	<b>Crissal Thrasher</b>	<b>0.0360%</b>

446.	<b>Sage Thrasher</b>	<b>0.2366%</b>
447.	<b>Northern Mockingbird</b>	<b>22.27%</b>
448.	<b>Western Bluebird</b>	<b>15.84%</b>
449.	<b>Mountain Bluebird</b>	<b>0.3327%</b>
450.	<b>Townsend's Solitaire</b>	<b>0.7732%</b>
451.	<b>Varied Thrush</b>	<b>1.31%</b>
452.	<b>Veery</b>	<b>0.0008%</b>
453.	<b>Gray-cheeked Thrush</b>	<b>0.0011%</b>
454.	<b>Swainson's Thrush</b>	<b>0.5426%</b>
455.	<b>Hermit Thrush</b>	<b>13.71%</b>
456.	<b>Wood Thrush</b>	<b>0.0426%</b>
457.	<b>American Robin</b>	<b>12.41%</b>
458.	<b>Rufous-backed Robin</b>	<b>0.0120%</b>
459.	<b>Taiga Flycatcher</b>	<b>0.0008%</b>
460.	<b>Northern Wheatear</b>	<b>0.0011%</b>
461.	<b>Bohemian Waxwing</b>	<b>0.0000%</b>
462.	<b>Cedar Waxwing</b>	<b>7.34%</b>
463.	<b>Phainopepla</b>	<b>1.95%</b>
464.	<b>Scaly-breasted Munia</b>	<b>4.52%</b>
465.	<b>House Sparrow</b>	<b>12.42%</b>
466.	<b>Gray Wagtail</b>	<b>0.0000%</b>
467.	<b>White Wagtail</b>	<b>0.0554%</b>
468.	<b>Red-throated Pipit</b>	<b>0.1373%</b>
469.	<b>American Pipit</b>	<b>6.30%</b>
470.	<b>Sprague's Pipit</b>	<b>0.0087%</b>

471. <b>Brambling</b>	<b>0.0000%</b>
472. <b>Evening Grosbeak</b>	<b>0.3002%</b>
473. <b>Pine Grosbeak</b>	<b>0.0153%</b>
474. <b>Gray-crowned Rosy-Finch</b>	<b>0.0205%</b>
475. <b>House Finch</b>	<b>47.20%</b>
476. <b>Purple Finch</b>	<b>3.32%</b>
477. <b>Cassin's Finch</b>	<b>0.4528%</b>
478. <b>Red Crossbill</b>	<b>0.4402%</b>
479. <b>Cassia Crossbill</b>	<b>0.0016%</b>
480. <b>Pine Siskin</b>	<b>3.43%</b>
481. <b>Lesser Goldfinch</b>	<b>27.17%</b>
482. <b>Lawrence's Goldfinch</b>	<b>0.8633%</b>
483. <b>American Goldfinch</b>	<b>8.96%</b>
484. <b>Lapland Longspur</b>	<b>0.3327%</b>
485. <b>Chestnut-collared Longspur</b>	<b>0.1343%</b>
486. <b>Smith's Longspur</b>	<b>0.0106%</b>
487. <b>Thick-billed Longspur</b>	<b>0.0360%</b>
488. <b>Snow Bunting</b>	<b>0.0057%</b>
489. <b>Little Bunting</b>	<b>0.0008%</b>
490. <b>Cassin's Sparrow</b>	<b>0.0246%</b>
491. <b>Grasshopper Sparrow</b>	<b>0.1220%</b>
492. <b>Chipping Sparrow</b>	<b>3.09%</b>
493. <b>Clay-colored Sparrow</b>	<b>0.7197%</b>
494. <b>Black-chinned Sparrow</b>	<b>0.0126%</b>
495. <b>Field Sparrow</b>	<b>0.0014%</b>

496.	<b>Brewer's Sparrow</b>	<b>0.5289%</b>
497.	<b>Black-throated Sparrow</b>	<b>0.4700%</b>
498.	<b>Lark Sparrow</b>	<b>2.88%</b>
499.	<b>Lark Bunting</b>	<b>0.0573%</b>
500.	<b>American Tree Sparrow</b>	<b>0.0194%</b>
501.	<b>Fox Sparrow</b>	<b>9.88%</b>
502.	<b>Dark-eyed Junco</b>	<b>22.78%</b>
503.	<b>White-crowned Sparrow</b>	<b>51.32%</b>
504.	<b>Golden-crowned Sparrow</b>	<b>22.01%</b>
505.	<b>Harris's Sparrow</b>	<b>0.0188%</b>
506.	<b>White-throated Sparrow</b>	<b>1.30%</b>
507.	<b>Sagebrush Sparrow</b>	<b>0.0399%</b>
508.	<b>Bell's Sparrow</b>	<b>0.5074%</b>
509.	<b>Vesper Sparrow</b>	<b>0.8136%</b>
510.	<b>LeConte's Sparrow</b>	<b>0.0251%</b>
511.	<b>Nelson's Sparrow</b>	<b>0.0205%</b>
512.	<b>Savannah Sparrow</b>	<b>12.78%</b>
513.	<b>Baird's Sparrow</b>	<b>0.0003%</b>
514.	<b>Song Sparrow</b>	<b>28.57%</b>
515.	<b>Lincoln's Sparrow</b>	<b>9.44%</b>
516.	<b>Swamp Sparrow</b>	<b>0.2268%</b>
517.	<b>Abert's Towhee</b>	<b>0.2702%</b>
518.	<b>California Towhee</b>	<b>29.78%</b>
519.	<b>Rufous-crowned Sparrow</b>	<b>0.7358%</b>
520.	<b>Green-tailed Towhee</b>	<b>0.2131%</b>

521.	<b>Spotted Towhee</b>	<b><u>20.08%</u></b>
522.	<b>Yellow-breasted Chat</b>	<b>0.0680%</b>
523.	<b>Yellow-headed Blackbird</b>	<b>0.5210%</b>
524.	<b>Bobolink</b>	<b>0.1927%</b>
525.	<b>Western Meadowlark</b>	<b><u>11.48%</u></b>
526.	<b>Orchard Oriole</b>	<b>0.1326%</b>
527.	<b>Hooded Oriole</b>	<b>0.1223%</b>
528.	<b>Streak-backed Oriole</b>	<b>0.0033%</b>
529.	<b>Bullock's Oriole</b>	<b>0.2623%</b>
530.	<b>Baltimore Oriole</b>	<b>0.0696%</b>
531.	<b>Scott's Oriole</b>	<b>0.0259%</b>
532.	<b>Red-winged Blackbird</b>	<b><u>15.41%</u></b>
533.	<b>Tricolored Blackbird</b>	<b>1.03%</b>
534.	<b>Bronzed Cowbird</b>	<b>0.0003%</b>
535.	<b>Brown-headed Cowbird</b>	<b><u>2.79%</u></b>
536.	<b>Rusty Blackbird</b>	<b>0.0150%</b>
537.	<b>Brewer's Blackbird</b>	<b><u>14.49%</u></b>
538.	<b>Common Grackle</b>	<b>0.0066%</b>
539.	<b>Great-tailed Grackle</b>	<b><u>3.59%</u></b>
540.	<b>Ovenbird</b>	<b>0.1130%</b>
541.	<b>Worm-eating Warbler</b>	<b>0.0434%</b>
542.	<b>Northern Waterthrush</b>	<b>0.1542%</b>
543.	<b>Golden-winged Warbler</b>	<b>0.0188%</b>
544.	<b>Blue-winged Warbler</b>	<b>0.0164%</b>
545.	<b>Black-and-white Warbler</b>	<b>0.5196%</b>

546.	<b>Prothonotary Warbler</b>	<b>0.1446%</b>
547.	<b>Tennessee Warbler</b>	<b>0.3387%</b>
548.	<b>Orange-crowned Warbler</b>	<b>15.76%</b>
549.	<b>Lucy's Warbler</b>	<b>0.1094%</b>
550.	<b>Nashville Warbler</b>	<b>0.9383%</b>
551.	<b>Virginia's Warbler</b>	<b>0.0647%</b>
552.	<b>Connecticut Warbler</b>	<b>0.0082%</b>
553.	<b>MacGillivray's Warbler</b>	<b>0.3193%</b>
554.	<b>Mourning Warbler</b>	<b>0.0442%</b>
555.	<b>Kentucky Warbler</b>	<b>0.0041%</b>
556.	<b>Common Yellowthroat</b>	<b>13.23%</b>
557.	<b>Hooded Warbler</b>	<b>0.0153%</b>
558.	<b>American Redstart</b>	<b>0.2699%</b>
559.	<b>Cape May Warbler</b>	<b>0.0207%</b>
560.	<b>Cerulean Warbler</b>	<b>0.0112%</b>
561.	<b>Northern Parula</b>	<b>0.0707%</b>
562.	<b>Magnolia Warbler</b>	<b>0.3327%</b>
563.	<b>Bay-breasted Warbler</b>	<b>0.0431%</b>
564.	<b>Blackburnian Warbler</b>	<b>0.2587%</b>
565.	<b>Yellow Warbler</b>	<b>5.70%</b>
566.	<b>Chestnut-sided Warbler</b>	<b>0.3878%</b>
567.	<b>Blackpoll Warbler</b>	<b>0.3794%</b>
568.	<b>Black-throated Blue Warbler</b>	<b>0.3289%</b>
569.	<b>Palm Warbler</b>	<b>0.9844%</b>
570.	<b>Pine Warbler</b>	<b>0.0464%</b>

571. <b>Yellow-rumped Warbler</b>	<b>49.75%</b>
572. <b>Yellow-throated Warbler</b>	<b>0.0374%</b>
573. <b>Prairie Warbler</b>	<b>0.1124%</b>
574. <b>Grace's Warbler</b>	<b>0.0292%</b>
575. <b>Black-throated Gray Warbler</b>	<b>5.02%</b>
576. <b>Townsend's Warbler</b>	<b>14.18%</b>
577. <b>Hermit Warbler</b>	<b>0.5035%</b>
578. <b>Black-throated Green Warbler</b>	<b>0.0448%</b>
579. <b>Canada Warbler</b>	<b>0.1004%</b>
580. <b>Wilson's Warbler</b>	<b>3.06%</b>
581. <b>Red-faced Warbler</b>	<b>0.0055%</b>
582. <b>Painted Redstart</b>	<b>0.1141%</b>
583. <b>Hepatic Tanager</b>	<b>0.0063%</b>
584. <b>Summer Tanager</b>	<b>0.2074%</b>
585. <b>Scarlet Tanager</b>	<b>0.0589%</b>
586. <b>Western Tanager</b>	<b>2.77%</b>
587. <b>Rose-breasted Grosbeak</b>	<b>0.1324%</b>
588. <b>Black-headed Grosbeak</b>	<b>0.3196%</b>
589. <b>Blue Grosbeak</b>	<b>0.0821%</b>
590. <b>Lazuli Bunting</b>	<b>0.2451%</b>
591. <b>Indigo Bunting</b>	<b>0.0519%</b>
592. <b>Varied Bunting</b>	<b>0.0011%</b>
593. <b>Painted Bunting</b>	<b>0.0281%</b>
594. <b>Dickcissel</b>	<b>0.1457%</b>

**EXOTIC: PROVISIONAL**



595.	<b>Mute Swan</b>	<b>0.5699%</b> frequency
596.	<b>Egyptian Goose</b>	<b>0.7232%</b>
597.	<b>Mandarin Duck</b>	<b>0.0011%</b>
598.	<b>Indian Peafowl</b>	<b>0.1501%</b>
599.	<b>Demoiselle Crane</b>	<b>0.0016%</b>
600.	<b>Rose-ringed Parakeet</b>	<b>0.0333%</b>
601.	<b>Monk Parakeet</b>	<b>0.0005%</b>
602.	<b>Red-lored Parrot</b>	<b>0.0177%</b>
603.	<b>Yellow-headed Parrot</b>	<b>0.0658%</b>
604.	<b>Burrowing Parakeet</b>	<b>0.0014%</b>
605.	<b>Blue-crowned Parakeet</b>	<b>0.0044%</b>
606.	<b>House Crow</b>	<b>0.0000%</b>
607.	<b>Swinhoe's White-eye</b>	<b>0.9719%</b>
608.	<b>Northern Red Bishop</b>	<b>0.2702%</b>
609.	<b>Pin-tailed Whydah</b>	<b>0.7885%</b>
610.	<b>Northern Cardinal</b>	<b>0.0052%</b>

**EXOTIC: ESCAPEE**

	<b>Bar-headed Goose</b>	<b>0.0008%</b> frequency
	<b>Graylag Goose</b>	<b>0.3280%</b>
	<b>Swan Goose</b>	<b>0.1706%</b>
	<b>Hawaiian Goose</b>	<b>0.0000%</b>
	<b>Black Swan</b>	<b>0.0044%</b>
	<b>Ruddy Shelduck</b>	<b>0.0011%</b>
	<b>Muscovy Duck</b>	<b>0.5281%</b>
	<b>Ringed Teal</b>	<b>0.0005%</b>

<b>Chiloe Wigeon</b>	<b>0.0016%</b>
<b>Red-crested Pochard</b>	<b>0.0000%</b>
<b>Helmeted Guineafowl</b>	<b>0.0076%</b>
<b>Northern Bobwhite</b>	<b>0.0019%</b>
<b>Red Junglefowl</b>	<b>0.0057%</b>
<b>Chilean Flamingo</b>	<b>0.0038%</b>
<b>American Flamingo</b>	<b>0.0025%</b>
<b>Lesser Flamingo</b>	<b>0.0068%</b>
<b>African Collared-Dove</b>	<b>0.0030%</b>
<b>Diamond Dove</b>	<b>0.0005%</b>
<b>Zebra Dove</b>	<b>0.0003%</b>
<b>Gray Crowned-Crane</b>	<b>0.0008%</b>
<b>Pink-backed Pelican</b>	<b>0.0005%</b>
<b>African Sacred Ibis</b>	<b>0.0003%</b>
<b>Keel-billed Toucan</b>	<b>0.0000%</b>
<b>Cockatiel</b>	<b>0.0022%</b>
<b>Budgerigar</b>	<b>0.0076%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0005%</b>
<b>Fischer's Lovebird</b>	<b>0.0022%</b>
<b>Yellow-collared Lovebird</b>	<b>0.0003%</b>
<b>White-winged Parakeet</b>	<b>0.0008%</b>
<b>Yellow-crowned Parrot</b>	<b>0.0003%</b>
<b>White-fronted Parrot</b>	<b>0.0016%</b>
<b>Orange-fronted Parakeet</b>	<b>0.0025%</b>
<b>Military Macaw</b>	<b>0.0000%</b>

<b>Black-throated Magpie-Jay</b>	<b>0.0262%</b>
<b>Indian White-eye</b>	<b>0.0008%</b>
<b>Common Hill Myna</b>	<b>0.0003%</b>
<b>Common Myna</b>	<b>0.0003%</b>
<b>Crested Myna</b>	<b>0.0003%</b>
<b>Black-headed Weaver</b>	<b>0.0008%</b>
<b>Yellow-crowned Bishop</b>	<b>0.0055%</b>
<b>Zebra Finch</b>	<b>0.0022%</b>
<b>Bronze Mannikin</b>	<b>0.0497%</b>
<b>Tricolored Munia</b>	<b>0.0003%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.1100%</b>
<b>Common Waxbill</b>	<b>0.0005%</b>
<b>Black-rumped Waxbill</b>	<b>0.0022%</b>
<b>Zebra Waxbill</b>	<b>0.0011%</b>
<b>Red-cheeked Cordonbleu</b>	<b>0.0025%</b>
<b>Red-billed Firefinch</b>	<b>0.0003%</b>
<b>Togo Paradise-Whydah</b>	<b>0.0000%</b>
<b>Broad-tailed Paradise-Whydah</b>	<b>0.0030%</b>
<b>Yellow-fronted Canary</b>	<b>0.0044%</b>
<b>European Goldfinch</b>	<b>0.0226%</b>
<b>Island Canary</b>	<b>0.0003%</b>
<b>Venezuelan Troupial</b>	<b>0.0003%</b>
<b>Saffron Finch</b>	<b>0.0011%</b>
<b>Cinnamon-rumped Seedeater</b>	<b>0.0005%</b>
<b>Whooper Swan</b>	<b>0.0000%</b>

**HYBRIDS**

Snow x Ross's Goose (hybrid)	<b>0.0109%</b> frequency
Graylag x Swan Goose (hybrid)	<b>0.0139%</b>
Greater White-fronted x Cackling Goose (hybrid)	<b>0.0008%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0027%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0052%</b>
Graylag x Canada Goose (hybrid)	<b>0.0076%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0579%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0005%</b>
Cinnamon Teal x Northern Shoveler (hybrid)	<b>0.0025%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0259%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0150%</b>
Wood Duck x Mallard (hybrid)	<b>0.0003%</b>
Gadwall x Mallard (hybrid)	<b>0.0038%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0025%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0008%</b>
Canvasback x Redhead (hybrid)	<b>0.0014%</b>
California x Gambel's Quail (hybrid)	<b>0.0027%</b>
Golden x Lady Amherst's Pheasant (hybrid)	<b>0.0003%</b>
Western x Clark's Grebe (hybrid)	<b>0.0052%</b>
Eurasian x African Collared-Dove (hybrid)	<b>0.0003%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0000%</b>
Anna's x Costa's Hummingbird (hybrid)	<b>0.0036%</b>

Anna's x Allen's Hummingbird (hybrid)	<b>0.0014%</b>
Anna's Hummingbird x Selasphorus sp. (hybrid)	<b>0.0011%</b>
American x Black Oystercatcher (hybrid)	<b>0.0226%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0003%</b>
Western x Glaucous-winged Gull (hybrid)	<b>0.4552%</b>
Herring x Glaucous-winged Gull (hybrid)	<b>0.0423%</b>
Glaucous x Glaucous-winged Gull (hybrid)	<b>0.0003%</b>
Brown x Blue-footed Booby (hybrid)	<b>0.0005%</b>
Yellow-crowned x Black-crowned Night Heron (hybrid)	<b>0.0003%</b>
Little Blue Heron x Snowy Egret (hybrid)	<b>0.0000%</b>
Common Black x Red-shouldered Hawk (hybrid)	<b>0.0030%</b>
Spotted x Barred Owl (hybrid)	<b>0.0003%</b>
Yellow-bellied x Red-breasted Sapsucker (hybrid)	<b>0.0003%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0579%</b>
Yellow-bellied/Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0003%</b>
Downy x Nuttall's Woodpecker (hybrid)	<b>0.0022%</b>
Nuttall's x Ladder-backed Woodpecker (hybrid)	<b>0.0079%</b>
Fischer's x Yellow-collared Lovebird (hybrid)	<b>0.0003%</b>
Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0003%</b>
Red-crowned x Red-lored Parrot (hybrid)	<b>0.0000%</b>
Black x Say's Phoebe (hybrid)	<b>0.0005%</b>

Red-whiskered x Red-vented Bulbul (hybrid)	<b>0.0005%</b>
Clay-colored x Brewer's Sparrow (hybrid)	<b>0.0003%</b>
White-crowned x Golden-crowned Sparrow (hybrid)	<b>0.0008%</b>
White-crowned x White-throated Sparrow (hybrid)	<b>0.0016%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0005%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0014%</b>
Magnolia x Yellow-rumped Warbler (hybrid)	<b>0.0003%</b>
Yellow-rumped x Townsend's Warbler (hybrid)	<b>0.0011%</b>
Yellow-rumped x Hermit Warbler (hybrid)	<b>0.0046%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0158%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0003%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0003%</b>