

## Target Species

Based on 417,245 complete checklists

**562** species observed in California, US (region/US-CA) in **Apr** that you need for your **World Life List**

1. <b>House Finch</b>	<b>52.40%</b> frequency
2. <b>Anna's Hummingbird</b>	<b>43.56%</b>
3. <b>Mourning Dove</b>	<b>42.89%</b>
4. <b>American Crow</b>	<b>38.59%</b>
5. <b>California Scrub-Jay</b>	<b>34.64%</b>
6. <b>California Towhee</b>	<b>34.25%</b>
7. <b>Black Phoebe</b>	<b>34.24%</b>
8. <b>Lesser Goldfinch</b>	<b>34.18%</b>
9. <b>Common Raven</b>	<b>33.29%</b>
10. <b>Yellow-rumped Warbler</b>	<b>32.19%</b>
11. <b>Song Sparrow</b>	<b>31.78%</b>
12. <b>White-crowned Sparrow</b>	<b>31.46%</b>
13. <b>Mallard</b>	<b>31.45%</b>
14. <b>European Starling</b>	<b>29.33%</b>
15. <b>Turkey Vulture</b>	<b>29.33%</b>
16. <b>Bushtit</b>	<b>28.15%</b>
17. <b>Red-tailed Hawk</b>	<b>26.59%</b>
18. <b>Spotted Towhee</b>	<b>26.47%</b>
19. <b>Northern Mockingbird</b>	<b>24.80%</b>
20. <b>Bewick's Wren</b>	<b>22.54%</b>

21. Red-winged Blackbird	<b><u>22.51%</u></b>
22. American Robin	<b><u>22.31%</u></b>
23. Orange-crowned Warbler	<b><u>21.98%</u></b>
24. Dark-eyed Junco	<b><u>20.66%</u></b>
25. Canada Goose	<b><u>20.64%</u></b>
26. Acorn Woodpecker	<b><u>20.43%</u></b>
27. Nuttall's Woodpecker	<b><u>19.73%</u></b>
28. American Coot	<b><u>18.93%</u></b>
29. Oak Titmouse	<b><u>18.49%</u></b>
30. Western Bluebird	<b><u>18.15%</u></b>
31. House Sparrow	<b><u>17.37%</u></b>
32. Golden-crowned Sparrow	<b><u>17.02%</u></b>
33. Eurasian Collared-Dove	<b><u>16.88%</u></b>
34. Tree Swallow	<b><u>16.84%</u></b>
35. California Quail	<b><u>16.64%</u></b>
36. Double-crested Cormorant	<b><u>16.43%</u></b>
37. Wilson's Warbler	<b><u>15.91%</u></b>
38. Barn Swallow	<b><u>15.81%</u></b>
39. House Wren	<b><u>14.93%</u></b>
40. Black-headed Grosbeak	<b><u>14.76%</u></b>
41. Allen's Hummingbird	<b><u>14.34%</u></b>
42. Cliff Swallow	<b><u>14.04%</u></b>
43. Killdeer	<b><u>13.91%</u></b>
44. Brewer's Blackbird	<b><u>13.88%</u></b>
45. Western Flycatcher	<b><u>13.77%</u></b>

46. <b>Wrentit</b>	<b><u>13.30%</u></b>
47. <b>Northern Rough-winged Swallow</b>	<b><u>13.17%</u></b>
48. <b>Common Yellowthroat</b>	<b><u>13.16%</u></b>
49. <b>Hooded Oriole</b>	<b><u>13.12%</u></b>
50. <b>Red-shouldered Hawk</b>	<b><u>13.07%</u></b>
51. <b>Western Kingbird</b>	<b><u>12.74%</u></b>
52. <b>Western Gull</b>	<b><u>12.68%</u></b>
53. <b>Northern Flicker</b>	<b><u>12.45%</u></b>
54. <b>Great Egret</b>	<b><u>12.43%</u></b>
55. <b>Rock Pigeon</b>	<b><u>12.36%</u></b>
56. <b>Steller's Jay</b>	<b><u>12.33%</u></b>
57. <b>Great Blue Heron</b>	<b><u>12.11%</u></b>
58. <b>Bullock's Oriole</b>	<b><u>11.98%</u></b>
59. <b>Brown-headed Cowbird</b>	<b><u>11.83%</u></b>
60. <b>Chestnut-backed Chickadee</b>	<b><u>11.67%</u></b>
61. <b>Snowy Egret</b>	<b><u>11.00%</u></b>
62. <b>Violet-green Swallow</b>	<b><u>10.71%</u></b>
63. <b>American Goldfinch</b>	<b><u>10.58%</u></b>
64. <b>Ash-throated Flycatcher</b>	<b><u>10.33%</u></b>
65. <b>Band-tailed Pigeon</b>	<b><u>10.20%</u></b>
66. <b>White-breasted Nuthatch</b>	<b><u>9.44%</u></b>
67. <b>Ruddy Duck</b>	<b><u>9.34%</u></b>
68. <b>Cedar Waxwing</b>	<b><u>9.34%</u></b>
69. <b>Pied-billed Grebe</b>	<b><u>8.72%</u></b>
70. <b>Cooper's Hawk</b>	<b><u>8.54%</u></b>

71.	<b>Ruby-crowned Kinglet</b>	<b>8.43%</b>
72.	<b>California Gull</b>	<b>8.21%</b>
73.	<b>Warbling Vireo</b>	<b>8.16%</b>
74.	<b>Western Meadowlark</b>	<b>7.81%</b>
75.	<b>Gadwall</b>	<b>7.67%</b>
76.	<b>Savannah Sparrow</b>	<b>7.58%</b>
77.	<b>Downy Woodpecker</b>	<b>7.24%</b>
78.	<b>California Thrasher</b>	<b>7.22%</b>
79.	<b>American Kestrel</b>	<b>6.96%</b>
80.	<b>Cassin's Kingbird</b>	<b>6.89%</b>
81.	<b>Purple Finch</b>	<b>6.70%</b>
82.	<b>Hutton's Vireo</b>	<b>6.65%</b>
83.	<b>Northern Shoveler</b>	<b>6.58%</b>
84.	<b>Great-tailed Grackle</b>	<b>6.54%</b>
85.	<b>Yellow Warbler</b>	<b>6.52%</b>
86.	<b>Cinnamon Teal</b>	<b>6.51%</b>
87.	<b>Least Sandpiper</b>	<b>6.34%</b>
88.	<b>Black-throated Gray Warbler</b>	<b>6.34%</b>
89.	<b>Caspian Tern</b>	<b>6.32%</b>
90.	<b>Black-necked Stilt</b>	<b>6.21%</b>
91.	<b>Wild Turkey</b>	<b>6.20%</b>
92.	<b>Bufflehead</b>	<b>6.11%</b>
93.	<b>White-throated Swift</b>	<b>5.85%</b>
94.	<b>Greater Yellowlegs</b>	<b>5.81%</b>
95.	<b>Western Grebe</b>	<b>5.56%</b>

96.	<b>Eared Grebe</b>	<b>5.54%</b>
97.	<b>Townsend's Warbler</b>	<b>5.52%</b>
98.	<b>American Avocet</b>	<b>5.49%</b>
99.	<b>Marsh Wren</b>	<b>5.47%</b>
100.	<b>Western Tanager</b>	<b>5.40%</b>
101.	<b>Osprey</b>	<b>5.32%</b>
102.	<b>Willet</b>	<b>5.30%</b>
103.	<b>Western Sandpiper</b>	<b>5.27%</b>
104.	<b>Black-crowned Night Heron</b>	<b>5.25%</b>
105.	<b>Whimbrel</b>	<b>5.15%</b>
106.	<b>American Wigeon</b>	<b>5.13%</b>
107.	<b>Hermit Thrush</b>	<b>4.98%</b>
108.	<b>Blue-gray Gnatcatcher</b>	<b>4.87%</b>
109.	<b>Green-winged Teal</b>	<b>4.84%</b>
110.	<b>Ring-billed Gull</b>	<b>4.71%</b>
111.	<b>Northern Harrier</b>	<b>4.57%</b>
112.	<b>Lincoln's Sparrow</b>	<b>4.55%</b>
113.	<b>Nashville Warbler</b>	<b>4.54%</b>
114.	<b>Rufous Hummingbird</b>	<b>4.46%</b>
115.	<b>Brown Pelican</b>	<b>4.32%</b>
116.	<b>Forster's Tern</b>	<b>4.31%</b>
117.	<b>Hairy Woodpecker</b>	<b>4.31%</b>
118.	<b>Marbled Godwit</b>	<b>4.13%</b>
119.	<b>Say's Phoebe</b>	<b>3.99%</b>
120.	<b>Pine Siskin</b>	<b>3.95%</b>

121.	<b>Belted Kingfisher</b>	<b>3.93%</b>
122.	<b>Lazuli Bunting</b>	<b>3.92%</b>
123.	<b>Black-chinned Hummingbird</b>	<b>3.87%</b>
124.	<b>Lark Sparrow</b>	<b>3.64%</b>
125.	<b>Phainopepla</b>	<b>3.60%</b>
126.	<b>American White Pelican</b>	<b>3.57%</b>
127.	<b>Pygmy Nuthatch</b>	<b>3.55%</b>
128.	<b>Swainson's Hawk</b>	<b>3.52%</b>
129.	<b>Great Horned Owl</b>	<b>3.43%</b>
130.	<b>Long-billed Dowitcher</b>	<b>3.39%</b>
131.	<b>Green Heron</b>	<b>3.39%</b>
132.	<b>Spotted Sandpiper</b>	<b>3.38%</b>
133.	<b>Surf Scoter</b>	<b>3.31%</b>
134.	<b>White-tailed Kite</b>	<b>3.31%</b>
135.	<b>Chipping Sparrow</b>	<b>3.26%</b>
136.	<b>Brown Creeper</b>	<b>3.19%</b>
137.	<b>Cassin's Vireo</b>	<b>3.08%</b>
138.	<b>Dunlin</b>	<b>3.05%</b>
139.	<b>Costa's Hummingbird</b>	<b>3.04%</b>
140.	<b>Wood Duck</b>	<b>2.98%</b>
141.	<b>Lawrence's Goldfinch</b>	<b>2.98%</b>
142.	<b>Red-breasted Nuthatch</b>	<b>2.97%</b>
143.	<b>Semipalmated Plover</b>	<b>2.96%</b>
144.	<b>Clark's Grebe</b>	<b>2.94%</b>
145.	<b>Ring-necked Duck</b>	<b>2.93%</b>

146.	<b>Brandt's Cormorant</b>	<b>2.88%</b>
147.	<b>Fox Sparrow</b>	<b>2.82%</b>
148.	<b>Mountain Chickadee</b>	<b>2.81%</b>
149.	<b>Common Merganser</b>	<b>2.73%</b>
150.	<b>White-faced Ibis</b>	<b>2.64%</b>
151.	<b>Black-bellied Plover</b>	<b>2.57%</b>
152.	<b>American Pipit</b>	<b>2.36%</b>
153.	<b>Common Loon</b>	<b>2.31%</b>
154.	<b>Yellow-billed Magpie</b>	<b>2.29%</b>
155.	<b>Horned Lark</b>	<b>2.27%</b>
156.	<b>Vaux's Swift</b>	<b>2.23%</b>
157.	<b>Long-billed Curlew</b>	<b>2.21%</b>
158.	<b>Loggerhead Shrike</b>	<b>2.19%</b>
159.	<b>Lesser Scaup</b>	<b>2.19%</b>
160.	<b>Bell's Vireo</b>	<b>2.10%</b>
161.	<b>Pelagic Cormorant</b>	<b>2.09%</b>
162.	<b>Rufous-crowned Sparrow</b>	<b>1.98%</b>
163.	<b>Bald Eagle</b>	<b>1.96%</b>
164.	<b>Verdin</b>	<b>1.93%</b>
165.	<b>Northern Pintail</b>	<b>1.91%</b>
166.	<b>Pacific Wren</b>	<b>1.91%</b>
167.	<b>Black Oystercatcher</b>	<b>1.86%</b>
168.	<b>Blue-winged Teal</b>	<b>1.86%</b>
169.	<b>Hermit Warbler</b>	<b>1.85%</b>
170.	<b>Scaly-breasted Munia</b>	<b>1.84%</b>

171.	<b>Peregrine Falcon</b>	<b>1.82%</b>
172.	<b>Yellow-breasted Chat</b>	<b>1.79%</b>
173.	<b>Yellow-headed Blackbird</b>	<b>1.77%</b>
174.	<b>Rock Wren</b>	<b>1.75%</b>
175.	<b>Sora</b>	<b>1.75%</b>
176.	<b>Greater Scaup</b>	<b>1.75%</b>
177.	<b>Greater White-fronted Goose</b>	<b>1.74%</b>
178.	<b>Glaucous-winged Gull</b>	<b>1.73%</b>
179.	<b>Mountain Quail</b>	<b>1.65%</b>
180.	<b>Common Gallinule</b>	<b>1.63%</b>
181.	<b>Sharp-shinned Hawk</b>	<b>1.62%</b>
182.	<b>Black Turnstone</b>	<b>1.55%</b>
183.	<b>Sanderling</b>	<b>1.48%</b>
184.	<b>Greater Roadrunner</b>	<b>1.46%</b>
185.	<b>Western Wood-Pewee</b>	<b>1.44%</b>
186.	<b>Red-breasted Merganser</b>	<b>1.43%</b>
187.	<b>Hammond's Flycatcher</b>	<b>1.42%</b>
188.	<b>Pigeon Guillemot</b>	<b>1.41%</b>
189.	<b>Elegant Tern</b>	<b>1.41%</b>
190.	<b>Cactus Wren</b>	<b>1.40%</b>
191.	<b>Bonaparte's Gull</b>	<b>1.40%</b>
192.	<b>Olive-sided Flycatcher</b>	<b>1.38%</b>
193.	<b>Golden Eagle</b>	<b>1.32%</b>
194.	<b>Ring-necked Pheasant</b>	<b>1.32%</b>
195.	<b>Red-throated Loon</b>	<b>1.32%</b>



196.	<b>MacGillivray's Warbler</b>	<b>1.31%</b>
197.	<b>Short-billed Dowitcher</b>	<b>1.29%</b>
198.	<b>Black-throated Sparrow</b>	<b>1.28%</b>
199.	<b>Brant</b>	<b>1.27%</b>
200.	<b>Pacific Loon</b>	<b>1.26%</b>
201.	<b>Tricolored Blackbird</b>	<b>1.23%</b>
202.	<b>Common Goldeneye</b>	<b>1.21%</b>
203.	<b>Canyon Wren</b>	<b>1.20%</b>
204.	<b>Blue Grosbeak</b>	<b>1.16%</b>
205.	<b>Red-crowned Parrot</b>	<b>1.14%</b>
206.	<b>Pileated Woodpecker</b>	<b>1.14%</b>
207.	<b>Wilson's Snipe</b>	<b>1.10%</b>
208.	<b>White-throated Sparrow</b>	<b>1.08%</b>
209.	<b>Gambel's Quail</b>	<b>1.07%</b>
210.	<b>Virginia Rail</b>	<b>1.06%</b>
211.	<b>Horned Grebe</b>	<b>1.04%</b>
212.	<b>White-winged Dove</b>	<b>1.03%</b>
213.	<b>Redhead</b>	<b>1.01%</b>
214.	<b>Bell's Sparrow</b>	<b>0.9826%</b>
215.	<b>Golden-crowned Kinglet</b>	<b>0.9778%</b>
216.	<b>Barn Owl</b>	<b>0.9508%</b>
217.	<b>Swainson's Thrush</b>	<b>0.9141%</b>
218.	<b>Royal Tern</b>	<b>0.9024%</b>
219.	<b>Common Murre</b>	<b>0.8743%</b>
220.	<b>Gray Flycatcher</b>	<b>0.8523%</b>

221.	<b>Brewer's Sparrow</b>	<b>0.8487%</b>
222.	<b>Snowy Plover</b>	<b>0.8453%</b>
223.	<b>Heermann's Gull</b>	<b>0.8439%</b>
224.	<b>Herring Gull</b>	<b>0.8249%</b>
225.	<b>Cackling Goose</b>	<b>0.8117%</b>
226.	<b>Ladder-backed Woodpecker</b>	<b>0.8046%</b>
227.	<b>Calliope Hummingbird</b>	<b>0.7923%</b>
228.	<b>Red-breasted Sapsucker</b>	<b>0.7648%</b>
229.	<b>Vermilion Flycatcher</b>	<b>0.7621%</b>
230.	<b>Cassin's Finch</b>	<b>0.7454%</b>
231.	<b>Surfbird</b>	<b>0.7341%</b>
232.	<b>Canvasback</b>	<b>0.6881%</b>
233.	<b>Lewis's Woodpecker</b>	<b>0.6871%</b>
234.	<b>White-headed Woodpecker</b>	<b>0.6845%</b>
235.	<b>Merlin</b>	<b>0.6828%</b>
236.	<b>Snow Goose</b>	<b>0.6651%</b>
237.	<b>American Bittern</b>	<b>0.6574%</b>
238.	<b>Lesser Yellowlegs</b>	<b>0.6557%</b>
239.	<b>Grasshopper Sparrow</b>	<b>0.6538%</b>
240.	<b>Black Skimmer</b>	<b>0.6509%</b>
241.	<b>California Gnatcatcher</b>	<b>0.6445%</b>
242.	<b>Western Cattle Egret</b>	<b>0.6198%</b>
243.	<b>Red-necked Phalarope</b>	<b>0.6100%</b>
244.	<b>Black-tailed Gnatcatcher</b>	<b>0.6052%</b>
245.	<b>Black-capped Chickadee</b>	<b>0.6013%</b>

246.	<b>Hooded Merganser</b>	<b>0.5802%</b>
247.	<b>Red-whiskered Bulbul</b>	<b>0.5757%</b>
248.	<b>Western Screech-Owl</b>	<b>0.5529%</b>
249.	<b>Red-masked Parakeet</b>	<b>0.5321%</b>
250.	<b>Black-chinned Sparrow</b>	<b>0.5174%</b>
251.	<b>Purple Martin</b>	<b>0.5100%</b>
252.	<b>Sooty Shearwater</b>	<b>0.4949%</b>
253.	<b>Black-billed Magpie</b>	<b>0.4899%</b>
254.	<b>Ridgway's Rail</b>	<b>0.4743%</b>
255.	<b>Townsend's Solitaire</b>	<b>0.4741%</b>
256.	<b>Scott's Oriole</b>	<b>0.4657%</b>
257.	<b>Varied Thrush</b>	<b>0.4602%</b>
258.	<b>Ruddy Turnstone</b>	<b>0.4563%</b>
259.	<b>Common Poorwill</b>	<b>0.4542%</b>
260.	<b>Burrowing Owl</b>	<b>0.4345%</b>
261.	<b>Sandhill Crane</b>	<b>0.4316%</b>
262.	<b>Lesser Nighthawk</b>	<b>0.4312%</b>
263.	<b>Abert's Towhee</b>	<b>0.4163%</b>
264.	<b>Common Ground Dove</b>	<b>0.4134%</b>
265.	<b>Yellow-chevroned Parakeet</b>	<b>0.3794%</b>
266.	<b>Dusky Flycatcher</b>	<b>0.3772%</b>
267.	<b>Northern Pygmy-Owl</b>	<b>0.3667%</b>
268.	<b>Red Crossbill</b>	<b>0.3619%</b>
269.	<b>Solitary Sandpiper</b>	<b>0.3617%</b>
270.	<b>Bank Swallow</b>	<b>0.3564%</b>

271.	<b>Short-billed Gull</b>	<b>0.3552%</b>
272.	<b>Prairie Falcon</b>	<b>0.3547%</b>
273.	<b>Green-tailed Towhee</b>	<b>0.3511%</b>
274.	<b>Red Knot</b>	<b>0.3425%</b>
275.	<b>Least Tern</b>	<b>0.3331%</b>
276.	<b>Evening Grosbeak</b>	<b>0.3152%</b>
277.	<b>Wandering Tattler</b>	<b>0.3140%</b>
278.	<b>Gull-billed Tern</b>	<b>0.2936%</b>
279.	<b>Mountain Bluebird</b>	<b>0.2730%</b>
280.	<b>Wilson's Phalarope</b>	<b>0.2658%</b>
281.	<b>Sage Thrasher</b>	<b>0.2608%</b>
282.	<b>Rhinoceros Auklet</b>	<b>0.2603%</b>
283.	<b>American Dipper</b>	<b>0.2495%</b>
284.	<b>Red-necked Grebe</b>	<b>0.2461%</b>
285.	<b>Clark's Nutcracker</b>	<b>0.2404%</b>
286.	<b>Little Blue Heron</b>	<b>0.2334%</b>
287.	<b>White-winged Scoter</b>	<b>0.2298%</b>
288.	<b>Ross's Goose</b>	<b>0.2270%</b>
289.	<b>Least Bittern</b>	<b>0.2267%</b>
290.	<b>Summer Tanager</b>	<b>0.2251%</b>
291.	<b>Northern Fulmar</b>	<b>0.2162%</b>
292.	<b>Sooty Grouse</b>	<b>0.2152%</b>
293.	<b>Mitred Parakeet</b>	<b>0.2135%</b>
294.	<b>Pink-footed Shearwater</b>	<b>0.2092%</b>
295.	<b>Vesper Sparrow</b>	<b>0.2078%</b>

296.	<b>Nanday Parakeet</b>	<b>0.1987%</b>
297.	<b>California Condor</b>	<b>0.1948%</b>
298.	<b>Northern Saw-whet Owl</b>	<b>0.1869%</b>
299.	<b>Black-footed Albatross</b>	<b>0.1790%</b>
300.	<b>Neotropic Cormorant</b>	<b>0.1738%</b>
301.	<b>Chukar</b>	<b>0.1721%</b>
302.	<b>LeConte's Thrasher</b>	<b>0.1678%</b>
303.	<b>Cassin's Auklet</b>	<b>0.1635%</b>
304.	<b>Lilac-crowned Parrot</b>	<b>0.1587%</b>
305.	<b>Franklin's Gull</b>	<b>0.1570%</b>
306.	<b>Marbled Murrelet</b>	<b>0.1565%</b>
307.	<b>Eurasian Wigeon</b>	<b>0.1560%</b>
308.	<b>Yellow-crowned Night Heron</b>	<b>0.1543%</b>
309.	<b>Pinyon Jay</b>	<b>0.1541%</b>
310.	<b>Sabine's Gull</b>	<b>0.1493%</b>
311.	<b>Lucy's Warbler</b>	<b>0.1395%</b>
312.	<b>Plumbeous Vireo</b>	<b>0.1301%</b>
313.	<b>Palm Warbler</b>	<b>0.1273%</b>
314.	<b>Pomarine Jaeger</b>	<b>0.1153%</b>
315.	<b>Reddish Egret</b>	<b>0.1138%</b>
316.	<b>Spotted Dove</b>	<b>0.1110%</b>
317.	<b>Long-eared Owl</b>	<b>0.1081%</b>
318.	<b>Red Phalarope</b>	<b>0.1062%</b>
319.	<b>Black Scoter</b>	<b>0.1057%</b>
320.	<b>Island Scrub-Jay</b>	<b>0.1052%</b>

321.	<b>Long-tailed Duck</b>	<b>0.0992%</b>
322.	<b>Iceland Gull</b>	<b>0.0956%</b>
323.	<b>Spotted Owl</b>	<b>0.0952%</b>
324.	<b>Crissal Thrasher</b>	<b>0.0913%</b>
325.	<b>Black-vented Shearwater</b>	<b>0.0906%</b>
326.	<b>Scripps's Murrelet</b>	<b>0.0892%</b>
327.	<b>Gila Woodpecker</b>	<b>0.0836%</b>
328.	<b>Ferruginous Hawk</b>	<b>0.0829%</b>
329.	<b>Black Rail</b>	<b>0.0822%</b>
330.	<b>Black Tern</b>	<b>0.0800%</b>
331.	<b>Marsh Sandpiper</b>	<b>0.0786%</b>
332.	<b>Harris's Sparrow</b>	<b>0.0786%</b>
333.	<b>Tundra Swan</b>	<b>0.0779%</b>
334.	<b>Inca Dove</b>	<b>0.0777%</b>
335.	<b>Black-and-white Warbler</b>	<b>0.0731%</b>
336.	<b>Parasitic Jaeger</b>	<b>0.0662%</b>
337.	<b>Black-legged Kittiwake</b>	<b>0.0662%</b>
338.	<b>Sagebrush Sparrow</b>	<b>0.0662%</b>
339.	<b>Harlequin Duck</b>	<b>0.0649%</b>
340.	<b>Brown-crested Flycatcher</b>	<b>0.0645%</b>
341.	<b>Woodhouse's Scrub-Jay</b>	<b>0.0618%</b>
342.	<b>Tropical Kingbird</b>	<b>0.0602%</b>
343.	<b>Gray Vireo</b>	<b>0.0597%</b>
344.	<b>Williamson's Sapsucker</b>	<b>0.0587%</b>
345.	<b>Orchard Oriole</b>	<b>0.0580%</b>

346.	<b>Murphy's Petrel</b>	<b>0.0578%</b>
347.	<b>Greater Sage-Grouse</b>	<b>0.0573%</b>
348.	<b>Tufted Puffin</b>	<b>0.0568%</b>
349.	<b>Baltimore Oriole</b>	<b>0.0551%</b>
350.	<b>Rough-legged Hawk</b>	<b>0.0539%</b>
351.	<b>Brown Booby</b>	<b>0.0484%</b>
352.	<b>Bendire's Thrasher</b>	<b>0.0477%</b>
353.	<b>Clay-colored Sparrow</b>	<b>0.0477%</b>
354.	<b>Pacific Golden-Plover</b>	<b>0.0465%</b>
355.	<b>Ruff</b>	<b>0.0465%</b>
356.	<b>Juniper Titmouse</b>	<b>0.0443%</b>
357.	<b>Laughing Gull</b>	<b>0.0415%</b>
358.	<b>Glaucous Gull</b>	<b>0.0415%</b>
359.	<b>Gray-crowned Rosy-Finch</b>	<b>0.0412%</b>
360.	<b>Tufted Duck</b>	<b>0.0400%</b>
361.	<b>American Redstart</b>	<b>0.0391%</b>
362.	<b>Short-eared Owl</b>	<b>0.0388%</b>
363.	<b>Swamp Sparrow</b>	<b>0.0371%</b>
364.	<b>Canada Jay</b>	<b>0.0369%</b>
365.	<b>Little Stint</b>	<b>0.0345%</b>
366.	<b>Barrow's Goldeneye</b>	<b>0.0338%</b>
367.	<b>Stilt Sandpiper</b>	<b>0.0338%</b>
368.	<b>Northern Cardinal</b>	<b>0.0316%</b>
369.	<b>Ashy Storm-Petrel</b>	<b>0.0314%</b>
370.	<b>Rock Sandpiper</b>	<b>0.0309%</b>

371.	<b>Leach's Storm-Petrel</b>	<b>0.0307%</b>
372.	<b>Northern Waterthrush</b>	<b>0.0307%</b>
373.	<b>Laysan Albatross</b>	<b>0.0288%</b>
374.	<b>Barred Owl</b>	<b>0.0278%</b>
375.	<b>Black Storm-Petrel</b>	<b>0.0271%</b>
376.	<b>Red-naped Sapsucker</b>	<b>0.0268%</b>
377.	<b>Cook's Petrel</b>	<b>0.0256%</b>
378.	<b>Common Tern</b>	<b>0.0252%</b>
379.	<b>Northern Gannet</b>	<b>0.0237%</b>
380.	<b>Tricolored Heron</b>	<b>0.0230%</b>
381.	<b>Ruffed Grouse</b>	<b>0.0228%</b>
382.	<b>Fork-tailed Storm-Petrel</b>	<b>0.0216%</b>
383.	<b>Black-throated Green Warbler</b>	<b>0.0213%</b>
384.	<b>Black-backed Woodpecker</b>	<b>0.0211%</b>
385.	<b>American Goshawk</b>	<b>0.0209%</b>
386.	<b>Lesser Black-backed Gull</b>	<b>0.0204%</b>
387.	<b>Fulvous Whistling-Duck</b>	<b>0.0201%</b>
388.	<b>Hooded Warbler</b>	<b>0.0187%</b>
389.	<b>Northern Parula</b>	<b>0.0173%</b>
390.	<b>Hudsonian Godwit</b>	<b>0.0146%</b>
391.	<b>Dusky-capped Flycatcher</b>	<b>0.0144%</b>
392.	<b>Baird's Sandpiper</b>	<b>0.0141%</b>
393.	<b>White Wagtail</b>	<b>0.0141%</b>
394.	<b>Bronzed Cowbird</b>	<b>0.0141%</b>
395.	<b>Common Black Hawk</b>	<b>0.0137%</b>



396.	<b>Yellow-footed Gull</b>	<b>0.0134%</b>
397.	<b>Broad-winged Hawk</b>	<b>0.0129%</b>
398.	<b>LeConte's Sparrow</b>	<b>0.0129%</b>
399.	<b>Hawaiian Petrel</b>	<b>0.0127%</b>
400.	<b>Zone-tailed Hawk</b>	<b>0.0127%</b>
401.	<b>Flammulated Owl</b>	<b>0.0127%</b>
402.	<b>Lark Bunting</b>	<b>0.0127%</b>
403.	<b>Blackburnian Warbler</b>	<b>0.0125%</b>
404.	<b>Ancient Murrelet</b>	<b>0.0117%</b>
405.	<b>Tennessee Warbler</b>	<b>0.0113%</b>
406.	<b>Arctic Tern</b>	<b>0.0110%</b>
407.	<b>Wood Sandpiper</b>	<b>0.0108%</b>
408.	<b>Brown Thrasher</b>	<b>0.0108%</b>
409.	<b>Gilded Flicker</b>	<b>0.0101%</b>
410.	<b>Field Sparrow</b>	<b>0.0101%</b>
411.	<b>Red-faced Warbler</b>	<b>0.0101%</b>
412.	<b>Rose-breasted Grosbeak</b>	<b>0.0101%</b>
413.	<b>Harris's Hawk</b>	<b>0.0098%</b>
414.	<b>Bay-breasted Warbler</b>	<b>0.0098%</b>
415.	<b>Pectoral Sandpiper</b>	<b>0.0096%</b>
416.	<b>Indigo Bunting</b>	<b>0.0091%</b>
417.	<b>Semipalmated Sandpiper</b>	<b>0.0089%</b>
418.	<b>Long-tailed Jaeger</b>	<b>0.0084%</b>
419.	<b>Elf Owl</b>	<b>0.0084%</b>
420.	<b>Purple Sandpiper</b>	<b>0.0082%</b>

421.	<b>Thick-billed Kingbird</b>	<b>0.0082%</b>
422.	<b>Chestnut-sided Warbler</b>	<b>0.0079%</b>
423.	<b>Tundra Bean-Goose</b>	<b>0.0077%</b>
424.	<b>Yellow-billed Loon</b>	<b>0.0077%</b>
425.	<b>Masked Booby</b>	<b>0.0074%</b>
426.	<b>Painted Redstart</b>	<b>0.0074%</b>
427.	<b>Black-headed Gull</b>	<b>0.0072%</b>
428.	<b>Gray Catbird</b>	<b>0.0069%</b>
429.	<b>American Golden-Plover</b>	<b>0.0067%</b>
430.	<b>Magnolia Warbler</b>	<b>0.0067%</b>
431.	<b>Pine Warbler</b>	<b>0.0067%</b>
432.	<b>Ruddy Ground Dove</b>	<b>0.0065%</b>
433.	<b>Grace's Warbler</b>	<b>0.0065%</b>
434.	<b>Nelson's Sparrow</b>	<b>0.0062%</b>
435.	<b>Mississippi Kite</b>	<b>0.0060%</b>
436.	<b>Lapland Longspur</b>	<b>0.0058%</b>
437.	<b>Broad-tailed Hummingbird</b>	<b>0.0055%</b>
438.	<b>Little Gull</b>	<b>0.0055%</b>
439.	<b>Willow Flycatcher</b>	<b>0.0055%</b>
440.	<b>Crested Caracara</b>	<b>0.0050%</b>
441.	<b>Cape May Warbler</b>	<b>0.0050%</b>
442.	<b>Great Gray Owl</b>	<b>0.0048%</b>
443.	<b>Virginia's Warbler</b>	<b>0.0048%</b>
444.	<b>Chestnut-collared Longspur</b>	<b>0.0046%</b>
445.	<b>Trumpeter Swan</b>	<b>0.0041%</b>

446.	<b>King Eider</b>	<b>0.0041%</b>
447.	<b>Black Swift</b>	<b>0.0041%</b>
448.	<b>Hepatic Tanager</b>	<b>0.0041%</b>
449.	<b>Parakeet Auklet</b>	<b>0.0038%</b>
450.	<b>Short-tailed Shearwater</b>	<b>0.0038%</b>
451.	<b>Black Vulture</b>	<b>0.0038%</b>
452.	<b>Least Flycatcher</b>	<b>0.0038%</b>
453.	<b>Eastern Phoebe</b>	<b>0.0038%</b>
454.	<b>Northern Shrike</b>	<b>0.0038%</b>
455.	<b>Blue-headed Vireo</b>	<b>0.0036%</b>
456.	<b>Pine Grosbeak</b>	<b>0.0036%</b>
457.	<b>Painted Bunting</b>	<b>0.0036%</b>
458.	<b>Wood Stork</b>	<b>0.0034%</b>
459.	<b>Greater Pewee</b>	<b>0.0031%</b>
460.	<b>Cassin's Sparrow</b>	<b>0.0031%</b>
461.	<b>Yellow-throated Warbler</b>	<b>0.0031%</b>
462.	<b>Gray Hawk</b>	<b>0.0029%</b>
463.	<b>Yellow-throated Vireo</b>	<b>0.0029%</b>
464.	<b>Winter Wren</b>	<b>0.0029%</b>
465.	<b>American Oystercatcher</b>	<b>0.0026%</b>
466.	<b>Curve-billed Thrasher</b>	<b>0.0026%</b>
467.	<b>Smith's Longspur</b>	<b>0.0026%</b>
468.	<b>Pyrrhuloxia</b>	<b>0.0026%</b>
469.	<b>Wilson's Plover</b>	<b>0.0024%</b>
470.	<b>Roseate Spoonbill</b>	<b>0.0024%</b>

471.	<b>Brown Shrike</b>	<b>0.0024%</b>
472.	<b>Thick-billed Longspur</b>	<b>0.0024%</b>
473.	<b>Ovenbird</b>	<b>0.0024%</b>
474.	<b>Red-footed Booby</b>	<b>0.0022%</b>
475.	<b>Common Grackle</b>	<b>0.0022%</b>
476.	<b>Flesh-footed Shearwater</b>	<b>0.0019%</b>
477.	<b>Manx Shearwater</b>	<b>0.0019%</b>
478.	<b>Red-throated Pipit</b>	<b>0.0019%</b>
479.	<b>Mexican Whip-poor-will</b>	<b>0.0017%</b>
480.	<b>Horned Puffin</b>	<b>0.0017%</b>
481.	<b>Great Shearwater</b>	<b>0.0017%</b>
482.	<b>Anhinga</b>	<b>0.0017%</b>
483.	<b>Scissor-tailed Flycatcher</b>	<b>0.0017%</b>
484.	<b>Mexican Duck</b>	<b>0.0014%</b>
485.	<b>Broad-billed Hummingbird</b>	<b>0.0014%</b>
486.	<b>Yellow-bellied Sapsucker</b>	<b>0.0014%</b>
487.	<b>Worm-eating Warbler</b>	<b>0.0014%</b>
488.	<b>Varied Bunting</b>	<b>0.0014%</b>
489.	<b>Dickcissel</b>	<b>0.0014%</b>
490.	<b>Garganey</b>	<b>0.0012%</b>
491.	<b>Rivoli's Hummingbird</b>	<b>0.0012%</b>
492.	<b>Mountain Plover</b>	<b>0.0012%</b>
493.	<b>South Polar Skua</b>	<b>0.0012%</b>
494.	<b>Slaty-backed Gull</b>	<b>0.0012%</b>
495.	<b>Streak-backed Oriole</b>	<b>0.0012%</b>

496.	<b>Prothonotary Warbler</b>	<b>0.0012%</b>
497.	<b>Nazca Booby</b>	<b>0.0010%</b>
498.	<b>Blue-footed Booby</b>	<b>0.0010%</b>
499.	<b>Glossy Ibis</b>	<b>0.0010%</b>
500.	<b>Blue Jay</b>	<b>0.0010%</b>
501.	<b>Rusty Blackbird</b>	<b>0.0010%</b>
502.	<b>Emperor Goose</b>	<b>0.0007%</b>
503.	<b>Falcated Duck</b>	<b>0.0007%</b>
504.	<b>White-tailed Ptarmigan</b>	<b>0.0007%</b>
505.	<b>Curlew Sandpiper</b>	<b>0.0007%</b>
506.	<b>Bohemian Waxwing</b>	<b>0.0007%</b>
507.	<b>Black-throated Blue Warbler</b>	<b>0.0007%</b>
508.	<b>Chimney Swift</b>	<b>0.0005%</b>
509.	<b>Sooty Tern</b>	<b>0.0005%</b>
510.	<b>Red-billed Tropicbird</b>	<b>0.0005%</b>
511.	<b>Short-tailed Albatross</b>	<b>0.0005%</b>
512.	<b>Red-eyed Vireo</b>	<b>0.0005%</b>
513.	<b>Cave Swallow</b>	<b>0.0005%</b>
514.	<b>American Tree Sparrow</b>	<b>0.0005%</b>
515.	<b>Black-bellied Whistling-Duck</b>	<b>0.0002%</b>
516.	<b>Blue-throated Mountain-gem</b>	<b>0.0002%</b>
517.	<b>Yellow Rail</b>	<b>0.0002%</b>
518.	<b>Greater Sand-Plover</b>	<b>0.0002%</b>
519.	<b>Sharp-tailed Sandpiper</b>	<b>0.0002%</b>
520.	<b>Guadalupe Murrelet</b>	<b>0.0002%</b>

521.	<b>Black-tailed Gull</b>	<b>0.0002%</b>
522.	<b>Least Storm-Petrel</b>	<b>0.0002%</b>
523.	<b>Gyr Falcon</b>	<b>0.0002%</b>
524.	<b>Eastern Kingbird</b>	<b>0.0002%</b>
525.	<b>Philadelphia Vireo</b>	<b>0.0002%</b>
526.	<b>Rufous-backed Robin</b>	<b>0.0002%</b>
527.	<b>Black Rosy-Finch</b>	<b>0.0002%</b>
528.	<b>Steller's Eider</b>	<b>0.0000%</b>
529.	<b>Common Nighthawk</b>	<b>0.0000%</b>
530.	<b>White-rumped Sandpiper</b>	<b>0.0000%</b>
531.	<b>Kelp Gull</b>	<b>0.0000%</b>
532.	<b>Sandwich Tern</b>	<b>0.0000%</b>
533.	<b>Wedge-rumped Storm-Petrel</b>	<b>0.0000%</b>
534.	<b>Tristram's Storm-Petrel</b>	<b>0.0000%</b>
535.	<b>Mottled Petrel</b>	<b>0.0000%</b>
536.	<b>Stejneger's Petrel</b>	<b>0.0000%</b>
537.	<b>Swallow-tailed Kite</b>	<b>0.0000%</b>
538.	<b>Snowy Owl</b>	<b>0.0000%</b>
539.	<b>Red-headed Woodpecker</b>	<b>0.0000%</b>
540.	<b>Snow Bunting</b>	<b>0.0000%</b>
541.	<b>Louisiana Waterthrush</b>	<b>0.0000%</b>
542.	<b>Golden-winged Warbler</b>	<b>0.0000%</b>
543.	<b>Blackpoll Warbler</b>	<b>0.0000%</b>
544.	<b>Prairie Warbler</b>	<b>0.0000%</b>
545.	<b>Canada Warbler</b>	<b>0.0000%</b>

546. **Scarlet Tanager** **0.0000%**

**EXOTIC: PROVISIONAL**

547. **Egyptian Goose** **0.6943%** frequency

548. **Swinhoe's White-eye** **0.6564%**

549. **Mute Swan** **0.5584%**

550. **Indian Peafowl** **0.2735%**

551. **Pin-tailed Whydah** **0.2701%**

552. **Yellow-headed Parrot** **0.0760%**

553. **Rose-ringed Parakeet** **0.0688%**

554. **Northern Red Bishop** **0.0419%**

555. **Red-lored Parrot** **0.0161%**

556. **Blue-crowned Parakeet** **0.0127%**

557. **Burrowing Parakeet** **0.0048%**

558. **Eurasian Tree Sparrow** **0.0017%**

559. **Mandarin Duck** **0.0014%**

560. **Monk Parakeet** **0.0012%**

561. **House Crow** **0.0002%**

562. **Black-backed Oriole** **0.0000%**

**EXOTIC: ESCAPEE**

**Muscovy Duck** **0.3986%** frequency

**Graylag Goose** **0.2492%**

**Swan Goose** **0.1222%**

**Black-throated Magpie-Jay** **0.0460%**

**Orange-cheeked Waxbill** **0.0168%**

**European Goldfinch** **0.0108%**

<b>Helmeted Guineafowl</b>	<b>0.0098%</b>
<b>Black Swan</b>	<b>0.0084%</b>
<b>White-winged Parakeet</b>	<b>0.0082%</b>
<b>Cockatiel</b>	<b>0.0079%</b>
<b>Red Junglefowl</b>	<b>0.0060%</b>
<b>Lesser Flamingo</b>	<b>0.0029%</b>
<b>Chilean Flamingo</b>	<b>0.0026%</b>
<b>African Collared-Dove</b>	<b>0.0026%</b>
<b>Budgerigar</b>	<b>0.0024%</b>
<b>Blue-gray Tanager</b>	<b>0.0024%</b>
<b>American Flamingo</b>	<b>0.0019%</b>
<b>Scaly-headed Parrot</b>	<b>0.0019%</b>
<b>Bronze Mannikin</b>	<b>0.0019%</b>
<b>Northern Bobwhite</b>	<b>0.0014%</b>
<b>Green Jay</b>	<b>0.0012%</b>
<b>White-fronted Parrot</b>	<b>0.0010%</b>
<b>Crested Myna</b>	<b>0.0010%</b>
<b>Yellow-fronted Canary</b>	<b>0.0007%</b>
<b>Venezuelan Troupial</b>	<b>0.0007%</b>
<b>Ringed Teal</b>	<b>0.0005%</b>
<b>Golden Pheasant</b>	<b>0.0005%</b>
<b>Indian White-eye</b>	<b>0.0005%</b>
<b>Zebra Finch</b>	<b>0.0005%</b>
<b>Red-cheeked Cordonbleu</b>	<b>0.0005%</b>
<b>Cinnamon-rumped Seedeater</b>	<b>0.0005%</b>



<b>Lady Amherst's Pheasant</b>	<b>0.0002%</b>
<b>Diamond Dove</b>	<b>0.0002%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0002%</b>
<b>Fischer's Lovebird</b>	<b>0.0002%</b>
<b>Turquoise-fronted Parrot</b>	<b>0.0002%</b>
<b>Pied Crow</b>	<b>0.0002%</b>
<b>Black-headed Weaver</b>	<b>0.0002%</b>
<b>Cut-throat</b>	<b>0.0002%</b>
<b>European Greenfinch</b>	<b>0.0002%</b>
<b>Island Canary</b>	<b>0.0002%</b>
<b>Black Siskin</b>	<b>0.0002%</b>
<b>Red-crested Cardinal</b>	<b>0.0002%</b>
<b>Saffron Finch</b>	<b>0.0002%</b>
<b>Parrot-billed Seed eater</b>	<b>0.0002%</b>
<b>Black-necked Swan</b>	<b>0.0000%</b>
<b>Reeves's Pheasant</b>	<b>0.0000%</b>
<b>Black Francolin</b>	<b>0.0000%</b>
<b>Keel-billed Toucan</b>	<b>0.0000%</b>
<b>Sulphur-crested Cockatoo</b>	<b>0.0000%</b>
<b>Scarlet Macaw</b>	<b>0.0000%</b>
<b>Common Hill Myna</b>	<b>0.0000%</b>
<b>Whooper Swan</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Western x Glaucous-winged Gull (hybrid)	<b>0.2229%</b> frequency
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0381%</b>

Herring x Glaucous-winged Gull (hybrid)	<b>0.0228%</b>
Common Black x Red-shouldered Hawk (hybrid)	<b>0.0221%</b>
Nuttall's x Ladder-backed Woodpecker (hybrid)	<b>0.0132%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0125%</b>
Graylag x Swan Goose (hybrid)	<b>0.0113%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0113%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0108%</b>
California x Gambel's Quail (hybrid)	<b>0.0086%</b>
White-crowned x Golden-crowned Sparrow (hybrid)	<b>0.0082%</b>
American x Black Oystercatcher (hybrid)	<b>0.0072%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0067%</b>
Glaucous x Glaucous-winged Gull (hybrid)	<b>0.0067%</b>
Gadwall x Mallard (hybrid)	<b>0.0062%</b>
Graylag x Canada Goose (hybrid)	<b>0.0060%</b>
Anna's Hummingbird x Selasphorus sp. (hybrid)	<b>0.0053%</b>
Yellow-breasted Chat x new world oriole sp. (hybrid)	<b>0.0048%</b>
Snow x Ross's Goose (hybrid)	<b>0.0043%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0036%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0031%</b>
Black-chinned x Costa's Hummingbird (hybrid)	<b>0.0029%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0026%</b>
Western x Clark's Grebe (hybrid)	<b>0.0024%</b>

Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0022%</b>
Anna's x Costa's Hummingbird (hybrid)	<b>0.0022%</b>
Tufted Duck x scaup sp. (hybrid)	<b>0.0019%</b>
Anna's x Allen's Hummingbird (hybrid)	<b>0.0019%</b>
Cinnamon Teal x Northern Shoveler (hybrid)	<b>0.0017%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0014%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0014%</b>
Common x Barrow's Goldeneye (hybrid)	<b>0.0010%</b>
Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0010%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0007%</b>
Calliope x Rufous Hummingbird (hybrid)	<b>0.0007%</b>
Downy x Nuttall's Woodpecker (hybrid)	<b>0.0007%</b>
Dark-eyed Junco x White-crowned Sparrow (hybrid)	<b>0.0007%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0007%</b>
Greater White-fronted x Cackling Goose (hybrid)	<b>0.0005%</b>
Northern Shoveler x American Wigeon (hybrid)	<b>0.0005%</b>
Wood Duck x Mallard (hybrid)	<b>0.0005%</b>
Black-chinned x Rufous Hummingbird (hybrid)	<b>0.0005%</b>
Sandwich x Elegant Tern (hybrid)	<b>0.0005%</b>
Northern x Gilded Flicker (hybrid)	<b>0.0005%</b>
Red-crowned x Red-lored Parrot (hybrid)	<b>0.0005%</b>
California x Crissal Thrasher (hybrid)	<b>0.0005%</b>

White-crowned x White-throated Sparrow (hybrid)	<b>0.0005%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0005%</b>
Barnacle x Canada Goose (hybrid)	<b>0.0002%</b>
American Wigeon x Mallard (hybrid)	<b>0.0002%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0002%</b>
Eurasian x African Collared-Dove (hybrid)	<b>0.0002%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0002%</b>
Black-chinned x Calliope Hummingbird (hybrid)	<b>0.0002%</b>
Rufous x Allen's Hummingbird (hybrid)	<b>0.0002%</b>
Common Gallinule x American Coot (hybrid)	<b>0.0002%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0002%</b>
Downy x Hairy Woodpecker (hybrid)	<b>0.0002%</b>
Ladder-backed x Hairy Woodpecker (hybrid)	<b>0.0002%</b>
Barn x Cliff Swallow (hybrid)	<b>0.0002%</b>
Golden-crowned x White-throated Sparrow (hybrid)	<b>0.0002%</b>
Yellow-rumped x Grace's Warbler (hybrid)	<b>0.0002%</b>
Yellow-rumped x Black-throated Gray Warbler (hybrid)	<b>0.0002%</b>
Black-throated Gray x Hermit Warbler (hybrid)	<b>0.0002%</b>
Anna's x Calliope Hummingbird (hybrid)	<b>0.0000%</b>
Double-crested x Neotropic Cormorant (hybrid)	<b>0.0000%</b>
Tree x Barn Swallow (hybrid)	<b>0.0000%</b>
Cape May x Yellow-rumped Warbler (hybrid)	<b>0.0000%</b>

---

Fischer's x Yellow-collared Lovebird  
(hybrid)

**0.0000%**