

## Target Species

Based on 417,245 complete checklists

**562** species observed in California, US (region/US-CA) in **Apr** that you need for your **World Life List**

|                                        |                          |
|----------------------------------------|--------------------------|
| 1. <b>Black-bellied Whistling-Duck</b> | <b>0.0002%</b> frequency |
| 2. <b>Fulvous Whistling-Duck</b>       | <b>0.0201%</b>           |
| 3. <b>Emperor Goose</b>                | <b>0.0007%</b>           |
| 4. <b>Snow Goose</b>                   | <b>0.6651%</b>           |
| 5. <b>Ross's Goose</b>                 | <b>0.2270%</b>           |
| 6. <b>Greater White-fronted Goose</b>  | <b>1.74%</b>             |
| 7. <b>Tundra Bean-Goose</b>            | <b>0.0077%</b>           |
| 8. <b>Brant</b>                        | <b>1.27%</b>             |
| 9. <b>Cackling Goose</b>               | <b>0.8117%</b>           |
| 10. <b>Canada Goose</b>                | <b><u>20.64%</u></b>     |
| 11. <b>Trumpeter Swan</b>              | <b>0.0041%</b>           |
| 12. <b>Tundra Swan</b>                 | <b>0.0779%</b>           |
| 13. <b>Wood Duck</b>                   | <b>2.98%</b>             |
| 14. <b>Garganey</b>                    | <b>0.0012%</b>           |
| 15. <b>Blue-winged Teal</b>            | <b>1.86%</b>             |
| 16. <b>Cinnamon Teal</b>               | <b><u>6.51%</u></b>      |
| 17. <b>Northern Shoveler</b>           | <b><u>6.58%</u></b>      |
| 18. <b>Gadwall</b>                     | <b><u>7.67%</u></b>      |
| 19. <b>Falcated Duck</b>               | <b>0.0007%</b>           |
| 20. <b>Eurasian Wigeon</b>             | <b>0.1560%</b>           |

|                                   |                |
|-----------------------------------|----------------|
| 21. <b>American Wigeon</b>        | <b>5.13%</b>   |
| 22. <b>Mallard</b>                | <b>31.45%</b>  |
| 23. <b>Mexican Duck</b>           | <b>0.0014%</b> |
| 24. <b>Northern Pintail</b>       | <b>1.91%</b>   |
| 25. <b>Green-winged Teal</b>      | <b>4.84%</b>   |
| 26. <b>Canvasback</b>             | <b>0.6881%</b> |
| 27. <b>Redhead</b>                | <b>1.01%</b>   |
| 28. <b>Ring-necked Duck</b>       | <b>2.93%</b>   |
| 29. <b>Tufted Duck</b>            | <b>0.0400%</b> |
| 30. <b>Greater Scaup</b>          | <b>1.75%</b>   |
| 31. <b>Lesser Scaup</b>           | <b>2.19%</b>   |
| 32. <b>Steller's Eider</b>        | <b>0.0000%</b> |
| 33. <b>King Eider</b>             | <b>0.0041%</b> |
| 34. <b>Harlequin Duck</b>         | <b>0.0649%</b> |
| 35. <b>Surf Scoter</b>            | <b>3.31%</b>   |
| 36. <b>White-winged Scoter</b>    | <b>0.2298%</b> |
| 37. <b>Black Scoter</b>           | <b>0.1057%</b> |
| 38. <b>Long-tailed Duck</b>       | <b>0.0992%</b> |
| 39. <b>Bufflehead</b>             | <b>6.11%</b>   |
| 40. <b>Common Goldeneye</b>       | <b>1.21%</b>   |
| 41. <b>Barrow's Goldeneye</b>     | <b>0.0338%</b> |
| 42. <b>Hooded Merganser</b>       | <b>0.5802%</b> |
| 43. <b>Common Merganser</b>       | <b>2.73%</b>   |
| 44. <b>Red-breasted Merganser</b> | <b>1.43%</b>   |
| 45. <b>Ruddy Duck</b>             | <b>9.34%</b>   |

|     |                               |                |
|-----|-------------------------------|----------------|
| 46. | <b>Mountain Quail</b>         | <b>1.65%</b>   |
| 47. | <b>California Quail</b>       | <b>16.64%</b>  |
| 48. | <b>Gambel's Quail</b>         | <b>1.07%</b>   |
| 49. | <b>Wild Turkey</b>            | <b>6.20%</b>   |
| 50. | <b>Ruffed Grouse</b>          | <b>0.0228%</b> |
| 51. | <b>Greater Sage-Grouse</b>    | <b>0.0573%</b> |
| 52. | <b>Sooty Grouse</b>           | <b>0.2152%</b> |
| 53. | <b>White-tailed Ptarmigan</b> | <b>0.0007%</b> |
| 54. | <b>Ring-necked Pheasant</b>   | <b>1.32%</b>   |
| 55. | <b>Chukar</b>                 | <b>0.1721%</b> |
| 56. | <b>Pied-billed Grebe</b>      | <b>8.72%</b>   |
| 57. | <b>Horned Grebe</b>           | <b>1.04%</b>   |
| 58. | <b>Red-necked Grebe</b>       | <b>0.2461%</b> |
| 59. | <b>Eared Grebe</b>            | <b>5.54%</b>   |
| 60. | <b>Western Grebe</b>          | <b>5.56%</b>   |
| 61. | <b>Clark's Grebe</b>          | <b>2.94%</b>   |
| 62. | <b>Rock Pigeon</b>            | <b>12.36%</b>  |
| 63. | <b>Band-tailed Pigeon</b>     | <b>10.20%</b>  |
| 64. | <b>Eurasian Collared-Dove</b> | <b>16.88%</b>  |
| 65. | <b>Spotted Dove</b>           | <b>0.1110%</b> |
| 66. | <b>Inca Dove</b>              | <b>0.0777%</b> |
| 67. | <b>Common Ground Dove</b>     | <b>0.4134%</b> |
| 68. | <b>Ruddy Ground Dove</b>      | <b>0.0065%</b> |
| 69. | <b>White-winged Dove</b>      | <b>1.03%</b>   |
| 70. | <b>Mourning Dove</b>          | <b>42.89%</b>  |

|                                       |                |
|---------------------------------------|----------------|
| 71. <b>Greater Roadrunner</b>         | <b>1.46%</b>   |
| 72. <b>Lesser Nighthawk</b>           | <b>0.4312%</b> |
| 73. <b>Common Nighthawk</b>           | <b>0.0000%</b> |
| 74. <b>Common Poorwill</b>            | <b>0.4542%</b> |
| 75. <b>Mexican Whip-poor-will</b>     | <b>0.0017%</b> |
| 76. <b>Black Swift</b>                | <b>0.0041%</b> |
| 77. <b>Chimney Swift</b>              | <b>0.0005%</b> |
| 78. <b>Vaux's Swift</b>               | <b>2.23%</b>   |
| 79. <b>White-throated Swift</b>       | <b>5.85%</b>   |
| 80. <b>Rivoli's Hummingbird</b>       | <b>0.0012%</b> |
| 81. <b>Blue-throated Mountain-gem</b> | <b>0.0002%</b> |
| 82. <b>Black-chinned Hummingbird</b>  | <b>3.87%</b>   |
| 83. <b>Anna's Hummingbird</b>         | <b>43.56%</b>  |
| 84. <b>Costa's Hummingbird</b>        | <b>3.04%</b>   |
| 85. <b>Calliope Hummingbird</b>       | <b>0.7923%</b> |
| 86. <b>Rufous Hummingbird</b>         | <b>4.46%</b>   |
| 87. <b>Allen's Hummingbird</b>        | <b>14.34%</b>  |
| 88. <b>Broad-tailed Hummingbird</b>   | <b>0.0055%</b> |
| 89. <b>Broad-billed Hummingbird</b>   | <b>0.0014%</b> |
| 90. <b>Ridgway's Rail</b>             | <b>0.4743%</b> |
| 91. <b>Virginia Rail</b>              | <b>1.06%</b>   |
| 92. <b>Sora</b>                       | <b>1.75%</b>   |
| 93. <b>Common Gallinule</b>           | <b>1.63%</b>   |
| 94. <b>American Coot</b>              | <b>18.93%</b>  |
| 95. <b>Yellow Rail</b>                | <b>0.0002%</b> |

|      |                               |                |
|------|-------------------------------|----------------|
| 96.  | <b>Black Rail</b>             | <b>0.0822%</b> |
| 97.  | <b>Sandhill Crane</b>         | <b>0.4316%</b> |
| 98.  | <b>Black-necked Stilt</b>     | <b>6.21%</b>   |
| 99.  | <b>American Avocet</b>        | <b>5.49%</b>   |
| 100. | <b>American Oystercatcher</b> | <b>0.0026%</b> |
| 101. | <b>Black Oystercatcher</b>    | <b>1.86%</b>   |
| 102. | <b>Black-bellied Plover</b>   | <b>2.57%</b>   |
| 103. | <b>American Golden-Plover</b> | <b>0.0067%</b> |
| 104. | <b>Pacific Golden-Plover</b>  | <b>0.0465%</b> |
| 105. | <b>Killdeer</b>               | <b>13.91%</b>  |
| 106. | <b>Semipalmated Plover</b>    | <b>2.96%</b>   |
| 107. | <b>Greater Sand-Plover</b>    | <b>0.0002%</b> |
| 108. | <b>Wilson's Plover</b>        | <b>0.0024%</b> |
| 109. | <b>Mountain Plover</b>        | <b>0.0012%</b> |
| 110. | <b>Snowy Plover</b>           | <b>0.8453%</b> |
| 111. | <b>Whimbrel</b>               | <b>5.15%</b>   |
| 112. | <b>Long-billed Curlew</b>     | <b>2.21%</b>   |
| 113. | <b>Hudsonian Godwit</b>       | <b>0.0146%</b> |
| 114. | <b>Marbled Godwit</b>         | <b>4.13%</b>   |
| 115. | <b>Short-billed Dowitcher</b> | <b>1.29%</b>   |
| 116. | <b>Long-billed Dowitcher</b>  | <b>3.39%</b>   |
| 117. | <b>Wilson's Snipe</b>         | <b>1.10%</b>   |
| 118. | <b>Wilson's Phalarope</b>     | <b>0.2658%</b> |
| 119. | <b>Red Phalarope</b>          | <b>0.1062%</b> |
| 120. | <b>Red-necked Phalarope</b>   | <b>0.6100%</b> |

|      |                               |                |
|------|-------------------------------|----------------|
| 121. | <b>Spotted Sandpiper</b>      | <b>3.38%</b>   |
| 122. | <b>Solitary Sandpiper</b>     | <b>0.3617%</b> |
| 123. | <b>Wandering Tattler</b>      | <b>0.3140%</b> |
| 124. | <b>Marsh Sandpiper</b>        | <b>0.0786%</b> |
| 125. | <b>Wood Sandpiper</b>         | <b>0.0108%</b> |
| 126. | <b>Lesser Yellowlegs</b>      | <b>0.6557%</b> |
| 127. | <b>Willet</b>                 | <b>5.30%</b>   |
| 128. | <b>Greater Yellowlegs</b>     | <b>5.81%</b>   |
| 129. | <b>Ruddy Turnstone</b>        | <b>0.4563%</b> |
| 130. | <b>Black Turnstone</b>        | <b>1.55%</b>   |
| 131. | <b>Red Knot</b>               | <b>0.3425%</b> |
| 132. | <b>Surfbird</b>               | <b>0.7341%</b> |
| 133. | <b>Ruff</b>                   | <b>0.0465%</b> |
| 134. | <b>Sharp-tailed Sandpiper</b> | <b>0.0002%</b> |
| 135. | <b>Curlew Sandpiper</b>       | <b>0.0007%</b> |
| 136. | <b>Stilt Sandpiper</b>        | <b>0.0338%</b> |
| 137. | <b>Sanderling</b>             | <b>1.48%</b>   |
| 138. | <b>Dunlin</b>                 | <b>3.05%</b>   |
| 139. | <b>Purple Sandpiper</b>       | <b>0.0082%</b> |
| 140. | <b>Rock Sandpiper</b>         | <b>0.0309%</b> |
| 141. | <b>Baird's Sandpiper</b>      | <b>0.0141%</b> |
| 142. | <b>Little Stint</b>           | <b>0.0345%</b> |
| 143. | <b>White-rumped Sandpiper</b> | <b>0.0000%</b> |
| 144. | <b>Least Sandpiper</b>        | <b>6.34%</b>   |
| 145. | <b>Pectoral Sandpiper</b>     | <b>0.0096%</b> |

|      |                               |                |
|------|-------------------------------|----------------|
| 146. | <b>Western Sandpiper</b>      | <b>5.27%</b>   |
| 147. | <b>Semipalmated Sandpiper</b> | <b>0.0089%</b> |
| 148. | <b>Long-tailed Jaeger</b>     | <b>0.0084%</b> |
| 149. | <b>Parasitic Jaeger</b>       | <b>0.0662%</b> |
| 150. | <b>Pomarine Jaeger</b>        | <b>0.1153%</b> |
| 151. | <b>South Polar Skua</b>       | <b>0.0012%</b> |
| 152. | <b>Rhinoceros Auklet</b>      | <b>0.2603%</b> |
| 153. | <b>Tufted Puffin</b>          | <b>0.0568%</b> |
| 154. | <b>Horned Puffin</b>          | <b>0.0017%</b> |
| 155. | <b>Cassin's Auklet</b>        | <b>0.1635%</b> |
| 156. | <b>Parakeet Auklet</b>        | <b>0.0038%</b> |
| 157. | <b>Marbled Murrelet</b>       | <b>0.1565%</b> |
| 158. | <b>Pigeon Guillemot</b>       | <b>1.41%</b>   |
| 159. | <b>Common Murre</b>           | <b>0.8743%</b> |
| 160. | <b>Ancient Murrelet</b>       | <b>0.0117%</b> |
| 161. | <b>Scripps's Murrelet</b>     | <b>0.0892%</b> |
| 162. | <b>Guadalupe Murrelet</b>     | <b>0.0002%</b> |
| 163. | <b>Little Gull</b>            | <b>0.0055%</b> |
| 164. | <b>Black-legged Kittiwake</b> | <b>0.0662%</b> |
| 165. | <b>Sabine's Gull</b>          | <b>0.1493%</b> |
| 166. | <b>Bonaparte's Gull</b>       | <b>1.40%</b>   |
| 167. | <b>Black-headed Gull</b>      | <b>0.0072%</b> |
| 168. | <b>Laughing Gull</b>          | <b>0.0415%</b> |
| 169. | <b>Franklin's Gull</b>        | <b>0.1570%</b> |
| 170. | <b>Black-tailed Gull</b>      | <b>0.0002%</b> |

|      |                                 |                |
|------|---------------------------------|----------------|
| 171. | <b>Heermann's Gull</b>          | <b>0.8439%</b> |
| 172. | <b>Short-billed Gull</b>        | <b>0.3552%</b> |
| 173. | <b>Ring-billed Gull</b>         | <b>4.71%</b>   |
| 174. | <b>Yellow-footed Gull</b>       | <b>0.0134%</b> |
| 175. | <b>Western Gull</b>             | <b>12.68%</b>  |
| 176. | <b>Kelp Gull</b>                | <b>0.0000%</b> |
| 177. | <b>Herring Gull</b>             | <b>0.8249%</b> |
| 178. | <b>Glaucous Gull</b>            | <b>0.0415%</b> |
| 179. | <b>Lesser Black-backed Gull</b> | <b>0.0204%</b> |
| 180. | <b>California Gull</b>          | <b>8.21%</b>   |
| 181. | <b>Glaucous-winged Gull</b>     | <b>1.73%</b>   |
| 182. | <b>Slaty-backed Gull</b>        | <b>0.0012%</b> |
| 183. | <b>Iceland Gull</b>             | <b>0.0956%</b> |
| 184. | <b>Black Skimmer</b>            | <b>0.6509%</b> |
| 185. | <b>Sooty Tern</b>               | <b>0.0005%</b> |
| 186. | <b>Least Tern</b>               | <b>0.3331%</b> |
| 187. | <b>Gull-billed Tern</b>         | <b>0.2936%</b> |
| 188. | <b>Caspian Tern</b>             | <b>6.32%</b>   |
| 189. | <b>Black Tern</b>               | <b>0.0800%</b> |
| 190. | <b>Forster's Tern</b>           | <b>4.31%</b>   |
| 191. | <b>Arctic Tern</b>              | <b>0.0110%</b> |
| 192. | <b>Common Tern</b>              | <b>0.0252%</b> |
| 193. | <b>Sandwich Tern</b>            | <b>0.0000%</b> |
| 194. | <b>Elegant Tern</b>             | <b>1.41%</b>   |
| 195. | <b>Royal Tern</b>               | <b>0.9024%</b> |



|      |                                  |                |
|------|----------------------------------|----------------|
| 196. | <b>Red-billed Tropicbird</b>     | <b>0.0005%</b> |
| 197. | <b>Red-throated Loon</b>         | <b>1.32%</b>   |
| 198. | <b>Pacific Loon</b>              | <b>1.26%</b>   |
| 199. | <b>Common Loon</b>               | <b>2.31%</b>   |
| 200. | <b>Yellow-billed Loon</b>        | <b>0.0077%</b> |
| 201. | <b>Laysan Albatross</b>          | <b>0.0288%</b> |
| 202. | <b>Black-footed Albatross</b>    | <b>0.1790%</b> |
| 203. | <b>Short-tailed Albatross</b>    | <b>0.0005%</b> |
| 204. | <b>Fork-tailed Storm-Petrel</b>  | <b>0.0216%</b> |
| 205. | <b>Leach's Storm-Petrel</b>      | <b>0.0307%</b> |
| 206. | <b>Ashy Storm-Petrel</b>         | <b>0.0314%</b> |
| 207. | <b>Wedge-rumped Storm-Petrel</b> | <b>0.0000%</b> |
| 208. | <b>Black Storm-Petrel</b>        | <b>0.0271%</b> |
| 209. | <b>Tristram's Storm-Petrel</b>   | <b>0.0000%</b> |
| 210. | <b>Least Storm-Petrel</b>        | <b>0.0002%</b> |
| 211. | <b>Northern Fulmar</b>           | <b>0.2162%</b> |
| 212. | <b>Murphy's Petrel</b>           | <b>0.0578%</b> |
| 213. | <b>Mottled Petrel</b>            | <b>0.0000%</b> |
| 214. | <b>Hawaiian Petrel</b>           | <b>0.0127%</b> |
| 215. | <b>Cook's Petrel</b>             | <b>0.0256%</b> |
| 216. | <b>Stejneger's Petrel</b>        | <b>0.0000%</b> |
| 217. | <b>Pink-footed Shearwater</b>    | <b>0.2092%</b> |
| 218. | <b>Flesh-footed Shearwater</b>   | <b>0.0019%</b> |
| 219. | <b>Great Shearwater</b>          | <b>0.0017%</b> |
| 220. | <b>Sooty Shearwater</b>          | <b>0.4949%</b> |

|      |                                   |                |
|------|-----------------------------------|----------------|
| 221. | <b>Short-tailed Shearwater</b>    | <b>0.0038%</b> |
| 222. | <b>Manx Shearwater</b>            | <b>0.0019%</b> |
| 223. | <b>Black-vented Shearwater</b>    | <b>0.0906%</b> |
| 224. | <b>Wood Stork</b>                 | <b>0.0034%</b> |
| 225. | <b>Northern Gannet</b>            | <b>0.0237%</b> |
| 226. | <b>Red-footed Booby</b>           | <b>0.0022%</b> |
| 227. | <b>Brown Booby</b>                | <b>0.0484%</b> |
| 228. | <b>Masked Booby</b>               | <b>0.0074%</b> |
| 229. | <b>Nazca Booby</b>                | <b>0.0010%</b> |
| 230. | <b>Blue-footed Booby</b>          | <b>0.0010%</b> |
| 231. | <b>Anhinga</b>                    | <b>0.0017%</b> |
| 232. | <b>Brandt's Cormorant</b>         | <b>2.88%</b>   |
| 233. | <b>Pelagic Cormorant</b>          | <b>2.09%</b>   |
| 234. | <b>Double-crested Cormorant</b>   | <b>16.43%</b>  |
| 235. | <b>Neotropic Cormorant</b>        | <b>0.1738%</b> |
| 236. | <b>American White Pelican</b>     | <b>3.57%</b>   |
| 237. | <b>Brown Pelican</b>              | <b>4.32%</b>   |
| 238. | <b>American Bittern</b>           | <b>0.6574%</b> |
| 239. | <b>Least Bittern</b>              | <b>0.2267%</b> |
| 240. | <b>Yellow-crowned Night Heron</b> | <b>0.1543%</b> |
| 241. | <b>Black-crowned Night Heron</b>  | <b>5.25%</b>   |
| 242. | <b>Little Blue Heron</b>          | <b>0.2334%</b> |
| 243. | <b>Tricolored Heron</b>           | <b>0.0230%</b> |
| 244. | <b>Reddish Egret</b>              | <b>0.1138%</b> |
| 245. | <b>Snowy Egret</b>                | <b>11.00%</b>  |

|      |                             |                |
|------|-----------------------------|----------------|
| 246. | <b>Green Heron</b>          | <b>3.39%</b>   |
| 247. | <b>Western Cattle Egret</b> | <b>0.6198%</b> |
| 248. | <b>Great Egret</b>          | <b>12.43%</b>  |
| 249. | <b>Great Blue Heron</b>     | <b>12.11%</b>  |
| 250. | <b>Glossy Ibis</b>          | <b>0.0010%</b> |
| 251. | <b>White-faced Ibis</b>     | <b>2.64%</b>   |
| 252. | <b>Roseate Spoonbill</b>    | <b>0.0024%</b> |
| 253. | <b>California Condor</b>    | <b>0.1948%</b> |
| 254. | <b>Black Vulture</b>        | <b>0.0038%</b> |
| 255. | <b>Turkey Vulture</b>       | <b>29.33%</b>  |
| 256. | <b>Osprey</b>               | <b>5.32%</b>   |
| 257. | <b>White-tailed Kite</b>    | <b>3.31%</b>   |
| 258. | <b>Swallow-tailed Kite</b>  | <b>0.0000%</b> |
| 259. | <b>Golden Eagle</b>         | <b>1.32%</b>   |
| 260. | <b>Mississippi Kite</b>     | <b>0.0060%</b> |
| 261. | <b>Northern Harrier</b>     | <b>4.57%</b>   |
| 262. | <b>Sharp-shinned Hawk</b>   | <b>1.62%</b>   |
| 263. | <b>Cooper's Hawk</b>        | <b>8.54%</b>   |
| 264. | <b>American Goshawk</b>     | <b>0.0209%</b> |
| 265. | <b>Bald Eagle</b>           | <b>1.96%</b>   |
| 266. | <b>Common Black Hawk</b>    | <b>0.0137%</b> |
| 267. | <b>Harris's Hawk</b>        | <b>0.0098%</b> |
| 268. | <b>Gray Hawk</b>            | <b>0.0029%</b> |
| 269. | <b>Red-shouldered Hawk</b>  | <b>13.07%</b>  |
| 270. | <b>Broad-winged Hawk</b>    | <b>0.0129%</b> |

|      |                                 |                |
|------|---------------------------------|----------------|
| 271. | <b>Swainson's Hawk</b>          | <b>3.52%</b>   |
| 272. | <b>Zone-tailed Hawk</b>         | <b>0.0127%</b> |
| 273. | <b>Red-tailed Hawk</b>          | <b>26.59%</b>  |
| 274. | <b>Rough-legged Hawk</b>        | <b>0.0539%</b> |
| 275. | <b>Ferruginous Hawk</b>         | <b>0.0829%</b> |
| 276. | <b>Barn Owl</b>                 | <b>0.9508%</b> |
| 277. | <b>Flammulated Owl</b>          | <b>0.0127%</b> |
| 278. | <b>Western Screech-Owl</b>      | <b>0.5529%</b> |
| 279. | <b>Snowy Owl</b>                | <b>0.0000%</b> |
| 280. | <b>Great Horned Owl</b>         | <b>3.43%</b>   |
| 281. | <b>Northern Pygmy-Owl</b>       | <b>0.3667%</b> |
| 282. | <b>Elf Owl</b>                  | <b>0.0084%</b> |
| 283. | <b>Burrowing Owl</b>            | <b>0.4345%</b> |
| 284. | <b>Spotted Owl</b>              | <b>0.0952%</b> |
| 285. | <b>Barred Owl</b>               | <b>0.0278%</b> |
| 286. | <b>Great Gray Owl</b>           | <b>0.0048%</b> |
| 287. | <b>Long-eared Owl</b>           | <b>0.1081%</b> |
| 288. | <b>Short-eared Owl</b>          | <b>0.0388%</b> |
| 289. | <b>Northern Saw-whet Owl</b>    | <b>0.1869%</b> |
| 290. | <b>Belted Kingfisher</b>        | <b>3.93%</b>   |
| 291. | <b>Williamson's Sapsucker</b>   | <b>0.0587%</b> |
| 292. | <b>Yellow-bellied Sapsucker</b> | <b>0.0014%</b> |
| 293. | <b>Red-naped Sapsucker</b>      | <b>0.0268%</b> |
| 294. | <b>Red-breasted Sapsucker</b>   | <b>0.7648%</b> |
| 295. | <b>Lewis's Woodpecker</b>       | <b>0.6871%</b> |

|      |                                  |                      |
|------|----------------------------------|----------------------|
| 296. | <b>Red-headed Woodpecker</b>     | <b>0.0000%</b>       |
| 297. | <b>Acorn Woodpecker</b>          | <b><u>20.43%</u></b> |
| 298. | <b>Gila Woodpecker</b>           | <b>0.0836%</b>       |
| 299. | <b>Black-backed Woodpecker</b>   | <b>0.0211%</b>       |
| 300. | <b>Downy Woodpecker</b>          | <b><u>7.24%</u></b>  |
| 301. | <b>Nuttall's Woodpecker</b>      | <b><u>19.73%</u></b> |
| 302. | <b>Ladder-backed Woodpecker</b>  | <b>0.8046%</b>       |
| 303. | <b>Hairy Woodpecker</b>          | <b><u>4.31%</u></b>  |
| 304. | <b>White-headed Woodpecker</b>   | <b>0.6845%</b>       |
| 305. | <b>Pileated Woodpecker</b>       | <b>1.14%</b>         |
| 306. | <b>Northern Flicker</b>          | <b><u>12.45%</u></b> |
| 307. | <b>Gilded Flicker</b>            | <b>0.0101%</b>       |
| 308. | <b>Crested Caracara</b>          | <b>0.0050%</b>       |
| 309. | <b>American Kestrel</b>          | <b><u>6.96%</u></b>  |
| 310. | <b>Merlin</b>                    | <b>0.6828%</b>       |
| 311. | <b>Gyr Falcon</b>                | <b>0.0002%</b>       |
| 312. | <b>Peregrine Falcon</b>          | <b><u>1.82%</u></b>  |
| 313. | <b>Prairie Falcon</b>            | <b>0.3547%</b>       |
| 314. | <b>Yellow-chevroned Parakeet</b> | <b>0.3794%</b>       |
| 315. | <b>Red-crowned Parrot</b>        | <b>1.14%</b>         |
| 316. | <b>Lilac-crowned Parrot</b>      | <b>0.1587%</b>       |
| 317. | <b>Nanday Parakeet</b>           | <b>0.1987%</b>       |
| 318. | <b>Mitred Parakeet</b>           | <b>0.2135%</b>       |
| 319. | <b>Red-masked Parakeet</b>       | <b>0.5321%</b>       |
| 320. | <b>Olive-sided Flycatcher</b>    | <b>1.38%</b>         |

|                                       |                |
|---------------------------------------|----------------|
| 321. <b>Greater Pewee</b>             | <b>0.0031%</b> |
| 322. <b>Western Wood-Pewee</b>        | <b>1.44%</b>   |
| 323. <b>Willow Flycatcher</b>         | <b>0.0055%</b> |
| 324. <b>Least Flycatcher</b>          | <b>0.0038%</b> |
| 325. <b>Hammond's Flycatcher</b>      | <b>1.42%</b>   |
| 326. <b>Gray Flycatcher</b>           | <b>0.8523%</b> |
| 327. <b>Dusky Flycatcher</b>          | <b>0.3772%</b> |
| 328. <b>Western Flycatcher</b>        | <b>13.77%</b>  |
| 329. <b>Black Phoebe</b>              | <b>34.24%</b>  |
| 330. <b>Eastern Phoebe</b>            | <b>0.0038%</b> |
| 331. <b>Say's Phoebe</b>              | <b>3.99%</b>   |
| 332. <b>Vermilion Flycatcher</b>      | <b>0.7621%</b> |
| 333. <b>Dusky-capped Flycatcher</b>   | <b>0.0144%</b> |
| 334. <b>Ash-throated Flycatcher</b>   | <b>10.33%</b>  |
| 335. <b>Brown-crested Flycatcher</b>  | <b>0.0645%</b> |
| 336. <b>Tropical Kingbird</b>         | <b>0.0602%</b> |
| 337. <b>Cassin's Kingbird</b>         | <b>6.89%</b>   |
| 338. <b>Thick-billed Kingbird</b>     | <b>0.0082%</b> |
| 339. <b>Western Kingbird</b>          | <b>12.74%</b>  |
| 340. <b>Eastern Kingbird</b>          | <b>0.0002%</b> |
| 341. <b>Scissor-tailed Flycatcher</b> | <b>0.0017%</b> |
| 342. <b>Bell's Vireo</b>              | <b>2.10%</b>   |
| 343. <b>Gray Vireo</b>                | <b>0.0597%</b> |
| 344. <b>Hutton's Vireo</b>            | <b>6.65%</b>   |
| 345. <b>Yellow-throated Vireo</b>     | <b>0.0029%</b> |

|      |                                  |                |
|------|----------------------------------|----------------|
| 346. | <b>Cassin's Vireo</b>            | <b>3.08%</b>   |
| 347. | <b>Blue-headed Vireo</b>         | <b>0.0036%</b> |
| 348. | <b>Plumbeous Vireo</b>           | <b>0.1301%</b> |
| 349. | <b>Philadelphia Vireo</b>        | <b>0.0002%</b> |
| 350. | <b>Warbling Vireo</b>            | <b>8.16%</b>   |
| 351. | <b>Red-eyed Vireo</b>            | <b>0.0005%</b> |
| 352. | <b>Brown Shrike</b>              | <b>0.0024%</b> |
| 353. | <b>Loggerhead Shrike</b>         | <b>2.19%</b>   |
| 354. | <b>Northern Shrike</b>           | <b>0.0038%</b> |
| 355. | <b>Canada Jay</b>                | <b>0.0369%</b> |
| 356. | <b>Pinyon Jay</b>                | <b>0.1541%</b> |
| 357. | <b>Steller's Jay</b>             | <b>12.33%</b>  |
| 358. | <b>Blue Jay</b>                  | <b>0.0010%</b> |
| 359. | <b>Island Scrub-Jay</b>          | <b>0.1052%</b> |
| 360. | <b>California Scrub-Jay</b>      | <b>34.64%</b>  |
| 361. | <b>Woodhouse's Scrub-Jay</b>     | <b>0.0618%</b> |
| 362. | <b>Black-billed Magpie</b>       | <b>0.4899%</b> |
| 363. | <b>Yellow-billed Magpie</b>      | <b>2.29%</b>   |
| 364. | <b>Clark's Nutcracker</b>        | <b>0.2404%</b> |
| 365. | <b>American Crow</b>             | <b>38.59%</b>  |
| 366. | <b>Common Raven</b>              | <b>33.29%</b>  |
| 367. | <b>Black-capped Chickadee</b>    | <b>0.6013%</b> |
| 368. | <b>Mountain Chickadee</b>        | <b>2.81%</b>   |
| 369. | <b>Chestnut-backed Chickadee</b> | <b>11.67%</b>  |
| 370. | <b>Oak Titmouse</b>              | <b>18.49%</b>  |

|      |                                      |                |
|------|--------------------------------------|----------------|
| 371. | <b>Juniper Titmouse</b>              | <b>0.0443%</b> |
| 372. | <b>Verdin</b>                        | <b>1.93%</b>   |
| 373. | <b>Horned Lark</b>                   | <b>2.27%</b>   |
| 374. | <b>Bank Swallow</b>                  | <b>0.3564%</b> |
| 375. | <b>Tree Swallow</b>                  | <b>16.84%</b>  |
| 376. | <b>Violet-green Swallow</b>          | <b>10.71%</b>  |
| 377. | <b>Purple Martin</b>                 | <b>0.5100%</b> |
| 378. | <b>Northern Rough-winged Swallow</b> | <b>13.17%</b>  |
| 379. | <b>Barn Swallow</b>                  | <b>15.81%</b>  |
| 380. | <b>Cliff Swallow</b>                 | <b>14.04%</b>  |
| 381. | <b>Cave Swallow</b>                  | <b>0.0005%</b> |
| 382. | <b>Red-whiskered Bulbul</b>          | <b>0.5757%</b> |
| 383. | <b>Bushtit</b>                       | <b>28.15%</b>  |
| 384. | <b>Wrentit</b>                       | <b>13.30%</b>  |
| 385. | <b>Ruby-crowned Kinglet</b>          | <b>8.43%</b>   |
| 386. | <b>Golden-crowned Kinglet</b>        | <b>0.9778%</b> |
| 387. | <b>White-breasted Nuthatch</b>       | <b>9.44%</b>   |
| 388. | <b>Pygmy Nuthatch</b>                | <b>3.55%</b>   |
| 389. | <b>Red-breasted Nuthatch</b>         | <b>2.97%</b>   |
| 390. | <b>Brown Creeper</b>                 | <b>3.19%</b>   |
| 391. | <b>Blue-gray Gnatcatcher</b>         | <b>4.87%</b>   |
| 392. | <b>Black-tailed Gnatcatcher</b>      | <b>0.6052%</b> |
| 393. | <b>California Gnatcatcher</b>        | <b>0.6445%</b> |
| 394. | <b>Rock Wren</b>                     | <b>1.75%</b>   |
| 395. | <b>Canyon Wren</b>                   | <b>1.20%</b>   |



|      |                              |                      |
|------|------------------------------|----------------------|
| 396. | <b>House Wren</b>            | <b><u>14.93%</u></b> |
| 397. | <b>Pacific Wren</b>          | <b>1.91%</b>         |
| 398. | <b>Winter Wren</b>           | <b>0.0029%</b>       |
| 399. | <b>Marsh Wren</b>            | <b><u>5.47%</u></b>  |
| 400. | <b>Bewick's Wren</b>         | <b><u>22.54%</u></b> |
| 401. | <b>Cactus Wren</b>           | <b>1.40%</b>         |
| 402. | <b>American Dipper</b>       | <b>0.2495%</b>       |
| 403. | <b>European Starling</b>     | <b><u>29.33%</u></b> |
| 404. | <b>Gray Catbird</b>          | <b>0.0069%</b>       |
| 405. | <b>Curve-billed Thrasher</b> | <b>0.0026%</b>       |
| 406. | <b>Brown Thrasher</b>        | <b>0.0108%</b>       |
| 407. | <b>Bendire's Thrasher</b>    | <b>0.0477%</b>       |
| 408. | <b>California Thrasher</b>   | <b><u>7.22%</u></b>  |
| 409. | <b>LeConte's Thrasher</b>    | <b>0.1678%</b>       |
| 410. | <b>Crissal Thrasher</b>      | <b>0.0913%</b>       |
| 411. | <b>Sage Thrasher</b>         | <b>0.2608%</b>       |
| 412. | <b>Northern Mockingbird</b>  | <b><u>24.80%</u></b> |
| 413. | <b>Western Bluebird</b>      | <b><u>18.15%</u></b> |
| 414. | <b>Mountain Bluebird</b>     | <b>0.2730%</b>       |
| 415. | <b>Townsend's Solitaire</b>  | <b>0.4741%</b>       |
| 416. | <b>Varied Thrush</b>         | <b>0.4602%</b>       |
| 417. | <b>Swainson's Thrush</b>     | <b>0.9141%</b>       |
| 418. | <b>Hermit Thrush</b>         | <b><u>4.98%</u></b>  |
| 419. | <b>American Robin</b>        | <b><u>22.31%</u></b> |
| 420. | <b>Rufous-backed Robin</b>   | <b>0.0002%</b>       |

|                                        |                |
|----------------------------------------|----------------|
| 421. <b>Bohemian Waxwing</b>           | <b>0.0007%</b> |
| 422. <b>Cedar Waxwing</b>              | <b>9.34%</b>   |
| 423. <b>Phainopepla</b>                | <b>3.60%</b>   |
| 424. <b>Scaly-breasted Munia</b>       | <b>1.84%</b>   |
| 425. <b>House Sparrow</b>              | <b>17.37%</b>  |
| 426. <b>White Wagtail</b>              | <b>0.0141%</b> |
| 427. <b>Red-throated Pipit</b>         | <b>0.0019%</b> |
| 428. <b>American Pipit</b>             | <b>2.36%</b>   |
| 429. <b>Evening Grosbeak</b>           | <b>0.3152%</b> |
| 430. <b>Pine Grosbeak</b>              | <b>0.0036%</b> |
| 431. <b>Gray-crowned Rosy-Finch</b>    | <b>0.0412%</b> |
| 432. <b>Black Rosy-Finch</b>           | <b>0.0002%</b> |
| 433. <b>House Finch</b>                | <b>52.40%</b>  |
| 434. <b>Purple Finch</b>               | <b>6.70%</b>   |
| 435. <b>Cassin's Finch</b>             | <b>0.7454%</b> |
| 436. <b>Red Crossbill</b>              | <b>0.3619%</b> |
| 437. <b>Pine Siskin</b>                | <b>3.95%</b>   |
| 438. <b>Lesser Goldfinch</b>           | <b>34.18%</b>  |
| 439. <b>Lawrence's Goldfinch</b>       | <b>2.98%</b>   |
| 440. <b>American Goldfinch</b>         | <b>10.58%</b>  |
| 441. <b>Lapland Longspur</b>           | <b>0.0058%</b> |
| 442. <b>Chestnut-collared Longspur</b> | <b>0.0046%</b> |
| 443. <b>Smith's Longspur</b>           | <b>0.0026%</b> |
| 444. <b>Thick-billed Longspur</b>      | <b>0.0024%</b> |
| 445. <b>Snow Bunting</b>               | <b>0.0000%</b> |

|      |                               |                |
|------|-------------------------------|----------------|
| 446. | <b>Cassin's Sparrow</b>       | <b>0.0031%</b> |
| 447. | <b>Grasshopper Sparrow</b>    | <b>0.6538%</b> |
| 448. | <b>Chipping Sparrow</b>       | <b>3.26%</b>   |
| 449. | <b>Clay-colored Sparrow</b>   | <b>0.0477%</b> |
| 450. | <b>Black-chinned Sparrow</b>  | <b>0.5174%</b> |
| 451. | <b>Field Sparrow</b>          | <b>0.0101%</b> |
| 452. | <b>Brewer's Sparrow</b>       | <b>0.8487%</b> |
| 453. | <b>Black-throated Sparrow</b> | <b>1.28%</b>   |
| 454. | <b>Lark Sparrow</b>           | <b>3.64%</b>   |
| 455. | <b>Lark Bunting</b>           | <b>0.0127%</b> |
| 456. | <b>American Tree Sparrow</b>  | <b>0.0005%</b> |
| 457. | <b>Fox Sparrow</b>            | <b>2.82%</b>   |
| 458. | <b>Dark-eyed Junco</b>        | <b>20.66%</b>  |
| 459. | <b>White-crowned Sparrow</b>  | <b>31.46%</b>  |
| 460. | <b>Golden-crowned Sparrow</b> | <b>17.02%</b>  |
| 461. | <b>Harris's Sparrow</b>       | <b>0.0786%</b> |
| 462. | <b>White-throated Sparrow</b> | <b>1.08%</b>   |
| 463. | <b>Sagebrush Sparrow</b>      | <b>0.0662%</b> |
| 464. | <b>Bell's Sparrow</b>         | <b>0.9826%</b> |
| 465. | <b>Vesper Sparrow</b>         | <b>0.2078%</b> |
| 466. | <b>LeConte's Sparrow</b>      | <b>0.0129%</b> |
| 467. | <b>Nelson's Sparrow</b>       | <b>0.0062%</b> |
| 468. | <b>Savannah Sparrow</b>       | <b>7.58%</b>   |
| 469. | <b>Song Sparrow</b>           | <b>31.78%</b>  |
| 470. | <b>Lincoln's Sparrow</b>      | <b>4.55%</b>   |

|                                     |                |
|-------------------------------------|----------------|
| 471. <b>Swamp Sparrow</b>           | <b>0.0371%</b> |
| 472. <b>Abert's Towhee</b>          | <b>0.4163%</b> |
| 473. <b>California Towhee</b>       | <b>34.25%</b>  |
| 474. <b>Rufous-crowned Sparrow</b>  | <b>1.98%</b>   |
| 475. <b>Green-tailed Towhee</b>     | <b>0.3511%</b> |
| 476. <b>Spotted Towhee</b>          | <b>26.47%</b>  |
| 477. <b>Yellow-breasted Chat</b>    | <b>1.79%</b>   |
| 478. <b>Yellow-headed Blackbird</b> | <b>1.77%</b>   |
| 479. <b>Western Meadowlark</b>      | <b>7.81%</b>   |
| 480. <b>Orchard Oriole</b>          | <b>0.0580%</b> |
| 481. <b>Hooded Oriole</b>           | <b>13.12%</b>  |
| 482. <b>Streak-backed Oriole</b>    | <b>0.0012%</b> |
| 483. <b>Bullock's Oriole</b>        | <b>11.98%</b>  |
| 484. <b>Baltimore Oriole</b>        | <b>0.0551%</b> |
| 485. <b>Scott's Oriole</b>          | <b>0.4657%</b> |
| 486. <b>Red-winged Blackbird</b>    | <b>22.51%</b>  |
| 487. <b>Tricolored Blackbird</b>    | <b>1.23%</b>   |
| 488. <b>Bronzed Cowbird</b>         | <b>0.0141%</b> |
| 489. <b>Brown-headed Cowbird</b>    | <b>11.83%</b>  |
| 490. <b>Rusty Blackbird</b>         | <b>0.0010%</b> |
| 491. <b>Brewer's Blackbird</b>      | <b>13.88%</b>  |
| 492. <b>Common Grackle</b>          | <b>0.0022%</b> |
| 493. <b>Great-tailed Grackle</b>    | <b>6.54%</b>   |
| 494. <b>Ovenbird</b>                | <b>0.0024%</b> |
| 495. <b>Worm-eating Warbler</b>     | <b>0.0014%</b> |

|      |                                    |                      |
|------|------------------------------------|----------------------|
| 496. | <b>Louisiana Waterthrush</b>       | <b>0.0000%</b>       |
| 497. | <b>Northern Waterthrush</b>        | <b>0.0307%</b>       |
| 498. | <b>Golden-winged Warbler</b>       | <b>0.0000%</b>       |
| 499. | <b>Black-and-white Warbler</b>     | <b>0.0731%</b>       |
| 500. | <b>Prothonotary Warbler</b>        | <b>0.0012%</b>       |
| 501. | <b>Tennessee Warbler</b>           | <b>0.0113%</b>       |
| 502. | <b>Orange-crowned Warbler</b>      | <b><u>21.98%</u></b> |
| 503. | <b>Lucy's Warbler</b>              | <b>0.1395%</b>       |
| 504. | <b>Nashville Warbler</b>           | <b><u>4.54%</u></b>  |
| 505. | <b>Virginia's Warbler</b>          | <b>0.0048%</b>       |
| 506. | <b>MacGillivray's Warbler</b>      | <b><u>1.31%</u></b>  |
| 507. | <b>Common Yellowthroat</b>         | <b><u>13.16%</u></b> |
| 508. | <b>Hooded Warbler</b>              | <b>0.0187%</b>       |
| 509. | <b>American Redstart</b>           | <b>0.0391%</b>       |
| 510. | <b>Cape May Warbler</b>            | <b>0.0050%</b>       |
| 511. | <b>Northern Parula</b>             | <b>0.0173%</b>       |
| 512. | <b>Magnolia Warbler</b>            | <b>0.0067%</b>       |
| 513. | <b>Bay-breasted Warbler</b>        | <b>0.0098%</b>       |
| 514. | <b>Blackburnian Warbler</b>        | <b>0.0125%</b>       |
| 515. | <b>Yellow Warbler</b>              | <b><u>6.52%</u></b>  |
| 516. | <b>Chestnut-sided Warbler</b>      | <b>0.0079%</b>       |
| 517. | <b>Blackpoll Warbler</b>           | <b>0.0000%</b>       |
| 518. | <b>Black-throated Blue Warbler</b> | <b>0.0007%</b>       |
| 519. | <b>Palm Warbler</b>                | <b>0.1273%</b>       |
| 520. | <b>Pine Warbler</b>                | <b>0.0067%</b>       |

|      |                                     |                |
|------|-------------------------------------|----------------|
| 521. | <b>Yellow-rumped Warbler</b>        | <b>32.19%</b>  |
| 522. | <b>Yellow-throated Warbler</b>      | <b>0.0031%</b> |
| 523. | <b>Prairie Warbler</b>              | <b>0.0000%</b> |
| 524. | <b>Grace's Warbler</b>              | <b>0.0065%</b> |
| 525. | <b>Black-throated Gray Warbler</b>  | <b>6.34%</b>   |
| 526. | <b>Townsend's Warbler</b>           | <b>5.52%</b>   |
| 527. | <b>Hermit Warbler</b>               | <b>1.85%</b>   |
| 528. | <b>Black-throated Green Warbler</b> | <b>0.0213%</b> |
| 529. | <b>Canada Warbler</b>               | <b>0.0000%</b> |
| 530. | <b>Wilson's Warbler</b>             | <b>15.91%</b>  |
| 531. | <b>Red-faced Warbler</b>            | <b>0.0101%</b> |
| 532. | <b>Painted Redstart</b>             | <b>0.0074%</b> |
| 533. | <b>Hepatic Tanager</b>              | <b>0.0041%</b> |
| 534. | <b>Summer Tanager</b>               | <b>0.2251%</b> |
| 535. | <b>Scarlet Tanager</b>              | <b>0.0000%</b> |
| 536. | <b>Western Tanager</b>              | <b>5.40%</b>   |
| 537. | <b>Northern Cardinal</b>            | <b>0.0316%</b> |
| 538. | <b>Pyrrhuloxia</b>                  | <b>0.0026%</b> |
| 539. | <b>Rose-breasted Grosbeak</b>       | <b>0.0101%</b> |
| 540. | <b>Black-headed Grosbeak</b>        | <b>14.76%</b>  |
| 541. | <b>Blue Grosbeak</b>                | <b>1.16%</b>   |
| 542. | <b>Lazuli Bunting</b>               | <b>3.92%</b>   |
| 543. | <b>Indigo Bunting</b>               | <b>0.0091%</b> |
| 544. | <b>Varied Bunting</b>               | <b>0.0014%</b> |
| 545. | <b>Painted Bunting</b>              | <b>0.0036%</b> |

546. **Dickcissel** **0.0014%**

**EXOTIC: PROVISIONAL**

547. **Mute Swan** **0.5584%** frequency

548. **Egyptian Goose** **0.6943%**

549. **Mandarin Duck** **0.0014%**

550. **Indian Peafowl** **0.2735%**

551. **Rose-ringed Parakeet** **0.0688%**

552. **Monk Parakeet** **0.0012%**

553. **Red-lored Parrot** **0.0161%**

554. **Yellow-headed Parrot** **0.0760%**

555. **Burrowing Parakeet** **0.0048%**

556. **Blue-crowned Parakeet** **0.0127%**

557. **House Crow** **0.0002%**

558. **Swinhoe's White-eye** **0.6564%**

559. **Northern Red Bishop** **0.0419%**

560. **Pin-tailed Whydah** **0.2701%**

561. **Eurasian Tree Sparrow** **0.0017%**

562. **Black-backed Oriole** **0.0000%**

**EXOTIC: ESCAPEE**

**Graylag Goose** **0.2492%** frequency

**Swan Goose** **0.1222%**

**Black Swan** **0.0084%**

**Black-necked Swan** **0.0000%**

**Muscovy Duck** **0.3986%**

**Ringed Teal** **0.0005%**

|                                  |                |
|----------------------------------|----------------|
| <b>Helmeted Guineafowl</b>       | <b>0.0098%</b> |
| <b>Northern Bobwhite</b>         | <b>0.0014%</b> |
| <b>Reeves's Pheasant</b>         | <b>0.0000%</b> |
| <b>Golden Pheasant</b>           | <b>0.0005%</b> |
| <b>Lady Amherst's Pheasant</b>   | <b>0.0002%</b> |
| <b>Red Junglefowl</b>            | <b>0.0060%</b> |
| <b>Black Francolin</b>           | <b>0.0000%</b> |
| <b>Chilean Flamingo</b>          | <b>0.0026%</b> |
| <b>American Flamingo</b>         | <b>0.0019%</b> |
| <b>Lesser Flamingo</b>           | <b>0.0029%</b> |
| <b>African Collared-Dove</b>     | <b>0.0026%</b> |
| <b>Diamond Dove</b>              | <b>0.0002%</b> |
| <b>Keel-billed Toucan</b>        | <b>0.0000%</b> |
| <b>Cockatiel</b>                 | <b>0.0079%</b> |
| <b>Sulphur-crested Cockatoo</b>  | <b>0.0000%</b> |
| <b>Budgerigar</b>                | <b>0.0024%</b> |
| <b>Rosy-faced Lovebird</b>       | <b>0.0002%</b> |
| <b>Fischer's Lovebird</b>        | <b>0.0002%</b> |
| <b>White-winged Parakeet</b>     | <b>0.0082%</b> |
| <b>Scaly-headed Parrot</b>       | <b>0.0019%</b> |
| <b>Turquoise-fronted Parrot</b>  | <b>0.0002%</b> |
| <b>White-fronted Parrot</b>      | <b>0.0010%</b> |
| <b>Scarlet Macaw</b>             | <b>0.0000%</b> |
| <b>Black-throated Magpie-Jay</b> | <b>0.0460%</b> |
| <b>Green Jay</b>                 | <b>0.0012%</b> |



|                                  |                          |
|----------------------------------|--------------------------|
| <b>Pied Crow</b>                 | <b>0.0002%</b>           |
| <b>Indian White-eye</b>          | <b>0.0005%</b>           |
| <b>Common Hill Myna</b>          | <b>0.0000%</b>           |
| <b>Crested Myna</b>              | <b>0.0010%</b>           |
| <b>Black-headed Weaver</b>       | <b>0.0002%</b>           |
| <b>Zebra Finch</b>               | <b>0.0005%</b>           |
| <b>Bronze Mannikin</b>           | <b>0.0019%</b>           |
| <b>Orange-cheeked Waxbill</b>    | <b>0.0168%</b>           |
| <b>Cut-throat</b>                | <b>0.0002%</b>           |
| <b>Red-cheeked Cordonbleu</b>    | <b>0.0005%</b>           |
| <b>European Greenfinch</b>       | <b>0.0002%</b>           |
| <b>Yellow-fronted Canary</b>     | <b>0.0007%</b>           |
| <b>European Goldfinch</b>        | <b>0.0108%</b>           |
| <b>Island Canary</b>             | <b>0.0002%</b>           |
| <b>Black Siskin</b>              | <b>0.0002%</b>           |
| <b>Venezuelan Troupial</b>       | <b>0.0007%</b>           |
| <b>Red-crested Cardinal</b>      | <b>0.0002%</b>           |
| <b>Blue-gray Tanager</b>         | <b>0.0024%</b>           |
| <b>Saffron Finch</b>             | <b>0.0002%</b>           |
| <b>Parrot-billed Seedeater</b>   | <b>0.0002%</b>           |
| <b>Cinnamon-rumped Seedeater</b> | <b>0.0005%</b>           |
| <b>Whooper Swan</b>              | <b>0.0000%</b>           |
| <b>HYBRIDS</b>                   |                          |
| Snow x Ross's Goose (hybrid)     | <b>0.0043%</b> frequency |
| Graylag x Swan Goose (hybrid)    | <b>0.0113%</b>           |

|                                                 |                |
|-------------------------------------------------|----------------|
| Greater White-fronted x Cackling Goose (hybrid) | <b>0.0005%</b> |
| Swan Goose x Canada Goose (hybrid)              | <b>0.0036%</b> |
| Greater White-fronted x Canada Goose (hybrid)   | <b>0.0007%</b> |
| Graylag x Canada Goose (hybrid)                 | <b>0.0060%</b> |
| Domestic goose sp. x Canada Goose (hybrid)      | <b>0.0381%</b> |
| Barnacle x Canada Goose (hybrid)                | <b>0.0002%</b> |
| Blue-winged x Cinnamon Teal (hybrid)            | <b>0.0108%</b> |
| Blue-winged Teal x Northern Shoveler (hybrid)   | <b>0.0022%</b> |
| Cinnamon Teal x Northern Shoveler (hybrid)      | <b>0.0017%</b> |
| Northern Shoveler x American Wigeon (hybrid)    | <b>0.0005%</b> |
| Eurasian x American Wigeon (hybrid)             | <b>0.0067%</b> |
| Muscovy Duck x Mallard (hybrid)                 | <b>0.0125%</b> |
| Wood Duck x Mallard (hybrid)                    | <b>0.0005%</b> |
| Gadwall x Mallard (hybrid)                      | <b>0.0062%</b> |
| American Wigeon x Mallard (hybrid)              | <b>0.0002%</b> |
| Mallard x Mexican Duck (hybrid)                 | <b>0.0014%</b> |
| Mallard x Northern Pintail (hybrid)             | <b>0.0002%</b> |
| Tufted Duck x scaup sp. (hybrid)                | <b>0.0019%</b> |
| Common x Barrow's Goldeneye (hybrid)            | <b>0.0010%</b> |
| California x Gambel's Quail (hybrid)            | <b>0.0086%</b> |
| Western x Clark's Grebe (hybrid)                | <b>0.0024%</b> |
| Eurasian x African Collared-Dove (hybrid)       | <b>0.0002%</b> |
| Black-chinned x Anna's Hummingbird (hybrid)     | <b>0.0002%</b> |

|                                               |                |
|-----------------------------------------------|----------------|
| Black-chinned x Costa's Hummingbird (hybrid)  | <b>0.0029%</b> |
| Anna's x Costa's Hummingbird (hybrid)         | <b>0.0022%</b> |
| Black-chinned x Calliope Hummingbird (hybrid) | <b>0.0002%</b> |
| Anna's x Calliope Hummingbird (hybrid)        | <b>0.0000%</b> |
| Black-chinned x Rufous Hummingbird (hybrid)   | <b>0.0005%</b> |
| Calliope x Rufous Hummingbird (hybrid)        | <b>0.0007%</b> |
| Anna's x Allen's Hummingbird (hybrid)         | <b>0.0019%</b> |
| Rufous x Allen's Hummingbird (hybrid)         | <b>0.0002%</b> |
| Anna's Hummingbird x Selasphorus sp. (hybrid) | <b>0.0053%</b> |
| Common Gallinule x American Coot (hybrid)     | <b>0.0002%</b> |
| American x Black Oystercatcher (hybrid)       | <b>0.0072%</b> |
| Herring x Glaucous Gull (hybrid)              | <b>0.0026%</b> |
| Western x Glaucous-winged Gull (hybrid)       | <b>0.2229%</b> |
| Herring x Glaucous-winged Gull (hybrid)       | <b>0.0228%</b> |
| Glaucous x Glaucous-winged Gull (hybrid)      | <b>0.0067%</b> |
| Sandwich x Elegant Tern (hybrid)              | <b>0.0005%</b> |
| Double-crested x Neotropic Cormorant (hybrid) | <b>0.0000%</b> |
| Glossy x White-faced Ibis (hybrid)            | <b>0.0002%</b> |
| Common Black x Red-shouldered Hawk (hybrid)   | <b>0.0221%</b> |
| Red-naped x Red-breasted Sapsucker (hybrid)   | <b>0.0031%</b> |
| Downy x Nuttall's Woodpecker (hybrid)         | <b>0.0007%</b> |
| Nuttall's x Ladder-backed Woodpecker (hybrid) | <b>0.0132%</b> |

|                                                      |                |
|------------------------------------------------------|----------------|
| Downy x Hairy Woodpecker (hybrid)                    | <b>0.0002%</b> |
| Ladder-backed x Hairy Woodpecker (hybrid)            | <b>0.0002%</b> |
| Northern x Gilded Flicker (hybrid)                   | <b>0.0005%</b> |
| Red-crowned x Lilac-crowned Parrot (hybrid)          | <b>0.0010%</b> |
| Red-crowned x Red-lored Parrot (hybrid)              | <b>0.0005%</b> |
| Tree x Barn Swallow (hybrid)                         | <b>0.0000%</b> |
| Barn x Cliff Swallow (hybrid)                        | <b>0.0002%</b> |
| California x Crissal Thrasher (hybrid)               | <b>0.0005%</b> |
| Dark-eyed Junco x White-crowned Sparrow (hybrid)     | <b>0.0007%</b> |
| White-crowned x Golden-crowned Sparrow (hybrid)      | <b>0.0082%</b> |
| White-crowned x White-throated Sparrow (hybrid)      | <b>0.0005%</b> |
| Golden-crowned x White-throated Sparrow (hybrid)     | <b>0.0002%</b> |
| Bullock's x Baltimore Oriole (hybrid)                | <b>0.0007%</b> |
| Yellow-breasted Chat x new world oriole sp. (hybrid) | <b>0.0048%</b> |
| Cape May x Yellow-rumped Warbler (hybrid)            | <b>0.0000%</b> |
| Yellow-rumped x Grace's Warbler (hybrid)             | <b>0.0002%</b> |
| Yellow-rumped x Black-throated Gray Warbler (hybrid) | <b>0.0002%</b> |
| Black-throated Gray x Hermit Warbler (hybrid)        | <b>0.0002%</b> |
| Townsend's x Hermit Warbler (hybrid)                 | <b>0.0113%</b> |
| Rose-breasted x Black-headed Grosbeak (hybrid)       | <b>0.0014%</b> |
| Lazuli x Indigo Bunting (hybrid)                     | <b>0.0005%</b> |

---

Fischer's x Yellow-collared Lovebird  
(hybrid)

**0.0000%**