

## Target Species

Based on 294,557 complete checklists

**555** species observed in California, US (region/US-CA) in **Aug** that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0020%</b> frequency	
2. <b>Fulvous Whistling-Duck</b>	<b>0.0047%</b>	
3. <b>Snow Goose</b>	<b>0.1460%</b>	
4. <b>Ross's Goose</b>	<b>0.0696%</b>	
5. <b>Greater White-fronted Goose</b>	<b>0.2634%</b>	
6. <b>Tundra Bean-Goose</b>	<b>0.0272%</b>	
7. <b>Brant</b>	<b>0.4457%</b>	
8. <b>Cackling Goose</b>	<b>0.1389%</b>	
9. <b>Canada Goose</b>	<b>13.94%</b>	█
10. <b>Trumpeter Swan</b>	<b>0.0003%</b>	
11. <b>Tundra Swan</b>	<b>0.0146%</b>	
12. <b>Wood Duck</b>	<b>2.34%</b>	█
13. <b>Garganey</b>	<b>0.0000%</b>	
14. <b>Blue-winged Teal</b>	<b>0.3371%</b>	
15. <b>Cinnamon Teal</b>	<b>3.88%</b>	█
16. <b>Northern Shoveler</b>	<b>3.12%</b>	█
17. <b>Gadwall</b>	<b>4.04%</b>	█
18. <b>Eurasian Wigeon</b>	<b>0.0014%</b>	
19. <b>American Wigeon</b>	<b>0.4987%</b>	
20. <b>Mallard</b>	<b>26.19%</b>	█

[Go to top](#)

-

21. <b>Mexican Duck</b>	<b>0.0095%</b>
22. <b>Northern Pintail</b>	<b>1.49%</b>
23. <b>Green-winged Teal</b>	<b>1.69%</b>
24. <b>Canvasback</b>	<b>0.2054%</b>
25. <b>Redhead</b>	<b>0.6158%</b>
26. <b>Ring-necked Duck</b>	<b>0.2539%</b>
27. <b>Tufted Duck</b>	<b>0.0007%</b>
28. <b>Greater Scaup</b>	<b>0.3072%</b>
29. <b>Lesser Scaup</b>	<b>0.3117%</b>
30. <b>King Eider</b>	<b>0.0003%</b>
31. <b>Harlequin Duck</b>	<b>0.0591%</b>
32. <b>Surf Scoter</b>	<b>2.07%</b>
33. <b>White-winged Scoter</b>	<b>0.1205%</b>
34. <b>Black Scoter</b>	<b>0.0227%</b>
35. <b>Long-tailed Duck</b>	<b>0.0468%</b>
36. <b>Bufflehead</b>	<b>0.5442%</b>
37. <b>Common Goldeneye</b>	<b>0.1314%</b>
38. <b>Barrow's Goldeneye</b>	<b>0.0010%</b>
39. <b>Hooded Merganser</b>	<b>0.1395%</b>
40. <b>Common Merganser</b>	<b>1.66%</b>
41. <b>Red-breasted Merganser</b>	<b>0.2410%</b>
42. <b>Ruddy Duck</b>	<b>4.31%</b>
43. <b>Mountain Quail</b>	<b>0.6613%</b>
44. <b>California Quail</b>	<b>10.62%</b>
45. <b>Gambel's Quail</b>	<b>0.4040%</b>

46.	<b>Wild Turkey</b>	<b>2.53%</b>
47.	<b>Ruffed Grouse</b>	<b>0.0071%</b>
48.	<b>Greater Sage-Grouse</b>	<b>0.0418%</b>
49.	<b>Sooty Grouse</b>	<b>0.2441%</b>
50.	<b>White-tailed Ptarmigan</b>	<b>0.0095%</b>
51.	<b>Ring-necked Pheasant</b>	<b>0.4651%</b>
52.	<b>Chukar</b>	<b>0.1147%</b>
53.	<b>Pied-billed Grebe</b>	<b>11.49%</b>
54.	<b>Horned Grebe</b>	<b>0.0448%</b>
55.	<b>Red-necked Grebe</b>	<b>0.0591%</b>
56.	<b>Eared Grebe</b>	<b>1.80%</b>
57.	<b>Western Grebe</b>	<b>3.63%</b>
58.	<b>Clark's Grebe</b>	<b>2.39%</b>
59.	<b>Rock Pigeon</b>	<b>15.49%</b>
60.	<b>Band-tailed Pigeon</b>	<b>7.30%</b>
61.	<b>Eurasian Collared-Dove</b>	<b>15.78%</b>
62.	<b>Spotted Dove</b>	<b>0.0930%</b>
63.	<b>Inca Dove</b>	<b>0.0740%</b>
64.	<b>Common Ground Dove</b>	<b>0.4671%</b>
65.	<b>Ruddy Ground Dove</b>	<b>0.0054%</b>
66.	<b>White-winged Dove</b>	<b>0.6522%</b>
67.	<b>Mourning Dove</b>	<b>39.10%</b>
68.	<b>Greater Roadrunner</b>	<b>1.08%</b>
69.	<b>Yellow-billed Cuckoo</b>	<b>0.0387%</b>
70.	<b>Black-billed Cuckoo</b>	<b>0.0003%</b>

71.	<b>Lesser Nighthawk</b>	<b>0.4308%</b>
72.	<b>Common Nighthawk</b>	<b>0.5462%</b>
73.	<b>Common Poorwill</b>	<b>0.2203%</b>
74.	<b>Mexican Whip-poor-will</b>	<b>0.0014%</b>
75.	<b>Black Swift</b>	<b>0.1032%</b>
76.	<b>Chimney Swift</b>	<b>0.0193%</b>
77.	<b>Vaux's Swift</b>	<b>1.11%</b>
78.	<b>White-throated Swift</b>	<b>1.79%</b>
79.	<b>Mexican Violetear</b>	<b>0.0000%</b>
80.	<b>Ruby-throated Hummingbird</b>	<b>0.0031%</b>
81.	<b>Black-chinned Hummingbird</b>	<b>4.09%</b>
82.	<b>Anna's Hummingbird</b>	<b>38.05%</b>
83.	<b>Costa's Hummingbird</b>	<b>1.39%</b>
84.	<b>Calliope Hummingbird</b>	<b>0.2220%</b>
85.	<b>Rufous Hummingbird</b>	<b>2.87%</b>
86.	<b>Allen's Hummingbird</b>	<b>9.09%</b>
87.	<b>Broad-tailed Hummingbird</b>	<b>0.0302%</b>
88.	<b>Violet-crowned Hummingbird</b>	<b>0.0003%</b>
89.	<b>Ridgway's Rail</b>	<b>0.6803%</b>
90.	<b>Virginia Rail</b>	<b>1.52%</b>
91.	<b>Sora</b>	<b>1.09%</b>
92.	<b>Common Gallinule</b>	<b>1.94%</b>
93.	<b>American Coot</b>	<b>10.61%</b>
94.	<b>Yellow Rail</b>	<b>0.0088%</b>
95.	<b>Black Rail</b>	<b>0.0380%</b>

96.	<b>Sandhill Crane</b>	<b>0.3466%</b>
97.	<b>Common Crane</b>	<b>0.0255%</b>
98.	<b>Black-necked Stilt</b>	<b>9.34%</b>
99.	<b>American Avocet</b>	<b>5.97%</b>
100.	<b>American Oystercatcher</b>	<b>0.0166%</b>
101.	<b>Black Oystercatcher</b>	<b>3.44%</b>
102.	<b>Black-bellied Plover</b>	<b>6.10%</b>
103.	<b>American Golden-Plover</b>	<b>0.0149%</b>
104.	<b>Pacific Golden-Plover</b>	<b>0.2156%</b>
105.	<b>Eurasian Dotterel</b>	<b>0.0003%</b>
106.	<b>Killdeer</b>	<b>16.32%</b>
107.	<b>Common Ringed Plover</b>	<b>0.0384%</b>
108.	<b>Semipalmated Plover</b>	<b>7.47%</b>
109.	<b>Piping Plover</b>	<b>0.0051%</b>
110.	<b>Siberian Sand-Plover</b>	<b>0.0034%</b>
111.	<b>Wilson's Plover</b>	<b>0.0041%</b>
112.	<b>Mountain Plover</b>	<b>0.0010%</b>
113.	<b>Snowy Plover</b>	<b>2.43%</b>
114.	<b>Upland Sandpiper</b>	<b>0.0014%</b>
115.	<b>Whimbrel</b>	<b>6.08%</b>
116.	<b>Little Curlew</b>	<b>0.0014%</b>
117.	<b>Long-billed Curlew</b>	<b>6.88%</b>
118.	<b>Bar-tailed Godwit</b>	<b>0.0479%</b>
119.	<b>Hudsonian Godwit</b>	<b>0.0397%</b>
120.	<b>Marbled Godwit</b>	<b>8.05%</b>

121.	<b>Short-billed Dowitcher</b>	<b>3.14%</b>
122.	<b>Long-billed Dowitcher</b>	<b>5.03%</b>
123.	<b>Wilson's Snipe</b>	<b>0.4644%</b>
124.	<b>Wilson's Phalarope</b>	<b>3.57%</b>
125.	<b>Red Phalarope</b>	<b>0.4906%</b>
126.	<b>Red-necked Phalarope</b>	<b>6.83%</b>
127.	<b>Terek Sandpiper</b>	<b>0.0003%</b>
128.	<b>Spotted Sandpiper</b>	<b>6.97%</b>
129.	<b>Solitary Sandpiper</b>	<b>0.8127%</b>
130.	<b>Wandering Tattler</b>	<b>1.43%</b>
131.	<b>Lesser Yellowlegs</b>	<b>3.24%</b>
132.	<b>Willet</b>	<b>10.11%</b>
133.	<b>Common Greenshank</b>	<b>0.0014%</b>
134.	<b>Greater Yellowlegs</b>	<b>10.00%</b>
135.	<b>Ruddy Turnstone</b>	<b>1.62%</b>
136.	<b>Black Turnstone</b>	<b>3.51%</b>
137.	<b>Red Knot</b>	<b>0.5849%</b>
138.	<b>Surfbird</b>	<b>0.9703%</b>
139.	<b>Ruff</b>	<b>0.2390%</b>
140.	<b>Sharp-tailed Sandpiper</b>	<b>0.0000%</b>
141.	<b>Curlew Sandpiper</b>	<b>0.0156%</b>
142.	<b>Stilt Sandpiper</b>	<b>0.1714%</b>
143.	<b>Long-toed Stint</b>	<b>0.0003%</b>
144.	<b>Red-necked Stint</b>	<b>0.0716%</b>
145.	<b>Buff-breasted Sandpiper</b>	<b>0.0618%</b>

146.	<b>Sanderling</b>	<b>2.75%</b>
147.	<b>Dunlin</b>	<b>0.0828%</b>
148.	<b>Baird's Sandpiper</b>	<b>1.62%</b>
149.	<b>Little Stint</b>	<b>0.0085%</b>
150.	<b>White-rumped Sandpiper</b>	<b>0.0010%</b>
151.	<b>Least Sandpiper</b>	<b>13.76%</b>
152.	<b>Pectoral Sandpiper</b>	<b>0.3751%</b>
153.	<b>Western Sandpiper</b>	<b>11.57%</b>
154.	<b>Semipalmated Sandpiper</b>	<b>0.6528%</b>
155.	<b>Long-tailed Jaeger</b>	<b>0.2061%</b>
156.	<b>Parasitic Jaeger</b>	<b>0.4906%</b>
157.	<b>Pomarine Jaeger</b>	<b>0.4132%</b>
158.	<b>South Polar Skua</b>	<b>0.0818%</b>
159.	<b>Rhinoceros Auklet</b>	<b>0.6006%</b>
160.	<b>Tufted Puffin</b>	<b>0.2529%</b>
161.	<b>Horned Puffin</b>	<b>0.0047%</b>
162.	<b>Cassin's Auklet</b>	<b>0.4997%</b>
163.	<b>Parakeet Auklet</b>	<b>0.0126%</b>
164.	<b>Long-billed Murrelet</b>	<b>0.0017%</b>
165.	<b>Kittlitz's Murrelet</b>	<b>0.0000%</b>
166.	<b>Marbled Murrelet</b>	<b>0.2977%</b>
167.	<b>Pigeon Guillemot</b>	<b>2.43%</b>
168.	<b>Thick-billed Murre</b>	<b>0.0007%</b>
169.	<b>Common Murre</b>	<b>2.69%</b>
170.	<b>Ancient Murrelet</b>	<b>0.0054%</b>

171.	<b>Scripps's Murrelet</b>	<b>0.0886%</b>
172.	<b>Guadalupe Murrelet</b>	<b>0.0078%</b>
173.	<b>Craveri's Murrelet</b>	<b>0.0485%</b>
174.	<b>Little Gull</b>	<b>0.0065%</b>
175.	<b>Black-legged Kittiwake</b>	<b>0.0034%</b>
176.	<b>Sabine's Gull</b>	<b>0.3992%</b>
177.	<b>Bonaparte's Gull</b>	<b>0.4064%</b>
178.	<b>Black-headed Gull</b>	<b>0.0014%</b>
179.	<b>Laughing Gull</b>	<b>0.1721%</b>
180.	<b>Franklin's Gull</b>	<b>0.0893%</b>
181.	<b>Belcher's Gull</b>	<b>0.0020%</b>
182.	<b>Heermann's Gull</b>	<b>8.04%</b>
183.	<b>Short-billed Gull</b>	<b>0.0519%</b>
184.	<b>Ring-billed Gull</b>	<b>6.75%</b>
185.	<b>Yellow-footed Gull</b>	<b>0.2427%</b>
186.	<b>Western Gull</b>	<b>22.69%</b>
187.	<b>Herring Gull</b>	<b>0.0204%</b>
188.	<b>Glaucous Gull</b>	<b>0.0000%</b>
189.	<b>Lesser Black-backed Gull</b>	<b>0.0193%</b>
190.	<b>California Gull</b>	<b>14.93%</b>
191.	<b>Glaucous-winged Gull</b>	<b>0.6216%</b>
192.	<b>Iceland Gull</b>	<b>0.0010%</b>
193.	<b>Black Skimmer</b>	<b>1.81%</b>
194.	<b>Sooty Tern</b>	<b>0.0061%</b>
195.	<b>Bridled Tern</b>	<b>0.0003%</b>



196.	<b>Least Tern</b>	<b>1.37%</b>
197.	<b>Gull-billed Tern</b>	<b>0.1236%</b>
198.	<b>Caspian Tern</b>	<b>12.11%</b>
199.	<b>Black Tern</b>	<b>0.7075%</b>
200.	<b>White-winged Tern</b>	<b>0.0003%</b>
201.	<b>Forster's Tern</b>	<b>5.16%</b>
202.	<b>Arctic Tern</b>	<b>0.1606%</b>
203.	<b>Common Tern</b>	<b>0.4593%</b>
204.	<b>Elegant Tern</b>	<b>6.53%</b>
205.	<b>Royal Tern</b>	<b>1.57%</b>
206.	<b>Red-billed Tropicbird</b>	<b>0.0095%</b>
207.	<b>Red-tailed Tropicbird</b>	<b>0.0003%</b>
208.	<b>Red-throated Loon</b>	<b>0.3857%</b>
209.	<b>Arctic Loon</b>	<b>0.0031%</b>
210.	<b>Pacific Loon</b>	<b>0.5965%</b>
211.	<b>Common Loon</b>	<b>0.8891%</b>
212.	<b>Yellow-billed Loon</b>	<b>0.0065%</b>
213.	<b>Laysan Albatross</b>	<b>0.0370%</b>
214.	<b>Black-footed Albatross</b>	<b>0.4749%</b>
215.	<b>Short-tailed Albatross</b>	<b>0.0003%</b>
216.	<b>White-capped Albatross</b>	<b>0.0000%</b>
217.	<b>Wilson's Storm-Petrel</b>	<b>0.0570%</b>
218.	<b>Fork-tailed Storm-Petrel</b>	<b>0.0900%</b>
219.	<b>Ringed Storm-Petrel</b>	<b>0.0000%</b>
220.	<b>Leach's Storm-Petrel</b>	<b>0.1103%</b>

221.	<b>Townsend's Storm-Petrel</b>	<b>0.0190%</b>
222.	<b>Ashy Storm-Petrel</b>	<b>0.3548%</b>
223.	<b>Wedge-rumped Storm-Petrel</b>	<b>0.0421%</b>
224.	<b>Black Storm-Petrel</b>	<b>0.3215%</b>
225.	<b>Least Storm-Petrel</b>	<b>0.0713%</b>
226.	<b>Northern Fulmar</b>	<b>0.4047%</b>
227.	<b>Gray-faced Petrel</b>	<b>0.0007%</b>
228.	<b>Hawaiian Petrel</b>	<b>0.0146%</b>
229.	<b>Cook's Petrel</b>	<b>0.0234%</b>
230.	<b>Streaked Shearwater</b>	<b>0.0010%</b>
231.	<b>Cory's Shearwater</b>	<b>0.0003%</b>
232.	<b>Pink-footed Shearwater</b>	<b>1.01%</b>
233.	<b>Flesh-footed Shearwater</b>	<b>0.0193%</b>
234.	<b>Great Shearwater</b>	<b>0.0007%</b>
235.	<b>Wedge-tailed Shearwater</b>	<b>0.0014%</b>
236.	<b>Buller's Shearwater</b>	<b>0.2814%</b>
237.	<b>Sooty Shearwater</b>	<b>1.83%</b>
238.	<b>Short-tailed Shearwater</b>	<b>0.0061%</b>
239.	<b>Manx Shearwater</b>	<b>0.0190%</b>
240.	<b>Newell's Shearwater</b>	<b>0.0000%</b>
241.	<b>Black-vented Shearwater</b>	<b>0.5289%</b>
242.	<b>Wood Stork</b>	<b>0.0485%</b>
243.	<b>Magnificent Frigatebird</b>	<b>0.0132%</b>
244.	<b>Northern Gannet</b>	<b>0.0879%</b>
245.	<b>Red-footed Booby</b>	<b>0.0227%</b>

246.	<b>Brown Booby</b>	<b>0.1382%</b>
247.	<b>Masked Booby</b>	<b>0.0037%</b>
248.	<b>Nazca Booby</b>	<b>0.0377%</b>
249.	<b>Blue-footed Booby</b>	<b>0.0282%</b>
250.	<b>Brandt's Cormorant</b>	<b>6.08%</b>
251.	<b>Pelagic Cormorant</b>	<b>3.01%</b>
252.	<b>Double-crested Cormorant</b>	<b>21.22%</b>
253.	<b>Neotropic Cormorant</b>	<b>0.2159%</b>
254.	<b>American White Pelican</b>	<b>6.88%</b>
255.	<b>Brown Pelican</b>	<b>15.27%</b>
256.	<b>American Bittern</b>	<b>0.3449%</b>
257.	<b>Least Bittern</b>	<b>0.4515%</b>
258.	<b>Yellow-crowned Night Heron</b>	<b>0.6223%</b>
259.	<b>Black-crowned Night Heron</b>	<b>8.87%</b>
260.	<b>Little Blue Heron</b>	<b>0.5568%</b>
261.	<b>Tricolored Heron</b>	<b>0.0047%</b>
262.	<b>Reddish Egret</b>	<b>0.7326%</b>
263.	<b>Snowy Egret</b>	<b>18.89%</b>
264.	<b>Green Heron</b>	<b>6.32%</b>
265.	<b>Western Cattle Egret</b>	<b>0.6623%</b>
266.	<b>Great Egret</b>	<b>20.90%</b>
267.	<b>Great Blue Heron</b>	<b>19.28%</b>
268.	<b>White Ibis</b>	<b>0.0034%</b>
269.	<b>Glossy Ibis</b>	<b>0.0020%</b>
270.	<b>White-faced Ibis</b>	<b>4.63%</b>

271.	<b>Roseate Spoonbill</b>	<b>0.0020%</b>
272.	<b>California Condor</b>	<b>0.1847%</b>
273.	<b>Black Vulture</b>	<b>0.0054%</b>
274.	<b>Turkey Vulture</b>	<b>26.23%</b>
275.	<b>Osprey</b>	<b>7.59%</b>
276.	<b>White-tailed Kite</b>	<b>4.11%</b>
277.	<b>Golden Eagle</b>	<b>0.6342%</b>
278.	<b>Mississippi Kite</b>	<b>0.0010%</b>
279.	<b>Northern Harrier</b>	<b>3.55%</b>
280.	<b>Sharp-shinned Hawk</b>	<b>0.4838%</b>
281.	<b>Cooper's Hawk</b>	<b>7.28%</b>
282.	<b>American Goshawk</b>	<b>0.1331%</b>
283.	<b>Bald Eagle</b>	<b>0.9143%</b>
284.	<b>Common Black Hawk</b>	<b>0.0007%</b>
285.	<b>Harris's Hawk</b>	<b>0.0020%</b>
286.	<b>Red-shouldered Hawk</b>	<b>10.46%</b>
287.	<b>Broad-winged Hawk</b>	<b>0.0014%</b>
288.	<b>Swainson's Hawk</b>	<b>1.83%</b>
289.	<b>Zone-tailed Hawk</b>	<b>0.0146%</b>
290.	<b>Red-tailed Hawk</b>	<b>17.31%</b>
291.	<b>Ferruginous Hawk</b>	<b>0.0058%</b>
292.	<b>Barn Owl</b>	<b>1.39%</b>
293.	<b>Flammulated Owl</b>	<b>0.0143%</b>
294.	<b>Western Screech-Owl</b>	<b>0.5751%</b>
295.	<b>Great Horned Owl</b>	<b>2.70%</b>

296.	<b>Northern Pygmy-Owl</b>	<b>0.2319%</b>
297.	<b>Elf Owl</b>	<b>0.0000%</b>
298.	<b>Burrowing Owl</b>	<b>0.4271%</b>
299.	<b>Spotted Owl</b>	<b>0.0737%</b>
300.	<b>Barred Owl</b>	<b>0.0160%</b>
301.	<b>Great Gray Owl</b>	<b>0.0193%</b>
302.	<b>Long-eared Owl</b>	<b>0.0547%</b>
303.	<b>Short-eared Owl</b>	<b>0.0112%</b>
304.	<b>Northern Saw-whet Owl</b>	<b>0.0808%</b>
305.	<b>Belted Kingfisher</b>	<b>8.21%</b>
306.	<b>Williamson's Sapsucker</b>	<b>0.4176%</b>
307.	<b>Red-naped Sapsucker</b>	<b>0.0092%</b>
308.	<b>Red-breasted Sapsucker</b>	<b>0.9485%</b>
309.	<b>Lewis's Woodpecker</b>	<b>0.1467%</b>
310.	<b>Red-headed Woodpecker</b>	<b>0.0000%</b>
311.	<b>Acorn Woodpecker</b>	<b>16.11%</b>
312.	<b>Gila Woodpecker</b>	<b>0.0645%</b>
313.	<b>Black-backed Woodpecker</b>	<b>0.1928%</b>
314.	<b>Downy Woodpecker</b>	<b>7.98%</b>
315.	<b>Nuttall's Woodpecker</b>	<b>18.89%</b>
316.	<b>Ladder-backed Woodpecker</b>	<b>0.3449%</b>
317.	<b>Hairy Woodpecker</b>	<b>5.14%</b>
318.	<b>White-headed Woodpecker</b>	<b>1.46%</b>
319.	<b>Pileated Woodpecker</b>	<b>0.9278%</b>
320.	<b>Northern Flicker</b>	<b>9.47%</b>

321.	<b>Gilded Flicker</b>	<b>0.0007%</b>
322.	<b>Crested Caracara</b>	<b>0.0047%</b>
323.	<b>American Kestrel</b>	<b>7.98%</b>
324.	<b>Merlin</b>	<b>0.0282%</b>
325.	<b>Peregrine Falcon</b>	<b>2.95%</b>
326.	<b>Prairie Falcon</b>	<b>0.2529%</b>
327.	<b>Yellow-chevroned Parakeet</b>	<b>0.3480%</b>
328.	<b>Red-crowned Parrot</b>	<b>0.8433%</b>
329.	<b>Lilac-crowned Parrot</b>	<b>0.0682%</b>
330.	<b>Nanday Parakeet</b>	<b>0.1375%</b>
331.	<b>Mitred Parakeet</b>	<b>0.4003%</b>
332.	<b>Red-masked Parakeet</b>	<b>0.8755%</b>
333.	<b>Olive-sided Flycatcher</b>	<b>1.38%</b>
334.	<b>Western Wood-Pewee</b>	<b>5.67%</b>
335.	<b>Yellow-bellied Flycatcher</b>	<b>0.0017%</b>
336.	<b>Willow Flycatcher</b>	<b>2.45%</b>
337.	<b>Least Flycatcher</b>	<b>0.0285%</b>
338.	<b>Hammond's Flycatcher</b>	<b>0.1911%</b>
339.	<b>Gray Flycatcher</b>	<b>0.2251%</b>
340.	<b>Dusky Flycatcher</b>	<b>0.7798%</b>
341.	<b>Western Flycatcher</b>	<b>6.69%</b>
342.	<b>Black Phoebe</b>	<b>39.35%</b>
343.	<b>Eastern Phoebe</b>	<b>0.0003%</b>
344.	<b>Say's Phoebe</b>	<b>1.91%</b>
345.	<b>Vermilion Flycatcher</b>	<b>0.4933%</b>

346.	<b>Dusky-capped Flycatcher</b>	<b>0.0003%</b>
347.	<b>Ash-throated Flycatcher</b>	<b>3.15%</b>
348.	<b>Brown-crested Flycatcher</b>	<b>0.0452%</b>
349.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0465%</b>
350.	<b>Tropical Kingbird</b>	<b>0.0020%</b>
351.	<b>Cassin's Kingbird</b>	<b>5.18%</b>
352.	<b>Western Kingbird</b>	<b>5.06%</b>
353.	<b>Eastern Kingbird</b>	<b>0.0472%</b>
354.	<b>Scissor-tailed Flycatcher</b>	<b>0.0105%</b>
355.	<b>White-eyed Vireo</b>	<b>0.0261%</b>
356.	<b>Bell's Vireo</b>	<b>1.27%</b>
357.	<b>Gray Vireo</b>	<b>0.0092%</b>
358.	<b>Hutton's Vireo</b>	<b>4.48%</b>
359.	<b>Yellow-throated Vireo</b>	<b>0.0112%</b>
360.	<b>Cassin's Vireo</b>	<b>1.43%</b>
361.	<b>Plumbeous Vireo</b>	<b>0.0139%</b>
362.	<b>Warbling Vireo</b>	<b>3.53%</b>
363.	<b>Red-eyed Vireo</b>	<b>0.0584%</b>
364.	<b>Yellow-green Vireo</b>	<b>0.0020%</b>
365.	<b>Loggerhead Shrike</b>	<b>2.96%</b>
366.	<b>Canada Jay</b>	<b>0.1039%</b>
367.	<b>Pinyon Jay</b>	<b>0.2570%</b>
368.	<b>Steller's Jay</b>	<b>13.03%</b>
369.	<b>Island Scrub-Jay</b>	<b>0.0883%</b>
370.	<b>California Scrub-Jay</b>	<b>31.01%</b>

371. <b>Woodhouse's Scrub-Jay</b>	<b>0.0767%</b>
372. <b>Black-billed Magpie</b>	<b>0.5150%</b>
373. <b>Yellow-billed Magpie</b>	<b>1.29%</b>
374. <b>Clark's Nutcracker</b>	<b>1.97%</b>
375. <b>American Crow</b>	<b>33.74%</b>
376. <b>Common Raven</b>	<b>22.82%</b>
377. <b>Black-capped Chickadee</b>	<b>0.7659%</b>
378. <b>Mountain Chickadee</b>	<b>6.07%</b>
379. <b>Chestnut-backed Chickadee</b>	<b>13.93%</b>
380. <b>Oak Titmouse</b>	<b>15.26%</b>
381. <b>Juniper Titmouse</b>	<b>0.0475%</b>
382. <b>Verdin</b>	<b>0.8776%</b>
383. <b>Horned Lark</b>	<b>1.75%</b>
384. <b>Bank Swallow</b>	<b>0.6854%</b>
385. <b>Tree Swallow</b>	<b>4.81%</b>
386. <b>Violet-green Swallow</b>	<b>4.10%</b>
387. <b>Purple Martin</b>	<b>0.3887%</b>
388. <b>Northern Rough-winged Swallow</b>	<b>3.91%</b>
389. <b>Barn Swallow</b>	<b>23.47%</b>
390. <b>Cliff Swallow</b>	<b>9.71%</b>
391. <b>Red-whiskered Bulbul</b>	<b>0.5439%</b>
392. <b>Bushtit</b>	<b>20.08%</b>
393. <b>Wrentit</b>	<b>11.14%</b>
394. <b>Ruby-crowned Kinglet</b>	<b>0.0968%</b>
395. <b>Golden-crowned Kinglet</b>	<b>1.33%</b>



396.	<b>White-breasted Nuthatch</b>	<b><u>11.68%</u></b>
397.	<b>Pygmy Nuthatch</b>	<b><u>5.50%</u></b>
398.	<b>Red-breasted Nuthatch</b>	<b><u>4.83%</u></b>
399.	<b>Brown Creeper</b>	<b><u>5.17%</u></b>
400.	<b>Blue-gray Gnatcatcher</b>	<b><u>3.09%</u></b>
401.	<b>Black-tailed Gnatcatcher</b>	<b>0.2777%</b>
402.	<b>California Gnatcatcher</b>	<b><u>0.8579%</u></b>
403.	<b>Rock Wren</b>	<b><u>1.01%</u></b>
404.	<b>Canyon Wren</b>	<b>0.6654%</b>
405.	<b>House Wren</b>	<b><u>7.72%</u></b>
406.	<b>Pacific Wren</b>	<b><u>1.16%</u></b>
407.	<b>Marsh Wren</b>	<b><u>3.88%</u></b>
408.	<b>Bewick's Wren</b>	<b><u>17.75%</u></b>
409.	<b>Cactus Wren</b>	<b>0.6447%</b>
410.	<b>American Dipper</b>	<b>0.3992%</b>
411.	<b>European Starling</b>	<b><u>17.10%</u></b>
412.	<b>Gray Catbird</b>	<b>0.0445%</b>
413.	<b>Curve-billed Thrasher</b>	<b>0.0010%</b>
414.	<b>Brown Thrasher</b>	<b>0.0075%</b>
415.	<b>Bendire's Thrasher</b>	<b>0.0115%</b>
416.	<b>California Thrasher</b>	<b><u>4.63%</u></b>
417.	<b>LeConte's Thrasher</b>	<b>0.1436%</b>
418.	<b>Crissal Thrasher</b>	<b>0.0295%</b>
419.	<b>Sage Thrasher</b>	<b>0.3487%</b>
420.	<b>Northern Mockingbird</b>	<b><u>16.45%</u></b>

421.	<b>Western Bluebird</b>	<b>11.64%</b>
422.	<b>Mountain Bluebird</b>	<b>0.5232%</b>
423.	<b>Townsend's Solitaire</b>	<b>0.6545%</b>
424.	<b>Varied Thrush</b>	<b>0.0577%</b>
425.	<b>Swainson's Thrush</b>	<b>1.36%</b>
426.	<b>Hermit Thrush</b>	<b>0.3521%</b>
427.	<b>American Robin</b>	<b>12.24%</b>
428.	<b>Cedar Waxwing</b>	<b>1.95%</b>
429.	<b>Phainopepla</b>	<b>1.55%</b>
430.	<b>Scaly-breasted Munia</b>	<b>3.95%</b>
431.	<b>House Sparrow</b>	<b>12.71%</b>
432.	<b>Eastern Yellow Wagtail</b>	<b>0.0003%</b>
433.	<b>White Wagtail</b>	<b>0.0020%</b>
434.	<b>American Pipit</b>	<b>0.0859%</b>
435.	<b>Evening Grosbeak</b>	<b>0.3151%</b>
436.	<b>Pine Grosbeak</b>	<b>0.1558%</b>
437.	<b>Gray-crowned Rosy-Finch</b>	<b>0.1358%</b>
438.	<b>House Finch</b>	<b>44.51%</b>
439.	<b>Purple Finch</b>	<b>2.31%</b>
440.	<b>Cassin's Finch</b>	<b>1.16%</b>
441.	<b>Red Crossbill</b>	<b>0.6637%</b>
442.	<b>Pine Siskin</b>	<b>1.44%</b>
443.	<b>Lesser Goldfinch</b>	<b>27.33%</b>
444.	<b>Lawrence's Goldfinch</b>	<b>0.5714%</b>
445.	<b>American Goldfinch</b>	<b>8.02%</b>

446.	<b>Chestnut-collared Longspur</b>	<b>0.0003%</b>
447.	<b>Grasshopper Sparrow</b>	<b>0.0733%</b>
448.	<b>Chipping Sparrow</b>	<b>1.60%</b>
449.	<b>Clay-colored Sparrow</b>	<b>0.0136%</b>
450.	<b>Black-chinned Sparrow</b>	<b>0.0662%</b>
451.	<b>Brewer's Sparrow</b>	<b>0.8362%</b>
452.	<b>Black-throated Sparrow</b>	<b>0.4325%</b>
453.	<b>Lark Sparrow</b>	<b>1.90%</b>
454.	<b>Lark Bunting</b>	<b>0.0136%</b>
455.	<b>Fox Sparrow</b>	<b>0.7459%</b>
456.	<b>Dark-eyed Junco</b>	<b>15.83%</b>
457.	<b>White-crowned Sparrow</b>	<b>5.94%</b>
458.	<b>Golden-crowned Sparrow</b>	<b>0.0071%</b>
459.	<b>White-throated Sparrow</b>	<b>0.0017%</b>
460.	<b>Sagebrush Sparrow</b>	<b>0.1130%</b>
461.	<b>Bell's Sparrow</b>	<b>0.8902%</b>
462.	<b>Vesper Sparrow</b>	<b>0.2298%</b>
463.	<b>Savannah Sparrow</b>	<b>5.41%</b>
464.	<b>Song Sparrow</b>	<b>25.20%</b>
465.	<b>Lincoln's Sparrow</b>	<b>0.3286%</b>
466.	<b>Swamp Sparrow</b>	<b>0.0000%</b>
467.	<b>Abert's Towhee</b>	<b>0.2977%</b>
468.	<b>California Towhee</b>	<b>29.62%</b>
469.	<b>Rufous-crowned Sparrow</b>	<b>0.8443%</b>
470.	<b>Green-tailed Towhee</b>	<b>1.24%</b>

471. <b>Spotted Towhee</b>	<b>16.21%</b>
472. <b>Yellow-breasted Chat</b>	<b>0.6467%</b>
473. <b>Yellow-headed Blackbird</b>	<b>1.03%</b>
474. <b>Bobolink</b>	<b>0.0143%</b>
475. <b>Western Meadowlark</b>	<b>2.42%</b>
476. <b>Orchard Oriole</b>	<b>0.0238%</b>
477. <b>Hooded Oriole</b>	<b>8.85%</b>
478. <b>Bullock's Oriole</b>	<b>2.87%</b>
479. <b>Baltimore Oriole</b>	<b>0.0082%</b>
480. <b>Scott's Oriole</b>	<b>0.0523%</b>
481. <b>Red-winged Blackbird</b>	<b>11.16%</b>
482. <b>Tricolored Blackbird</b>	<b>0.4733%</b>
483. <b>Bronzed Cowbird</b>	<b>0.0058%</b>
484. <b>Brown-headed Cowbird</b>	<b>4.29%</b>
485. <b>Brewer's Blackbird</b>	<b>11.07%</b>
486. <b>Common Grackle</b>	<b>0.0003%</b>
487. <b>Great-tailed Grackle</b>	<b>4.07%</b>
488. <b>Ovenbird</b>	<b>0.0014%</b>
489. <b>Worm-eating Warbler</b>	<b>0.0007%</b>
490. <b>Louisiana Waterthrush</b>	<b>0.0007%</b>
491. <b>Northern Waterthrush</b>	<b>0.1426%</b>
492. <b>Golden-winged Warbler</b>	<b>0.0010%</b>
493. <b>Blue-winged Warbler</b>	<b>0.0003%</b>
494. <b>Black-and-white Warbler</b>	<b>0.0536%</b>
495. <b>Prothonotary Warbler</b>	<b>0.0061%</b>

496.	<b>Tennessee Warbler</b>	<b>0.0499%</b>
497.	<b>Orange-crowned Warbler</b>	<b>9.64%</b>
498.	<b>Lucy's Warbler</b>	<b>0.0988%</b>
499.	<b>Nashville Warbler</b>	<b>1.86%</b>
500.	<b>Virginia's Warbler</b>	<b>0.0384%</b>
501.	<b>MacGillivray's Warbler</b>	<b>1.96%</b>
502.	<b>Mourning Warbler</b>	<b>0.0010%</b>
503.	<b>Kentucky Warbler</b>	<b>0.0007%</b>
504.	<b>Common Yellowthroat</b>	<b>10.42%</b>
505.	<b>Hooded Warbler</b>	<b>0.0441%</b>
506.	<b>American Redstart</b>	<b>0.1572%</b>
507.	<b>Cape May Warbler</b>	<b>0.0054%</b>
508.	<b>Northern Parula</b>	<b>0.0560%</b>
509.	<b>Magnolia Warbler</b>	<b>0.0126%</b>
510.	<b>Bay-breasted Warbler</b>	<b>0.0017%</b>
511.	<b>Blackburnian Warbler</b>	<b>0.0071%</b>
512.	<b>Yellow Warbler</b>	<b>8.57%</b>
513.	<b>Chestnut-sided Warbler</b>	<b>0.0407%</b>
514.	<b>Blackpoll Warbler</b>	<b>0.0044%</b>
515.	<b>Palm Warbler</b>	<b>0.0007%</b>
516.	<b>Yellow-rumped Warbler</b>	<b>3.23%</b>
517.	<b>Yellow-throated Warbler</b>	<b>0.0003%</b>
518.	<b>Prairie Warbler</b>	<b>0.0170%</b>
519.	<b>Black-throated Gray Warbler</b>	<b>2.66%</b>
520.	<b>Townsend's Warbler</b>	<b>1.43%</b>

521.	<b>Hermit Warbler</b>	<b>1.65%</b>
522.	<b>Canada Warbler</b>	<b>0.0095%</b>
523.	<b>Wilson's Warbler</b>	<b>10.13%</b>
524.	<b>Red-faced Warbler</b>	<b>0.0014%</b>
525.	<b>Painted Redstart</b>	<b>0.0017%</b>
526.	<b>Hepatic Tanager</b>	<b>0.0007%</b>
527.	<b>Summer Tanager</b>	<b>0.2071%</b>
528.	<b>Scarlet Tanager</b>	<b>0.0065%</b>
529.	<b>Western Tanager</b>	<b>7.40%</b>
530.	<b>Pyrrhuloxia</b>	<b>0.0010%</b>
531.	<b>Rose-breasted Grosbeak</b>	<b>0.0632%</b>
532.	<b>Black-headed Grosbeak</b>	<b>7.41%</b>
533.	<b>Blue Grosbeak</b>	<b>1.25%</b>
534.	<b>Lazuli Bunting</b>	<b>2.91%</b>
535.	<b>Indigo Bunting</b>	<b>0.1168%</b>
536.	<b>Painted Bunting</b>	<b>0.0322%</b>
537.	<b>Dickcissel</b>	<b>0.0007%</b>
<b>EXOTIC: PROVISIONAL</b>		
538.	<b>Mute Swan</b>	<b>0.5890%</b> frequency
539.	<b>Egyptian Goose</b>	<b>0.7268%</b>
540.	<b>Mandarin Duck</b>	<b>0.0000%</b>
541.	<b>Indian Peafowl</b>	<b>0.1429%</b>
542.	<b>Rose-ringed Parakeet</b>	<b>0.0156%</b>
543.	<b>Monk Parakeet</b>	<b>0.0020%</b>
544.	<b>Red-lored Parrot</b>	<b>0.0129%</b>

545.	<b>Yellow-headed Parrot</b>	<b>0.0730%</b>
546.	<b>Burrowing Parakeet</b>	<b>0.0020%</b>
547.	<b>Blue-crowned Parakeet</b>	<b>0.0122%</b>
548.	<b>House Crow</b>	<b>0.0003%</b>
549.	<b>Swinhoe's White-eye</b>	<b>0.8117%</b>
550.	<b>Gray Thrasher</b>	<b>0.0051%</b>
551.	<b>Northern Red Bishop</b>	<b>0.4057%</b>
552.	<b>Pin-tailed Whydah</b>	<b>0.8335%</b>
553.	<b>Eurasian Tree Sparrow</b>	<b>0.0003%</b>
554.	<b>Northern Cardinal</b>	<b>0.0156%</b>
555.	<b>Yellow Grosbeak</b>	<b>0.0007%</b>
<b>EXOTIC: ESCAPEE</b>		
	<b>Bar-headed Goose</b>	<b>0.0003%</b> frequency
	<b>Graylag Goose</b>	<b>0.2495%</b>
	<b>Swan Goose</b>	<b>0.1467%</b>
	<b>Hawaiian Goose</b>	<b>0.0000%</b>
	<b>Black Swan</b>	<b>0.0061%</b>
	<b>Black-necked Swan</b>	<b>0.0010%</b>
	<b>Ruddy Shelduck</b>	<b>0.0014%</b>
	<b>South African Shelduck</b>	<b>0.0003%</b>
	<b>Common Shelduck</b>	<b>0.0003%</b>
	<b>Muscovy Duck</b>	<b>0.4553%</b>
	<b>Ringed Teal</b>	<b>0.0010%</b>
	<b>White-cheeked Pintail</b>	<b>0.0003%</b>
	<b>Helmeted Guineafowl</b>	<b>0.0047%</b>

<b>Northern Bobwhite</b>	<b>0.0000%</b>
<b>Lady Amherst's Pheasant</b>	<b>0.0007%</b>
<b>Red Junglefowl</b>	<b>0.0017%</b>
<b>Common Quail</b>	<b>0.0003%</b>
<b>Chilean Flamingo</b>	<b>0.0061%</b>
<b>American Flamingo</b>	<b>0.0187%</b>
<b>Greater Flamingo</b>	<b>0.0007%</b>
<b>Lesser Flamingo</b>	<b>0.0014%</b>
<b>Speckled Pigeon</b>	<b>0.0003%</b>
<b>African Collared-Dove</b>	<b>0.0027%</b>
<b>Diamond Dove</b>	<b>0.0017%</b>
<b>African Sacred Ibis</b>	<b>0.0000%</b>
<b>Keel-billed Toucan</b>	<b>0.0000%</b>
<b>Cockatiel</b>	<b>0.0102%</b>
<b>Alexandrine Parakeet</b>	<b>0.0000%</b>
<b>Budgerigar</b>	<b>0.0289%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0020%</b>
<b>Fischer's Lovebird</b>	<b>0.0139%</b>
<b>Yellow-collared Lovebird</b>	<b>0.0003%</b>
<b>White-winged Parakeet</b>	<b>0.0010%</b>
<b>Scaly-headed Parrot</b>	<b>0.0003%</b>
<b>Yellow-crowned Parrot</b>	<b>0.0010%</b>
<b>Turquoise-fronted Parrot</b>	<b>0.0003%</b>
<b>White-fronted Parrot</b>	<b>0.0000%</b>
<b>Yellow-faced Parrotlet</b>	<b>0.0000%</b>



<b>Orange-fronted Parakeet</b>	<b>0.0105%</b>
<b>Jandaya Parakeet</b>	<b>0.0000%</b>
<b>Scarlet Macaw</b>	<b>0.0000%</b>
<b>White-eyed Parakeet</b>	<b>0.0000%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0468%</b>
<b>Green Jay</b>	<b>0.0003%</b>
<b>Great Tit</b>	<b>0.0014%</b>
<b>Indian White-eye</b>	<b>0.0007%</b>
<b>Red-billed Leiothrix</b>	<b>0.0000%</b>
<b>Common Hill Myna</b>	<b>0.0003%</b>
<b>Common Myna</b>	<b>0.0003%</b>
<b>Golden Palm Weaver</b>	<b>0.0003%</b>
<b>Black-headed Weaver</b>	<b>0.0034%</b>
<b>Yellow-crowned Bishop</b>	<b>0.0149%</b>
<b>White-winged Widowbird</b>	<b>0.0003%</b>
<b>Diamond Firetail</b>	<b>0.0007%</b>
<b>Zebra Finch</b>	<b>0.0054%</b>
<b>Bronze Mannikin</b>	<b>0.0421%</b>
<b>Indian Silverbill</b>	<b>0.0003%</b>
<b>Gouldian Finch</b>	<b>0.0000%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0764%</b>
<b>Common Waxbill</b>	<b>0.0003%</b>
<b>Black-rumped Waxbill</b>	<b>0.0007%</b>
<b>Cut-throat</b>	<b>0.0000%</b>
<b>Red Avadavat</b>	<b>0.0003%</b>

<b>Red-cheeked Cordonbleu</b>	<b>0.0007%</b>
<b>Red-billed Firefinch</b>	<b>0.0003%</b>
<b>Yellow-fronted Canary</b>	<b>0.0047%</b>
<b>Black-throated Canary</b>	<b>0.0000%</b>
<b>European Goldfinch</b>	<b>0.0132%</b>
<b>Island Canary</b>	<b>0.0007%</b>
<b>Crested Oropendola</b>	<b>0.0007%</b>
<b>Saffron Finch</b>	<b>0.0017%</b>
<b>Cinnamon-rumped Seedeater</b>	<b>0.0058%</b>
<b>Yellow-faced Grassquit</b>	<b>0.0007%</b>
<b>Whooper Swan</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Snow x Ross's Goose (hybrid)	<b>0.0024%</b> frequency
Graylag x Swan Goose (hybrid)	<b>0.0115%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0024%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0027%</b>
Graylag x Canada Goose (hybrid)	<b>0.0092%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0502%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0173%</b>
Gadwall x Mallard (hybrid)	<b>0.0014%</b>
American Wigeon x Mallard (hybrid)	<b>0.0003%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0027%</b>
California x Gambel's Quail (hybrid)	<b>0.0034%</b>
Western x Clark's Grebe (hybrid)	<b>0.0109%</b>

Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0000%</b>
Anna's x Costa's Hummingbird (hybrid)	<b>0.0037%</b>
Anna's Hummingbird x Selasphorus sp. (hybrid)	<b>0.0082%</b>
Costa's x Broad-billed Hummingbird (hybrid)	<b>0.0007%</b>
American x Black Oystercatcher (hybrid)	<b>0.0278%</b>
Great Knot x Surfbird (hybrid)	<b>0.0014%</b>
Western x Glaucous-winged Gull (hybrid)	<b>0.1443%</b>
Herring x Glaucous-winged Gull (hybrid)	<b>0.0024%</b>
Sandwich x Elegant Tern (hybrid)	<b>0.0000%</b>
Double-crested x Neotropic Cormorant (hybrid)	<b>0.0000%</b>
Yellow-crowned x Black-crowned Night Heron (hybrid)	<b>0.0007%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0003%</b>
Common Black x Red-shouldered Hawk (hybrid)	<b>0.0024%</b>
Spotted x Barred Owl (hybrid)	<b>0.0007%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0075%</b>
Downy x Nuttall's Woodpecker (hybrid)	<b>0.0003%</b>
Nuttall's x Ladder-backed Woodpecker (hybrid)	<b>0.0031%</b>
Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0003%</b>
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	<b>0.0037%</b>
Red-whiskered x Red-vented Bulbul (hybrid)	<b>0.0003%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0085%</b>

---

Lazuli x Indigo Bunting (hybrid)	<b>0.0047%</b>
----------------------------------	----------------

---

Fischer's x Yellow-collared Lovebird (hybrid)	<b>0.0000%</b>
---	----------------