

Target Species

Based on 416,898 complete checklists

542 species observed in California, US (region/US-CA) in **Feb** that you need for your **World Life List**

| | |
|---------------------------------|-------------------------|
| 1. House Finch | 44.58% frequency |
| 2. Yellow-rumped Warbler | 44.35% |
| 3. White-crowned Sparrow | 42.03% |
| 4. Anna's Hummingbird | 41.78% |
| 5. Black Phoebe | 39.73% |
| 6. American Crow | 39.31% |
| 7. Mourning Dove | 32.19% |
| 8. California Scrub-Jay | 32.05% |
| 9. Red-tailed Hawk | 29.34% |
| 10. California Towhee | 27.21% |
| 11. Common Raven | 27.00% |
| 12. Mallard | 26.85% |
| 13. Dark-eyed Junco | 26.64% |
| 14. Lesser Goldfinch | 25.91% |
| 15. Turkey Vulture | 25.10% |
| 16. American Coot | 25.00% |
| 17. Song Sparrow | 24.55% |
| 18. Ruby-crowned Kinglet | 23.85% |
| 19. American Robin | 22.47% |
| 20. European Starling | 21.20% |

| | |
|-------------------------------------|----------------------|
| 21. Bushtit | <u>20.61%</u> |
| 22. Golden-crowned Sparrow | <u>19.59%</u> |
| 23. Northern Mockingbird | <u>19.48%</u> |
| 24. Canada Goose | <u>19.24%</u> |
| 25. Spotted Towhee | <u>19.07%</u> |
| 26. Northern Flicker | <u>18.89%</u> |
| 27. Double-crested Cormorant | <u>18.27%</u> |
| 28. Bewick's Wren | <u>16.88%</u> |
| 29. Oak Titmouse | <u>16.80%</u> |
| 30. Great Egret | <u>16.52%</u> |
| 31. Bufflehead | <u>16.28%</u> |
| 32. Red-winged Blackbird | <u>15.95%</u> |
| 33. Western Bluebird | <u>15.81%</u> |
| 34. Nuttall's Woodpecker | <u>15.61%</u> |
| 35. Ruddy Duck | <u>14.85%</u> |
| 36. Acorn Woodpecker | <u>14.83%</u> |
| 37. Western Gull | <u>14.48%</u> |
| 38. Red-shouldered Hawk | <u>14.42%</u> |
| 39. House Sparrow | <u>14.00%</u> |
| 40. Great Blue Heron | <u>13.57%</u> |
| 41. Rock Pigeon | <u>13.36%</u> |
| 42. California Gull | <u>13.35%</u> |
| 43. American Wigeon | <u>13.31%</u> |
| 44. Snowy Egret | <u>13.08%</u> |
| 45. Pied-billed Grebe | <u>12.70%</u> |

| | | |
|-----|----------------------------------|----------------------|
| 46. | Ring-billed Gull | <u>12.34%</u> |
| 47. | Say's Phoebe | <u>12.17%</u> |
| 48. | Eurasian Collared-Dove | <u>12.14%</u> |
| 49. | Killdeer | <u>11.92%</u> |
| 50. | American Kestrel | <u>11.55%</u> |
| 51. | Northern Shoveler | <u>11.51%</u> |
| 52. | Chestnut-backed Chickadee | <u>11.09%</u> |
| 53. | Allen's Hummingbird | <u>10.80%</u> |
| 54. | Western Meadowlark | <u>10.74%</u> |
| 55. | Brewer's Blackbird | <u>10.46%</u> |
| 56. | Hermit Thrush | <u>10.27%</u> |
| 57. | White-breasted Nuthatch | <u>8.95%</u> |
| 58. | Green-winged Teal | <u>8.64%</u> |
| 59. | Northern Harrier | <u>8.51%</u> |
| 60. | Gadwall | <u>8.34%</u> |
| 61. | Savannah Sparrow | <u>8.16%</u> |
| 62. | Tree Swallow | <u>8.15%</u> |
| 63. | American Goldfinch | <u>7.89%</u> |
| 64. | Steller's Jay | <u>7.81%</u> |
| 65. | Cedar Waxwing | <u>7.63%</u> |
| 66. | Cooper's Hawk | <u>7.22%</u> |
| 67. | Wrentit | <u>7.17%</u> |
| 68. | Orange-crowned Warbler | <u>7.08%</u> |
| 69. | Common Yellowthroat | <u>6.92%</u> |
| 70. | Western Grebe | <u>6.91%</u> |

| | | |
|-----|----------------------------------|--------------|
| 71. | Eared Grebe | 6.90% |
| 72. | Cinnamon Teal | 6.77% |
| 73. | California Quail | 6.74% |
| 74. | Willet | 6.61% |
| 75. | Northern Pintail | 6.50% |
| 76. | Cassin's Kingbird | 6.32% |
| 77. | Greater Yellowlegs | 6.24% |
| 78. | Common Goldeneye | 6.16% |
| 79. | Fox Sparrow | 6.14% |
| 80. | Marsh Wren | 6.00% |
| 81. | Belted Kingfisher | 5.99% |
| 82. | Ring-necked Duck | 5.93% |
| 83. | Lesser Scaup | 5.64% |
| 84. | Band-tailed Pigeon | 5.52% |
| 85. | Black-necked Stilt | 5.49% |
| 86. | Townsend's Warbler | 5.39% |
| 87. | California Thrasher | 5.38% |
| 88. | Brown Pelican | 5.36% |
| 89. | Least Sandpiper | 5.35% |
| 90. | Black-crowned Night Heron | 5.34% |
| 91. | American Pipit | 5.29% |
| 92. | Surf Scoter | 5.14% |
| 93. | Marbled Godwit | 5.04% |
| 94. | American White Pelican | 5.02% |
| 95. | White-tailed Kite | 5.01% |

| | | |
|------|------------------------------------|--------------|
| 96. | Lincoln's Sparrow | 4.97% |
| 97. | Downy Woodpecker | 4.85% |
| 98. | American Avocet | 4.82% |
| 99. | Pine Siskin | 4.81% |
| 100. | Hutton's Vireo | 4.52% |
| 101. | Herring Gull | 4.28% |
| 102. | Long-billed Curlew | 4.22% |
| 103. | Glaucous-winged Gull | 4.16% |
| 104. | Common Merganser | 4.15% |
| 105. | Osprey | 4.02% |
| 106. | Purple Finch | 3.83% |
| 107. | Great-tailed Grackle | 3.55% |
| 108. | Canvasback | 3.53% |
| 109. | Black-bellied Plover | 3.39% |
| 110. | Spotted Sandpiper | 3.35% |
| 111. | Great Horned Owl | 3.30% |
| 112. | House Wren | 3.26% |
| 113. | Greater White-fronted Goose | 3.26% |
| 114. | Short-billed Gull | 3.17% |
| 115. | Loggerhead Shrike | 3.13% |
| 116. | Brandt's Cormorant | 3.12% |
| 117. | Horned Grebe | 3.06% |
| 118. | Hooded Merganser | 2.99% |
| 119. | Clark's Grebe | 2.95% |
| 120. | Greater Scaup | 2.88% |

| | | |
|------|-------------------------------|--------------|
| 121. | Pygmy Nuthatch | 2.88% |
| 122. | Blue-gray Gnatcatcher | 2.83% |
| 123. | Bald Eagle | 2.74% |
| 124. | Red-breasted Merganser | 2.74% |
| 125. | Peregrine Falcon | 2.71% |
| 126. | Whimbrel | 2.67% |
| 127. | Snow Goose | 2.62% |
| 128. | Phainopepla | 2.58% |
| 129. | Sanderling | 2.51% |
| 130. | Hairy Woodpecker | 2.47% |
| 131. | Long-billed Dowitcher | 2.41% |
| 132. | Common Loon | 2.41% |
| 133. | Lark Sparrow | 2.37% |
| 134. | Pelagic Cormorant | 2.37% |
| 135. | White-faced Ibis | 2.34% |
| 136. | Western Sandpiper | 2.30% |
| 137. | Red-breasted Sapsucker | 2.29% |
| 138. | Dunlin | 2.29% |
| 139. | Brown Creeper | 2.24% |
| 140. | Sharp-shinned Hawk | 2.23% |
| 141. | White-throated Swift | 2.16% |
| 142. | Wild Turkey | 2.15% |
| 143. | Red-breasted Nuthatch | 2.14% |
| 144. | Blue-winged Teal | 2.13% |
| 145. | Heermann's Gull | 2.12% |

| | | |
|------|--------------------------------------|--------------|
| 146. | Wood Duck | 2.10% |
| 147. | Black Oystercatcher | 2.07% |
| 148. | Black Turnstone | 2.04% |
| 149. | Yellow-billed Magpie | 2.00% |
| 150. | Mountain Chickadee | 1.99% |
| 151. | Cackling Goose | 1.93% |
| 152. | Common Gallinule | 1.93% |
| 153. | Varied Thrush | 1.93% |
| 154. | Merlin | 1.92% |
| 155. | Red-throated Loon | 1.88% |
| 156. | Horned Lark | 1.85% |
| 157. | Wilson's Snipe | 1.83% |
| 158. | Northern Rough-winged Swallow | 1.80% |
| 159. | Green Heron | 1.75% |
| 160. | Scaly-breasted Munia | 1.75% |
| 161. | Forster's Tern | 1.71% |
| 162. | Sandhill Crane | 1.70% |
| 163. | Costa's Hummingbird | 1.66% |
| 164. | Brant | 1.56% |
| 165. | Brown-headed Cowbird | 1.55% |
| 166. | Verdin | 1.53% |
| 167. | Ferruginous Hawk | 1.52% |
| 168. | Redhead | 1.50% |
| 169. | Rock Wren | 1.49% |
| 170. | Sora | 1.48% |

| | | |
|------|-------------------------------|----------------|
| 171. | Golden Eagle | 1.40% |
| 172. | Violet-green Swallow | 1.39% |
| 173. | White-throated Sparrow | 1.34% |
| 174. | Royal Tern | 1.31% |
| 175. | Pacific Wren | 1.31% |
| 176. | Chipping Sparrow | 1.24% |
| 177. | Burrowing Owl | 1.15% |
| 178. | Greater Roadrunner | 1.14% |
| 179. | Iceland Gull | 1.11% |
| 180. | Golden-crowned Kinglet | 1.08% |
| 181. | Ross's Goose | 1.06% |
| 182. | Virginia Rail | 1.04% |
| 183. | Tundra Swan | 1.03% |
| 184. | Pacific Loon | 1.03% |
| 185. | Cactus Wren | 0.9813% |
| 186. | Eurasian Wigeon | 0.9671% |
| 187. | Mountain Bluebird | 0.9492% |
| 188. | Semipalmated Plover | 0.9336% |
| 189. | Tricolored Blackbird | 0.9271% |
| 190. | Bonaparte's Gull | 0.8681% |
| 191. | Red-crowned Parrot | 0.8678% |
| 192. | Barn Owl | 0.8633% |
| 193. | Rufous-crowned Sparrow | 0.8292% |
| 194. | Vermilion Flycatcher | 0.8261% |
| 195. | Caspian Tern | 0.8206% |

| | | |
|------|---------------------------------|----------------|
| 196. | Snowy Plover | 0.8091% |
| 197. | Surfbird | 0.7822% |
| 198. | Prairie Falcon | 0.7803% |
| 199. | Barn Swallow | 0.7719% |
| 200. | Ring-necked Pheasant | 0.7549% |
| 201. | Lawrence's Goldfinch | 0.7496% |
| 202. | Lewis's Woodpecker | 0.7474% |
| 203. | Common Murre | 0.6927% |
| 204. | Western Cattle Egret | 0.6887% |
| 205. | Cliff Swallow | 0.6875% |
| 206. | Gambel's Quail | 0.6320% |
| 207. | California Gnatcatcher | 0.6016% |
| 208. | Western Screech-Owl | 0.5627% |
| 209. | Canyon Wren | 0.5529% |
| 210. | Abert's Towhee | 0.5450% |
| 211. | Ridgway's Rail | 0.5351% |
| 212. | Black-throated Sparrow | 0.5265% |
| 213. | Ruddy Turnstone | 0.5205% |
| 214. | Red-whiskered Bulbul | 0.5176% |
| 215. | Black-capped Chickadee | 0.5037% |
| 216. | Black-tailed Gnatcatcher | 0.4970% |
| 217. | Ladder-backed Woodpecker | 0.4900% |
| 218. | Pileated Woodpecker | 0.4872% |
| 219. | Rough-legged Hawk | 0.4795% |
| 220. | Barrow's Goldeneye | 0.4682% |

| | | |
|------|------------------------------------|----------------|
| 221. | White-winged Dove | 0.4517% |
| 222. | Red-masked Parakeet | 0.4370% |
| 223. | Short-billed Dowitcher | 0.4354% |
| 224. | Bell's Sparrow | 0.4279% |
| 225. | Little Blue Heron | 0.4210% |
| 226. | Red-necked Grebe | 0.4056% |
| 227. | American Bittern | 0.4039% |
| 228. | White-winged Scoter | 0.3987% |
| 229. | Lesser Yellowlegs | 0.3900% |
| 230. | Black-billed Magpie | 0.3879% |
| 231. | Yellow-chevroned Parakeet | 0.3826% |
| 232. | Sage Thrasher | 0.3687% |
| 233. | Black-throated Gray Warbler | 0.3550% |
| 234. | Rufous Hummingbird | 0.3533% |
| 235. | Reddish Egret | 0.3490% |
| 236. | Vesper Sparrow | 0.3469% |
| 237. | Black Skimmer | 0.3442% |
| 238. | Common Ground Dove | 0.3401% |
| 239. | Black-vented Shearwater | 0.3250% |
| 240. | Cassin's Finch | 0.3229% |
| 241. | Townsend's Solitaire | 0.3041% |
| 242. | Red-naped Sapsucker | 0.2943% |
| 243. | Northern Saw-whet Owl | 0.2886% |
| 244. | White-headed Woodpecker | 0.2804% |
| 245. | Red Crossbill | 0.2720% |

| | | |
|------|-----------------------------------|----------------|
| 246. | Yellow-crowned Night Heron | 0.2689% |
| 247. | Black-legged Kittiwake | 0.2667% |
| 248. | Wilson's Warbler | 0.2614% |
| 249. | Tropical Kingbird | 0.2461% |
| 250. | Black Scoter | 0.2423% |
| 251. | Short-eared Owl | 0.2368% |
| 252. | Yellow-headed Blackbird | 0.2327% |
| 253. | Mountain Quail | 0.2271% |
| 254. | Wandering Tattler | 0.2190% |
| 255. | Northern Fulmar | 0.2166% |
| 256. | Western Tanager | 0.2099% |
| 257. | Northern Pygmy-Owl | 0.2080% |
| 258. | Long-tailed Duck | 0.2065% |
| 259. | Long-eared Owl | 0.2046% |
| 260. | Mitred Parakeet | 0.2039% |
| 261. | Yellow Warbler | 0.2010% |
| 262. | Red Knot | 0.1977% |
| 263. | Rhinoceros Auklet | 0.1953% |
| 264. | Nanday Parakeet | 0.1864% |
| 265. | Swamp Sparrow | 0.1821% |
| 266. | American Dipper | 0.1818% |
| 267. | Glaucous Gull | 0.1794% |
| 268. | Palm Warbler | 0.1780% |
| 269. | Black-and-white Warbler | 0.1773% |
| 270. | Yellow-bellied Sapsucker | 0.1732% |

| | | |
|------|-------------------------------|----------------|
| 271. | Summer Tanager | 0.1698% |
| 272. | California Condor | 0.1686% |
| 273. | Bullock's Oriole | 0.1511% |
| 274. | Clark's Nutcracker | 0.1497% |
| 275. | Harris's Sparrow | 0.1478% |
| 276. | Evening Grosbeak | 0.1454% |
| 277. | Swainson's Hawk | 0.1442% |
| 278. | Cassin's Auklet | 0.1430% |
| 279. | Lilac-crowned Parrot | 0.1427% |
| 280. | Gray Flycatcher | 0.1346% |
| 281. | Harlequin Duck | 0.1329% |
| 282. | Neotropic Cormorant | 0.1281% |
| 283. | Williamson's Sapsucker | 0.1247% |
| 284. | LeConte's Thrasher | 0.1233% |
| 285. | Tufted Duck | 0.1226% |
| 286. | Brewer's Sparrow | 0.1214% |
| 287. | Nashville Warbler | 0.1211% |
| 288. | Green-tailed Towhee | 0.1199% |
| 289. | Rock Sandpiper | 0.1168% |
| 290. | Eastern Phoebe | 0.1154% |
| 291. | Mountain Plover | 0.1072% |
| 292. | Common Poorwill | 0.1058% |
| 293. | Marbled Murrelet | 0.1015% |
| 294. | Painted Redstart | 0.1015% |
| 295. | Oriental Turtle-Dove | 0.0959% |

| | | |
|------|---------------------------------|----------------|
| 296. | Gila Woodpecker | 0.0931% |
| 297. | Hammond's Flycatcher | 0.0902% |
| 298. | Pacific Golden-Plover | 0.0897% |
| 299. | Orchard Oriole | 0.0842% |
| 300. | Least Bittern | 0.0823% |
| 301. | Clay-colored Sparrow | 0.0784% |
| 302. | Thick-billed Kingbird | 0.0763% |
| 303. | Black Rail | 0.0748% |
| 304. | Lesser Black-backed Gull | 0.0722% |
| 305. | Plumbeous Vireo | 0.0712% |
| 306. | Brown Booby | 0.0705% |
| 307. | Spotted Dove | 0.0691% |
| 308. | Parasitic Jaeger | 0.0674% |
| 309. | American Redstart | 0.0664% |
| 310. | Chukar | 0.0657% |
| 311. | Pomarine Jaeger | 0.0657% |
| 312. | Hermit Warbler | 0.0655% |
| 313. | Scripps's Murrelet | 0.0645% |
| 314. | Inca Dove | 0.0640% |
| 315. | Pinyon Jay | 0.0633% |
| 316. | Pigeon Guillemot | 0.0569% |
| 317. | Western Flycatcher | 0.0564% |
| 318. | Northern Shrike | 0.0561% |
| 319. | Red-flanked Bluetail | 0.0561% |
| 320. | Hooded Oriole | 0.0542% |

| | | |
|------|--------------------------------|----------------|
| 321. | Ruff | 0.0523% |
| 322. | Tricolored Heron | 0.0518% |
| 323. | Island Scrub-Jay | 0.0518% |
| 324. | Zone-tailed Hawk | 0.0513% |
| 325. | Trumpeter Swan | 0.0504% |
| 326. | Northern Waterthrush | 0.0489% |
| 327. | Stilt Sandpiper | 0.0487% |
| 328. | Red Phalarope | 0.0472% |
| 329. | Scott's Oriole | 0.0468% |
| 330. | Laughing Gull | 0.0456% |
| 331. | Baltimore Oriole | 0.0437% |
| 332. | Northern Parula | 0.0425% |
| 333. | Canada Jay | 0.0422% |
| 334. | Dusky-capped Flycatcher | 0.0417% |
| 335. | Sooty Shearwater | 0.0415% |
| 336. | Ancient Murrelet | 0.0408% |
| 337. | Yellow-billed Loon | 0.0367% |
| 338. | Crissal Thrasher | 0.0362% |
| 339. | Tennessee Warbler | 0.0343% |
| 340. | Pink-footed Shearwater | 0.0341% |
| 341. | Chestnut-sided Warbler | 0.0341% |
| 342. | Lark Bunting | 0.0333% |
| 343. | Lapland Longspur | 0.0331% |
| 344. | Common Scoter | 0.0326% |
| 345. | Pine Warbler | 0.0324% |

| | | |
|------|-------------------------------------|----------------|
| 346. | Lucy's Warbler | 0.0319% |
| 347. | Spotted Owl | 0.0309% |
| 348. | Black-throated Green Warbler | 0.0309% |
| 349. | Ash-throated Flycatcher | 0.0305% |
| 350. | Yellow-footed Gull | 0.0295% |
| 351. | Cassin's Vireo | 0.0295% |
| 352. | Black-throated Blue Warbler | 0.0295% |
| 353. | Grace's Warbler | 0.0295% |
| 354. | Garganey | 0.0290% |
| 355. | Sagebrush Sparrow | 0.0285% |
| 356. | Nelson's Sparrow | 0.0285% |
| 357. | White Wagtail | 0.0283% |
| 358. | Grasshopper Sparrow | 0.0278% |
| 359. | Rusty Blackbird | 0.0278% |
| 360. | Broad-billed Hummingbird | 0.0261% |
| 361. | Black Vulture | 0.0259% |
| 362. | Harris's Hawk | 0.0257% |
| 363. | Short-tailed Shearwater | 0.0249% |
| 364. | Masked Booby | 0.0249% |
| 365. | King Eider | 0.0247% |
| 366. | Barred Owl | 0.0245% |
| 367. | Least Flycatcher | 0.0245% |
| 368. | Mexican Duck | 0.0237% |
| 369. | Woodhouse's Scrub-Jay | 0.0237% |
| 370. | Black-headed Grosbeak | 0.0237% |

| | | |
|------|-----------------------------------|----------------|
| 371. | Nazca Booby | 0.0235% |
| 372. | Scissor-tailed Flycatcher | 0.0230% |
| 373. | Crested Caracara | 0.0228% |
| 374. | Greater Pewee | 0.0228% |
| 375. | Slaty-backed Gull | 0.0223% |
| 376. | Gyr Falcon | 0.0218% |
| 377. | Blue-winged Warbler | 0.0218% |
| 378. | Chestnut-collared Longspur | 0.0214% |
| 379. | Hepatic Tanager | 0.0211% |
| 380. | Common Eider | 0.0206% |
| 381. | Black-footed Albatross | 0.0206% |
| 382. | Solitary Sandpiper | 0.0192% |
| 383. | Gray-crowned Rosy-Finch | 0.0192% |
| 384. | Ovenbird | 0.0190% |
| 385. | Bay-breasted Warbler | 0.0187% |
| 386. | Brown-crested Flycatcher | 0.0185% |
| 387. | Vaux's Swift | 0.0178% |
| 388. | Northern Gannet | 0.0178% |
| 389. | Emperor Goose | 0.0175% |
| 390. | Rustic Bunting | 0.0173% |
| 391. | Common Redpoll | 0.0161% |
| 392. | Little Stint | 0.0156% |
| 393. | American Oystercatcher | 0.0151% |
| 394. | Juniper Titmouse | 0.0146% |
| 395. | Gray Catbird | 0.0144% |

| | | |
|------|-------------------------------|----------------|
| 396. | Thick-billed Longspur | 0.0142% |
| 397. | Brown Thrasher | 0.0137% |
| 398. | Rose-breasted Grosbeak | 0.0134% |
| 399. | Winter Wren | 0.0127% |
| 400. | Curlew Sandpiper | 0.0125% |
| 401. | Curve-billed Thrasher | 0.0125% |
| 402. | Cape May Warbler | 0.0122% |
| 403. | Streak-backed Oriole | 0.0120% |
| 404. | Worm-eating Warbler | 0.0120% |
| 405. | Western Kingbird | 0.0115% |
| 406. | American Tree Sparrow | 0.0110% |
| 407. | Brambling | 0.0105% |
| 408. | Prairie Warbler | 0.0103% |
| 409. | Northern Cardinal | 0.0103% |
| 410. | Great Gray Owl | 0.0101% |
| 411. | Broad-winged Hawk | 0.0098% |
| 412. | Ruffed Grouse | 0.0091% |
| 413. | Laysan Albatross | 0.0089% |
| 414. | Ashy Storm-Petrel | 0.0086% |
| 415. | Snow Bunting | 0.0086% |
| 416. | Falcated Duck | 0.0084% |
| 417. | Arctic Loon | 0.0082% |
| 418. | Elegant Tern | 0.0077% |
| 419. | Pyrrhuloxia | 0.0077% |
| 420. | Black-headed Gull | 0.0074% |

| | | |
|------|---------------------------------|----------------|
| 421. | American Goshawk | 0.0074% |
| 422. | Bell's Vireo | 0.0074% |
| 423. | Virginia's Warbler | 0.0074% |
| 424. | Olive-sided Flycatcher | 0.0072% |
| 425. | Yellow-breasted Chat | 0.0072% |
| 426. | Sooty Grouse | 0.0067% |
| 427. | Black-tailed Gull | 0.0067% |
| 428. | Snowy Owl | 0.0067% |
| 429. | Kelp Gull | 0.0065% |
| 430. | Roseate Spoonbill | 0.0065% |
| 431. | Bohemian Waxwing | 0.0062% |
| 432. | Wilson's Phalarope | 0.0060% |
| 433. | Sprague's Pipit | 0.0060% |
| 434. | Magnolia Warbler | 0.0060% |
| 435. | Ruddy Ground Dove | 0.0053% |
| 436. | Blue-footed Booby | 0.0053% |
| 437. | Fork-tailed Storm-Petrel | 0.0050% |
| 438. | Dusky Flycatcher | 0.0050% |
| 439. | Hooded Warbler | 0.0050% |
| 440. | Yellow-throated Warbler | 0.0050% |
| 441. | Broad-tailed Hummingbird | 0.0048% |
| 442. | Common Black Hawk | 0.0046% |
| 443. | Bank Swallow | 0.0043% |
| 444. | Field Sparrow | 0.0043% |
| 445. | Greater Sand-Plover | 0.0038% |

| | | |
|------|--------------------------------|----------------|
| 446. | Leach's Storm-Petrel | 0.0038% |
| 447. | Bendire's Thrasher | 0.0038% |
| 448. | Little Gull | 0.0036% |
| 449. | Franklin's Gull | 0.0036% |
| 450. | Black-backed Woodpecker | 0.0036% |
| 451. | Calliope Hummingbird | 0.0034% |
| 452. | Tufted Puffin | 0.0034% |
| 453. | Manx Shearwater | 0.0034% |
| 454. | Blue Jay | 0.0034% |
| 455. | Gray Hawk | 0.0031% |
| 456. | Brown Shrike | 0.0031% |
| 457. | Blue-headed Vireo | 0.0029% |
| 458. | Warbling Vireo | 0.0029% |
| 459. | Black-chinned Sparrow | 0.0029% |
| 460. | Blackburnian Warbler | 0.0029% |
| 461. | Greater Sage-Grouse | 0.0026% |
| 462. | White Ibis | 0.0026% |
| 463. | Rufous-backed Robin | 0.0026% |
| 464. | Common Grackle | 0.0026% |
| 465. | Wood Stork | 0.0024% |
| 466. | Indigo Bunting | 0.0024% |
| 467. | Painted Bunting | 0.0024% |
| 468. | MacGillivray's Warbler | 0.0022% |
| 469. | Red-necked Phalarope | 0.0019% |
| 470. | Red-footed Booby | 0.0019% |

| | | |
|------|--------------------------------|----------------|
| 471. | Philadelphia Vireo | 0.0019% |
| 472. | Cave Swallow | 0.0019% |
| 473. | Black Rosy-Finch | 0.0017% |
| 474. | Pine Grosbeak | 0.0014% |
| 475. | LeConte's Sparrow | 0.0014% |
| 476. | Steller's Eider | 0.0012% |
| 477. | Xantus's Hummingbird | 0.0012% |
| 478. | Common Tern | 0.0012% |
| 479. | Tropical Parula | 0.0012% |
| 480. | Smew | 0.0010% |
| 481. | Lesser Nighthawk | 0.0010% |
| 482. | Flesh-footed Shearwater | 0.0010% |
| 483. | Anhinga | 0.0010% |
| 484. | Nutting's Flycatcher | 0.0010% |
| 485. | Red-throated Pipit | 0.0010% |
| 486. | Lazuli Bunting | 0.0010% |
| 487. | White-tailed Ptarmigan | 0.0007% |
| 488. | Bar-tailed Godwit | 0.0007% |
| 489. | Wood Sandpiper | 0.0007% |
| 490. | Pectoral Sandpiper | 0.0007% |
| 491. | Kentucky Warbler | 0.0007% |
| 492. | Whooper Swan | 0.0005% |
| 493. | Parakeet Auklet | 0.0005% |
| 494. | Thick-billed Murre | 0.0005% |
| 495. | Gilded Flicker | 0.0005% |

| | | |
|------|-----------------------------------|----------------|
| 496. | Yellow-throated Vireo | 0.0005% |
| 497. | Oriental Greenfinch | 0.0005% |
| 498. | Smith's Longspur | 0.0005% |
| 499. | Blue Grosbeak | 0.0005% |
| 500. | Dickcissel | 0.0005% |
| 501. | Common Pochard | 0.0002% |
| 502. | Purple Sandpiper | 0.0002% |
| 503. | Sabine's Gull | 0.0002% |
| 504. | Red-billed Tropicbird | 0.0002% |
| 505. | Short-tailed Albatross | 0.0002% |
| 506. | Cook's Petrel | 0.0002% |
| 507. | Elf Owl | 0.0002% |
| 508. | Eurasian Skylark | 0.0002% |
| 509. | Bronzed Cowbird | 0.0002% |
| 510. | Louisiana Waterthrush | 0.0002% |
| 511. | Prothonotary Warbler | 0.0002% |
| 512. | Fulvous Whistling-Duck | 0.0000% |
| 513. | American Black Duck | 0.0000% |
| 514. | Groove-billed Ani | 0.0000% |
| 515. | Blue-throated Mountain-gem | 0.0000% |
| 516. | Black-chinned Hummingbird | 0.0000% |
| 517. | Yellow Rail | 0.0000% |
| 518. | Piping Plover | 0.0000% |
| 519. | Horned Puffin | 0.0000% |
| 520. | Long-billed Murrelet | 0.0000% |

521. **Red-legged Kittiwake** **0.0000%**

522. **Black Tern** **0.0000%**

523. **Glossy Ibis** **0.0000%**

524. **Red-headed Woodpecker** **0.0000%**

525. **Sedge Wren** **0.0000%**

526. **Golden-winged Warbler** **0.0000%**

EXOTIC: PROVISIONAL

527. **Mute Swan** **0.7573%** frequency

528. **Egyptian Goose** **0.7371%**

529. **Swinhoe's White-eye** **0.4166%**

530. **Indian Peafowl** **0.2283%**

531. **Pin-tailed Whydah** **0.1291%**

532. **Yellow-headed Parrot** **0.0818%**

533. **Rose-ringed Parakeet** **0.0569%**

534. **Red-lored Parrot** **0.0302%**

535. **Northern Red Bishop** **0.0228%**

536. **Blue-crowned Parakeet** **0.0050%**

537. **Eurasian Tree Sparrow** **0.0048%**

538. **Monk Parakeet** **0.0036%**

539. **Burrowing Parakeet** **0.0036%**

540. **Gray Silky-flycatcher** **0.0014%**

541. **Mandarin Duck** **0.0007%**

542. **Blue Mockingbird** **0.0000%**

EXOTIC: ESCAPEE

Muscovy Duck **0.6287%** frequency

| | |
|----------------------------------|----------------|
| Graylag Goose | 0.3433% |
| Swan Goose | 0.1864% |
| Chilean Flamingo | 0.0151% |
| Black-throated Magpie-Jay | 0.0151% |
| Helmeted Guineafowl | 0.0134% |
| Black Swan | 0.0122% |
| White-winged Parakeet | 0.0093% |
| American Flamingo | 0.0072% |
| Yellow-crowned Parrot | 0.0058% |
| Lesser Flamingo | 0.0050% |
| European Goldfinch | 0.0046% |
| Orange-cheeked Waxbill | 0.0043% |
| African Collared-Dove | 0.0041% |
| Ruddy Shelduck | 0.0038% |
| Red Junglefowl | 0.0031% |
| Budgerigar | 0.0031% |
| Bronze Mannikin | 0.0029% |
| Common Shelduck | 0.0022% |
| Turquoise-fronted Parrot | 0.0022% |
| Scaly-headed Parrot | 0.0019% |
| Yellow-fronted Canary | 0.0017% |
| Cinnamon-rumped Seedeater | 0.0012% |
| Cockatiel | 0.0010% |
| Zebra Finch | 0.0010% |
| Fischer's Lovebird | 0.0007% |

| | |
|---|--------------------------|
| White-fronted Parrot | 0.0005% |
| Indian White-eye | 0.0005% |
| Red-cheeked Cordonbleu | 0.0005% |
| Blue-gray Tanager | 0.0005% |
| Sulphur-crested Cockatoo | 0.0002% |
| Rosy-faced Lovebird | 0.0002% |
| Gray Parrot | 0.0002% |
| Black-capped Parakeet | 0.0002% |
| Scarlet Macaw | 0.0002% |
| Common Waxbill | 0.0002% |
| European Greenfinch | 0.0002% |
| Red-crested Cardinal | 0.0002% |
| Red-crested Pochard | 0.0000% |
| Northern Bobwhite | 0.0000% |
| Gray Partridge | 0.0000% |
| Japanese Quail | 0.0000% |
| Orange-fronted Parakeet | 0.0000% |
| HYBRIDS | |
| Western x Glaucous-winged Gull (hybrid) | 0.6767% frequency |
| Herring x Glaucous-winged Gull (hybrid) | 0.2495% |
| Domestic goose sp. x Canada Goose (hybrid) | 0.0532% |
| Red-naped x Red-breasted Sapsucker (hybrid) | 0.0518% |
| Eurasian x American Wigeon (hybrid) | 0.0401% |
| Herring x Glaucous Gull (hybrid) | 0.0221% |

| | |
|---|----------------|
| Glaucous x Glaucous-winged Gull (hybrid) | 0.0202% |
| American x Black Oystercatcher (hybrid) | 0.0192% |
| Muscovy Duck x Mallard (hybrid) | 0.0173% |
| Graylag x Swan Goose (hybrid) | 0.0130% |
| Common Black x Red-shouldered Hawk (hybrid) | 0.0125% |
| Blue-winged x Cinnamon Teal (hybrid) | 0.0108% |
| Snow x Ross's Goose (hybrid) | 0.0103% |
| Anna's x Costa's Hummingbird (hybrid) | 0.0098% |
| Graylag x Canada Goose (hybrid) | 0.0093% |
| Nuttall's x Ladder-backed Woodpecker (hybrid) | 0.0086% |
| Gadwall x Mallard (hybrid) | 0.0067% |
| Cinnamon Teal x Northern Shoveler (hybrid) | 0.0058% |
| Bufflehead x Common Goldeneye (hybrid) | 0.0058% |
| Swan Goose x Canada Goose (hybrid) | 0.0050% |
| Greater White-fronted x Canada Goose (hybrid) | 0.0038% |
| Common x Barrow's Goldeneye (hybrid) | 0.0036% |
| Anna's x Allen's Hummingbird (hybrid) | 0.0031% |
| White-crowned x Golden-crowned Sparrow (hybrid) | 0.0026% |
| California x Gambel's Quail (hybrid) | 0.0024% |
| Western x Clark's Grebe (hybrid) | 0.0024% |
| Yellow-bellied x Red-naped Sapsucker (hybrid) | 0.0022% |
| Blue-winged Teal x Northern Shoveler (hybrid) | 0.0019% |
| Downy x Nuttall's Woodpecker (hybrid) | 0.0017% |

| | |
|--|----------------|
| Red-crowned x Lilac-crowned Parrot (hybrid) | 0.0014% |
| Mallard x Mexican Duck (hybrid) | 0.0010% |
| Common Gallinule x American Coot (hybrid) | 0.0010% |
| California x Crissal Thrasher (hybrid) | 0.0010% |
| Ring-necked Duck x Lesser Scaup (hybrid) | 0.0007% |
| Dark-eyed Junco x White-crowned Sparrow (hybrid) | 0.0007% |
| Greater White-fronted x Cackling Goose (hybrid) | 0.0005% |
| Wood Duck x Mallard (hybrid) | 0.0005% |
| American Wigeon x Mallard (hybrid) | 0.0005% |
| Mallard x Northern Pintail (hybrid) | 0.0005% |
| Blue-winged x Green-winged Teal (hybrid) | 0.0005% |
| Ring-necked Duck x scaup sp. (hybrid) | 0.0005% |
| Tufted Duck x scaup sp. (hybrid) | 0.0005% |
| Bufflehead x Hooded Merganser (hybrid) | 0.0005% |
| Common Goldeneye x Hooded Merganser (hybrid) | 0.0005% |
| Yellow-bellied x Red-breasted Sapsucker (hybrid) | 0.0005% |
| Bullock's x Baltimore Oriole (hybrid) | 0.0005% |
| Townsend's x Hermit Warbler (hybrid) | 0.0005% |
| Snow x Greater White-fronted Goose (hybrid) | 0.0002% |
| Snow x Canada Goose (hybrid) | 0.0002% |
| Barnacle x Canada Goose (hybrid) | 0.0002% |
| Northern Shoveler x Gadwall (hybrid) | 0.0002% |
| Gadwall x Northern Pintail (hybrid) | 0.0002% |

| | |
|---|----------------|
| Gadwall x Green-winged Teal (hybrid) | 0.0002% |
| Anna's Hummingbird x Selasphorus sp. (hybrid) | 0.0002% |
| Glossy x White-faced Ibis (hybrid) | 0.0002% |
| Red-crowned x Red-lored Parrot (hybrid) | 0.0002% |
| Black x Say's Phoebe (hybrid) | 0.0002% |
| Yellow-rumped x Townsend's Warbler (hybrid) | 0.0002% |
| Barn x Cliff Swallow (hybrid) | 0.0000% |
| Western x Mountain Bluebird (hybrid) | 0.0000% |
| Fischer's x Yellow-collared Lovebird (hybrid) | 0.0000% |