

Target Species

Based on 501,344 complete checklists

556 species observed in California, US (region/US-CA) in **Jan** that you need for your **World Life List**

1. Yellow-rumped Warbler	49.58% frequency
2. Black Phoebe	45.59%
3. White-crowned Sparrow	44.19%
4. Anna's Hummingbird	40.12%
5. House Finch	40.00%
6. American Crow	37.59%
7. Red-tailed Hawk	30.83%
8. California Scrub-Jay	29.48%
9. American Coot	29.38%
10. Ruby-crowned Kinglet	29.37%
11. Mallard	28.26%
12. Common Raven	27.13%
13. California Towhee	26.32%
14. Mourning Dove	25.96%
15. Song Sparrow	25.40%
16. Turkey Vulture	23.90%
17. Dark-eyed Junco	23.16%
18. European Starling	22.91%
19. Golden-crowned Sparrow	21.18%
20. Northern Flicker	21.10%

21. Double-crested Cormorant	<u>21.07%</u>
22. Lesser Goldfinch	<u>20.88%</u>
23. Bufflehead	<u>20.56%</u>
24. Great Egret	<u>20.40%</u>
25. American Robin	<u>19.53%</u>
26. Canada Goose	<u>19.39%</u>
27. Northern Mockingbird	<u>18.00%</u>
28. Ruddy Duck	<u>17.94%</u>
29. Bushtit	<u>17.79%</u>
30. Western Gull	<u>17.59%</u>
31. Great Blue Heron	<u>17.36%</u>
32. Spotted Towhee	<u>17.02%</u>
33. Say's Phoebe	<u>16.30%</u>
34. Bewick's Wren	<u>16.24%</u>
35. Pied-billed Grebe	<u>16.23%</u>
36. Snowy Egret	<u>16.22%</u>
37. Nuttall's Woodpecker	<u>15.91%</u>
38. American Wigeon	<u>15.54%</u>
39. California Gull	<u>15.36%</u>
40. Oak Titmouse	<u>15.35%</u>
41. Ring-billed Gull	<u>14.97%</u>
42. American Kestrel	<u>14.93%</u>
43. Acorn Woodpecker	<u>14.93%</u>
44. Rock Pigeon	<u>14.93%</u>
45. Red-shouldered Hawk	<u>14.70%</u>

46.	Western Bluebird	<u>14.55%</u>
47.	Northern Shoveler	<u>14.41%</u>
48.	Red-winged Blackbird	<u>14.19%</u>
49.	Hermit Thrush	<u>12.10%</u>
50.	House Sparrow	<u>12.09%</u>
51.	Killdeer	<u>11.93%</u>
52.	Brewer's Blackbird	<u>11.87%</u>
53.	Western Meadowlark	<u>11.25%</u>
54.	Eurasian Collared-Dove	<u>11.03%</u>
55.	Chestnut-backed Chickadee	<u>10.52%</u>
56.	Green-winged Teal	<u>10.16%</u>
57.	Gadwall	<u>10.01%</u>
58.	Savannah Sparrow	<u>9.89%</u>
59.	Northern Harrier	<u>9.79%</u>
60.	Allen's Hummingbird	<u>9.50%</u>
61.	Eared Grebe	<u>9.25%</u>
62.	Common Yellowthroat	<u>9.12%</u>
63.	Western Grebe	<u>8.91%</u>
64.	White-breasted Nuthatch	<u>8.63%</u>
65.	Willet	<u>8.28%</u>
66.	Orange-crowned Warbler	<u>8.24%</u>
67.	Common Goldeneye	<u>8.22%</u>
68.	Belted Kingfisher	<u>8.08%</u>
69.	American Pipit	<u>8.02%</u>
70.	Brown Pelican	<u>7.98%</u>

71.	Northern Pintail	<u>7.81%</u>
72.	Cedar Waxwing	<u>7.76%</u>
73.	Townsend's Warbler	<u>7.57%</u>
74.	Cassin's Kingbird	<u>7.51%</u>
75.	Wrentit	<u>7.46%</u>
76.	Greater Yellowlegs	<u>7.43%</u>
77.	Fox Sparrow	<u>7.38%</u>
78.	Least Sandpiper	<u>7.30%</u>
79.	American Goldfinch	<u>7.21%</u>
80.	Ring-necked Duck	<u>7.10%</u>
81.	Cooper's Hawk	<u>7.03%</u>
82.	Black-crowned Night Heron	<u>7.00%</u>
83.	Lesser Scaup	<u>6.87%</u>
84.	Black-necked Stilt	<u>6.78%</u>
85.	Steller's Jay	<u>6.65%</u>
86.	Surf Scoter	<u>6.59%</u>
87.	Marbled Godwit	<u>6.47%</u>
88.	California Quail	<u>6.34%</u>
89.	Lincoln's Sparrow	<u>6.31%</u>
90.	White-tailed Kite	<u>5.89%</u>
91.	Marsh Wren	<u>5.81%</u>
92.	Cinnamon Teal	<u>5.70%</u>
93.	Herring Gull	<u>5.58%</u>
94.	American White Pelican	<u>5.58%</u>
95.	American Avocet	<u>5.46%</u>

96.	California Thrasher	5.40%
97.	Glaucous-winged Gull	5.39%
98.	Long-billed Curlew	5.33%
99.	Downy Woodpecker	5.20%
100.	Osprey	4.71%
101.	Black-bellied Plover	4.58%
102.	Pine Siskin	4.52%
103.	Spotted Sandpiper	4.48%
104.	Canvasback	4.48%
105.	Horned Grebe	4.47%
106.	Common Merganser	4.44%
107.	Band-tailed Pigeon	4.43%
108.	Loggerhead Shrike	4.29%
109.	Greater White-fronted Goose	4.14%
110.	Short-billed Gull	4.09%
111.	Blue-gray Gnatcatcher	4.08%
112.	Hutton's Vireo	3.90%
113.	Snow Goose	3.80%
114.	Brandt's Cormorant	3.79%
115.	Heermann's Gull	3.79%
116.	Hooded Merganser	3.77%
117.	Greater Scaup	3.69%
118.	Tree Swallow	3.58%
119.	Sanderling	3.56%
120.	Red-breasted Merganser	3.55%

121.	Peregrine Falcon	3.53%
122.	Whimbrel	3.50%
123.	Clark's Grebe	3.41%
124.	Great-tailed Grackle	3.40%
125.	House Wren	3.37%
126.	Common Loon	3.34%
127.	Great Horned Owl	3.24%
128.	Long-billed Dowitcher	3.24%
129.	Purple Finch	3.15%
130.	Dunlin	3.13%
131.	Western Sandpiper	3.12%
132.	Bald Eagle	3.05%
133.	Hairy Woodpecker	2.89%
134.	Phainopepla	2.84%
135.	Pelagic Cormorant	2.83%
136.	Pygmy Nuthatch	2.82%
137.	Black Turnstone	2.72%
138.	Merlin	2.63%
139.	Red-breasted Sapsucker	2.63%
140.	Black Oystercatcher	2.62%
141.	Sharp-shinned Hawk	2.61%
142.	White-faced Ibis	2.57%
143.	Blue-winged Teal	2.55%
144.	Red-breasted Nuthatch	2.53%
145.	White-throated Swift	2.53%

146.	Forster's Tern	2.47%
147.	Cackling Goose	2.45%
148.	Brown Creeper	2.41%
149.	Lark Sparrow	2.38%
150.	Red-throated Loon	2.29%
151.	Green Heron	2.25%
152.	Common Gallinule	2.24%
153.	Wilson's Snipe	2.21%
154.	Horned Lark	2.13%
155.	Ferruginous Hawk	2.08%
156.	Varied Thrush	2.07%
157.	Sora	2.06%
158.	Redhead	2.04%
159.	Yellow-billed Magpie	2.01%
160.	Wood Duck	1.94%
161.	Brant	1.92%
162.	Mountain Chickadee	1.89%
163.	Brown-headed Cowbird	1.80%
164.	Sandhill Crane	1.64%
165.	White-throated Sparrow	1.64%
166.	Rock Wren	1.64%
167.	Tundra Swan	1.64%
168.	Wild Turkey	1.63%
169.	Royal Tern	1.62%
170.	Scaly-breasted Munia	1.62%

171.	Ross's Goose	1.57%
172.	Bonaparte's Gull	1.51%
173.	Golden Eagle	1.48%
174.	Verdin	1.46%
175.	Iceland Gull	1.44%
176.	Semipalmated Plover	1.42%
177.	Pacific Loon	1.40%
178.	Burrowing Owl	1.38%
179.	Virginia Rail	1.35%
180.	Costa's Hummingbird	1.35%
181.	Golden-crowned Kinglet	1.34%
182.	Eurasian Wigeon	1.28%
183.	Chipping Sparrow	1.28%
184.	Vermilion Flycatcher	1.22%
185.	Pacific Wren	1.21%
186.	Mountain Bluebird	1.10%
187.	Caspian Tern	1.09%
188.	Prairie Falcon	1.07%
189.	Tricolored Blackbird	1.05%
190.	Snowy Plover	1.03%
191.	Surfbird	1.01%
192.	Barn Owl	0.9500%
193.	Barn Swallow	0.9317%
194.	Greater Roadrunner	0.9159%
195.	Lewis's Woodpecker	0.8806%

196.	Cactus Wren	0.7787%
197.	Common Murre	0.7753%
198.	Ridgway's Rail	0.7719%
199.	Rufous-crowned Sparrow	0.7713%
200.	Red-crowned Parrot	0.7462%
201.	Western Cattle Egret	0.7422%
202.	Barrow's Goldeneye	0.7402%
203.	Ruddy Turnstone	0.7348%
204.	California Gnatcatcher	0.6528%
205.	Short-billed Dowitcher	0.6510%
206.	Ring-necked Pheasant	0.6359%
207.	Abert's Towhee	0.5892%
208.	Red-necked Grebe	0.5767%
209.	Rough-legged Hawk	0.5575%
210.	Black-capped Chickadee	0.5515%
211.	Reddish Egret	0.5475%
212.	Violet-green Swallow	0.5475%
213.	Gambel's Quail	0.5457%
214.	White-winged Scoter	0.5437%
215.	Canyon Wren	0.5342%
216.	Western Screech-Owl	0.5324%
217.	American Bittern	0.5254%
218.	Black-tailed Gnatcatcher	0.5206%
219.	Red-whiskered Bulbul	0.5140%
220.	Ladder-backed Woodpecker	0.4917%

221.	Black-throated Gray Warbler	0.4833%
222.	Black-vented Shearwater	0.4771%
223.	Black Skimmer	0.4647%
224.	Little Blue Heron	0.4440%
225.	Yellow-chevroned Parakeet	0.4418%
226.	Tropical Kingbird	0.4320%
227.	Black-billed Magpie	0.4213%
228.	Lesser Yellowlegs	0.4193%
229.	Pileated Woodpecker	0.4189%
230.	Vesper Sparrow	0.4037%
231.	Yellow-crowned Night Heron	0.3876%
232.	Swamp Sparrow	0.3808%
233.	White-winged Dove	0.3784%
234.	Western Tanager	0.3650%
235.	Wilson's Warbler	0.3648%
236.	Black-throated Sparrow	0.3636%
237.	Red-masked Parakeet	0.3608%
238.	Red-naped Sapsucker	0.3594%
239.	Northern Rough-winged Swallow	0.3584%
240.	Bell's Sparrow	0.3576%
241.	Black Scoter	0.3519%
242.	Townsend's Solitaire	0.3477%
243.	Long-tailed Duck	0.3463%
244.	Common Ground Dove	0.3395%
245.	Red Crossbill	0.3367%

246.	Yellow-bellied Sapsucker	0.3219%
247.	Red Phalarope	0.3108%
248.	Short-eared Owl	0.3050%
249.	Northern Saw-whet Owl	0.3024%
250.	Red Knot	0.3004%
251.	Yellow Warbler	0.2880%
252.	Lawrence's Goldfinch	0.2824%
253.	Palm Warbler	0.2812%
254.	White-headed Woodpecker	0.2653%
255.	Summer Tanager	0.2653%
256.	Rhinoceros Auklet	0.2631%
257.	Mitred Parakeet	0.2599%
258.	Bullock's Oriole	0.2569%
259.	Wandering Tattler	0.2515%
260.	American Dipper	0.2457%
261.	Black-and-white Warbler	0.2421%
262.	Northern Fulmar	0.2342%
263.	Mountain Plover	0.2290%
264.	Nashville Warbler	0.2252%
265.	Yellow-headed Blackbird	0.2244%
266.	Eastern Phoebe	0.2228%
267.	Cassin's Finch	0.2210%
268.	Gray Flycatcher	0.2065%
269.	Sage Thrasher	0.2021%
270.	Cassin's Auklet	0.1739%

271.	Northern Pygmy-Owl	0.1699%
272.	Black-legged Kittiwake	0.1664%
273.	Painted Redstart	0.1638%
274.	Long-eared Owl	0.1634%
275.	Green-tailed Towhee	0.1626%
276.	Brewer's Sparrow	0.1610%
277.	Tufted Duck	0.1546%
278.	Glaucous Gull	0.1540%
279.	Nanday Parakeet	0.1528%
280.	Orchard Oriole	0.1486%
281.	California Condor	0.1428%
282.	Ancient Murrelet	0.1426%
283.	Williamson's Sapsucker	0.1418%
284.	Harlequin Duck	0.1408%
285.	Clark's Nutcracker	0.1400%
286.	Harris's Sparrow	0.1319%
287.	Mountain Quail	0.1309%
288.	Marbled Murrelet	0.1275%
289.	American Redstart	0.1245%
290.	Rock Sandpiper	0.1209%
291.	Pacific Golden-Plover	0.1195%
292.	Evening Grosbeak	0.1193%
293.	Least Bittern	0.1173%
294.	Lilac-crowned Parrot	0.1147%
295.	Red-flanked Bluetail	0.1069%

296.	Clay-colored Sparrow	0.1067%
297.	Gila Woodpecker	0.1013%
298.	Hermit Warbler	0.1001%
299.	Neotropic Cormorant	0.0991%
300.	LeConte's Thrasher	0.0965%
301.	Hammond's Flycatcher	0.0961%
302.	Plumbeous Vireo	0.0961%
303.	Trumpeter Swan	0.0953%
304.	Dusky-capped Flycatcher	0.0906%
305.	Parasitic Jaeger	0.0902%
306.	Thick-billed Kingbird	0.0866%
307.	Chestnut-sided Warbler	0.0864%
308.	Northern Shrike	0.0836%
309.	Laughing Gull	0.0830%
310.	Nelson's Sparrow	0.0784%
311.	Northern Waterthrush	0.0756%
312.	Lucy's Warbler	0.0740%
313.	Western Flycatcher	0.0736%
314.	Brown Booby	0.0726%
315.	Rusty Blackbird	0.0724%
316.	Snowy Owl	0.0716%
317.	Lesser Black-backed Gull	0.0706%
318.	Scissor-tailed Flycatcher	0.0696%
319.	Pomarine Jaeger	0.0684%
320.	Inca Dove	0.0682%

321.	Tricolored Heron	0.0644%
322.	Baltimore Oriole	0.0636%
323.	Pinyon Jay	0.0632%
324.	Tennessee Warbler	0.0632%
325.	Lapland Longspur	0.0626%
326.	Yellow-billed Loon	0.0612%
327.	Stilt Sandpiper	0.0586%
328.	Northern Parula	0.0573%
329.	Zone-tailed Hawk	0.0560%
330.	Sooty Shearwater	0.0558%
331.	Spotted Dove	0.0556%
332.	Island Scrub-Jay	0.0547%
333.	Gray Catbird	0.0539%
334.	Black-throated Green Warbler	0.0489%
335.	Hooded Oriole	0.0485%
336.	Ruff	0.0475%
337.	Scott's Oriole	0.0459%
338.	Ovenbird	0.0447%
339.	Swainson's Hawk	0.0437%
340.	Canada Jay	0.0437%
341.	Grace's Warbler	0.0419%
342.	Black-headed Grosbeak	0.0419%
343.	Ash-throated Flycatcher	0.0415%
344.	Winter Wren	0.0413%
345.	Worm-eating Warbler	0.0409%

346.	Crissal Thrasher	0.0393%
347.	Hepatic Tanager	0.0393%
348.	Pink-footed Shearwater	0.0387%
349.	Mexican Duck	0.0385%
350.	Garganey	0.0383%
351.	Sagebrush Sparrow	0.0383%
352.	Black-headed Gull	0.0375%
353.	Chukar	0.0373%
354.	Black Rail	0.0373%
355.	White Wagtail	0.0371%
356.	Emperor Goose	0.0369%
357.	Cassin's Vireo	0.0367%
358.	Pine Warbler	0.0365%
359.	Scripps's Murrelet	0.0351%
360.	Grasshopper Sparrow	0.0351%
361.	Pigeon Guillemot	0.0343%
362.	Lark Bunting	0.0339%
363.	Greater Pewee	0.0337%
364.	Prairie Warbler	0.0331%
365.	Falcated Duck	0.0321%
366.	Broad-billed Hummingbird	0.0319%
367.	Spotted Owl	0.0311%
368.	Blackburnian Warbler	0.0301%
369.	Cape May Warbler	0.0299%
370.	Yellow-footed Gull	0.0297%

371.	Short-tailed Shearwater	0.0295%
372.	Brown-crested Flycatcher	0.0295%
373.	Harris's Hawk	0.0293%
374.	Ross's Gull	0.0291%
375.	King Eider	0.0283%
376.	Common Poorwill	0.0283%
377.	Woodhouse's Scrub-Jay	0.0279%
378.	Vaux's Swift	0.0275%
379.	Curlew Sandpiper	0.0271%
380.	Arctic Loon	0.0271%
381.	Brown Thrasher	0.0271%
382.	Rustic Bunting	0.0267%
383.	Curve-billed Thrasher	0.0259%
384.	Great Gray Owl	0.0257%
385.	Rose-breasted Grosbeak	0.0243%
386.	Northern Gannet	0.0225%
387.	Nazca Booby	0.0225%
388.	Franklin's Gull	0.0223%
389.	Gyr Falcon	0.0221%
390.	Least Flycatcher	0.0221%
391.	Slaty-backed Gull	0.0211%
392.	Magnolia Warbler	0.0200%
393.	Bay-breasted Warbler	0.0195%
394.	Roseate Spoonbill	0.0185%
395.	Louisiana Waterthrush	0.0181%

396.	Streak-backed Oriole	0.0178%
397.	Hooded Warbler	0.0178%
398.	Chestnut-collared Longspur	0.0171%
399.	Laysan Albatross	0.0168%
400.	Western Kingbird	0.0168%
401.	American Oystercatcher	0.0166%
402.	Thick-billed Longspur	0.0164%
403.	Field Sparrow	0.0160%
404.	Brambling	0.0156%
405.	American Tree Sparrow	0.0154%
406.	Solitary Sandpiper	0.0148%
407.	Yellow-breasted Chat	0.0148%
408.	Black-throated Blue Warbler	0.0146%
409.	Masked Booby	0.0144%
410.	Black-footed Albatross	0.0134%
411.	Bell's Vireo	0.0134%
412.	Juniper Titmouse	0.0134%
413.	Gray Hawk	0.0132%
414.	Virginia's Warbler	0.0128%
415.	Common Redpoll	0.0124%
416.	Gray-crowned Rosy-Finch	0.0122%
417.	Bohemian Waxwing	0.0118%
418.	Blue Jay	0.0116%
419.	Yellow-throated Warbler	0.0114%
420.	Barred Owl	0.0110%

421.	Rufous Hummingbird	0.0108%
422.	Red-eyed Vireo	0.0106%
423.	Snow Bunting	0.0104%
424.	Smew	0.0102%
425.	Leach's Storm-Petrel	0.0100%
426.	Black Vulture	0.0098%
427.	LeConte's Sparrow	0.0098%
428.	Dusky Flycatcher	0.0096%
429.	Ruffed Grouse	0.0094%
430.	Red-throated Pipit	0.0094%
431.	Common Pochard	0.0090%
432.	Red-footed Booby	0.0088%
433.	Brown Shrike	0.0088%
434.	Blue-footed Booby	0.0086%
435.	Cliff Swallow	0.0086%
436.	Eurasian Skylark	0.0084%
437.	Blue-headed Vireo	0.0082%
438.	Sprague's Pipit	0.0082%
439.	Scarlet Tanager	0.0082%
440.	Broad-winged Hawk	0.0078%
441.	Crested Caracara	0.0078%
442.	Yellow-bellied Flycatcher	0.0078%
443.	American Goshawk	0.0074%
444.	Painted Bunting	0.0070%
445.	MacGillivray's Warbler	0.0068%

446.	Little Gull	0.0066%
447.	Ruddy Ground Dove	0.0062%
448.	Lazuli Bunting	0.0058%
449.	Tropical Parula	0.0056%
450.	Purple Sandpiper	0.0052%
451.	Dickcissel	0.0050%
452.	Bar-tailed Godwit	0.0046%
453.	Common Black Hawk	0.0046%
454.	Manx Shearwater	0.0044%
455.	Indigo Bunting	0.0044%
456.	Sooty Grouse	0.0042%
457.	Warbling Vireo	0.0042%
458.	Wilson's Phalarope	0.0040%
459.	Wood Stork	0.0040%
460.	Black-backed Woodpecker	0.0040%
461.	Common Grackle	0.0036%
462.	Blue Grosbeak	0.0036%
463.	Lesser Nighthawk	0.0034%
464.	Little Stint	0.0034%
465.	Elegant Tern	0.0034%
466.	Pyrrhuloxia	0.0034%
467.	Flesh-footed Shearwater	0.0032%
468.	Couch's Kingbird	0.0032%
469.	Black-tailed Gull	0.0030%
470.	Fork-tailed Storm-Petrel	0.0030%

471.	Olive-sided Flycatcher	0.0030%
472.	Bank Swallow	0.0030%
473.	Tufted Puffin	0.0028%
474.	Rufous-backed Robin	0.0026%
475.	Common Tern	0.0024%
476.	Black-chinned Sparrow	0.0024%
477.	Greater Sage-Grouse	0.0022%
478.	Cave Swallow	0.0022%
479.	Yellow Rail	0.0020%
480.	Sedge Wren	0.0020%
481.	Smith's Longspur	0.0020%
482.	Canada Warbler	0.0020%
483.	Broad-tailed Hummingbird	0.0018%
484.	Red-necked Phalarope	0.0018%
485.	Bendire's Thrasher	0.0018%
486.	Calliope Hummingbird	0.0016%
487.	Pectoral Sandpiper	0.0016%
488.	Buller's Shearwater	0.0016%
489.	Nutting's Flycatcher	0.0016%
490.	Pine Grosbeak	0.0016%
491.	Bronzed Cowbird	0.0014%
492.	Yellow-throated Vireo	0.0012%
493.	Kentucky Warbler	0.0012%
494.	Parakeet Auklet	0.0010%
495.	Great Crested Flycatcher	0.0010%

496.	White-eyed Vireo	0.0010%
497.	White-tailed Ptarmigan	0.0008%
498.	Groove-billed Ani	0.0008%
499.	Ashy Storm-Petrel	0.0008%
500.	Gilded Flicker	0.0008%
501.	Golden-winged Warbler	0.0008%
502.	Blue-winged Warbler	0.0008%
503.	Mourning Warbler	0.0008%
504.	Whooper Swan	0.0006%
505.	Cook's Petrel	0.0006%
506.	Philadelphia Vireo	0.0006%
507.	Wood Thrush	0.0006%
508.	Black-chinned Hummingbird	0.0004%
509.	Red-billed Tropicbird	0.0004%
510.	Fulvous Whistling-Duck	0.0002%
511.	Steller's Eider	0.0002%
512.	Stejneger's Scoter	0.0002%
513.	Common Nighthawk	0.0002%
514.	Blue-throated Mountain-gem	0.0002%
515.	Xantus's Hummingbird	0.0002%
516.	Greater Sand-Plover	0.0002%
517.	Baird's Sandpiper	0.0002%
518.	Horned Puffin	0.0002%
519.	Thick-billed Murre	0.0002%
520.	Ivory Gull	0.0002%

521.	Short-tailed Albatross	0.0002%
522.	Magnificent Frigatebird	0.0002%
523.	Anhinga	0.0002%
524.	White Ibis	0.0002%
525.	Red-headed Woodpecker	0.0002%
526.	Swainson's Thrush	0.0002%
527.	Oriental Greenfinch	0.0002%
528.	Blackpoll Warbler	0.0002%
529.	Baikal Teal	0.0000%
530.	Common Scoter	0.0000%
531.	Eurasian Dotterel	0.0000%
532.	Sabine's Gull	0.0000%
533.	Belcher's Gull	0.0000%
534.	Least Tern	0.0000%
535.	Black Tern	0.0000%
536.	Willow Flycatcher	0.0000%
537.	Purple Martin	0.0000%
538.	Black Rosy-Finch	0.0000%
539.	Prothonotary Warbler	0.0000%

EXOTIC: PROVISIONAL

540.	Egyptian Goose	1.00% frequency
541.	Mute Swan	0.8242%
542.	Swinhoe's White-eye	0.7372%
543.	Indian Peafowl	0.2314%
544.	Pin-tailed Whydah	0.1470%

545. Yellow-headed Parrot	0.0878%
546. Rose-ringed Parakeet	0.0495%
547. Northern Red Bishop	0.0377%
548. Red-lored Parrot	0.0303%
549. Burrowing Parakeet	0.0108%
550. Blue-crowned Parakeet	0.0054%
551. Northern Cardinal	0.0038%
552. Eurasian Tree Sparrow	0.0034%
553. Monk Parakeet	0.0024%
554. Mandarin Duck	0.0018%
555. Blue Mockingbird	0.0010%
556. Gray Silky-flycatcher	0.0000%

EXOTIC: ESCAPEE

Muscovy Duck	0.7570% frequency
Graylag Goose	0.4245%
Swan Goose	0.2394%
Chilean Flamingo	0.0171%
Black-throated Magpie-Jay	0.0148%
Helmeted Guineafowl	0.0142%
Orange-cheeked Waxbill	0.0128%
Black Swan	0.0096%
Bronze Mannikin	0.0072%
American Flamingo	0.0062%
African Collared-Dove	0.0056%
Yellow-crowned Parrot	0.0056%

European Goldfinch	0.0054%
Lesser Flamingo	0.0042%
Cockatiel	0.0034%
White-winged Parakeet	0.0030%
Budgerigar	0.0026%
Turquoise-fronted Parrot	0.0026%
Red Junglefowl	0.0024%
Yellow-fronted Canary	0.0016%
Chiloe Wigeon	0.0012%
Bar-headed Goose	0.0008%
Scaly-headed Parrot	0.0008%
White-fronted Parrot	0.0008%
Zebra Finch	0.0008%
Red-cheeked Cordonbleu	0.0008%
Common Shelduck	0.0006%
Indian Silverbill	0.0006%
Ruddy Shelduck	0.0004%
Fischer's Lovebird	0.0004%
Yellow-collared Lovebird	0.0004%
Military Macaw	0.0004%
Black-necked Swan	0.0002%
Upland Goose	0.0002%
Crested Duck	0.0002%
Ringed Teal	0.0002%
Red-crested Pochard	0.0002%

Northern Bobwhite	0.0002%
Silver Pheasant	0.0002%
Pacific Parrotlet	0.0002%
White-throated Magpie-Jay	0.0002%
Green Jay	0.0002%
Red-vented Bulbul	0.0002%
Indian White-eye	0.0002%
European Greenfinch	0.0002%
Red-crested Cardinal	0.0002%
Cinnamon-rumped Seedeater	0.0002%
Barnacle Goose	0.0000%
White-cheeked Pintail	0.0000%
Common Quail	0.0000%
Rosy-faced Lovebird	0.0000%
Taveta Golden-Weaver	0.0000%
Saffron Finch	0.0000%
HYBRIDS	
Western x Glaucous-winged Gull (hybrid)	0.9110% frequency
Herring x Glaucous-winged Gull (hybrid)	0.3102%
Domestic goose sp. x Canada Goose (hybrid)	0.0618%
Eurasian x American Wigeon (hybrid)	0.0596%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0542%
American x Black Oystercatcher (hybrid)	0.0243%
Herring x Glaucous Gull (hybrid)	0.0207%

Glaucous x Glaucous-winged Gull (hybrid)	0.0181%
Muscovy Duck x Mallard (hybrid)	0.0176%
Common x Barrow's Goldeneye (hybrid)	0.0173%
Snow x Ross's Goose (hybrid)	0.0150%
Blue-winged x Cinnamon Teal (hybrid)	0.0148%
Graylag x Swan Goose (hybrid)	0.0134%
Graylag x Canada Goose (hybrid)	0.0116%
Anna's x Costa's Hummingbird (hybrid)	0.0094%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0086%
Gadwall x Mallard (hybrid)	0.0070%
Common Black x Red-shouldered Hawk (hybrid)	0.0058%
White-crowned x Golden-crowned Sparrow (hybrid)	0.0056%
Western x Clark's Grebe (hybrid)	0.0050%
Cinnamon Teal x Northern Shoveler (hybrid)	0.0046%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0046%
Nuttall's x Ladder-backed Woodpecker (hybrid)	0.0044%
Swan Goose x Canada Goose (hybrid)	0.0036%
Bufflehead x Common Goldeneye (hybrid)	0.0036%
Mallard x Mexican Duck (hybrid)	0.0034%
Black-throated Gray x Townsend's Warbler (hybrid)	0.0028%
American Wigeon x Mallard (hybrid)	0.0026%
Greater White-fronted x Cackling Goose (hybrid)	0.0024%

Snow x Greater White-fronted Goose (hybrid)	0.0022%
Greater White-fronted x Canada Goose (hybrid)	0.0022%
Mallard x Northern Pintail (hybrid)	0.0022%
Tufted Duck x scaup sp. (hybrid)	0.0022%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0020%
Magnolia x Yellow-rumped Warbler (hybrid)	0.0020%
Townsend's x Hermit Warbler (hybrid)	0.0020%
California x Gambel's Quail (hybrid)	0.0018%
Ring-necked Duck x scaup sp. (hybrid)	0.0016%
Common Goldeneye x Hooded Merganser (hybrid)	0.0016%
Downy x Nuttall's Woodpecker (hybrid)	0.0014%
Dark-eyed Junco x White-crowned Sparrow (hybrid)	0.0014%
Northern Shoveler x American Wigeon (hybrid)	0.0010%
Anna's x Allen's Hummingbird (hybrid)	0.0008%
Red-crowned x Lilac-crowned Parrot (hybrid)	0.0008%
Barrow's Goldeneye x Hooded Merganser (hybrid)	0.0006%
Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0006%
White-crowned x White-throated Sparrow (hybrid)	0.0006%
Golden-crowned x White-throated Sparrow (hybrid)	0.0006%
Northern Shoveler x Gadwall (hybrid)	0.0004%
Wood Duck x Mallard (hybrid)	0.0004%

Blue-winged x Green-winged Teal (hybrid)	0.0004%
Northern Pintail x Green-winged Teal (hybrid)	0.0004%
Tufted Duck x Lesser Scaup (hybrid)	0.0004%
Black x Say's Phoebe (hybrid)	0.0004%
California x Crissal Thrasher (hybrid)	0.0004%
Bullock's x Baltimore Oriole (hybrid)	0.0004%
Yellow-rumped x Townsend's Warbler (hybrid)	0.0004%
Gadwall x American Wigeon (hybrid)	0.0002%
Cinnamon x Green-winged Teal (hybrid)	0.0002%
Canvasback x Redhead (hybrid)	0.0002%
Ring-necked x Tufted Duck (hybrid)	0.0002%
Glaucous-winged x Slaty-backed Gull (hybrid)	0.0002%
Yellow-bellied x Red-breasted Sapsucker (hybrid)	0.0002%
Ladder-backed x Hairy Woodpecker (hybrid)	0.0002%
Fischer's x Yellow-collared Lovebird (hybrid)	0.0002%
Red-crowned x Red-lored Parrot (hybrid)	0.0002%
Red-whiskered x Red-vented Bulbul (hybrid)	0.0002%
Emperor x Greater White-fronted Goose (hybrid)	0.0000%
American Wigeon x Northern Pintail (hybrid)	0.0000%
Peregrine x Prairie Falcon (hybrid)	0.0000%