

Target Species

Based on 294,939 complete checklists

541 species observed in California, US (region/US-CA) in **Jul** that you need for your **World Life List**

1. House Finch	46.53% frequency
2. Mourning Dove	39.85%
3. Black Phoebe	34.13%
4. Anna's Hummingbird	33.36%
5. American Crow	32.93%
6. California Towhee	30.03%
7. Lesser Goldfinch	29.70%
8. California Scrub-Jay	28.39%
9. Song Sparrow	24.62%
10. Turkey Vulture	24.47%
11. Common Raven	23.83%
12. Mallard	22.53%
13. Spotted Towhee	22.37%
14. Barn Swallow	21.31%
15. Northern Mockingbird	20.80%
16. Dark-eyed Junco	20.64%
17. American Robin	20.10%
18. Bushtit	19.52%
19. Red-tailed Hawk	18.87%
20. Nuttall's Woodpecker	18.40%

21. Cliff Swallow	<u>18.25%</u>
22. Western Gull	<u>18.24%</u>
23. Double-crested Cormorant	<u>17.37%</u>
24. Bewick's Wren	<u>16.79%</u>
25. House Sparrow	<u>16.47%</u>
26. Great Blue Heron	<u>16.28%</u>
27. Great Egret	<u>16.28%</u>
28. Acorn Woodpecker	<u>16.10%</u>
29. Snowy Egret	<u>15.61%</u>
30. Steller's Jay	<u>15.57%</u>
31. Oak Titmouse	<u>15.29%</u>
32. European Starling	<u>14.75%</u>
33. Eurasian Collared-Dove	<u>14.74%</u>
34. Rock Pigeon	<u>13.68%</u>
35. Canada Goose	<u>13.67%</u>
36. Killdeer	<u>13.51%</u>
37. Chestnut-backed Chickadee	<u>13.34%</u>
38. Red-winged Blackbird	<u>12.97%</u>
39. Western Bluebird	<u>12.86%</u>
40. Hooded Oriole	<u>12.59%</u>
41. Brown Pelican	<u>12.25%</u>
42. Wrentit	<u>11.96%</u>
43. Brewer's Blackbird	<u>11.75%</u>
44. California Gull	<u>11.69%</u>
45. California Quail	<u>11.45%</u>

46.	Red-shouldered Hawk	<u>11.30%</u>
47.	White-breasted Nuthatch	<u>11.19%</u>
48.	Caspian Tern	<u>11.09%</u>
49.	Northern Flicker	<u>10.97%</u>
50.	Allen's Hummingbird	<u>10.78%</u>
51.	Black-headed Grosbeak	<u>10.66%</u>
52.	Western Flycatcher	<u>10.31%</u>
53.	Brown-headed Cowbird	<u>10.31%</u>
54.	Tree Swallow	<u>9.65%</u>
55.	Common Yellowthroat	<u>9.62%</u>
56.	American Coot	<u>9.32%</u>
57.	Pied-billed Grebe	<u>9.01%</u>
58.	Band-tailed Pigeon	<u>8.95%</u>
59.	Violet-green Swallow	<u>8.91%</u>
60.	Ash-throated Flycatcher	<u>8.81%</u>
61.	Black-crowned Night Heron	<u>8.42%</u>
62.	Western Wood-Pewee	<u>8.19%</u>
63.	Western Kingbird	<u>8.05%</u>
64.	American Goldfinch	<u>8.04%</u>
65.	Black-necked Stilt	<u>8.02%</u>
66.	Mountain Chickadee	<u>7.76%</u>
67.	House Wren	<u>7.48%</u>
68.	Western Sandpiper	<u>7.29%</u>
69.	Willet	<u>7.24%</u>
70.	Least Sandpiper	<u>7.10%</u>

71.	Cooper's Hawk	7.03%
72.	Downy Woodpecker	6.83%
73.	Heermann's Gull	6.75%
74.	Northern Rough-winged Swallow	6.68%
75.	Osprey	6.60%
76.	White-crowned Sparrow	6.58%
77.	American Kestrel	6.26%
78.	Hairy Woodpecker	6.25%
79.	Western Tanager	6.16%
80.	Greater Yellowlegs	6.15%
81.	American White Pelican	6.02%
82.	Brown Creeper	5.94%
83.	Cassin's Kingbird	5.83%
84.	Yellow Warbler	5.76%
85.	Wilson's Warbler	5.69%
86.	Forster's Tern	5.61%
87.	Green Heron	5.49%
88.	Pygmy Nuthatch	5.48%
89.	American Avocet	5.41%
90.	Long-billed Curlew	5.35%
91.	Marbled Godwit	5.34%
92.	Orange-crowned Warbler	5.28%
93.	Great-tailed Grackle	5.27%
94.	Purple Finch	5.23%
95.	Bullock's Oriole	5.18%

96.	Red-breasted Nuthatch	5.07%
97.	Brandt's Cormorant	4.86%
98.	Whimbrel	4.73%
99.	Ruddy Duck	4.50%
100.	Yellow-rumped Warbler	4.48%
101.	Hutton's Vireo	4.38%
102.	Warbling Vireo	4.27%
103.	California Thrasher	4.10%
104.	Ring-billed Gull	4.09%
105.	Marsh Wren	4.06%
106.	Savannah Sparrow	4.04%
107.	Swainson's Thrush	3.86%
108.	Elegant Tern	3.85%
109.	Gadwall	3.66%
110.	Black-chinned Hummingbird	3.64%
111.	Western Grebe	3.50%
112.	Belted Kingfisher	3.49%
113.	Semipalmated Plover	3.47%
114.	White-faced Ibis	3.43%
115.	White-tailed Kite	3.41%
116.	Spotted Sandpiper	3.33%
117.	Black-bellied Plover	3.29%
118.	Olive-sided Flycatcher	3.19%
119.	Black Oystercatcher	3.14%
120.	Long-billed Dowitcher	3.12%

121.	Western Meadowlark	3.00%
122.	Cinnamon Teal	2.99%
123.	Least Tern	2.98%
124.	Lazuli Bunting	2.95%
125.	White-throated Swift	2.89%
126.	Wilson's Phalarope	2.86%
127.	Pigeon Guillemot	2.84%
128.	Scaly-breasted Munia	2.79%
129.	Northern Harrier	2.72%
130.	Cassin's Finch	2.59%
131.	Wild Turkey	2.50%
132.	White-headed Woodpecker	2.46%
133.	Blue Grosbeak	2.40%
134.	Loggerhead Shrike	2.38%
135.	Pelagic Cormorant	2.35%
136.	Blue-gray Gnatcatcher	2.34%
137.	Green-tailed Towhee	2.31%
138.	Fox Sparrow	2.29%
139.	Say's Phoebe	2.28%
140.	Black Skimmer	2.26%
141.	Clark's Grebe	2.25%
142.	Pine Siskin	2.25%
143.	Chipping Sparrow	2.22%
144.	Peregrine Falcon	2.22%
145.	Swainson's Hawk	2.19%

146.	Common Murre	2.18%
147.	Red-breasted Sapsucker	2.18%
148.	Phainopepla	2.16%
149.	Yellow-breasted Chat	2.15%
150.	Golden-crowned Kinglet	2.14%
151.	Great Horned Owl	2.11%
152.	Rufous Hummingbird	2.04%
153.	Pacific Wren	2.02%
154.	Clark's Nutcracker	2.00%
155.	Lark Sparrow	1.99%
156.	Short-billed Dowitcher	1.99%
157.	Snowy Plover	1.93%
158.	Wood Duck	1.87%
159.	Dusky Flycatcher	1.85%
160.	Hermit Thrush	1.84%
161.	Horned Lark	1.82%
162.	Surf Scoter	1.78%
163.	Common Gallinule	1.78%
164.	MacGillivray's Warbler	1.72%
165.	Cassin's Vireo	1.68%
166.	Bell's Vireo	1.59%
167.	Costa's Hummingbird	1.58%
168.	Red-necked Phalarope	1.57%
169.	Common Merganser	1.55%
170.	Lawrence's Goldfinch	1.40%

171.	Eared Grebe	1.38%
172.	Bald Eagle	1.37%
173.	Royal Tern	1.34%
174.	Rock Wren	1.32%
175.	Black Turnstone	1.29%
176.	Townsend's Solitaire	1.25%
177.	Yellow-headed Blackbird	1.21%
178.	Barn Owl	1.18%
179.	Pileated Woodpecker	1.17%
180.	Greater Roadrunner	1.12%
181.	Hermit Warbler	1.11%
182.	Sooty Shearwater	1.02%
183.	Yellow-billed Magpie	1.02%
184.	Sanderling	1.00%
185.	Rufous-crowned Sparrow	1.00%
186.	Mountain Quail	0.9941%
187.	Nashville Warbler	0.9822%
188.	Verdin	0.9782%
189.	Lesser Yellowlegs	0.9748%
190.	Vaux's Swift	0.9548%
191.	Mountain Bluebird	0.9402%
192.	Black-throated Gray Warbler	0.9368%
193.	Red-crowned Parrot	0.9253%
194.	California Gnatcatcher	0.8856%
195.	Cedar Waxwing	0.8802%

196.	Canyon Wren	0.8751%
197.	Red Crossbill	0.8619%
198.	Brewer's Sparrow	0.8331%
199.	Northern Shoveler	0.8286%
200.	Virginia Rail	0.8086%
201.	Lincoln's Sparrow	0.8052%
202.	White-winged Dove	0.7903%
203.	Williamson's Sapsucker	0.7869%
204.	Common Nighthawk	0.7747%
205.	Common Loon	0.7673%
206.	Cactus Wren	0.7201%
207.	Purple Martin	0.7147%
208.	Bell's Sparrow	0.7147%
209.	Redhead	0.7140%
210.	Ruddy Turnstone	0.7042%
211.	Reddish Egret	0.6534%
212.	Bank Swallow	0.6517%
213.	Golden Eagle	0.6456%
214.	Western Cattle Egret	0.6242%
215.	Black-capped Chickadee	0.6147%
216.	Bufflehead	0.6110%
217.	Least Bittern	0.6100%
218.	Evening Grosbeak	0.6039%
219.	Tricolored Blackbird	0.5991%
220.	Red-whiskered Bulbul	0.5950%

221.	Lesser Nighthawk	0.5886%
222.	Black-throated Sparrow	0.5872%
223.	Calliope Hummingbird	0.5727%
224.	Northern Pintail	0.5557%
225.	Glaucous-winged Gull	0.5557%
226.	American Dipper	0.5550%
227.	Western Screech-Owl	0.5438%
228.	Ring-necked Pheasant	0.5425%
229.	Ridgway's Rail	0.5391%
230.	Red-masked Parakeet	0.5259%
231.	Burrowing Owl	0.5171%
232.	Yellow-crowned Night Heron	0.5110%
233.	Black-billed Magpie	0.5025%
234.	Black Tern	0.4947%
235.	Wandering Tattler	0.4862%
236.	Brant	0.4760%
237.	Vermilion Flycatcher	0.4743%
238.	Pink-footed Shearwater	0.4523%
239.	Sage Thrasher	0.4499%
240.	Little Blue Heron	0.4418%
241.	Green-winged Teal	0.4384%
242.	Gambel's Quail	0.4248%
243.	Pacific Loon	0.4150%
244.	Grasshopper Sparrow	0.4082%
245.	Red Knot	0.4011%

246.	Common Ground Dove	0.3974%
247.	Marbled Murrelet	0.3906%
248.	Black-vented Shearwater	0.3858%
249.	Ladder-backed Woodpecker	0.3835%
250.	Hammond's Flycatcher	0.3682%
251.	Sandhill Crane	0.3652%
252.	Gull-billed Tern	0.3597%
253.	Rhinoceros Auklet	0.3577%
254.	American Bittern	0.3563%
255.	Sooty Grouse	0.3533%
256.	Surfbird	0.3533%
257.	American Wigeon	0.3465%
258.	Sora	0.3448%
259.	Bonaparte's Gull	0.3418%
260.	Lesser Scaup	0.3404%
261.	Abert's Towhee	0.3387%
262.	Common Poorwill	0.3380%
263.	Black-backed Woodpecker	0.3370%
264.	Summer Tanager	0.3218%
265.	Black-tailed Gnatcatcher	0.3187%
266.	Greater Scaup	0.3129%
267.	Cassin's Auklet	0.3109%
268.	Wilson's Snipe	0.3024%
269.	Red-throated Loon	0.2973%
270.	Blue-winged Teal	0.2909%

271.	Yellow-chevroned Parakeet	0.2862%
272.	Mitred Parakeet	0.2756%
273.	Gray Flycatcher	0.2675%
274.	Vesper Sparrow	0.2675%
275.	Gray-crowned Rosy-Finch	0.2655%
276.	Indigo Bunting	0.2628%
277.	Sharp-shinned Hawk	0.2577%
278.	Ring-necked Duck	0.2475%
279.	Pine Grosbeak	0.2434%
280.	Willow Flycatcher	0.2414%
281.	Semipalmated Sandpiper	0.2397%
282.	Red-breasted Merganser	0.2367%
283.	Canvasback	0.2346%
284.	Greater White-fronted Goose	0.2319%
285.	Pinyon Jay	0.2292%
286.	Northern Pygmy-Owl	0.2241%
287.	Yellow-footed Gull	0.2231%
288.	Neotropic Cormorant	0.2211%
289.	Black Swift	0.2065%
290.	Varied Thrush	0.2021%
291.	Prairie Falcon	0.1960%
292.	Black Storm-Petrel	0.1892%
293.	Black-footed Albatross	0.1878%
294.	Lewis's Woodpecker	0.1868%
295.	Laughing Gull	0.1848%

296.	Nanday Parakeet	0.1838%
297.	Northern Fulmar	0.1797%
298.	Scott's Oriole	0.1767%
299.	Black-chinned Sparrow	0.1638%
300.	Common Tern	0.1590%
301.	Ashy Storm-Petrel	0.1587%
302.	Yellow-billed Cuckoo	0.1577%
303.	California Condor	0.1546%
304.	LeConte's Thrasher	0.1543%
305.	Brown-crested Flycatcher	0.1536%
306.	Common Goldeneye	0.1468%
307.	American Goshawk	0.1465%
308.	Sagebrush Sparrow	0.1454%
309.	Tufted Puffin	0.1434%
310.	Ruby-crowned Kinglet	0.1427%
311.	Snow Goose	0.1380%
312.	Solitary Sandpiper	0.1241%
313.	Leach's Storm-Petrel	0.1217%
314.	Red Phalarope	0.1139%
315.	Canada Jay	0.1122%
316.	Spotted Owl	0.1105%
317.	Black Rail	0.1102%
318.	Cackling Goose	0.1054%
319.	Chukar	0.1054%
320.	Hooded Merganser	0.1044%

321.	Dunlin	0.0966%
322.	Inca Dove	0.0959%
323.	White-winged Scoter	0.0932%
324.	Northern Saw-whet Owl	0.0929%
325.	Red-headed Woodpecker	0.0926%
326.	Stilt Sandpiper	0.0915%
327.	Flammulated Owl	0.0865%
328.	Lilac-crowned Parrot	0.0865%
329.	Woodhouse's Scrub-Jay	0.0861%
330.	American Redstart	0.0854%
331.	Parakeet Auklet	0.0838%
332.	Sabine's Gull	0.0814%
333.	American Pipit	0.0810%
334.	Pectoral Sandpiper	0.0804%
335.	Red-eyed Vireo	0.0790%
336.	Island Scrub-Jay	0.0787%
337.	Baird's Sandpiper	0.0753%
338.	Spotted Dove	0.0709%
339.	Juniper Titmouse	0.0685%
340.	Rose-breasted Grosbeak	0.0681%
341.	Red-necked Stint	0.0678%
342.	Franklin's Gull	0.0661%
343.	Brown Booby	0.0658%
344.	Pomarine Jaeger	0.0648%
345.	Ruff	0.0641%

346.	Wood Stork	0.0641%
347.	Ross's Goose	0.0637%
348.	Lucy's Warbler	0.0634%
349.	Greater Sage-Grouse	0.0627%
350.	Northern Parula	0.0620%
351.	Gila Woodpecker	0.0614%
352.	Long-tailed Duck	0.0610%
353.	Harlequin Duck	0.0607%
354.	Parasitic Jaeger	0.0600%
355.	Scripps's Murrelet	0.0559%
356.	Cook's Petrel	0.0519%
357.	Plumbeous Vireo	0.0498%
358.	Hooded Warbler	0.0495%
359.	Northern Gannet	0.0431%
360.	Long-eared Owl	0.0410%
361.	Crissal Thrasher	0.0404%
362.	Pacific Golden-Plover	0.0386%
363.	Craveri's Murrelet	0.0380%
364.	Tundra Bean-Goose	0.0376%
365.	Fulvous Whistling-Duck	0.0373%
366.	Gray Catbird	0.0359%
367.	Nazca Booby	0.0346%
368.	Horned Grebe	0.0342%
369.	Long-tailed Jaeger	0.0336%
370.	Short-billed Gull	0.0332%

371.	Northern Cardinal	0.0332%
372.	Bronzed Cowbird	0.0305%
373.	Yellow Rail	0.0295%
374.	South Polar Skua	0.0295%
375.	Little Gull	0.0278%
376.	Broad-tailed Hummingbird	0.0268%
377.	Arctic Tern	0.0258%
378.	Eastern Kingbird	0.0258%
379.	Townsend's Storm-Petrel	0.0254%
380.	Gray Vireo	0.0251%
381.	Barred Owl	0.0247%
382.	Red-necked Grebe	0.0241%
383.	Scissor-tailed Flycatcher	0.0241%
384.	Little Stint	0.0234%
385.	Buller's Shearwater	0.0227%
386.	Red-naped Sapsucker	0.0227%
387.	Fork-tailed Storm-Petrel	0.0214%
388.	Arctic Loon	0.0203%
389.	Bar-tailed Godwit	0.0197%
390.	Siberian Sand-Plover	0.0193%
391.	Great Gray Owl	0.0190%
392.	Red-footed Booby	0.0187%
393.	White-eyed Vireo	0.0187%
394.	Townsend's Warbler	0.0176%
395.	Tundra Swan	0.0170%

396.	Mexican Whip-poor-will	0.0166%
397.	Violet-crowned Hummingbird	0.0163%
398.	Chestnut-sided Warbler	0.0159%
399.	Curlew Sandpiper	0.0153%
400.	Ancient Murrelet	0.0153%
401.	Common Crane	0.0146%
402.	Magnificent Frigatebird	0.0146%
403.	Grace's Warbler	0.0146%
404.	Wilson's Storm-Petrel	0.0136%
405.	Tricolored Heron	0.0136%
406.	Golden-crowned Sparrow	0.0136%
407.	Herring Gull	0.0129%
408.	Short-eared Owl	0.0129%
409.	Black Scoter	0.0125%
410.	Laysan Albatross	0.0125%
411.	Virginia's Warbler	0.0122%
412.	White-tailed Ptarmigan	0.0119%
413.	Red-billed Tropicbird	0.0119%
414.	Guadalupe Murrelet	0.0115%
415.	Sooty Tern	0.0115%
416.	Black-and-white Warbler	0.0115%
417.	Swallow-tailed Gull	0.0109%
418.	Crested Caracara	0.0105%
419.	Yellow-throated Vireo	0.0095%
420.	Least Storm-Petrel	0.0092%

421.	Bobolink	0.0092%
422.	Horned Puffin	0.0088%
423.	Manx Shearwater	0.0088%
424.	Mississippi Kite	0.0088%
425.	Mexican Duck	0.0085%
426.	American Golden-Plover	0.0085%
427.	Bendire's Thrasher	0.0085%
428.	Ruffed Grouse	0.0078%
429.	Ovenbird	0.0078%
430.	Lesser Black-backed Gull	0.0075%
431.	Glossy Ibis	0.0071%
432.	Eastern Meadowlark	0.0071%
433.	Blue-footed Booby	0.0068%
434.	Chimney Swift	0.0061%
435.	American Oystercatcher	0.0061%
436.	Tennessee Warbler	0.0061%
437.	Harris's Hawk	0.0058%
438.	Least Flycatcher	0.0058%
439.	Gray-tailed Tattler	0.0054%
440.	Black-legged Kittiwake	0.0054%
441.	Zone-tailed Hawk	0.0054%
442.	Sulphur-bellied Flycatcher	0.0054%
443.	Hepatic Tanager	0.0054%
444.	Common Eider	0.0051%
445.	Scarlet Tanager	0.0047%

446.	Black-bellied Whistling-Duck	0.0044%
447.	Ruddy Ground Dove	0.0044%
448.	Sharp-tailed Sandpiper	0.0044%
449.	White-throated Sparrow	0.0044%
450.	Ferruginous Hawk	0.0041%
451.	Masked Booby	0.0037%
452.	Common Black Hawk	0.0034%
453.	Yellow-green Vireo	0.0030%
454.	Yellow-throated Warbler	0.0030%
455.	Flesh-footed Shearwater	0.0027%
456.	Blackpoll Warbler	0.0027%
457.	Painted Redstart	0.0027%
458.	Wilson's Plover	0.0024%
459.	Short-tailed Albatross	0.0024%
460.	Black Vulture	0.0024%
461.	Gilded Flicker	0.0024%
462.	Merlin	0.0024%
463.	Veery	0.0024%
464.	Roseate Spoonbill	0.0020%
465.	Red-faced Warbler	0.0020%
466.	Yellow-billed Loon	0.0017%
467.	Elf Owl	0.0017%
468.	Eastern Phoebe	0.0017%
469.	Baltimore Oriole	0.0017%
470.	Tufted Duck	0.0014%

471.	Hudsonian Godwit	0.0014%
472.	Glaucous Gull	0.0014%
473.	Bridled Tern	0.0014%
474.	White Ibis	0.0014%
475.	Broad-winged Hawk	0.0014%
476.	Curve-billed Thrasher	0.0014%
477.	Brown Thrasher	0.0014%
478.	Dickcissel	0.0014%
479.	Trumpeter Swan	0.0010%
480.	Sandwich Tern	0.0010%
481.	Hawaiian Petrel	0.0010%
482.	Greater Pewee	0.0010%
483.	Eastern Wood-Pewee	0.0010%
484.	Clay-colored Sparrow	0.0010%
485.	Worm-eating Warbler	0.0010%
486.	Magnolia Warbler	0.0010%
487.	Eurasian Wigeon	0.0007%
488.	Iceland Gull	0.0007%
489.	Salvin's Albatross	0.0007%
490.	Wedge-rumped Storm-Petrel	0.0007%
491.	Murphy's Petrel	0.0007%
492.	Bulwer's Petrel	0.0007%
493.	Great Shearwater	0.0007%
494.	Wedge-tailed Shearwater	0.0007%
495.	Lesser Frigatebird	0.0007%

496.	Orchard Oriole	0.0007%
497.	Bay-breasted Warbler	0.0007%
498.	Black-throated Green Warbler	0.0007%
499.	Pyrrhuloxia	0.0007%
500.	King Eider	0.0003%
501.	Barrow's Goldeneye	0.0003%
502.	Long-billed Murrelet	0.0003%
503.	Tristram's Storm-Petrel	0.0003%
504.	Gray-faced Petrel	0.0003%
505.	Philadelphia Vireo	0.0003%
506.	Cave Swallow	0.0003%
507.	Field Sparrow	0.0003%
508.	Northern Waterthrush	0.0003%
509.	Prothonotary Warbler	0.0003%
510.	Kentucky Warbler	0.0003%
511.	Blackburnian Warbler	0.0003%
512.	Palm Warbler	0.0003%
513.	Mexican Violetear	0.0000%
514.	Blue-throated Mountain-gem	0.0000%
515.	Ruby-throated Hummingbird	0.0000%
516.	Crested Auklet	0.0000%
517.	Black-headed Gull	0.0000%
518.	Red-tailed Tropicbird	0.0000%
519.	Light-mantled Albatross	0.0000%
520.	Chatham Albatross	0.0000%

521. Anhinga	0.0000%
522. Tropical Kingbird	0.0000%
523. White Wagtail	0.0000%
524. Black Rosy-Finch	0.0000%
525. Lark Bunting	0.0000%
526. Harris's Sparrow	0.0000%
527. Common Grackle	0.0000%
528. Prairie Warbler	0.0000%

EXOTIC: PROVISIONAL

529. Swinhoe's White-eye	0.6578% frequency
530. Egyptian Goose	0.6544%
531. Pin-tailed Whydah	0.6144%
532. Mute Swan	0.5791%
533. Northern Red Bishop	0.3058%
534. Indian Peafowl	0.2133%
535. Yellow-headed Parrot	0.0678%
536. Rose-ringed Parakeet	0.0156%
537. Blue-crowned Parakeet	0.0109%
538. Red-lored Parrot	0.0092%
539. Burrowing Parakeet	0.0044%
540. Monk Parakeet	0.0017%
541. Eurasian Tree Sparrow	0.0014%

EXOTIC: ESCAPEE

Muscovy Duck	0.3872% frequency
Graylag Goose	0.2126%

Swan Goose	0.1112%
Orange-cheeked Waxbill	0.0315%
Black-throated Magpie-Jay	0.0258%
European Goldfinch	0.0183%
Budgerigar	0.0136%
Bronze Mannikin	0.0109%
Helmeted Guineafowl	0.0071%
Red Junglefowl	0.0068%
Black Swan	0.0058%
Lesser Flamingo	0.0054%
American Flamingo	0.0051%
African Collared-Dove	0.0047%
Cockatiel	0.0030%
Zebra Finch	0.0030%
Northern Bobwhite	0.0027%
Chilean Flamingo	0.0024%
Yellow-crowned Bishop	0.0024%
Fischer's Lovebird	0.0020%
Red-cheeked Cordonbleu	0.0020%
Saffron Finch	0.0020%
Ruddy Shelduck	0.0014%
White-winged Parakeet	0.0014%
Red-vented Bulbul	0.0014%
White-rumped Seedeater	0.0014%
Blue-black Grassquit	0.0014%

White-cheeked Pintail	0.0010%
White-winged Widowbird	0.0010%
European Greenfinch	0.0010%
Yellow-fronted Canary	0.0010%
Rosy-faced Lovebird	0.0007%
Gouldian Finch	0.0007%
Common Shelduck	0.0003%
Ringed Teal	0.0003%
Chiloe Wigeon	0.0003%
Common Quail	0.0003%
Greater Flamingo	0.0003%
Diamond Dove	0.0003%
Yellow-collared Lovebird	0.0003%
Scaly-headed Parrot	0.0003%
White-fronted Parrot	0.0003%
Great Tit	0.0003%
White-eared Bulbul	0.0003%
Indian White-eye	0.0003%
Purple Starling	0.0003%
Taveta Golden-Weaver	0.0003%
Black-headed Weaver	0.0003%
Village Indigobird	0.0003%
European Serin	0.0003%
Island Canary	0.0003%
Venezuelan Troupial	0.0003%

Cinnamon-rumped Seedeater	0.0003%
Black-necked Swan	0.0000%
Keel-billed Toucan	0.0000%
Scarlet Macaw	0.0000%
White-eyed Parakeet	0.0000%
White-throated Magpie-Jay	0.0000%
Broad-tailed Paradise-Whydah	0.0000%
Whooper Swan	0.0000%
Mandarin Duck	0.0000%
HYBRIDS	
Western x Glaucous-winged Gull (hybrid)	0.0976% frequency
Domestic goose sp. x Canada Goose (hybrid)	0.0400%
American x Black Oystercatcher (hybrid)	0.0353%
Lazuli x Indigo Bunting (hybrid)	0.0142%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0122%
Graylag x Swan Goose (hybrid)	0.0119%
Muscovy Duck x Mallard (hybrid)	0.0102%
Western x Clark's Grebe (hybrid)	0.0064%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0061%
Common Black x Red-shouldered Hawk (hybrid)	0.0054%
Graylag x Canada Goose (hybrid)	0.0051%
Swan Goose x Canada Goose (hybrid)	0.0044%
Nuttall's x Ladder-backed Woodpecker (hybrid)	0.0034%

Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0027%
Greater White-fronted x Canada Goose (hybrid)	0.0024%
Snow x Ross's Goose (hybrid)	0.0017%
Yellow-breasted Chat x new world oriole sp. (hybrid)	0.0017%
Mallard x Mexican Duck (hybrid)	0.0014%
California x Gambel's Quail (hybrid)	0.0014%
Costa's x Broad-billed Hummingbird (hybrid)	0.0014%
Barn x Cliff Swallow (hybrid)	0.0014%
Black-chinned x Anna's Hummingbird (hybrid)	0.0010%
Sandwich x Elegant Tern (hybrid)	0.0010%
Spotted x Barred Owl (hybrid)	0.0010%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0010%
Herring x Glaucous Gull (hybrid)	0.0007%
Herring x Glaucous-winged Gull (hybrid)	0.0007%
Glossy x White-faced Ibis (hybrid)	0.0007%
Anna's x Costa's Hummingbird (hybrid)	0.0003%
Great Knot x Surfbird (hybrid)	0.0003%
Glaucous x Glaucous-winged Gull (hybrid)	0.0003%
Brown x Blue-footed Booby (hybrid)	0.0003%
Double-crested x Neotropic Cormorant (hybrid)	0.0003%
Downy x Nuttall's Woodpecker (hybrid)	0.0003%
Hairy x White-headed Woodpecker (hybrid)	0.0003%

Red-crowned x Lilac-crowned Parrot (hybrid)	0.0003%
Red-whiskered x Red-vented Bulbul (hybrid)	0.0003%
Dark-eyed Junco x White-crowned Sparrow (hybrid)	0.0003%
Townsend's x Hermit Warbler (hybrid)	0.0003%
Northern Shoveler x Mallard (hybrid)	0.0000%
Common Gallinule x American Coot (hybrid)	0.0000%