

## Target Species

Based on 409,777 complete checklists

**575** species observed in California, US (region/US-CA) in **May** that you need for your **World Life List**

1. <b>House Finch</b>	<b>52.06%</b> frequency
2. <b>Mourning Dove</b>	<b>45.13%</b>
3. <b>Anna's Hummingbird</b>	<b>39.26%</b>
4. <b>American Crow</b>	<b>36.87%</b>
5. <b>California Towhee</b>	<b>34.10%</b>
6. <b>California Scrub-Jay</b>	<b>33.54%</b>
7. <b>Lesser Goldfinch</b>	<b>33.47%</b>
8. <b>Song Sparrow</b>	<b>32.60%</b>
9. <b>Black Phoebe</b>	<b>32.02%</b>
10. <b>Common Raven</b>	<b>31.79%</b>
11. <b>European Starling</b>	<b>29.34%</b>
12. <b>Spotted Towhee</b>	<b>29.15%</b>
13. <b>Mallard</b>	<b>28.86%</b>
14. <b>Turkey Vulture</b>	<b>27.82%</b>
15. <b>Bushtit</b>	<b>27.00%</b>
16. <b>Northern Mockingbird</b>	<b>24.11%</b>
17. <b>American Robin</b>	<b>23.95%</b>
18. <b>Red-tailed Hawk</b>	<b>23.60%</b>
19. <b>Black-headed Grosbeak</b>	<b>23.01%</b>
20. <b>Red-winged Blackbird</b>	<b>22.51%</b>

21.	<b>Bewick's Wren</b>	<b><u>21.90%</u></b>
22.	<b>Wilson's Warbler</b>	<b><u>21.11%</u></b>
23.	<b>Dark-eyed Junco</b>	<b><u>20.84%</u></b>
24.	<b>Cliff Swallow</b>	<b><u>19.73%</u></b>
25.	<b>Acorn Woodpecker</b>	<b><u>19.61%</u></b>
26.	<b>Barn Swallow</b>	<b><u>18.80%</u></b>
27.	<b>Nuttall's Woodpecker</b>	<b><u>18.66%</u></b>
28.	<b>House Sparrow</b>	<b><u>18.59%</u></b>
29.	<b>Western Flycatcher</b>	<b><u>18.51%</u></b>
30.	<b>California Quail</b>	<b><u>18.28%</u></b>
31.	<b>Western Bluebird</b>	<b><u>16.91%</u></b>
32.	<b>Eurasian Collared-Dove</b>	<b><u>16.90%</u></b>
33.	<b>Brown-headed Cowbird</b>	<b><u>16.88%</u></b>
34.	<b>Canada Goose</b>	<b><u>16.87%</u></b>
35.	<b>Oak Titmouse</b>	<b><u>16.87%</u></b>
36.	<b>Orange-crowned Warbler</b>	<b><u>15.95%</u></b>
37.	<b>Tree Swallow</b>	<b><u>15.89%</u></b>
38.	<b>Yellow Warbler</b>	<b><u>15.67%</u></b>
39.	<b>Western Tanager</b>	<b><u>15.38%</u></b>
40.	<b>Ash-throated Flycatcher</b>	<b><u>15.21%</u></b>
41.	<b>House Wren</b>	<b><u>14.91%</u></b>
42.	<b>Brewer's Blackbird</b>	<b><u>14.91%</u></b>
43.	<b>Warbling Vireo</b>	<b><u>14.76%</u></b>
44.	<b>Steller's Jay</b>	<b><u>14.65%</u></b>
45.	<b>Allen's Hummingbird</b>	<b><u>14.26%</u></b>

46. Killdeer	<u>14.07%</u>
47. Double-crested Cormorant	<u>13.96%</u>
48. Chestnut-backed Chickadee	<u>13.94%</u>
49. Wrentit	<u>13.61%</u>
50. Hooded Oriole	<u>13.35%</u>
51. Violet-green Swallow	<u>13.10%</u>
52. Common Yellowthroat	<u>12.81%</u>
53. Western Kingbird	<u>12.80%</u>
54. Bullock's Oriole	<u>12.59%</u>
55. Northern Rough-winged Swallow	<u>12.56%</u>
56. Western Gull	<u>12.47%</u>
57. Great Blue Heron	<u>12.40%</u>
58. Western Wood-Pewee	<u>12.06%</u>
59. Rock Pigeon	<u>11.73%</u>
60. Great Egret	<u>11.57%</u>
61. American Coot	<u>11.52%</u>
62. Red-shouldered Hawk	<u>11.28%</u>
63. Northern Flicker	<u>10.79%</u>
64. Band-tailed Pigeon	<u>10.20%</u>
65. Snowy Egret	<u>10.07%</u>
66. American Goldfinch	<u>9.29%</u>
67. White-breasted Nuthatch	<u>9.20%</u>
68. Swainson's Thrush	<u>9.01%</u>
69. California Gull	<u>8.10%</u>
70. Lazuli Bunting	<u>8.02%</u>

71.	<b>Cedar Waxwing</b>	<b><u>7.97%</u></b>
72.	<b>Purple Finch</b>	<b><u>7.48%</u></b>
73.	<b>Gadwall</b>	<b><u>7.24%</u></b>
74.	<b>Pied-billed Grebe</b>	<b><u>7.11%</u></b>
75.	<b>Great-tailed Grackle</b>	<b><u>7.04%</u></b>
76.	<b>Hutton's Vireo</b>	<b><u>6.75%</u></b>
77.	<b>White-throated Swift</b>	<b><u>6.74%</u></b>
78.	<b>White-crowned Sparrow</b>	<b><u>6.71%</u></b>
79.	<b>Western Meadowlark</b>	<b><u>6.64%</u></b>
80.	<b>California Thrasher</b>	<b><u>6.47%</u></b>
81.	<b>Caspian Tern</b>	<b><u>6.44%</u></b>
82.	<b>Downy Woodpecker</b>	<b><u>6.39%</u></b>
83.	<b>Black-crowned Night Heron</b>	<b><u>6.38%</u></b>
84.	<b>Cooper's Hawk</b>	<b><u>6.37%</u></b>
85.	<b>Yellow-rumped Warbler</b>	<b><u>6.23%</u></b>
86.	<b>American Kestrel</b>	<b><u>6.18%</u></b>
87.	<b>Brown Pelican</b>	<b><u>6.15%</u></b>
88.	<b>Ruddy Duck</b>	<b><u>6.06%</u></b>
89.	<b>Olive-sided Flycatcher</b>	<b><u>5.82%</u></b>
90.	<b>Cassin's Kingbird</b>	<b><u>5.80%</u></b>
91.	<b>Hairy Woodpecker</b>	<b><u>5.56%</u></b>
92.	<b>Black-necked Stilt</b>	<b><u>5.53%</u></b>
93.	<b>Marsh Wren</b>	<b><u>5.04%</u></b>
94.	<b>Osprey</b>	<b><u>4.93%</u></b>
95.	<b>Forster's Tern</b>	<b><u>4.88%</u></b>

96.	<b>Townsend's Warbler</b>	<b>4.84%</b>
97.	<b>Wild Turkey</b>	<b>4.81%</b>
98.	<b>American Avocet</b>	<b>4.77%</b>
99.	<b>Black-chinned Hummingbird</b>	<b>4.72%</b>
100.	<b>Green Heron</b>	<b>4.70%</b>
101.	<b>Spotted Sandpiper</b>	<b>4.52%</b>
102.	<b>Blue-gray Gnatcatcher</b>	<b>4.32%</b>
103.	<b>Mountain Chickadee</b>	<b>4.32%</b>
104.	<b>Brown Creeper</b>	<b>4.30%</b>
105.	<b>Phainopepla</b>	<b>4.30%</b>
106.	<b>Yellow-breasted Chat</b>	<b>4.15%</b>
107.	<b>Western Grebe</b>	<b>4.12%</b>
108.	<b>Pygmy Nuthatch</b>	<b>4.00%</b>
109.	<b>Cassin's Vireo</b>	<b>3.95%</b>
110.	<b>Say's Phoebe</b>	<b>3.89%</b>
111.	<b>Cinnamon Teal</b>	<b>3.83%</b>
112.	<b>Hermit Warbler</b>	<b>3.73%</b>
113.	<b>Savannah Sparrow</b>	<b>3.71%</b>
114.	<b>Red-breasted Nuthatch</b>	<b>3.61%</b>
115.	<b>Eared Grebe</b>	<b>3.17%</b>
116.	<b>Black-throated Gray Warbler</b>	<b>3.15%</b>
117.	<b>Costa's Hummingbird</b>	<b>3.13%</b>
118.	<b>Lark Sparrow</b>	<b>3.13%</b>
119.	<b>American White Pelican</b>	<b>3.12%</b>
120.	<b>Brandt's Cormorant</b>	<b>3.01%</b>

121.	<b>MacGillivray's Warbler</b>	<b>2.96%</b>
122.	<b>Great Horned Owl</b>	<b>2.93%</b>
123.	<b>Lawrence's Goldfinch</b>	<b>2.93%</b>
124.	<b>White-tailed Kite</b>	<b>2.87%</b>
125.	<b>Chipping Sparrow</b>	<b>2.84%</b>
126.	<b>Whimbrel</b>	<b>2.83%</b>
127.	<b>Swainson's Hawk</b>	<b>2.82%</b>
128.	<b>Blue Grosbeak</b>	<b>2.77%</b>
129.	<b>Ring-billed Gull</b>	<b>2.72%</b>
130.	<b>White-faced Ibis</b>	<b>2.72%</b>
131.	<b>Mountain Quail</b>	<b>2.65%</b>
132.	<b>Northern Harrier</b>	<b>2.65%</b>
133.	<b>Wood Duck</b>	<b>2.64%</b>
134.	<b>Horned Lark</b>	<b>2.63%</b>
135.	<b>Pine Siskin</b>	<b>2.47%</b>
136.	<b>Pacific Wren</b>	<b>2.37%</b>
137.	<b>Belted Kingfisher</b>	<b>2.35%</b>
138.	<b>Northern Shoveler</b>	<b>2.34%</b>
139.	<b>Clark's Grebe</b>	<b>2.32%</b>
140.	<b>Yellow-headed Blackbird</b>	<b>2.30%</b>
141.	<b>Vaux's Swift</b>	<b>2.19%</b>
142.	<b>Nashville Warbler</b>	<b>2.14%</b>
143.	<b>Bell's Vireo</b>	<b>2.13%</b>
144.	<b>Yellow-billed Magpie</b>	<b>2.12%</b>
145.	<b>Willet</b>	<b>2.09%</b>

146.	<b>Surf Scoter</b>	<b>2.03%</b>
147.	<b>Marbled Godwit</b>	<b>2.02%</b>
148.	<b>Red-necked Phalarope</b>	<b>2.00%</b>
149.	<b>Common Merganser</b>	<b>2.00%</b>
150.	<b>Loggerhead Shrike</b>	<b>1.98%</b>
151.	<b>Pelagic Cormorant</b>	<b>1.91%</b>
152.	<b>Black Oystercatcher</b>	<b>1.88%</b>
153.	<b>Scaly-breasted Munia</b>	<b>1.86%</b>
154.	<b>Willow Flycatcher</b>	<b>1.81%</b>
155.	<b>Verdin</b>	<b>1.79%</b>
156.	<b>Western Sandpiper</b>	<b>1.76%</b>
157.	<b>Dusky Flycatcher</b>	<b>1.75%</b>
158.	<b>Golden-crowned Kinglet</b>	<b>1.74%</b>
159.	<b>Rufous-crowned Sparrow</b>	<b>1.72%</b>
160.	<b>Pigeon Guillemot</b>	<b>1.71%</b>
161.	<b>Pileated Woodpecker</b>	<b>1.64%</b>
162.	<b>Rock Wren</b>	<b>1.63%</b>
163.	<b>Hermit Thrush</b>	<b>1.62%</b>
164.	<b>Bald Eagle</b>	<b>1.60%</b>
165.	<b>Greater Yellowlegs</b>	<b>1.59%</b>
166.	<b>Peregrine Falcon</b>	<b>1.58%</b>
167.	<b>Common Gallinule</b>	<b>1.53%</b>
168.	<b>Green-tailed Towhee</b>	<b>1.50%</b>
169.	<b>Common Loon</b>	<b>1.50%</b>
170.	<b>Least Tern</b>	<b>1.49%</b>

171.	<b>Bonaparte's Gull</b>	<b>1.47%</b>
172.	<b>Long-billed Dowitcher</b>	<b>1.45%</b>
173.	<b>White-headed Woodpecker</b>	<b>1.45%</b>
174.	<b>Cassin's Finch</b>	<b>1.44%</b>
175.	<b>Semipalmated Plover</b>	<b>1.43%</b>
176.	<b>Hammond's Flycatcher</b>	<b>1.42%</b>
177.	<b>Long-billed Curlew</b>	<b>1.37%</b>
178.	<b>Fox Sparrow</b>	<b>1.35%</b>
179.	<b>Red-breasted Sapsucker</b>	<b>1.31%</b>
180.	<b>Bell's Sparrow</b>	<b>1.29%</b>
181.	<b>Bufflehead</b>	<b>1.29%</b>
182.	<b>Ring-necked Pheasant</b>	<b>1.27%</b>
183.	<b>Greater Roadrunner</b>	<b>1.27%</b>
184.	<b>Tricolored Blackbird</b>	<b>1.25%</b>
185.	<b>White-winged Dove</b>	<b>1.25%</b>
186.	<b>Elegant Tern</b>	<b>1.23%</b>
187.	<b>Redhead</b>	<b>1.20%</b>
188.	<b>Black-throated Sparrow</b>	<b>1.20%</b>
189.	<b>Black Skimmer</b>	<b>1.17%</b>
190.	<b>Pacific Loon</b>	<b>1.13%</b>
191.	<b>Green-winged Teal</b>	<b>1.10%</b>
192.	<b>Northern Pintail</b>	<b>1.10%</b>
193.	<b>Cactus Wren</b>	<b>1.09%</b>
194.	<b>American Wigeon</b>	<b>1.08%</b>
195.	<b>Black-bellied Plover</b>	<b>1.07%</b>



196.	<b>Red-crowned Parrot</b>	<b>1.04%</b>
197.	<b>Canyon Wren</b>	<b>1.04%</b>
198.	<b>Common Murre</b>	<b>1.03%</b>
199.	<b>Barn Owl</b>	<b>1.03%</b>
200.	<b>Gambel's Quail</b>	<b>1.02%</b>
201.	<b>Least Sandpiper</b>	<b>0.9976%</b>
202.	<b>Gray Flycatcher</b>	<b>0.9964%</b>
203.	<b>Golden-crowned Sparrow</b>	<b>0.9737%</b>
204.	<b>Dunlin</b>	<b>0.9730%</b>
205.	<b>Golden Eagle</b>	<b>0.9298%</b>
206.	<b>Wilson's Phalarope</b>	<b>0.9220%</b>
207.	<b>Ladder-backed Woodpecker</b>	<b>0.8946%</b>
208.	<b>Glaucous-winged Gull</b>	<b>0.8932%</b>
209.	<b>Sanderling</b>	<b>0.8815%</b>
210.	<b>Heermann's Gull</b>	<b>0.8795%</b>
211.	<b>Grasshopper Sparrow</b>	<b>0.8636%</b>
212.	<b>Snowy Plover</b>	<b>0.8370%</b>
213.	<b>Townsend's Solitaire</b>	<b>0.8165%</b>
214.	<b>Black-chinned Sparrow</b>	<b>0.7904%</b>
215.	<b>Purple Martin</b>	<b>0.7873%</b>
216.	<b>Brewer's Sparrow</b>	<b>0.7655%</b>
217.	<b>Brant</b>	<b>0.7592%</b>
218.	<b>Vermilion Flycatcher</b>	<b>0.7509%</b>
219.	<b>Rufous Hummingbird</b>	<b>0.7428%</b>
220.	<b>Black-billed Magpie</b>	<b>0.7331%</b>

221.	<b>Red-throated Loon</b>	<b>0.7165%</b>
222.	<b>Virginia Rail</b>	<b>0.7016%</b>
223.	<b>Sooty Shearwater</b>	<b>0.6935%</b>
224.	<b>Lesser Nighthawk</b>	<b>0.6852%</b>
225.	<b>Lesser Scaup</b>	<b>0.6618%</b>
226.	<b>Royal Tern</b>	<b>0.6501%</b>
227.	<b>Summer Tanager</b>	<b>0.6482%</b>
228.	<b>Ring-necked Duck</b>	<b>0.6367%</b>
229.	<b>American Bittern</b>	<b>0.6340%</b>
230.	<b>California Gnatcatcher</b>	<b>0.6259%</b>
231.	<b>Bank Swallow</b>	<b>0.6025%</b>
232.	<b>Western Cattle Egret</b>	<b>0.6015%</b>
233.	<b>Ruby-crowned Kinglet</b>	<b>0.5925%</b>
234.	<b>Greater Scaup</b>	<b>0.5893%</b>
235.	<b>Red-whiskered Bulbul</b>	<b>0.5791%</b>
236.	<b>Calliope Hummingbird</b>	<b>0.5652%</b>
237.	<b>Sora</b>	<b>0.5532%</b>
238.	<b>Sandhill Crane</b>	<b>0.5401%</b>
239.	<b>Blue-winged Teal</b>	<b>0.5379%</b>
240.	<b>Red-breasted Merganser</b>	<b>0.5315%</b>
241.	<b>Red Crossbill</b>	<b>0.5242%</b>
242.	<b>Lincoln's Sparrow</b>	<b>0.5239%</b>
243.	<b>Red-masked Parakeet</b>	<b>0.5166%</b>
244.	<b>Black Tern</b>	<b>0.5071%</b>
245.	<b>Clark's Nutcracker</b>	<b>0.5034%</b>

246.	<b>Black-tailed Gnatcatcher</b>	<b>0.5030%</b>
247.	<b>Evening Grosbeak</b>	<b>0.5027%</b>
248.	<b>Western Screech-Owl</b>	<b>0.4854%</b>
249.	<b>Burrowing Owl</b>	<b>0.4846%</b>
250.	<b>Common Poorwill</b>	<b>0.4600%</b>
251.	<b>Scott's Oriole</b>	<b>0.4493%</b>
252.	<b>Wandering Tattler</b>	<b>0.4476%</b>
253.	<b>Mountain Bluebird</b>	<b>0.4402%</b>
254.	<b>Ridgway's Rail</b>	<b>0.4268%</b>
255.	<b>Greater White-fronted Goose</b>	<b>0.4193%</b>
256.	<b>Short-billed Dowitcher</b>	<b>0.4161%</b>
257.	<b>Black-capped Chickadee</b>	<b>0.4151%</b>
258.	<b>American Dipper</b>	<b>0.4027%</b>
259.	<b>Abert's Towhee</b>	<b>0.3983%</b>
260.	<b>Common Ground Dove</b>	<b>0.3797%</b>
261.	<b>Wilson's Snipe</b>	<b>0.3790%</b>
262.	<b>Sharp-shinned Hawk</b>	<b>0.3768%</b>
263.	<b>Yellow-chevroned Parakeet</b>	<b>0.3768%</b>
264.	<b>Northern Pygmy-Owl</b>	<b>0.3602%</b>
265.	<b>Brown-crested Flycatcher</b>	<b>0.3431%</b>
266.	<b>Lewis's Woodpecker</b>	<b>0.3353%</b>
267.	<b>Indigo Bunting</b>	<b>0.3275%</b>
268.	<b>Prairie Falcon</b>	<b>0.3182%</b>
269.	<b>Least Bittern</b>	<b>0.3170%</b>
270.	<b>Sooty Grouse</b>	<b>0.2923%</b>

271.	<b>Gull-billed Tern</b>	<b>0.2758%</b>
272.	<b>Pink-footed Shearwater</b>	<b>0.2726%</b>
273.	<b>Rose-breasted Grosbeak</b>	<b>0.2692%</b>
274.	<b>Ruddy Turnstone</b>	<b>0.2677%</b>
275.	<b>Black-footed Albatross</b>	<b>0.2621%</b>
276.	<b>Rhinoceros Auklet</b>	<b>0.2618%</b>
277.	<b>Red Knot</b>	<b>0.2594%</b>
278.	<b>Lucy's Warbler</b>	<b>0.2594%</b>
279.	<b>Pinyon Jay</b>	<b>0.2565%</b>
280.	<b>Snow Goose</b>	<b>0.2560%</b>
281.	<b>Sage Thrasher</b>	<b>0.2504%</b>
282.	<b>Black Turnstone</b>	<b>0.2455%</b>
283.	<b>Varied Thrush</b>	<b>0.2428%</b>
284.	<b>Canvasback</b>	<b>0.2426%</b>
285.	<b>Common Goldeneye</b>	<b>0.2411%</b>
286.	<b>Black Swift</b>	<b>0.2333%</b>
287.	<b>Mitred Parakeet</b>	<b>0.2326%</b>
288.	<b>Little Blue Heron</b>	<b>0.2250%</b>
289.	<b>Franklin's Gull</b>	<b>0.2204%</b>
290.	<b>Chukar</b>	<b>0.2160%</b>
291.	<b>Red Phalarope</b>	<b>0.2091%</b>
292.	<b>Yellow-crowned Night Heron</b>	<b>0.2062%</b>
293.	<b>Nanday Parakeet</b>	<b>0.2055%</b>
294.	<b>Marbled Murrelet</b>	<b>0.2013%</b>
295.	<b>Vesper Sparrow</b>	<b>0.2004%</b>

296.	<b>Northern Parula</b>	<b>0.1969%</b>
297.	<b>Herring Gull</b>	<b>0.1938%</b>
298.	<b>Cassin's Auklet</b>	<b>0.1923%</b>
299.	<b>Northern Saw-whet Owl</b>	<b>0.1911%</b>
300.	<b>LeConte's Thrasher</b>	<b>0.1908%</b>
301.	<b>Northern Fulmar</b>	<b>0.1728%</b>
302.	<b>Williamson's Sapsucker</b>	<b>0.1664%</b>
303.	<b>Cackling Goose</b>	<b>0.1623%</b>
304.	<b>Horned Grebe</b>	<b>0.1593%</b>
305.	<b>American Pipit</b>	<b>0.1454%</b>
306.	<b>Lilac-crowned Parrot</b>	<b>0.1425%</b>
307.	<b>Neotropic Cormorant</b>	<b>0.1340%</b>
308.	<b>Long-eared Owl</b>	<b>0.1332%</b>
309.	<b>Sabine's Gull</b>	<b>0.1315%</b>
310.	<b>California Condor</b>	<b>0.1274%</b>
311.	<b>Spotted Owl</b>	<b>0.1247%</b>
312.	<b>Ross's Goose</b>	<b>0.1198%</b>
313.	<b>American Redstart</b>	<b>0.1120%</b>
314.	<b>Black-and-white Warbler</b>	<b>0.1103%</b>
315.	<b>Crissal Thrasher</b>	<b>0.1093%</b>
316.	<b>Lesser Yellowlegs</b>	<b>0.1069%</b>
317.	<b>Spotted Dove</b>	<b>0.1045%</b>
318.	<b>Reddish Egret</b>	<b>0.1045%</b>
319.	<b>White-throated Sparrow</b>	<b>0.1030%</b>
320.	<b>Hooded Merganser</b>	<b>0.1018%</b>

321.	<b>White-winged Scoter</b>	<b>0.1005%</b>
322.	<b>Hooded Warbler</b>	<b>0.0991%</b>
323.	<b>Red-necked Grebe</b>	<b>0.0974%</b>
324.	<b>Common Nighthawk</b>	<b>0.0971%</b>
325.	<b>Surfbird</b>	<b>0.0966%</b>
326.	<b>Flammulated Owl</b>	<b>0.0964%</b>
327.	<b>Scripps's Murrelet</b>	<b>0.0957%</b>
328.	<b>Woodhouse's Scrub-Jay</b>	<b>0.0940%</b>
329.	<b>Solitary Sandpiper</b>	<b>0.0910%</b>
330.	<b>Black-backed Woodpecker</b>	<b>0.0898%</b>
331.	<b>Black Storm-Petrel</b>	<b>0.0896%</b>
332.	<b>Plumbeous Vireo</b>	<b>0.0871%</b>
333.	<b>Pomarine Jaeger</b>	<b>0.0857%</b>
334.	<b>Inca Dove</b>	<b>0.0837%</b>
335.	<b>Fork-tailed Storm-Petrel</b>	<b>0.0830%</b>
336.	<b>Common Tern</b>	<b>0.0820%</b>
337.	<b>Ovenbird</b>	<b>0.0817%</b>
338.	<b>Ashy Storm-Petrel</b>	<b>0.0798%</b>
339.	<b>Island Scrub-Jay</b>	<b>0.0796%</b>
340.	<b>Brown Booby</b>	<b>0.0791%</b>
341.	<b>Sagebrush Sparrow</b>	<b>0.0783%</b>
342.	<b>Gila Woodpecker</b>	<b>0.0749%</b>
343.	<b>Tennessee Warbler</b>	<b>0.0749%</b>
344.	<b>Scissor-tailed Flycatcher</b>	<b>0.0734%</b>
345.	<b>Tufted Puffin</b>	<b>0.0700%</b>

346.	<b>Long-tailed Duck</b>	<b>0.0698%</b>
347.	<b>Gray Vireo</b>	<b>0.0698%</b>
348.	<b>Parasitic Jaeger</b>	<b>0.0681%</b>
349.	<b>Black Rail</b>	<b>0.0676%</b>
350.	<b>Leach's Storm-Petrel</b>	<b>0.0654%</b>
351.	<b>Northern Waterthrush</b>	<b>0.0654%</b>
352.	<b>Yellow-throated Vireo</b>	<b>0.0632%</b>
353.	<b>Juniper Titmouse</b>	<b>0.0610%</b>
354.	<b>Canada Jay</b>	<b>0.0578%</b>
355.	<b>Black-vented Shearwater</b>	<b>0.0573%</b>
356.	<b>Murphy's Petrel</b>	<b>0.0532%</b>
357.	<b>Short-billed Gull</b>	<b>0.0510%</b>
358.	<b>Laughing Gull</b>	<b>0.0495%</b>
359.	<b>American Goshawk</b>	<b>0.0459%</b>
360.	<b>Bendire's Thrasher</b>	<b>0.0452%</b>
361.	<b>Baltimore Oriole</b>	<b>0.0434%</b>
362.	<b>Little Gull</b>	<b>0.0405%</b>
363.	<b>Broad-tailed Hummingbird</b>	<b>0.0398%</b>
364.	<b>Gray-crowned Rosy-Finch</b>	<b>0.0395%</b>
365.	<b>Bronzed Cowbird</b>	<b>0.0393%</b>
366.	<b>White-eyed Vireo</b>	<b>0.0373%</b>
367.	<b>Laysan Albatross</b>	<b>0.0371%</b>
368.	<b>Hudsonian Godwit</b>	<b>0.0369%</b>
369.	<b>Magnolia Warbler</b>	<b>0.0364%</b>
370.	<b>Yellow-footed Gull</b>	<b>0.0361%</b>

371.	<b>Cassin's Sparrow</b>	<b>0.0359%</b>
372.	<b>Black Scoter</b>	<b>0.0334%</b>
373.	<b>Glossy Ibis</b>	<b>0.0322%</b>
374.	<b>Virginia's Warbler</b>	<b>0.0320%</b>
375.	<b>Harlequin Duck</b>	<b>0.0315%</b>
376.	<b>Merlin</b>	<b>0.0315%</b>
377.	<b>Black-legged Kittiwake</b>	<b>0.0308%</b>
378.	<b>Tundra Swan</b>	<b>0.0300%</b>
379.	<b>Stilt Sandpiper</b>	<b>0.0295%</b>
380.	<b>Barred Owl</b>	<b>0.0290%</b>
381.	<b>Northern Cardinal</b>	<b>0.0288%</b>
382.	<b>Bobolink</b>	<b>0.0286%</b>
383.	<b>Eastern Kingbird</b>	<b>0.0283%</b>
384.	<b>Red-eyed Vireo</b>	<b>0.0268%</b>
385.	<b>Prothonotary Warbler</b>	<b>0.0268%</b>
386.	<b>Pine Grosbeak</b>	<b>0.0266%</b>
387.	<b>Northern Gannet</b>	<b>0.0259%</b>
388.	<b>Kentucky Warbler</b>	<b>0.0254%</b>
389.	<b>Gray Catbird</b>	<b>0.0251%</b>
390.	<b>Chestnut-sided Warbler</b>	<b>0.0239%</b>
391.	<b>Hawaiian Petrel</b>	<b>0.0237%</b>
392.	<b>Tundra Bean-Goose</b>	<b>0.0234%</b>
393.	<b>Baird's Sandpiper</b>	<b>0.0234%</b>
394.	<b>Arctic Tern</b>	<b>0.0234%</b>
395.	<b>Cook's Petrel</b>	<b>0.0232%</b>



396.	<b>Palm Warbler</b>	<b>0.0229%</b>
397.	<b>Yellow-throated Warbler</b>	<b>0.0225%</b>
398.	<b>Clay-colored Sparrow</b>	<b>0.0222%</b>
399.	<b>Mexican Whip-poor-will</b>	<b>0.0215%</b>
400.	<b>Short-eared Owl</b>	<b>0.0212%</b>
401.	<b>Eurasian Wigeon</b>	<b>0.0207%</b>
402.	<b>Pacific Golden-Plover</b>	<b>0.0198%</b>
403.	<b>Iceland Gull</b>	<b>0.0188%</b>
404.	<b>Ruffed Grouse</b>	<b>0.0183%</b>
405.	<b>Grace's Warbler</b>	<b>0.0178%</b>
406.	<b>Great Gray Owl</b>	<b>0.0176%</b>
407.	<b>Greater Sage-Grouse</b>	<b>0.0168%</b>
408.	<b>Semipalmated Sandpiper</b>	<b>0.0166%</b>
409.	<b>Tropical Kingbird</b>	<b>0.0161%</b>
410.	<b>Red-footed Booby</b>	<b>0.0151%</b>
411.	<b>Cape May Warbler</b>	<b>0.0139%</b>
412.	<b>Gilded Flicker</b>	<b>0.0137%</b>
413.	<b>Pectoral Sandpiper</b>	<b>0.0134%</b>
414.	<b>Orchard Oriole</b>	<b>0.0127%</b>
415.	<b>Blackpoll Warbler</b>	<b>0.0127%</b>
416.	<b>Zone-tailed Hawk</b>	<b>0.0120%</b>
417.	<b>Red-naped Sapsucker</b>	<b>0.0115%</b>
418.	<b>Long-tailed Jaeger</b>	<b>0.0107%</b>
419.	<b>Hepatic Tanager</b>	<b>0.0107%</b>
420.	<b>Brown Thrasher</b>	<b>0.0105%</b>

421.	<b>Tricolored Heron</b>	<b>0.0103%</b>
422.	<b>Chimney Swift</b>	<b>0.0095%</b>
423.	<b>Broad-winged Hawk</b>	<b>0.0095%</b>
424.	<b>Common Grackle</b>	<b>0.0095%</b>
425.	<b>American Oystercatcher</b>	<b>0.0090%</b>
426.	<b>Horned Puffin</b>	<b>0.0090%</b>
427.	<b>Painted Redstart</b>	<b>0.0090%</b>
428.	<b>South Polar Skua</b>	<b>0.0088%</b>
429.	<b>Glaucous Gull</b>	<b>0.0083%</b>
430.	<b>Nelson's Sparrow</b>	<b>0.0083%</b>
431.	<b>Parakeet Auklet</b>	<b>0.0081%</b>
432.	<b>Harris's Sparrow</b>	<b>0.0081%</b>
433.	<b>Painted Bunting</b>	<b>0.0081%</b>
434.	<b>Fulvous Whistling-Duck</b>	<b>0.0078%</b>
435.	<b>Ruff</b>	<b>0.0078%</b>
436.	<b>Harris's Hawk</b>	<b>0.0071%</b>
437.	<b>Scarlet Tanager</b>	<b>0.0071%</b>
438.	<b>Flesh-footed Shearwater</b>	<b>0.0068%</b>
439.	<b>Eastern Whip-poor-will</b>	<b>0.0066%</b>
440.	<b>Slaty-backed Gull</b>	<b>0.0066%</b>
441.	<b>White Wagtail</b>	<b>0.0066%</b>
442.	<b>Canada Warbler</b>	<b>0.0066%</b>
443.	<b>American Golden-Plover</b>	<b>0.0063%</b>
444.	<b>Snow Bunting</b>	<b>0.0063%</b>
445.	<b>Mississippi Kite</b>	<b>0.0061%</b>

446.	<b>Dickcissel</b>	<b>0.0061%</b>
447.	<b>Wood Stork</b>	<b>0.0059%</b>
448.	<b>Ancient Murrelet</b>	<b>0.0056%</b>
449.	<b>Golden-winged Warbler</b>	<b>0.0054%</b>
450.	<b>Little Stint</b>	<b>0.0051%</b>
451.	<b>Kelp Gull</b>	<b>0.0051%</b>
452.	<b>Ferruginous Hawk</b>	<b>0.0051%</b>
453.	<b>Black-throated Green Warbler</b>	<b>0.0051%</b>
454.	<b>Dusky-capped Flycatcher</b>	<b>0.0049%</b>
455.	<b>Swamp Sparrow</b>	<b>0.0046%</b>
456.	<b>Ruddy Ground Dove</b>	<b>0.0044%</b>
457.	<b>Common Black Hawk</b>	<b>0.0044%</b>
458.	<b>Elf Owl</b>	<b>0.0041%</b>
459.	<b>Blue-winged Warbler</b>	<b>0.0039%</b>
460.	<b>Bay-breasted Warbler</b>	<b>0.0039%</b>
461.	<b>Yellow-billed Cuckoo</b>	<b>0.0037%</b>
462.	<b>Manx Shearwater</b>	<b>0.0034%</b>
463.	<b>Least Flycatcher</b>	<b>0.0034%</b>
464.	<b>Wood Thrush</b>	<b>0.0034%</b>
465.	<b>Bristle-thighed Curlew</b>	<b>0.0032%</b>
466.	<b>Roseate Spoonbill</b>	<b>0.0032%</b>
467.	<b>Alder Flycatcher</b>	<b>0.0032%</b>
468.	<b>Blackburnian Warbler</b>	<b>0.0032%</b>
469.	<b>Black-bellied Whistling-Duck</b>	<b>0.0029%</b>
470.	<b>Sharp-tailed Sandpiper</b>	<b>0.0029%</b>

471.	<b>Eastern Phoebe</b>	<b>0.0029%</b>
472.	<b>Lapland Longspur</b>	<b>0.0029%</b>
473.	<b>Lark Bunting</b>	<b>0.0029%</b>
474.	<b>Common Crane</b>	<b>0.0027%</b>
475.	<b>Yellow-billed Loon</b>	<b>0.0027%</b>
476.	<b>Red-throated Pipit</b>	<b>0.0027%</b>
477.	<b>Worm-eating Warbler</b>	<b>0.0027%</b>
478.	<b>Rusty Blackbird</b>	<b>0.0024%</b>
479.	<b>Black-throated Blue Warbler</b>	<b>0.0024%</b>
480.	<b>Pyrrhuloxia</b>	<b>0.0024%</b>
481.	<b>Rough-legged Hawk</b>	<b>0.0022%</b>
482.	<b>Yellow-green Vireo</b>	<b>0.0022%</b>
483.	<b>Curve-billed Thrasher</b>	<b>0.0022%</b>
484.	<b>Field Sparrow</b>	<b>0.0022%</b>
485.	<b>Barrow's Goldeneye</b>	<b>0.0017%</b>
486.	<b>White-rumped Sandpiper</b>	<b>0.0017%</b>
487.	<b>Sooty Tern</b>	<b>0.0017%</b>
488.	<b>Upland Sandpiper</b>	<b>0.0015%</b>
489.	<b>Lesser Black-backed Gull</b>	<b>0.0015%</b>
490.	<b>Anhinga</b>	<b>0.0015%</b>
491.	<b>Sedge Wren</b>	<b>0.0015%</b>
492.	<b>Cerulean Warbler</b>	<b>0.0015%</b>
493.	<b>Thick-billed Murre</b>	<b>0.0012%</b>
494.	<b>Red-billed Tropicbird</b>	<b>0.0012%</b>
495.	<b>Short-tailed Shearwater</b>	<b>0.0012%</b>

496.	<b>Philadelphia Vireo</b>	<b>0.0012%</b>
497.	<b>Cave Swallow</b>	<b>0.0012%</b>
498.	<b>Tufted Duck</b>	<b>0.0010%</b>
499.	<b>White-tailed Ptarmigan</b>	<b>0.0010%</b>
500.	<b>Violet-crowned Hummingbird</b>	<b>0.0010%</b>
501.	<b>Mountain Plover</b>	<b>0.0010%</b>
502.	<b>Wood Sandpiper</b>	<b>0.0010%</b>
503.	<b>Buller's Shearwater</b>	<b>0.0010%</b>
504.	<b>Masked Booby</b>	<b>0.0010%</b>
505.	<b>Yellow-bellied Sapsucker</b>	<b>0.0010%</b>
506.	<b>Great Crested Flycatcher</b>	<b>0.0010%</b>
507.	<b>LeConte's Sparrow</b>	<b>0.0010%</b>
508.	<b>Louisiana Waterthrush</b>	<b>0.0010%</b>
509.	<b>Red-faced Warbler</b>	<b>0.0010%</b>
510.	<b>Curlew Sandpiper</b>	<b>0.0007%</b>
511.	<b>Craveri's Murrelet</b>	<b>0.0007%</b>
512.	<b>Great Black-backed Gull</b>	<b>0.0007%</b>
513.	<b>Arctic Loon</b>	<b>0.0007%</b>
514.	<b>Magnificent Frigatebird</b>	<b>0.0007%</b>
515.	<b>Blue-footed Booby</b>	<b>0.0007%</b>
516.	<b>Black Vulture</b>	<b>0.0007%</b>
517.	<b>Crested Caracara</b>	<b>0.0007%</b>
518.	<b>Prairie Warbler</b>	<b>0.0007%</b>
519.	<b>Mexican Duck</b>	<b>0.0005%</b>
520.	<b>Broad-billed Hummingbird</b>	<b>0.0005%</b>

521.	<b>Yellow Rail</b>	<b>0.0005%</b>
522.	<b>Guadalupe Murrelet</b>	<b>0.0005%</b>
523.	<b>Black-tailed Gull</b>	<b>0.0005%</b>
524.	<b>Sandwich Tern</b>	<b>0.0005%</b>
525.	<b>Short-tailed Albatross</b>	<b>0.0005%</b>
526.	<b>Nazca Booby</b>	<b>0.0005%</b>
527.	<b>Gray Hawk</b>	<b>0.0005%</b>
528.	<b>Blue-headed Vireo</b>	<b>0.0005%</b>
529.	<b>Mourning Warbler</b>	<b>0.0005%</b>
530.	<b>Trumpeter Swan</b>	<b>0.0002%</b>
531.	<b>Falcated Duck</b>	<b>0.0002%</b>
532.	<b>King Eider</b>	<b>0.0002%</b>
533.	<b>Groove-billed Ani</b>	<b>0.0002%</b>
534.	<b>Spotted Redshank</b>	<b>0.0002%</b>
535.	<b>Buff-breasted Sandpiper</b>	<b>0.0002%</b>
536.	<b>Rock Sandpiper</b>	<b>0.0002%</b>
537.	<b>Wilson's Storm-Petrel</b>	<b>0.0002%</b>
538.	<b>Least Storm-Petrel</b>	<b>0.0002%</b>
539.	<b>Thick-billed Kingbird</b>	<b>0.0002%</b>
540.	<b>Northern Shrike</b>	<b>0.0002%</b>
541.	<b>Blue Jay</b>	<b>0.0002%</b>
542.	<b>Veery</b>	<b>0.0002%</b>
543.	<b>Common Redpoll</b>	<b>0.0002%</b>
544.	<b>Connecticut Warbler</b>	<b>0.0002%</b>
545.	<b>Garganey</b>	<b>0.0000%</b>

546.	<b>Steller's Eider</b>	<b>0.0000%</b>
547.	<b>White-collared Swift</b>	<b>0.0000%</b>
548.	<b>Blue-throated Mountain-gem</b>	<b>0.0000%</b>
549.	<b>Wilson's Plover</b>	<b>0.0000%</b>
550.	<b>Bar-tailed Godwit</b>	<b>0.0000%</b>
551.	<b>White-tailed Tropicbird</b>	<b>0.0000%</b>
552.	<b>Wedge-rumped Storm-Petrel</b>	<b>0.0000%</b>
553.	<b>Mottled Petrel</b>	<b>0.0000%</b>
554.	<b>White Ibis</b>	<b>0.0000%</b>
555.	<b>Red-headed Woodpecker</b>	<b>0.0000%</b>
556.	<b>Buff-breasted Flycatcher</b>	<b>0.0000%</b>
557.	<b>Brown Shrike</b>	<b>0.0000%</b>
558.	<b>Eyebrowed Thrush</b>	<b>0.0000%</b>
559.	<b>American Tree Sparrow</b>	<b>0.0000%</b>
560.	<b>Streak-backed Oriole</b>	<b>0.0000%</b>

**EXOTIC: PROVISIONAL**

561.	<b>Egyptian Goose</b>	<b>0.7853%</b> frequency
562.	<b>Swinhoe's White-eye</b>	<b>0.6857%</b>
563.	<b>Mute Swan</b>	<b>0.5208%</b>
564.	<b>Pin-tailed Whydah</b>	<b>0.4771%</b>
565.	<b>Indian Peafowl</b>	<b>0.2728%</b>
566.	<b>Northern Red Bishop</b>	<b>0.0847%</b>
567.	<b>Yellow-headed Parrot</b>	<b>0.0710%</b>
568.	<b>Rose-ringed Parakeet</b>	<b>0.0617%</b>
569.	<b>Blue-crowned Parakeet</b>	<b>0.0144%</b>

570. <b>Red-lored Parrot</b>	<b>0.0115%</b>
571. <b>Burrowing Parakeet</b>	<b>0.0046%</b>
572. <b>Eurasian Tree Sparrow</b>	<b>0.0034%</b>
573. <b>Mandarin Duck</b>	<b>0.0019%</b>
574. <b>Monk Parakeet</b>	<b>0.0019%</b>
575. <b>Black-backed Oriole</b>	<b>0.0005%</b>

**EXOTIC: ESCAPEE**

<b>Muscovy Duck</b>	<b>0.3646%</b> frequency
<b>Graylag Goose</b>	<b>0.2065%</b>
<b>Swan Goose</b>	<b>0.1098%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0332%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0276%</b>
<b>European Goldfinch</b>	<b>0.0146%</b>
<b>Budgerigar</b>	<b>0.0093%</b>
<b>Helmeted Guineafowl</b>	<b>0.0090%</b>
<b>Red Junglefowl</b>	<b>0.0066%</b>
<b>Cockatiel</b>	<b>0.0054%</b>
<b>Blue-gray Tanager</b>	<b>0.0054%</b>
<b>Black Swan</b>	<b>0.0049%</b>
<b>Bronze Mannikin</b>	<b>0.0049%</b>
<b>African Collared-Dove</b>	<b>0.0034%</b>
<b>Northern Bobwhite</b>	<b>0.0024%</b>
<b>European Greenfinch</b>	<b>0.0024%</b>
<b>Chilean Flamingo</b>	<b>0.0017%</b>
<b>Lesser Flamingo</b>	<b>0.0017%</b>



<b>Red-cheeked Cordonbleu</b>	<b>0.0015%</b>
<b>Yellow-fronted Canary</b>	<b>0.0012%</b>
<b>Cinnamon-rumped Seedeater</b>	<b>0.0012%</b>
<b>American Flamingo</b>	<b>0.0010%</b>
<b>White-winged Parakeet</b>	<b>0.0010%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0007%</b>
<b>Turquoise-fronted Parrot</b>	<b>0.0007%</b>
<b>Zebra Finch</b>	<b>0.0007%</b>
<b>Black-rumped Waxbill</b>	<b>0.0007%</b>
<b>Black-headed Weaver</b>	<b>0.0005%</b>
<b>Red-billed Firefinch</b>	<b>0.0005%</b>
<b>Hawfinch</b>	<b>0.0005%</b>
<b>Ruddy Shelduck</b>	<b>0.0002%</b>
<b>Red-crested Pochard</b>	<b>0.0002%</b>
<b>Scaly-headed Parrot</b>	<b>0.0002%</b>
<b>Orange-fronted Parakeet</b>	<b>0.0002%</b>
<b>Green Jay</b>	<b>0.0002%</b>
<b>White-eared Bulbul</b>	<b>0.0002%</b>
<b>Indian White-eye</b>	<b>0.0002%</b>
<b>Bali Myna</b>	<b>0.0002%</b>
<b>Village Weaver</b>	<b>0.0002%</b>
<b>Southern Red Bishop</b>	<b>0.0002%</b>
<b>Yellow-crowned Bishop</b>	<b>0.0002%</b>
<b>Common Waxbill</b>	<b>0.0002%</b>
<b>Sudan Golden Sparrow</b>	<b>0.0002%</b>

<b>Venezuelan Troupial</b>	<b>0.0002%</b>
<b>Red-crested Cardinal</b>	<b>0.0002%</b>
<b>Yellow-billed Cardinal</b>	<b>0.0002%</b>
<b>Bar-headed Goose</b>	<b>0.0000%</b>
<b>Hawaiian Goose</b>	<b>0.0000%</b>
<b>Scaled Quail</b>	<b>0.0000%</b>
<b>Golden Pheasant</b>	<b>0.0000%</b>
<b>African Darter</b>	<b>0.0000%</b>
<b>Crimson Rosella</b>	<b>0.0000%</b>
<b>Yellow-crowned Parrot</b>	<b>0.0000%</b>
<b>White-fronted Parrot</b>	<b>0.0000%</b>
<b>White-eyed Parakeet</b>	<b>0.0000%</b>
<b>Eurasian Blue Tit</b>	<b>0.0000%</b>
<b>Blue-capped Cordonbleu</b>	<b>0.0000%</b>
<b>Streaky Seedeater</b>	<b>0.0000%</b>
<b>Saffron Finch</b>	<b>0.0000%</b>
<b>Whooper Swan</b>	<b>0.0000%</b>

#### **HYBRIDS**

Western x Glaucous-winged Gull (hybrid)	<b>0.1198%</b> frequency
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0298%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0173%</b>
Common Black x Red-shouldered Hawk (hybrid)	<b>0.0161%</b>
Nuttall's x Ladder-backed Woodpecker (hybrid)	<b>0.0161%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0107%</b>

Graylag x Swan Goose (hybrid)	<b>0.0100%</b>
American x Black Oystercatcher (hybrid)	<b>0.0100%</b>
Glaucous x Glaucous-winged Gull (hybrid)	<b>0.0078%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0059%</b>
Graylag x Canada Goose (hybrid)	<b>0.0051%</b>
Herring x Glaucous-winged Gull (hybrid)	<b>0.0051%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0051%</b>
California x Gambel's Quail (hybrid)	<b>0.0039%</b>
Yellow-breasted Chat x new world oriole sp. (hybrid)	<b>0.0039%</b>
Snow x Ross's Goose (hybrid)	<b>0.0027%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0027%</b>
Gadwall x Mallard (hybrid)	<b>0.0024%</b>
Anna's x Costa's Hummingbird (hybrid)	<b>0.0024%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0022%</b>
Western x Clark's Grebe (hybrid)	<b>0.0019%</b>
Anna's Hummingbird x Selasphorus sp. (hybrid)	<b>0.0019%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0015%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0015%</b>
Downy x Nuttall's Woodpecker (hybrid)	<b>0.0012%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0012%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0010%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0010%</b>
Black-chinned x Costa's Hummingbird (hybrid)	<b>0.0010%</b>

Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0010%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0007%</b>
Calliope x Rufous Hummingbird (hybrid)	<b>0.0005%</b>
Anna's x Allen's Hummingbird (hybrid)	<b>0.0005%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0005%</b>
Dark-eyed Junco x White-crowned Sparrow (hybrid)	<b>0.0005%</b>
White-crowned x Golden-crowned Sparrow (hybrid)	<b>0.0005%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0002%</b>
Eurasian Collared-Dove x Mourning Dove (hybrid)	<b>0.0002%</b>
Common Gallinule x American Coot (hybrid)	<b>0.0002%</b>
Sandwich x Elegant Tern (hybrid)	<b>0.0002%</b>
Yellow-crowned x Black-crowned Night Heron (hybrid)	<b>0.0002%</b>
Downy x Hairy Woodpecker (hybrid)	<b>0.0002%</b>
Northern x Gilded Flicker (hybrid)	<b>0.0002%</b>
Western x Mountain Bluebird (hybrid)	<b>0.0002%</b>
Wood Duck x Mallard (hybrid)	<b>0.0000%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0000%</b>
Brewer's Blackbird x Great-tailed Grackle (hybrid)	<b>0.0000%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0000%</b>