

## Target Species

Based on 339,443 complete checklists

**591** species observed in California, US (region/US-CA) in **Nov** that you need for your **World Life List**

1. <b>Yellow-rumped Warbler</b>	<b>54.46%</b> frequency
2. <b>Black Phoebe</b>	<b>51.60%</b>
3. <b>White-crowned Sparrow</b>	<b>50.77%</b>
4. <b>House Finch</b>	<b>43.74%</b>
5. <b>American Crow</b>	<b>41.50%</b>
6. <b>Anna's Hummingbird</b>	<b>37.83%</b>
7. <b>Ruby-crowned Kinglet</b>	<b>34.46%</b>
8. <b>California Scrub-Jay</b>	<b>32.06%</b>
9. <b>Red-tailed Hawk</b>	<b>30.53%</b>
10. <b>Common Raven</b>	<b>29.37%</b>
11. <b>American Coot</b>	<b>28.25%</b>
12. <b>Mallard</b>	<b>27.14%</b>
13. <b>Northern Flicker</b>	<b>26.93%</b>
14. <b>California Towhee</b>	<b>26.58%</b>
15. <b>Mourning Dove</b>	<b>25.57%</b>
16. <b>Song Sparrow</b>	<b>25.28%</b>
17. <b>Dark-eyed Junco</b>	<b>24.97%</b>
18. <b>Turkey Vulture</b>	<b>24.28%</b>
19. <b>Lesser Goldfinch</b>	<b>23.33%</b>
20. <b>Golden-crowned Sparrow</b>	<b>23.33%</b>

21. <b>European Starling</b>	<b><u>23.13%</u></b>
22. <b>Double-crested Cormorant</b>	<b><u>23.07%</u></b>
23. <b>Great Egret</b>	<b><u>22.19%</u></b>
24. <b>Northern Mockingbird</b>	<b><u>20.04%</u></b>
25. <b>Bushtit</b>	<b><u>19.60%</u></b>
26. <b>Great Blue Heron</b>	<b><u>19.06%</u></b>
27. <b>Western Gull</b>	<b><u>19.05%</u></b>
28. <b>Say's Phoebe</b>	<b><u>18.13%</u></b>
29. <b>Spotted Towhee</b>	<b><u>18.11%</u></b>
30. <b>American Robin</b>	<b><u>17.43%</u></b>
31. <b>Snowy Egret</b>	<b><u>17.28%</u></b>
32. <b>Nuttall's Woodpecker</b>	<b><u>17.16%</u></b>
33. <b>Bewick's Wren</b>	<b><u>17.04%</u></b>
34. <b>Hermit Thrush</b>	<b><u>16.87%</u></b>
35. <b>Pied-billed Grebe</b>	<b><u>16.75%</u></b>
36. <b>Killdeer</b>	<b><u>16.25%</u></b>
37. <b>California Gull</b>	<b><u>16.21%</u></b>
38. <b>Acorn Woodpecker</b>	<b><u>15.98%</u></b>
39. <b>Canada Goose</b>	<b><u>15.72%</u></b>
40. <b>American Kestrel</b>	<b><u>15.64%</u></b>
41. <b>Bufflehead</b>	<b><u>15.50%</u></b>
42. <b>Rock Pigeon</b>	<b><u>15.35%</u></b>
43. <b>Oak Titmouse</b>	<b><u>15.20%</u></b>
44. <b>Western Bluebird</b>	<b><u>15.06%</u></b>
45. <b>Ruddy Duck</b>	<b><u>14.55%</u></b>

[Go to top](#) -

46.	<b>Red-shouldered Hawk</b>	<b><u>13.89%</u></b>
47.	<b>Brewer's Blackbird</b>	<b><u>13.35%</u></b>
48.	<b>Red-winged Blackbird</b>	<b><u>13.29%</u></b>
49.	<b>Brown Pelican</b>	<b><u>12.92%</u></b>
50.	<b>American Wigeon</b>	<b><u>12.86%</u></b>
51.	<b>Western Meadowlark</b>	<b><u>12.72%</u></b>
52.	<b>Northern Shoveler</b>	<b><u>12.55%</u></b>
53.	<b>Savannah Sparrow</b>	<b><u>12.47%</u></b>
54.	<b>House Sparrow</b>	<b><u>12.14%</u></b>
55.	<b>Ring-billed Gull</b>	<b><u>12.12%</u></b>
56.	<b>Chestnut-backed Chickadee</b>	<b><u>11.89%</u></b>
57.	<b>American Pipit</b>	<b><u>11.86%</u></b>
58.	<b>Northern Harrier</b>	<b><u>11.51%</u></b>
59.	<b>Belted Kingfisher</b>	<b><u>10.70%</u></b>
60.	<b>Common Yellowthroat</b>	<b><u>10.50%</u></b>
61.	<b>Townsend's Warbler</b>	<b><u>10.46%</u></b>
62.	<b>Eared Grebe</b>	<b><u>10.32%</u></b>
63.	<b>Western Grebe</b>	<b><u>9.88%</u></b>
64.	<b>Orange-crowned Warbler</b>	<b><u>9.83%</u></b>
65.	<b>White-breasted Nuthatch</b>	<b><u>9.82%</u></b>
66.	<b>Gadwall</b>	<b><u>9.21%</u></b>
67.	<b>Fox Sparrow</b>	<b><u>9.17%</u></b>
68.	<b>American Goldfinch</b>	<b><u>9.14%</u></b>
69.	<b>Least Sandpiper</b>	<b><u>9.04%</u></b>
70.	<b>Eurasian Collared-Dove</b>	<b><u>9.00%</u></b>

71. <b>Greater Yellowlegs</b>	<b><u>8.87%</u></b>
72. <b>Green-winged Teal</b>	<b><u>8.81%</u></b>
73. <b>Cedar Waxwing</b>	<b><u>8.72%</u></b>
74. <b>Steller's Jay</b>	<b><u>8.59%</u></b>
75. <b>Wrentit</b>	<b><u>8.54%</u></b>
76. <b>Cooper's Hawk</b>	<b><u>8.52%</u></b>
77. <b>Lincoln's Sparrow</b>	<b><u>8.31%</u></b>
78. <b>California Quail</b>	<b><u>8.16%</u></b>
79. <b>Allen's Hummingbird</b>	<b><u>8.12%</u></b>
80. <b>Cassin's Kingbird</b>	<b><u>7.95%</u></b>
81. <b>Willet</b>	<b><u>7.77%</u></b>
82. <b>House Wren</b>	<b><u>7.38%</u></b>
83. <b>Surf Scoter</b>	<b><u>7.20%</u></b>
84. <b>Marsh Wren</b>	<b><u>7.16%</u></b>
85. <b>Black-crowned Night Heron</b>	<b><u>6.99%</u></b>
86. <b>Black-necked Stilt</b>	<b><u>6.98%</u></b>
87. <b>American White Pelican</b>	<b><u>6.75%</u></b>
88. <b>Northern Pintail</b>	<b><u>6.71%</u></b>
89. <b>White-tailed Kite</b>	<b><u>6.29%</u></b>
90. <b>Marbled Godwit</b>	<b><u>6.12%</u></b>
91. <b>Black-bellied Plover</b>	<b><u>5.88%</u></b>
92. <b>Ring-necked Duck</b>	<b><u>5.84%</u></b>
93. <b>Heermann's Gull</b>	<b><u>5.72%</u></b>
94. <b>Downy Woodpecker</b>	<b><u>5.60%</u></b>
95. <b>Long-billed Curlew</b>	<b><u>5.55%</u></b>

96.	<b>Herring Gull</b>	<b>5.35%</b>
97.	<b>Blue-gray Gnatcatcher</b>	<b>5.28%</b>
98.	<b>Osprey</b>	<b>5.19%</b>
99.	<b>Spotted Sandpiper</b>	<b>5.15%</b>
100.	<b>Brandt's Cormorant</b>	<b>5.05%</b>
101.	<b>Pine Siskin</b>	<b>5.00%</b>
102.	<b>Cinnamon Teal</b>	<b>4.88%</b>
103.	<b>Lesser Scaup</b>	<b>4.65%</b>
104.	<b>American Avocet</b>	<b>4.62%</b>
105.	<b>Glaucous-winged Gull</b>	<b>4.59%</b>
106.	<b>Loggerhead Shrike</b>	<b>4.53%</b>
107.	<b>Band-tailed Pigeon</b>	<b>4.47%</b>
108.	<b>Peregrine Falcon</b>	<b>4.43%</b>
109.	<b>Red-breasted Nuthatch</b>	<b>4.39%</b>
110.	<b>Common Goldeneye</b>	<b>4.26%</b>
111.	<b>Long-billed Dowitcher</b>	<b>4.15%</b>
112.	<b>Common Loon</b>	<b>4.10%</b>
113.	<b>Hutton's Vireo</b>	<b>4.03%</b>
114.	<b>Dunlin</b>	<b>4.02%</b>
115.	<b>Whimbrel</b>	<b>3.92%</b>
116.	<b>California Thrasher</b>	<b>3.87%</b>
117.	<b>Great-tailed Grackle</b>	<b>3.82%</b>
118.	<b>Western Sandpiper</b>	<b>3.71%</b>
119.	<b>Pygmy Nuthatch</b>	<b>3.71%</b>
120.	<b>Bonaparte's Gull</b>	<b>3.70%</b>

121.	<b>Wilson's Snipe</b>	<b>3.59%</b>
122.	<b>Greater White-fronted Goose</b>	<b>3.57%</b>
123.	<b>Hairy Woodpecker</b>	<b>3.52%</b>
124.	<b>Black Turnstone</b>	<b>3.47%</b>
125.	<b>Clark's Grebe</b>	<b>3.43%</b>
126.	<b>Pelagic Cormorant</b>	<b>3.39%</b>
127.	<b>Sharp-shinned Hawk</b>	<b>3.36%</b>
128.	<b>Horned Grebe</b>	<b>3.32%</b>
129.	<b>Black Oystercatcher</b>	<b>3.26%</b>
130.	<b>Purple Finch</b>	<b>3.26%</b>
131.	<b>Short-billed Gull</b>	<b>3.22%</b>
132.	<b>Scaly-breasted Munia</b>	<b>3.21%</b>
133.	<b>Merlin</b>	<b>3.21%</b>
134.	<b>Cackling Goose</b>	<b>3.17%</b>
135.	<b>Snow Goose</b>	<b>3.17%</b>
136.	<b>Forster's Tern</b>	<b>3.11%</b>
137.	<b>Sora</b>	<b>3.11%</b>
138.	<b>Hooded Merganser</b>	<b>3.09%</b>
139.	<b>Red-breasted Sapsucker</b>	<b>2.99%</b>
140.	<b>Sanderling</b>	<b>2.96%</b>
141.	<b>Brown Creeper</b>	<b>2.94%</b>
142.	<b>Green Heron</b>	<b>2.88%</b>
143.	<b>Mountain Chickadee</b>	<b>2.87%</b>
144.	<b>White-faced Ibis</b>	<b>2.82%</b>
145.	<b>Red-breasted Merganser</b>	<b>2.81%</b>

146.	<b>Canvasback</b>	<b>2.79%</b>
147.	<b>Horned Lark</b>	<b>2.75%</b>
148.	<b>Phainopepla</b>	<b>2.67%</b>
149.	<b>Lark Sparrow</b>	<b>2.61%</b>
150.	<b>Pacific Loon</b>	<b>2.53%</b>
151.	<b>Great Horned Owl</b>	<b>2.50%</b>
152.	<b>Common Merganser</b>	<b>2.36%</b>
153.	<b>Greater Scaup</b>	<b>2.35%</b>
154.	<b>Blue-winged Teal</b>	<b>2.28%</b>
155.	<b>Common Gallinule</b>	<b>2.27%</b>
156.	<b>Rock Wren</b>	<b>2.21%</b>
157.	<b>Varied Thrush</b>	<b>2.16%</b>
158.	<b>Virginia Rail</b>	<b>2.13%</b>
159.	<b>Tree Swallow</b>	<b>2.12%</b>
160.	<b>Red-throated Loon</b>	<b>2.09%</b>
161.	<b>Wood Duck</b>	<b>2.09%</b>
162.	<b>White-throated Sparrow</b>	<b>2.08%</b>
163.	<b>Golden-crowned Kinglet</b>	<b>2.05%</b>
164.	<b>Brown-headed Cowbird</b>	<b>2.05%</b>
165.	<b>Wild Turkey</b>	<b>2.05%</b>
166.	<b>Bald Eagle</b>	<b>2.00%</b>
167.	<b>Sandhill Crane</b>	<b>1.93%</b>
168.	<b>Redhead</b>	<b>1.92%</b>
169.	<b>Common Murre</b>	<b>1.87%</b>
170.	<b>Semipalmated Plover</b>	<b>1.77%</b>

171.	<b>Yellow-billed Magpie</b>	<b>1.74%</b>
172.	<b>Ferruginous Hawk</b>	<b>1.74%</b>
173.	<b>White-throated Swift</b>	<b>1.66%</b>
174.	<b>Brant</b>	<b>1.63%</b>
175.	<b>Royal Tern</b>	<b>1.61%</b>
176.	<b>Chipping Sparrow</b>	<b>1.54%</b>
177.	<b>Elegant Tern</b>	<b>1.45%</b>
178.	<b>Verdin</b>	<b>1.43%</b>
179.	<b>Golden Eagle</b>	<b>1.42%</b>
180.	<b>Costa's Hummingbird</b>	<b>1.36%</b>
181.	<b>Ross's Goose</b>	<b>1.33%</b>
182.	<b>Pacific Wren</b>	<b>1.31%</b>
183.	<b>Vermilion Flycatcher</b>	<b>1.23%</b>
184.	<b>Snowy Plover</b>	<b>1.19%</b>
185.	<b>Caspian Tern</b>	<b>1.18%</b>
186.	<b>Burrowing Owl</b>	<b>1.13%</b>
187.	<b>Tundra Swan</b>	<b>1.13%</b>
188.	<b>Iceland Gull</b>	<b>1.09%</b>
189.	<b>Surfbird</b>	<b>1.01%</b>
190.	<b>Prairie Falcon</b>	<b>1.01%</b>
191.	<b>Black-vented Shearwater</b>	<b>0.9946%</b>
192.	<b>Barn Owl</b>	<b>0.9887%</b>
193.	<b>Tricolored Blackbird</b>	<b>0.9837%</b>
194.	<b>Greater Roadrunner</b>	<b>0.9734%</b>
195.	<b>Northern Fulmar</b>	<b>0.9327%</b>



196.	<b>Mountain Bluebird</b>	<b>0.9259%</b>
197.	<b>Lewis's Woodpecker</b>	<b>0.9029%</b>
198.	<b>Black-throated Gray Warbler</b>	<b>0.8959%</b>
199.	<b>Ruddy Turnstone</b>	<b>0.8131%</b>
200.	<b>Rhinoceros Auklet</b>	<b>0.7813%</b>
201.	<b>Short-billed Dowitcher</b>	<b>0.7559%</b>
202.	<b>Rufous-crowned Sparrow</b>	<b>0.7468%</b>
203.	<b>Eurasian Wigeon</b>	<b>0.7394%</b>
204.	<b>Ring-necked Pheasant</b>	<b>0.7389%</b>
205.	<b>California Gnatcatcher</b>	<b>0.7274%</b>
206.	<b>Ridgway's Rail</b>	<b>0.7067%</b>
207.	<b>Western Cattle Egret</b>	<b>0.6997%</b>
208.	<b>Cactus Wren</b>	<b>0.6770%</b>
209.	<b>Red-crowned Parrot</b>	<b>0.6378%</b>
210.	<b>Red Phalarope</b>	<b>0.6334%</b>
211.	<b>Red Crossbill</b>	<b>0.6069%</b>
212.	<b>American Bittern</b>	<b>0.5986%</b>
213.	<b>White-winged Scoter</b>	<b>0.5918%</b>
214.	<b>Reddish Egret</b>	<b>0.5889%</b>
215.	<b>Gambel's Quail</b>	<b>0.5851%</b>
216.	<b>Lesser Yellowlegs</b>	<b>0.5842%</b>
217.	<b>Red-necked Grebe</b>	<b>0.5780%</b>
218.	<b>Palm Warbler</b>	<b>0.5653%</b>
219.	<b>Pileated Woodpecker</b>	<b>0.5650%</b>
220.	<b>Canyon Wren</b>	<b>0.5606%</b>

221.	<b>Black-capped Chickadee</b>	<b>0.5547%</b>
222.	<b>Vesper Sparrow</b>	<b>0.5421%</b>
223.	<b>White-headed Woodpecker</b>	<b>0.5332%</b>
224.	<b>Wilson's Warbler</b>	<b>0.5067%</b>
225.	<b>Ladder-backed Woodpecker</b>	<b>0.5046%</b>
226.	<b>Townsend's Solitaire</b>	<b>0.4976%</b>
227.	<b>Little Blue Heron</b>	<b>0.4920%</b>
228.	<b>Black-throated Sparrow</b>	<b>0.4899%</b>
229.	<b>Swamp Sparrow</b>	<b>0.4805%</b>
230.	<b>Tropical Kingbird</b>	<b>0.4793%</b>
231.	<b>Cassin's Auklet</b>	<b>0.4714%</b>
232.	<b>Black-billed Magpie</b>	<b>0.4708%</b>
233.	<b>Yellow Warbler</b>	<b>0.4681%</b>
234.	<b>Barrow's Goldeneye</b>	<b>0.4628%</b>
235.	<b>Rough-legged Hawk</b>	<b>0.4475%</b>
236.	<b>Red-naped Sapsucker</b>	<b>0.4475%</b>
237.	<b>Western Tanager</b>	<b>0.4437%</b>
238.	<b>Bell's Sparrow</b>	<b>0.4381%</b>
239.	<b>Red-whiskered Bulbul</b>	<b>0.4292%</b>
240.	<b>Black-tailed Gnatcatcher</b>	<b>0.4263%</b>
241.	<b>Abert's Towhee</b>	<b>0.4171%</b>
242.	<b>Sooty Shearwater</b>	<b>0.4065%</b>
243.	<b>Black Scoter</b>	<b>0.3800%</b>
244.	<b>Yellow-chevroned Parakeet</b>	<b>0.3700%</b>
245.	<b>Red-masked Parakeet</b>	<b>0.3685%</b>

246.	<b>Yellow-crowned Night Heron</b>	<b>0.3659%</b>
247.	<b>Red Knot</b>	<b>0.3550%</b>
248.	<b>Barn Swallow</b>	<b>0.3521%</b>
249.	<b>Lapland Longspur</b>	<b>0.3462%</b>
250.	<b>Clark's Nutcracker</b>	<b>0.3432%</b>
251.	<b>Pomarine Jaeger</b>	<b>0.3235%</b>
252.	<b>Parasitic Jaeger</b>	<b>0.3194%</b>
253.	<b>Wandering Tattler</b>	<b>0.3143%</b>
254.	<b>Western Screech-Owl</b>	<b>0.3040%</b>
255.	<b>Lawrence's Goldfinch</b>	<b>0.3031%</b>
256.	<b>Long-tailed Duck</b>	<b>0.2922%</b>
257.	<b>Black-and-white Warbler</b>	<b>0.2916%</b>
258.	<b>Northern Rough-winged Swallow</b>	<b>0.2861%</b>
259.	<b>Common Ground Dove</b>	<b>0.2846%</b>
260.	<b>White-winged Dove</b>	<b>0.2822%</b>
261.	<b>Pink-footed Shearwater</b>	<b>0.2787%</b>
262.	<b>Cassin's Finch</b>	<b>0.2781%</b>
263.	<b>Short-eared Owl</b>	<b>0.2722%</b>
264.	<b>Black Skimmer</b>	<b>0.2702%</b>
265.	<b>Violet-green Swallow</b>	<b>0.2690%</b>
266.	<b>Ancient Murrelet</b>	<b>0.2625%</b>
267.	<b>Nashville Warbler</b>	<b>0.2528%</b>
268.	<b>Summer Tanager</b>	<b>0.2504%</b>
269.	<b>American Dipper</b>	<b>0.2469%</b>
270.	<b>Brewer's Sparrow</b>	<b>0.2366%</b>

271.	<b>Yellow-headed Blackbird</b>	<b>0.2357%</b>
272.	<b>Pacific Golden-Plover</b>	<b>0.2313%</b>
273.	<b>Black-legged Kittiwake</b>	<b>0.2133%</b>
274.	<b>Bullock's Oriole</b>	<b>0.1983%</b>
275.	<b>Mitred Parakeet</b>	<b>0.1924%</b>
276.	<b>Least Bittern</b>	<b>0.1894%</b>
277.	<b>Clay-colored Sparrow</b>	<b>0.1894%</b>
278.	<b>Marbled Murrelet</b>	<b>0.1868%</b>
279.	<b>Green-tailed Towhee</b>	<b>0.1762%</b>
280.	<b>Harlequin Duck</b>	<b>0.1756%</b>
281.	<b>Plumbeous Vireo</b>	<b>0.1688%</b>
282.	<b>Eastern Phoebe</b>	<b>0.1679%</b>
283.	<b>Mountain Quail</b>	<b>0.1667%</b>
284.	<b>Williamson's Sapsucker</b>	<b>0.1667%</b>
285.	<b>Red-footed Booby</b>	<b>0.1656%</b>
286.	<b>Yellow-bellied Sapsucker</b>	<b>0.1614%</b>
287.	<b>Gray Flycatcher</b>	<b>0.1573%</b>
288.	<b>Painted Redstart</b>	<b>0.1556%</b>
289.	<b>Rock Sandpiper</b>	<b>0.1532%</b>
290.	<b>Evening Grosbeak</b>	<b>0.1517%</b>
291.	<b>Mountain Plover</b>	<b>0.1488%</b>
292.	<b>Northern Pygmy-Owl</b>	<b>0.1479%</b>
293.	<b>Nanday Parakeet</b>	<b>0.1446%</b>
294.	<b>Short-tailed Shearwater</b>	<b>0.1444%</b>
295.	<b>California Condor</b>	<b>0.1399%</b>

296.	<b>Hermit Warbler</b>	<b>0.1399%</b>
297.	<b>Brown Booby</b>	<b>0.1326%</b>
298.	<b>Harris's Sparrow</b>	<b>0.1302%</b>
299.	<b>Sage Thrasher</b>	<b>0.1293%</b>
300.	<b>Northern Saw-whet Owl</b>	<b>0.1264%</b>
301.	<b>Snow Bunting</b>	<b>0.1249%</b>
302.	<b>Nelson's Sparrow</b>	<b>0.1243%</b>
303.	<b>Long-eared Owl</b>	<b>0.1196%</b>
304.	<b>LeConte's Thrasher</b>	<b>0.1137%</b>
305.	<b>Tricolored Heron</b>	<b>0.1058%</b>
306.	<b>Pinyon Jay</b>	<b>0.0990%</b>
307.	<b>Western Flycatcher</b>	<b>0.0984%</b>
308.	<b>Scarlet Tanager</b>	<b>0.0975%</b>
309.	<b>American Redstart</b>	<b>0.0928%</b>
310.	<b>Chestnut-collared Longspur</b>	<b>0.0916%</b>
311.	<b>Gila Woodpecker</b>	<b>0.0899%</b>
312.	<b>Pigeon Guillemot</b>	<b>0.0866%</b>
313.	<b>Rusty Blackbird</b>	<b>0.0857%</b>
314.	<b>Northern Waterthrush</b>	<b>0.0843%</b>
315.	<b>Island Scrub-Jay</b>	<b>0.0828%</b>
316.	<b>Tennessee Warbler</b>	<b>0.0813%</b>
317.	<b>Cassin's Vireo</b>	<b>0.0807%</b>
318.	<b>Inca Dove</b>	<b>0.0742%</b>
319.	<b>Buller's Shearwater</b>	<b>0.0742%</b>
320.	<b>American Tree Sparrow</b>	<b>0.0731%</b>

321.	<b>Thick-billed Kingbird</b>	<b>0.0698%</b>
322.	<b>Swainson's Hawk</b>	<b>0.0689%</b>
323.	<b>Lilac-crowned Parrot</b>	<b>0.0678%</b>
324.	<b>Orchard Oriole</b>	<b>0.0675%</b>
325.	<b>Spotted Dove</b>	<b>0.0660%</b>
326.	<b>Red-necked Phalarope</b>	<b>0.0660%</b>
327.	<b>Red-throated Pipit</b>	<b>0.0654%</b>
328.	<b>Chukar</b>	<b>0.0639%</b>
329.	<b>Gray Catbird</b>	<b>0.0619%</b>
330.	<b>White Wagtail</b>	<b>0.0616%</b>
331.	<b>Northern Gannet</b>	<b>0.0598%</b>
332.	<b>Chestnut-sided Warbler</b>	<b>0.0598%</b>
333.	<b>Zone-tailed Hawk</b>	<b>0.0595%</b>
334.	<b>Neotropic Cormorant</b>	<b>0.0589%</b>
335.	<b>Winter Wren</b>	<b>0.0580%</b>
336.	<b>Franklin's Gull</b>	<b>0.0554%</b>
337.	<b>Blackburnian Warbler</b>	<b>0.0545%</b>
338.	<b>Northern Shrike</b>	<b>0.0533%</b>
339.	<b>Lesser Black-backed Gull</b>	<b>0.0530%</b>
340.	<b>Hooded Oriole</b>	<b>0.0527%</b>
341.	<b>Black-footed Albatross</b>	<b>0.0521%</b>
342.	<b>Common Poorwill</b>	<b>0.0513%</b>
343.	<b>Scott's Oriole</b>	<b>0.0513%</b>
344.	<b>Tufted Duck</b>	<b>0.0507%</b>
345.	<b>Bay-breasted Warbler</b>	<b>0.0492%</b>

346.	<b>Sagebrush Sparrow</b>	<b>0.0480%</b>
347.	<b>Ruff</b>	<b>0.0471%</b>
348.	<b>Scissor-tailed Flycatcher</b>	<b>0.0468%</b>
349.	<b>Black-throated Blue Warbler</b>	<b>0.0468%</b>
350.	<b>Grasshopper Sparrow</b>	<b>0.0463%</b>
351.	<b>Ashy Storm-Petrel</b>	<b>0.0457%</b>
352.	<b>Northern Parula</b>	<b>0.0445%</b>
353.	<b>Magnolia Warbler</b>	<b>0.0439%</b>
354.	<b>Crissal Thrasher</b>	<b>0.0436%</b>
355.	<b>Blue-footed Booby</b>	<b>0.0427%</b>
356.	<b>Prairie Warbler</b>	<b>0.0427%</b>
357.	<b>Pectoral Sandpiper</b>	<b>0.0415%</b>
358.	<b>Glaucous Gull</b>	<b>0.0406%</b>
359.	<b>Bar-tailed Godwit</b>	<b>0.0401%</b>
360.	<b>Baltimore Oriole</b>	<b>0.0401%</b>
361.	<b>Pine Warbler</b>	<b>0.0398%</b>
362.	<b>Black-throated Green Warbler</b>	<b>0.0398%</b>
363.	<b>Canada Jay</b>	<b>0.0392%</b>
364.	<b>Black-headed Grosbeak</b>	<b>0.0389%</b>
365.	<b>Dusky-capped Flycatcher</b>	<b>0.0383%</b>
366.	<b>Lucy's Warbler</b>	<b>0.0377%</b>
367.	<b>LeConte's Sparrow</b>	<b>0.0374%</b>
368.	<b>Groove-billed Ani</b>	<b>0.0368%</b>
369.	<b>Lark Bunting</b>	<b>0.0356%</b>
370.	<b>Sharp-tailed Sandpiper</b>	<b>0.0353%</b>

371.	<b>Ash-throated Flycatcher</b>	<b>0.0333%</b>
372.	<b>Broad-billed Hummingbird</b>	<b>0.0330%</b>
373.	<b>Hammond's Flycatcher</b>	<b>0.0324%</b>
374.	<b>Thick-billed Longspur</b>	<b>0.0315%</b>
375.	<b>Bobolink</b>	<b>0.0312%</b>
376.	<b>Painted Bunting</b>	<b>0.0306%</b>
377.	<b>Laughing Gull</b>	<b>0.0303%</b>
378.	<b>American Golden-Plover</b>	<b>0.0298%</b>
379.	<b>Woodhouse's Scrub-Jay</b>	<b>0.0295%</b>
380.	<b>Streak-backed Oriole</b>	<b>0.0286%</b>
381.	<b>Brown Thrasher</b>	<b>0.0283%</b>
382.	<b>Little Stint</b>	<b>0.0277%</b>
383.	<b>Vaux's Swift</b>	<b>0.0271%</b>
384.	<b>Worm-eating Warbler</b>	<b>0.0271%</b>
385.	<b>Rose-breasted Grosbeak</b>	<b>0.0271%</b>
386.	<b>Rufous-backed Robin</b>	<b>0.0262%</b>
387.	<b>Grace's Warbler</b>	<b>0.0259%</b>
388.	<b>Yellow-breasted Chat</b>	<b>0.0256%</b>
389.	<b>Yellow-footed Gull</b>	<b>0.0253%</b>
390.	<b>Olive-backed Pipit</b>	<b>0.0253%</b>
391.	<b>Ovenbird</b>	<b>0.0242%</b>
392.	<b>Stilt Sandpiper</b>	<b>0.0236%</b>
393.	<b>Flesh-footed Shearwater</b>	<b>0.0236%</b>
394.	<b>Juniper Titmouse</b>	<b>0.0236%</b>
395.	<b>Solitary Sandpiper</b>	<b>0.0233%</b>



396.	<b>Garganey</b>	<b>0.0230%</b>
397.	<b>Harris's Hawk</b>	<b>0.0230%</b>
398.	<b>Couch's Kingbird</b>	<b>0.0230%</b>
399.	<b>Field Sparrow</b>	<b>0.0230%</b>
400.	<b>Mexican Duck</b>	<b>0.0221%</b>
401.	<b>Purple Gallinule</b>	<b>0.0218%</b>
402.	<b>Spotted Owl</b>	<b>0.0215%</b>
403.	<b>Canada Warbler</b>	<b>0.0215%</b>
404.	<b>American Oystercatcher</b>	<b>0.0206%</b>
405.	<b>Black-backed Woodpecker</b>	<b>0.0197%</b>
406.	<b>Greater Pewee</b>	<b>0.0192%</b>
407.	<b>Tufted Puffin</b>	<b>0.0189%</b>
408.	<b>Sabine's Gull</b>	<b>0.0183%</b>
409.	<b>Warbling Vireo</b>	<b>0.0183%</b>
410.	<b>Fork-tailed Storm-Petrel</b>	<b>0.0180%</b>
411.	<b>Scripps's Murrelet</b>	<b>0.0174%</b>
412.	<b>Yellow-billed Loon</b>	<b>0.0174%</b>
413.	<b>Western Kingbird</b>	<b>0.0171%</b>
414.	<b>Cape May Warbler</b>	<b>0.0168%</b>
415.	<b>Trumpeter Swan</b>	<b>0.0165%</b>
416.	<b>Manx Shearwater</b>	<b>0.0165%</b>
417.	<b>American Goshawk</b>	<b>0.0165%</b>
418.	<b>Black Rail</b>	<b>0.0156%</b>
419.	<b>Barred Owl</b>	<b>0.0156%</b>
420.	<b>Yellow-throated Warbler</b>	<b>0.0153%</b>

421.	<b>Hepatic Tanager</b>	<b>0.0153%</b>
422.	<b>Indigo Bunting</b>	<b>0.0153%</b>
423.	<b>Sooty Grouse</b>	<b>0.0150%</b>
424.	<b>Dusky Flycatcher</b>	<b>0.0150%</b>
425.	<b>Wood Thrush</b>	<b>0.0150%</b>
426.	<b>Tundra Bean-Goose</b>	<b>0.0147%</b>
427.	<b>Bell's Vireo</b>	<b>0.0147%</b>
428.	<b>Swainson's Thrush</b>	<b>0.0147%</b>
429.	<b>Gray-crowned Rosy-Finch</b>	<b>0.0147%</b>
430.	<b>MacGillivray's Warbler</b>	<b>0.0144%</b>
431.	<b>Blackpoll Warbler</b>	<b>0.0144%</b>
432.	<b>Pyrrhuloxia</b>	<b>0.0144%</b>
433.	<b>Rufous Hummingbird</b>	<b>0.0138%</b>
434.	<b>Leach's Storm-Petrel</b>	<b>0.0138%</b>
435.	<b>Laysan Albatross</b>	<b>0.0130%</b>
436.	<b>Common Tern</b>	<b>0.0127%</b>
437.	<b>Eastern Wood-Pewee</b>	<b>0.0127%</b>
438.	<b>Hooded Warbler</b>	<b>0.0121%</b>
439.	<b>Curlew Sandpiper</b>	<b>0.0118%</b>
440.	<b>Blue Grosbeak</b>	<b>0.0115%</b>
441.	<b>Ivory Gull</b>	<b>0.0112%</b>
442.	<b>Wilson's Phalarope</b>	<b>0.0106%</b>
443.	<b>Black-tailed Gull</b>	<b>0.0103%</b>
444.	<b>Brambling</b>	<b>0.0103%</b>
445.	<b>Little Gull</b>	<b>0.0100%</b>

446.	<b>South Polar Skua</b>	<b>0.0097%</b>
447.	<b>Nazca Booby</b>	<b>0.0097%</b>
448.	<b>Blue Jay</b>	<b>0.0097%</b>
449.	<b>Curve-billed Thrasher</b>	<b>0.0097%</b>
450.	<b>Prothonotary Warbler</b>	<b>0.0097%</b>
451.	<b>Virginia's Warbler</b>	<b>0.0094%</b>
452.	<b>Cliff Swallow</b>	<b>0.0091%</b>
453.	<b>Gray Hawk</b>	<b>0.0088%</b>
454.	<b>Least Flycatcher</b>	<b>0.0088%</b>
455.	<b>Buff-breasted Sandpiper</b>	<b>0.0085%</b>
456.	<b>Black Vulture</b>	<b>0.0085%</b>
457.	<b>Falcated Duck</b>	<b>0.0080%</b>
458.	<b>Broad-winged Hawk</b>	<b>0.0080%</b>
459.	<b>Dickcissel</b>	<b>0.0080%</b>
460.	<b>Bohemian Waxwing</b>	<b>0.0074%</b>
461.	<b>Ruddy Ground Dove</b>	<b>0.0071%</b>
462.	<b>Eurasian Skylark</b>	<b>0.0071%</b>
463.	<b>Pine Grosbeak</b>	<b>0.0071%</b>
464.	<b>Lesser Nighthawk</b>	<b>0.0068%</b>
465.	<b>Slaty-backed Gull</b>	<b>0.0062%</b>
466.	<b>Wood Stork</b>	<b>0.0059%</b>
467.	<b>Masked Booby</b>	<b>0.0056%</b>
468.	<b>Greater Sage-Grouse</b>	<b>0.0053%</b>
469.	<b>Philadelphia Vireo</b>	<b>0.0053%</b>
470.	<b>Yellow-green Vireo</b>	<b>0.0053%</b>

471.	<b>Ruffed Grouse</b>	<b>0.0050%</b>
472.	<b>Brown-crested Flycatcher</b>	<b>0.0047%</b>
473.	<b>Sprague's Pipit</b>	<b>0.0047%</b>
474.	<b>Western Wood-Pewee</b>	<b>0.0041%</b>
475.	<b>Common Grackle</b>	<b>0.0041%</b>
476.	<b>Northern Cardinal</b>	<b>0.0041%</b>
477.	<b>Common Nighthawk</b>	<b>0.0038%</b>
478.	<b>Ruby-throated Hummingbird</b>	<b>0.0038%</b>
479.	<b>Black Storm-Petrel</b>	<b>0.0038%</b>
480.	<b>King Eider</b>	<b>0.0035%</b>
481.	<b>Short-tailed Albatross</b>	<b>0.0035%</b>
482.	<b>Blue-headed Vireo</b>	<b>0.0035%</b>
483.	<b>Lazuli Bunting</b>	<b>0.0032%</b>
484.	<b>Baird's Sandpiper</b>	<b>0.0030%</b>
485.	<b>Craveri's Murrelet</b>	<b>0.0030%</b>
486.	<b>Piping Plover</b>	<b>0.0026%</b>
487.	<b>Wilson's Storm-Petrel</b>	<b>0.0026%</b>
488.	<b>Roseate Spoonbill</b>	<b>0.0026%</b>
489.	<b>Crested Caracara</b>	<b>0.0026%</b>
490.	<b>Sedge Wren</b>	<b>0.0026%</b>
491.	<b>Arctic Loon</b>	<b>0.0024%</b>
492.	<b>Great Crested Flycatcher</b>	<b>0.0024%</b>
493.	<b>Yellow-throated Vireo</b>	<b>0.0024%</b>
494.	<b>Fulvous Whistling-Duck</b>	<b>0.0021%</b>
495.	<b>Emperor Goose</b>	<b>0.0021%</b>

496.	<b>Black-chinned Hummingbird</b>	<b>0.0021%</b>
497.	<b>Broad-tailed Hummingbird</b>	<b>0.0021%</b>
498.	<b>Hudsonian Godwit</b>	<b>0.0021%</b>
499.	<b>Guadalupe Murrelet</b>	<b>0.0021%</b>
500.	<b>Gull-billed Tern</b>	<b>0.0021%</b>
501.	<b>Black Tern</b>	<b>0.0021%</b>
502.	<b>Cassia Crossbill</b>	<b>0.0021%</b>
503.	<b>Louisiana Waterthrush</b>	<b>0.0021%</b>
504.	<b>Common Eider</b>	<b>0.0018%</b>
505.	<b>Long-tailed Jaeger</b>	<b>0.0018%</b>
506.	<b>Black-headed Gull</b>	<b>0.0018%</b>
507.	<b>Cook's Petrel</b>	<b>0.0018%</b>
508.	<b>Gilded Flicker</b>	<b>0.0018%</b>
509.	<b>Black-chinned Sparrow</b>	<b>0.0018%</b>
510.	<b>Bronzed Cowbird</b>	<b>0.0018%</b>
511.	<b>Least Storm-Petrel</b>	<b>0.0015%</b>
512.	<b>Bank Swallow</b>	<b>0.0015%</b>
513.	<b>Bendire's Thrasher</b>	<b>0.0015%</b>
514.	<b>Black-bellied Whistling-Duck</b>	<b>0.0012%</b>
515.	<b>Ross's Gull</b>	<b>0.0012%</b>
516.	<b>Arctic Tern</b>	<b>0.0012%</b>
517.	<b>Great Gray Owl</b>	<b>0.0012%</b>
518.	<b>Red-flanked Bluetail</b>	<b>0.0012%</b>
519.	<b>Varied Bunting</b>	<b>0.0012%</b>
520.	<b>Steller's Eider</b>	<b>0.0009%</b>

521.	<b>Violet-crowned Hummingbird</b>	<b>0.0009%</b>
522.	<b>Great Shearwater</b>	<b>0.0009%</b>
523.	<b>Willow Flycatcher</b>	<b>0.0009%</b>
524.	<b>Red-eyed Vireo</b>	<b>0.0009%</b>
525.	<b>Mourning Warbler</b>	<b>0.0009%</b>
526.	<b>Whooper Swan</b>	<b>0.0006%</b>
527.	<b>American Woodcock</b>	<b>0.0006%</b>
528.	<b>Belcher's Gull</b>	<b>0.0006%</b>
529.	<b>Stejneger's Petrel</b>	<b>0.0006%</b>
530.	<b>Brown Shrike</b>	<b>0.0006%</b>
531.	<b>Cave Swallow</b>	<b>0.0006%</b>
532.	<b>Smith's Longspur</b>	<b>0.0006%</b>
533.	<b>Kentucky Warbler</b>	<b>0.0006%</b>
534.	<b>White-tailed Ptarmigan</b>	<b>0.0003%</b>
535.	<b>Least Grebe</b>	<b>0.0003%</b>
536.	<b>Black Swift</b>	<b>0.0003%</b>
537.	<b>Rivoli's Hummingbird</b>	<b>0.0003%</b>
538.	<b>Wilson's Plover</b>	<b>0.0003%</b>
539.	<b>Spotted Redshank</b>	<b>0.0003%</b>
540.	<b>White-rumped Sandpiper</b>	<b>0.0003%</b>
541.	<b>Horned Puffin</b>	<b>0.0003%</b>
542.	<b>Red-tailed Tropicbird</b>	<b>0.0003%</b>
543.	<b>Townsend's Storm-Petrel</b>	<b>0.0003%</b>
544.	<b>Band-rumped Storm-Petrel</b>	<b>0.0003%</b>
545.	<b>Mottled Petrel</b>	<b>0.0003%</b>

546.	<b>Magnificent Frigatebird</b>	<b>0.0003%</b>
547.	<b>Great Frigatebird</b>	<b>0.0003%</b>
548.	<b>Anhinga</b>	<b>0.0003%</b>
549.	<b>Snowy Owl</b>	<b>0.0003%</b>
550.	<b>Red-headed Woodpecker</b>	<b>0.0003%</b>
551.	<b>Olive-sided Flycatcher</b>	<b>0.0003%</b>
552.	<b>Gray Vireo</b>	<b>0.0003%</b>
553.	<b>Purple Martin</b>	<b>0.0003%</b>
554.	<b>Veery</b>	<b>0.0003%</b>
555.	<b>Black Rosy-Finch</b>	<b>0.0003%</b>
556.	<b>Little Bunting</b>	<b>0.0003%</b>
557.	<b>Rustic Bunting</b>	<b>0.0003%</b>
558.	<b>Golden-winged Warbler</b>	<b>0.0003%</b>
559.	<b>Smew</b>	<b>0.0000%</b>
560.	<b>Yellow-billed Cuckoo</b>	<b>0.0000%</b>
561.	<b>Eastern Whip-poor-will</b>	<b>0.0000%</b>
562.	<b>Yellow Rail</b>	<b>0.0000%</b>
563.	<b>Eurasian Dotterel</b>	<b>0.0000%</b>
564.	<b>Jack Snipe</b>	<b>0.0000%</b>
565.	<b>Semipalmated Sandpiper</b>	<b>0.0000%</b>
566.	<b>Parakeet Auklet</b>	<b>0.0000%</b>
567.	<b>Thick-billed Murre</b>	<b>0.0000%</b>
568.	<b>Red-billed Tropicbird</b>	<b>0.0000%</b>
569.	<b>White Ibis</b>	<b>0.0000%</b>
570.	<b>Mississippi Kite</b>	<b>0.0000%</b>

571.	<b>Common Black Hawk</b>	<b>0.0000%</b>
572.	<b>Gyr Falcon</b>	<b>0.0000%</b>
573.	<b>Nutting's Flycatcher</b>	<b>0.0000%</b>
574.	<b>Siberian Rubythroat</b>	<b>0.0000%</b>
575.	<b>Northern Wheatear</b>	<b>0.0000%</b>
576.	<b>Cassin's Sparrow</b>	<b>0.0000%</b>
577.	<b>Blue-winged Warbler</b>	<b>0.0000%</b>

**EXOTIC: PROVISIONAL**

578.	<b>Swinhoe's White-eye</b>	<b>0.8576%</b> frequency
579.	<b>Egyptian Goose</b>	<b>0.7091%</b>
580.	<b>Mute Swan</b>	<b>0.7003%</b>
581.	<b>Pin-tailed Whydah</b>	<b>0.4157%</b>
582.	<b>Indian Peafowl</b>	<b>0.1927%</b>
583.	<b>Northern Red Bishop</b>	<b>0.1441%</b>
584.	<b>Yellow-headed Parrot</b>	<b>0.0613%</b>
585.	<b>Rose-ringed Parakeet</b>	<b>0.0324%</b>
586.	<b>Red-lored Parrot</b>	<b>0.0259%</b>
587.	<b>Monk Parakeet</b>	<b>0.0050%</b>
588.	<b>Blue-crowned Parakeet</b>	<b>0.0035%</b>
589.	<b>Burrowing Parakeet</b>	<b>0.0030%</b>
590.	<b>Mandarin Duck</b>	<b>0.0012%</b>
591.	<b>Demoiselle Crane</b>	<b>0.0009%</b>

**EXOTIC: ESCAPEE**

	<b>Muscovy Duck</b>	<b>0.6702%</b> frequency
	<b>Graylag Goose</b>	<b>0.3509%</b>



<b>Swan Goose</b>	<b>0.1950%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0250%</b>
<b>European Goldfinch</b>	<b>0.0189%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0165%</b>
<b>Bronze Mannikin</b>	<b>0.0127%</b>
<b>Black Swan</b>	<b>0.0121%</b>
<b>Chilean Flamingo</b>	<b>0.0082%</b>
<b>American Flamingo</b>	<b>0.0068%</b>
<b>Chiloe Wigeon</b>	<b>0.0059%</b>
<b>Helmeted Guineafowl</b>	<b>0.0059%</b>
<b>Budgerigar</b>	<b>0.0053%</b>
<b>Cockatiel</b>	<b>0.0038%</b>
<b>Fischer's Lovebird</b>	<b>0.0035%</b>
<b>Yellow-fronted Canary</b>	<b>0.0032%</b>
<b>Red Junglefowl</b>	<b>0.0026%</b>
<b>Lesser Flamingo</b>	<b>0.0021%</b>
<b>White-winged Parakeet</b>	<b>0.0021%</b>
<b>Cinnamon-rumped Seedeater</b>	<b>0.0021%</b>
<b>Northern Bobwhite</b>	<b>0.0015%</b>
<b>Zebra Finch</b>	<b>0.0015%</b>
<b>Turquoise-fronted Parrot</b>	<b>0.0012%</b>
<b>Orange-fronted Parakeet</b>	<b>0.0012%</b>
<b>Indian Silverbill</b>	<b>0.0012%</b>
<b>Ruddy Shelduck</b>	<b>0.0009%</b>
<b>White-fronted Parrot</b>	<b>0.0009%</b>

<b>Black-winged Bishop</b>	<b>0.0009%</b>
<b>Ringed Teal</b>	<b>0.0006%</b>
<b>African Collared-Dove</b>	<b>0.0006%</b>
<b>Laughing Dove</b>	<b>0.0006%</b>
<b>Pink-backed Pelican</b>	<b>0.0006%</b>
<b>Sulphur-crested Cockatoo</b>	<b>0.0006%</b>
<b>Crimson Rosella</b>	<b>0.0006%</b>
<b>Yellow-crowned Parrot</b>	<b>0.0006%</b>
<b>Village Weaver</b>	<b>0.0006%</b>
<b>European Greenfinch</b>	<b>0.0006%</b>
<b>Barnacle Goose</b>	<b>0.0003%</b>
<b>Savanna Hawk</b>	<b>0.0003%</b>
<b>Lilac-breasted Roller</b>	<b>0.0003%</b>
<b>Rainbow Lorikeet</b>	<b>0.0003%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0003%</b>
<b>Scaly-headed Parrot</b>	<b>0.0003%</b>
<b>Great Tit</b>	<b>0.0003%</b>
<b>Indian White-eye</b>	<b>0.0003%</b>
<b>Yellow-crowned Bishop</b>	<b>0.0003%</b>
<b>Chestnut Munia</b>	<b>0.0003%</b>
<b>White-headed Munia</b>	<b>0.0003%</b>
<b>Crimson-rumped Waxbill</b>	<b>0.0003%</b>
<b>Red-cheeked Cordonbleu</b>	<b>0.0003%</b>
<b>Peters's Twinspot</b>	<b>0.0003%</b>
<b>Red-billed Firefinch</b>	<b>0.0003%</b>

<b>Red-crested Cardinal</b>	<b>0.0003%</b>
<b>Saffron Finch</b>	<b>0.0003%</b>
<b>Common Shelduck</b>	<b>0.0000%</b>
<b>Red-crested Pochard</b>	<b>0.0000%</b>
<b>Gray Partridge</b>	<b>0.0000%</b>
<b>Namaqua Dove</b>	<b>0.0000%</b>
<b>Yellow-headed Caracara</b>	<b>0.0000%</b>
<b>Yellow-collared Lovebird</b>	<b>0.0000%</b>
<b>Sun Parakeet</b>	<b>0.0000%</b>
<b>Red-billed Leiothrix</b>	<b>0.0000%</b>
<b>Tricolored Munia</b>	<b>0.0000%</b>
<b>African Firefinch</b>	<b>0.0000%</b>

#### **HYBRIDS**

Western x Glaucous-winged Gull (hybrid)	<b>0.9648%</b> frequency
Herring x Glaucous-winged Gull (hybrid)	<b>0.2884%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0539%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0518%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0383%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0197%</b>
American x Black Oystercatcher (hybrid)	<b>0.0147%</b>
Cinnamon Teal x Northern Shoveler (hybrid)	<b>0.0138%</b>
Graylag x Canada Goose (hybrid)	<b>0.0136%</b>
Snow x Ross's Goose (hybrid)	<b>0.0127%</b>
Graylag x Swan Goose (hybrid)	<b>0.0118%</b>

Anna's x Costa's Hummingbird (hybrid)	<b>0.0109%</b>
Gadwall x Mallard (hybrid)	<b>0.0103%</b>
Common x Barrow's Goldeneye (hybrid)	<b>0.0097%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0068%</b>
Glaucous x Glaucous-winged Gull (hybrid)	<b>0.0065%</b>
Nuttall's x Ladder-backed Woodpecker (hybrid)	<b>0.0059%</b>
White-crowned x Golden-crowned Sparrow (hybrid)	<b>0.0059%</b>
Western x Clark's Grebe (hybrid)	<b>0.0056%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0044%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0044%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0041%</b>
California x Gambel's Quail (hybrid)	<b>0.0041%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0038%</b>
American Wigeon x Mallard (hybrid)	<b>0.0038%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0035%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0030%</b>
Bufflehead x Common Goldeneye (hybrid)	<b>0.0030%</b>
Greater White-fronted x Cackling Goose (hybrid)	<b>0.0024%</b>
Common Black x Red-shouldered Hawk (hybrid)	<b>0.0018%</b>
Downy x Nuttall's Woodpecker (hybrid)	<b>0.0018%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0015%</b>
Yellow-bellied x Red-naped Sapsucker (hybrid)	<b>0.0015%</b>

Wood Duck x Mallard (hybrid)	<b>0.0009%</b>
Golden-crowned x White-throated Sparrow (hybrid)	<b>0.0009%</b>
Anna's x Allen's Hummingbird (hybrid)	<b>0.0006%</b>
Anna's Hummingbird x Selasphorus sp. (hybrid)	<b>0.0006%</b>
Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0006%</b>
Emperor x Greater White-fronted Goose (hybrid)	<b>0.0003%</b>
Snow x Greater White-fronted Goose (hybrid)	<b>0.0003%</b>
Northern Shoveler x Gadwall (hybrid)	<b>0.0003%</b>
Northern Shoveler x American Wigeon (hybrid)	<b>0.0003%</b>
Gadwall x American Wigeon (hybrid)	<b>0.0003%</b>
Blue-winged x Green-winged Teal (hybrid)	<b>0.0003%</b>
Ring-necked x Tufted Duck (hybrid)	<b>0.0003%</b>
Common Gallinule x American Coot (hybrid)	<b>0.0003%</b>
Hairy x White-headed Woodpecker (hybrid)	<b>0.0003%</b>
Fischer's x Yellow-collared Lovebird (hybrid)	<b>0.0003%</b>
Red-crowned x Red-lored Parrot (hybrid)	<b>0.0003%</b>
Red-whiskered x Red-vented Bulbul (hybrid)	<b>0.0003%</b>
White-crowned x White-throated Sparrow (hybrid)	<b>0.0003%</b>
Magnolia x Yellow-rumped Warbler (hybrid)	<b>0.0003%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0003%</b>
Redhead x Ring-necked Duck (hybrid)	<b>0.0000%</b>

---

Barrow's Goldeneye x Hooded Merganser (hybrid)	<b>0.0000%</b>
Laysan x Black-footed Albatross (hybrid)	<b>0.0000%</b>
Downy x Hairy Woodpecker (hybrid)	<b>0.0000%</b>
Yellow-rumped x Townsend's Warbler (hybrid)	<b>0.0000%</b>

---