

## Target Species

Based on 4,473,186 complete checklists

**706** species observed in California, US (region/US-CA) that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0012%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0067%</b>
3. <b>Emperor Goose</b>	<b>0.0106%</b>
4. <b>Snow Goose</b>	<b>1.55%</b>
5. <b>Ross's Goose</b>	<b>0.6259%</b>
6. <b>Greater White-fronted Goose</b>	<b>2.15%</b>
7. <b>Tundra Bean-Goose</b>	<b>0.0169%</b>
8. <b>Brant</b>	<b>1.10%</b>
9. <b>Cackling Goose</b>	<b>1.35%</b>
10. <b>Canada Goose</b>	<b>16.73%</b>
11. <b>Trumpeter Swan</b>	<b>0.0249%</b>
12. <b>Tundra Swan</b>	<b>0.5523%</b>
13. <b>Whooper Swan</b>	<b>0.0002%</b>
14. <b>Wood Duck</b>	<b>2.28%</b>
15. <b>Baikal Teal</b>	<b>0.0003%</b>
16. <b>Garganey</b>	<b>0.0226%</b>
17. <b>Blue-winged Teal</b>	<b>1.60%</b>
18. <b>Cinnamon Teal</b>	<b>5.04%</b>
19. <b>Northern Shoveler</b>	<b>8.10%</b>
20. <b>Gadwall</b>	<b>7.35%</b>
21. <b>Falcated Duck</b>	<b>0.0096%</b>

[Go to top](#)

22.	<b>Eurasian Wigeon</b>	<b>0.4762%</b>
23.	<b>American Wigeon</b>	<b>7.66%</b>
24.	<b>Mallard</b>	<b>27.17%</b>
25.	<b>Mexican Duck</b>	<b>0.0119%</b>
26.	<b>American Black Duck</b>	<b>0.0000%</b>
27.	<b>Northern Pintail</b>	<b>4.04%</b>
28.	<b>Green-winged Teal</b>	<b>5.60%</b>
29.	<b>Canvasback</b>	<b>1.76%</b>
30.	<b>Redhead</b>	<b>1.28%</b>
31.	<b>Common Pochard</b>	<b>0.0028%</b>
32.	<b>Ring-necked Duck</b>	<b>3.55%</b>
33.	<b>Tufted Duck</b>	<b>0.0500%</b>
34.	<b>Greater Scaup</b>	<b>1.71%</b>
35.	<b>Lesser Scaup</b>	<b>3.02%</b>
36.	<b>Steller's Eider</b>	<b>0.0003%</b>
37.	<b>King Eider</b>	<b>0.0110%</b>
38.	<b>Common Eider</b>	<b>0.0024%</b>
39.	<b>Harlequin Duck</b>	<b>0.0927%</b>
40.	<b>Surf Scoter</b>	<b>4.02%</b>
41.	<b>White-winged Scoter</b>	<b>0.2906%</b>
42.	<b>Stejneger's Scoter</b>	<b>0.0000%</b>
43.	<b>Common Scoter</b>	<b>0.0030%</b>
44.	<b>Black Scoter</b>	<b>0.1664%</b>
45.	<b>Long-tailed Duck</b>	<b>0.1542%</b>
46.	<b>Bufflehead</b>	<b>8.80%</b>

47. <b>Common Goldeneye</b>	<b>3.02%</b>
48. <b>Barrow's Goldeneye</b>	<b>0.2483%</b>
49. <b>Smew</b>	<b>0.0013%</b>
50. <b>Hooded Merganser</b>	<b>1.60%</b>
51. <b>Common Merganser</b>	<b>2.71%</b>
52. <b>Red-breasted Merganser</b>	<b>1.64%</b>
53. <b>Ruddy Duck</b>	<b>10.39%</b>
54. <b>Mountain Quail</b>	<b>0.8615%</b>
55. <b>California Quail</b>	<b>10.82%</b>
56. <b>Gambel's Quail</b>	<b>0.6547%</b>
57. <b>Wild Turkey</b>	<b>3.07%</b>
58. <b>Ruffed Grouse</b>	<b>0.0103%</b>
59. <b>Greater Sage-Grouse</b>	<b>0.0251%</b>
60. <b>Sooty Grouse</b>	<b>0.1405%</b>
61. <b>Sharp-tailed Grouse</b>	<b>0.0000%</b>
62. <b>White-tailed Ptarmigan</b>	<b>0.0026%</b>
63. <b>Ring-necked Pheasant</b>	<b>0.7948%</b>
64. <b>Chukar</b>	<b>0.1191%</b>
65. <b>Least Grebe</b>	<b>0.0000%</b>
66. <b>Pied-billed Grebe</b>	<b>12.11%</b>
67. <b>Horned Grebe</b>	<b>1.80%</b>
68. <b>Red-necked Grebe</b>	<b>0.2948%</b>
69. <b>Eared Grebe</b>	<b>5.84%</b>
70. <b>Western Grebe</b>	<b>6.17%</b>
71. <b>Clark's Grebe</b>	<b>2.78%</b>

72. <b>Rock Pigeon</b>	<b>13.94%</b>
73. <b>Band-tailed Pigeon</b>	<b>7.06%</b>
74. <b>Oriental Turtle-Dove</b>	<b>0.0098%</b>
75. <b>Eurasian Collared-Dove</b>	<b>13.35%</b>
76. <b>Spotted Dove</b>	<b>0.0853%</b>
77. <b>Inca Dove</b>	<b>0.0748%</b>
78. <b>Common Ground Dove</b>	<b>0.3648%</b>
79. <b>Ruddy Ground Dove</b>	<b>0.0055%</b>
80. <b>White-winged Dove</b>	<b>0.6363%</b>
81. <b>Mourning Dove</b>	<b>34.35%</b>
82. <b>Groove-billed Ani</b>	<b>0.0032%</b>
83. <b>Greater Roadrunner</b>	<b>1.12%</b>
84. <b>Yellow-billed Cuckoo</b>	<b>0.0181%</b>
85. <b>Black-billed Cuckoo</b>	<b>0.0001%</b>
86. <b>Common Cuckoo</b>	<b>0.0022%</b>
87. <b>Lesser Nighthawk</b>	<b>0.2299%</b>
88. <b>Common Nighthawk</b>	<b>0.1761%</b>
89. <b>Common Poorwill</b>	<b>0.2371%</b>
90. <b>Chuck-will's-widow</b>	<b>0.0000%</b>
91. <b>Buff-collared Nightjar</b>	<b>0.0000%</b>
92. <b>Eastern Whip-poor-will</b>	<b>0.0010%</b>
93. <b>Mexican Whip-poor-will</b>	<b>0.0064%</b>
94. <b>Black Swift</b>	<b>0.0652%</b>
95. <b>White-collared Swift</b>	<b>0.0000%</b>
96. <b>Chimney Swift</b>	<b>0.0042%</b>

97.	<b>Vaux's Swift</b>	<b>0.9126%</b>
98.	<b>Common Swift</b>	<b>0.0000%</b>
99.	<b>White-throated Swift</b>	<b>3.30%</b>
100.	<b>Mexican Violetear</b>	<b>0.0000%</b>
101.	<b>Rivoli's Hummingbird</b>	<b>0.0002%</b>
102.	<b>Blue-throated Mountain-gem</b>	<b>0.0001%</b>
103.	<b>Ruby-throated Hummingbird</b>	<b>0.0041%</b>
104.	<b>Black-chinned Hummingbird</b>	<b>1.73%</b>
105.	<b>Anna's Hummingbird</b>	<b>39.89%</b>
106.	<b>Costa's Hummingbird</b>	<b>1.84%</b>
107.	<b>Calliope Hummingbird</b>	<b>0.2452%</b>
108.	<b>Rufous Hummingbird</b>	<b>1.21%</b>
109.	<b>Allen's Hummingbird</b>	<b>10.92%</b>
110.	<b>Broad-tailed Hummingbird</b>	<b>0.0111%</b>
111.	<b>Broad-billed Hummingbird</b>	<b>0.0203%</b>
112.	<b>Xantus's Hummingbird</b>	<b>0.0002%</b>
113.	<b>Violet-crowned Hummingbird</b>	<b>0.0013%</b>
114.	<b>Ridgway's Rail</b>	<b>0.5934%</b>
115.	<b>Virginia Rail</b>	<b>1.40%</b>
116.	<b>Sora</b>	<b>1.72%</b>
117.	<b>Common Gallinule</b>	<b>1.91%</b>
118.	<b>American Coot</b>	<b>19.78%</b>
119.	<b>Purple Gallinule</b>	<b>0.0041%</b>
120.	<b>Yellow Rail</b>	<b>0.0040%</b>
121.	<b>Black Rail</b>	<b>0.0583%</b>

122.	<b>Sandhill Crane</b>	<b>1.05%</b>
123.	<b>Common Crane</b>	<b>0.0034%</b>
124.	<b>Black-necked Stilt</b>	<b>6.56%</b>
125.	<b>American Avocet</b>	<b>5.00%</b>
126.	<b>American Oystercatcher</b>	<b>0.0122%</b>
127.	<b>Black Oystercatcher</b>	<b>2.51%</b>
128.	<b>Black-bellied Plover</b>	<b>3.83%</b>
129.	<b>American Golden-Plover</b>	<b>0.0205%</b>
130.	<b>Pacific Golden-Plover</b>	<b>0.1220%</b>
131.	<b>Eurasian Dotterel</b>	<b>0.0002%</b>
132.	<b>Killdeer</b>	<b>14.12%</b>
133.	<b>Common Ringed Plover</b>	<b>0.0062%</b>
134.	<b>Semipalmated Plover</b>	<b>2.26%</b>
135.	<b>Piping Plover</b>	<b>0.0007%</b>
136.	<b>Siberian Sand-Plover</b>	<b>0.0069%</b>
137.	<b>Greater Sand-Plover</b>	<b>0.0005%</b>
138.	<b>Wilson's Plover</b>	<b>0.0012%</b>
139.	<b>Mountain Plover</b>	<b>0.0755%</b>
140.	<b>Snowy Plover</b>	<b>1.17%</b>
141.	<b>Upland Sandpiper</b>	<b>0.0010%</b>
142.	<b>Bristle-thighed Curlew</b>	<b>0.0003%</b>
143.	<b>Whimbrel</b>	<b>3.72%</b>
144.	<b>Little Curlew</b>	<b>0.0003%</b>
145.	<b>Long-billed Curlew</b>	<b>4.26%</b>
146.	<b>Bar-tailed Godwit</b>	<b>0.0190%</b>

147.	<b>Hudsonian Godwit</b>	<b>0.0135%</b>
148.	<b>Marbled Godwit</b>	<b>5.18%</b>
149.	<b>Short-billed Dowitcher</b>	<b>1.01%</b>
150.	<b>Long-billed Dowitcher</b>	<b>3.07%</b>
151.	<b>Jack Snipe</b>	<b>0.0000%</b>
152.	<b>American Woodcock</b>	<b>0.0000%</b>
153.	<b>Common Snipe</b>	<b>0.0000%</b>
154.	<b>Wilson's Snipe</b>	<b>1.58%</b>
155.	<b>Wilson's Phalarope</b>	<b>0.7016%</b>
156.	<b>Red Phalarope</b>	<b>0.2493%</b>
157.	<b>Red-necked Phalarope</b>	<b>1.37%</b>
158.	<b>Terek Sandpiper</b>	<b>0.0001%</b>
159.	<b>Spotted Sandpiper</b>	<b>4.31%</b>
160.	<b>Solitary Sandpiper</b>	<b>0.1633%</b>
161.	<b>Gray-tailed Tattler</b>	<b>0.0004%</b>
162.	<b>Wandering Tattler</b>	<b>0.4259%</b>
163.	<b>Marsh Sandpiper</b>	<b>0.0074%</b>
164.	<b>Wood Sandpiper</b>	<b>0.0038%</b>
165.	<b>Lesser Yellowlegs</b>	<b>0.7980%</b>
166.	<b>Willet</b>	<b>6.55%</b>
167.	<b>Spotted Redshank</b>	<b>0.0000%</b>
168.	<b>Common Greenshank</b>	<b>0.0018%</b>
169.	<b>Greater Yellowlegs</b>	<b>6.54%</b>
170.	<b>Ruddy Turnstone</b>	<b>0.6603%</b>
171.	<b>Black Turnstone</b>	<b>2.15%</b>

172.	<b>Red Knot</b>	<b>0.3211%</b>
173.	<b>Surfbird</b>	<b>0.7063%</b>
174.	<b>Ruff</b>	<b>0.0713%</b>
175.	<b>Sharp-tailed Sandpiper</b>	<b>0.0109%</b>
176.	<b>Curlew Sandpiper</b>	<b>0.0168%</b>
177.	<b>Stilt Sandpiper</b>	<b>0.0635%</b>
178.	<b>Long-toed Stint</b>	<b>0.0000%</b>
179.	<b>Red-necked Stint</b>	<b>0.0098%</b>
180.	<b>Buff-breasted Sandpiper</b>	<b>0.0210%</b>
181.	<b>Sanderling</b>	<b>2.18%</b>
182.	<b>Dunlin</b>	<b>2.02%</b>
183.	<b>Purple Sandpiper</b>	<b>0.0017%</b>
184.	<b>Rock Sandpiper</b>	<b>0.0567%</b>
185.	<b>Baird's Sandpiper</b>	<b>0.2075%</b>
186.	<b>Little Stint</b>	<b>0.0131%</b>
187.	<b>White-rumped Sandpiper</b>	<b>0.0012%</b>
188.	<b>Least Sandpiper</b>	<b>6.67%</b>
189.	<b>Pectoral Sandpiper</b>	<b>0.2513%</b>
190.	<b>Western Sandpiper</b>	<b>4.23%</b>
191.	<b>Semipalmated Sandpiper</b>	<b>0.0710%</b>
192.	<b>Long-tailed Jaeger</b>	<b>0.0494%</b>
193.	<b>Parasitic Jaeger</b>	<b>0.2632%</b>
194.	<b>Pomarine Jaeger</b>	<b>0.2170%</b>
195.	<b>South Polar Skua</b>	<b>0.0410%</b>
196.	<b>Rhinoceros Auklet</b>	<b>0.3981%</b>



197.	<b>Tufted Puffin</b>	<b>0.0692%</b>
198.	<b>Horned Puffin</b>	<b>0.0050%</b>
199.	<b>Cassin's Auklet</b>	<b>0.2856%</b>
200.	<b>Least Auklet</b>	<b>0.0000%</b>
201.	<b>Crested Auklet</b>	<b>0.0000%</b>
202.	<b>Parakeet Auklet</b>	<b>0.0102%</b>
203.	<b>Long-billed Murrelet</b>	<b>0.0002%</b>
204.	<b>Kittlitz's Murrelet</b>	<b>0.0000%</b>
205.	<b>Marbled Murrelet</b>	<b>0.1799%</b>
206.	<b>Pigeon Guillemot</b>	<b>0.9391%</b>
207.	<b>Thick-billed Murre</b>	<b>0.0008%</b>
208.	<b>Common Murre</b>	<b>1.37%</b>
209.	<b>Ancient Murrelet</b>	<b>0.0687%</b>
210.	<b>Scripps's Murrelet</b>	<b>0.0553%</b>
211.	<b>Guadalupe Murrelet</b>	<b>0.0043%</b>
212.	<b>Craveri's Murrelet</b>	<b>0.0121%</b>
213.	<b>Swallow-tailed Gull</b>	<b>0.0016%</b>
214.	<b>Little Gull</b>	<b>0.0124%</b>
215.	<b>Ross's Gull</b>	<b>0.0034%</b>
216.	<b>Black-legged Kittiwake</b>	<b>0.1092%</b>
217.	<b>Red-legged Kittiwake</b>	<b>0.0000%</b>
218.	<b>Ivory Gull</b>	<b>0.0009%</b>
219.	<b>Sabine's Gull</b>	<b>0.1300%</b>
220.	<b>Bonaparte's Gull</b>	<b>1.23%</b>
221.	<b>Black-headed Gull</b>	<b>0.0099%</b>

222.	<b>Laughing Gull</b>	<b>0.0729%</b>
223.	<b>Franklin's Gull</b>	<b>0.0754%</b>
224.	<b>Belcher's Gull</b>	<b>0.0003%</b>
225.	<b>Black-tailed Gull</b>	<b>0.0020%</b>
226.	<b>Heermann's Gull</b>	<b>3.87%</b>
227.	<b>Short-billed Gull</b>	<b>1.59%</b>
228.	<b>Ring-billed Gull</b>	<b>8.39%</b>
229.	<b>Yellow-footed Gull</b>	<b>0.0709%</b>
230.	<b>Western Gull</b>	<b>16.66%</b>
231.	<b>Kelp Gull</b>	<b>0.0011%</b>
232.	<b>Herring Gull</b>	<b>2.46%</b>
233.	<b>Great Black-backed Gull</b>	<b>0.0001%</b>
234.	<b>Glaucous Gull</b>	<b>0.0636%</b>
235.	<b>Lesser Black-backed Gull</b>	<b>0.0376%</b>
236.	<b>California Gull</b>	<b>12.41%</b>
237.	<b>Glaucous-winged Gull</b>	<b>2.61%</b>
238.	<b>Slaty-backed Gull</b>	<b>0.0076%</b>
239.	<b>Iceland Gull</b>	<b>0.5504%</b>
240.	<b>Black Skimmer</b>	<b>0.7918%</b>
241.	<b>Sooty Tern</b>	<b>0.0017%</b>
242.	<b>Bridled Tern</b>	<b>0.0003%</b>
243.	<b>Least Tern</b>	<b>0.6155%</b>
244.	<b>Gull-billed Tern</b>	<b>0.1110%</b>
245.	<b>Caspian Tern</b>	<b>4.23%</b>
246.	<b>Black Tern</b>	<b>0.1757%</b>

247.	<b>White-winged Tern</b>	<b>0.0004%</b>
248.	<b>Forster's Tern</b>	<b>3.46%</b>
249.	<b>Arctic Tern</b>	<b>0.0416%</b>
250.	<b>Common Tern</b>	<b>0.1360%</b>
251.	<b>Sandwich Tern</b>	<b>0.0002%</b>
252.	<b>Elegant Tern</b>	<b>1.91%</b>
253.	<b>Royal Tern</b>	<b>1.28%</b>
254.	<b>White-tailed Tropicbird</b>	<b>0.0000%</b>
255.	<b>Red-billed Tropicbird</b>	<b>0.0047%</b>
256.	<b>Red-tailed Tropicbird</b>	<b>0.0001%</b>
257.	<b>Red-throated Loon</b>	<b>1.33%</b>
258.	<b>Arctic Loon</b>	<b>0.0084%</b>
259.	<b>Pacific Loon</b>	<b>1.16%</b>
260.	<b>Common Loon</b>	<b>2.17%</b>
261.	<b>Yellow-billed Loon</b>	<b>0.0199%</b>
262.	<b>Laysan Albatross</b>	<b>0.0201%</b>
263.	<b>Black-footed Albatross</b>	<b>0.1684%</b>
264.	<b>Short-tailed Albatross</b>	<b>0.0010%</b>
265.	<b>Light-mantled Albatross</b>	<b>0.0000%</b>
266.	<b>White-capped Albatross</b>	<b>0.0000%</b>
267.	<b>Salvin's Albatross</b>	<b>0.0000%</b>
268.	<b>Chatham Albatross</b>	<b>0.0000%</b>
269.	<b>Wilson's Storm-Petrel</b>	<b>0.0125%</b>
270.	<b>Fork-tailed Storm-Petrel</b>	<b>0.0285%</b>
271.	<b>Ringed Storm-Petrel</b>	<b>0.0000%</b>

272.	<b>Leach's Storm-Petrel</b>	<b>0.0437%</b>
273.	<b>Townsend's Storm-Petrel</b>	<b>0.0050%</b>
274.	<b>Ainley's Storm-Petrel</b>	<b>0.0000%</b>
275.	<b>Ashy Storm-Petrel</b>	<b>0.1014%</b>
276.	<b>Band-rumped Storm-Petrel</b>	<b>0.0000%</b>
277.	<b>Wedge-rumped Storm-Petrel</b>	<b>0.0030%</b>
278.	<b>Black Storm-Petrel</b>	<b>0.0978%</b>
279.	<b>Tristram's Storm-Petrel</b>	<b>0.0000%</b>
280.	<b>Least Storm-Petrel</b>	<b>0.0153%</b>
281.	<b>Northern Fulmar</b>	<b>0.3318%</b>
282.	<b>Gray-faced Petrel</b>	<b>0.0002%</b>
283.	<b>Kermadec Petrel</b>	<b>0.0000%</b>
284.	<b>Murphy's Petrel</b>	<b>0.0106%</b>
285.	<b>Mottled Petrel</b>	<b>0.0000%</b>
286.	<b>Hawaiian Petrel</b>	<b>0.0048%</b>
287.	<b>Cook's Petrel</b>	<b>0.0113%</b>
288.	<b>Stejneger's Petrel</b>	<b>0.0000%</b>
289.	<b>Bulwer's Petrel</b>	<b>0.0000%</b>
290.	<b>Jouanin's Petrel</b>	<b>0.0000%</b>
291.	<b>White-chinned Petrel</b>	<b>0.0002%</b>
292.	<b>Parkinson's Petrel</b>	<b>0.0000%</b>
293.	<b>Streaked Shearwater</b>	<b>0.0003%</b>
294.	<b>Cory's Shearwater</b>	<b>0.0001%</b>
295.	<b>Pink-footed Shearwater</b>	<b>0.3563%</b>
296.	<b>Flesh-footed Shearwater</b>	<b>0.0187%</b>

297.	<b>Great Shearwater</b>	<b>0.0007%</b>
298.	<b>Wedge-tailed Shearwater</b>	<b>0.0003%</b>
299.	<b>Buller's Shearwater</b>	<b>0.0941%</b>
300.	<b>Sooty Shearwater</b>	<b>0.6158%</b>
301.	<b>Short-tailed Shearwater</b>	<b>0.0355%</b>
302.	<b>Manx Shearwater</b>	<b>0.0099%</b>
303.	<b>Newell's Shearwater</b>	<b>0.0000%</b>
304.	<b>Black-vented Shearwater</b>	<b>0.4404%</b>
305.	<b>Wood Stork</b>	<b>0.0128%</b>
306.	<b>Magnificent Frigatebird</b>	<b>0.0036%</b>
307.	<b>Lesser Frigatebird</b>	<b>0.0000%</b>
308.	<b>Great Frigatebird</b>	<b>0.0000%</b>
309.	<b>Northern Gannet</b>	<b>0.0405%</b>
310.	<b>Red-footed Booby</b>	<b>0.0272%</b>
311.	<b>Brown Booby</b>	<b>0.0958%</b>
312.	<b>Masked Booby</b>	<b>0.0117%</b>
313.	<b>Nazca Booby</b>	<b>0.0182%</b>
314.	<b>Blue-footed Booby</b>	<b>0.0261%</b>
315.	<b>Anhinga</b>	<b>0.0004%</b>
316.	<b>Brandt's Cormorant</b>	<b>4.04%</b>
317.	<b>Pelagic Cormorant</b>	<b>2.55%</b>
318.	<b>Double-crested Cormorant</b>	<b>18.71%</b>
319.	<b>Neotropic Cormorant</b>	<b>0.1337%</b>
320.	<b>American White Pelican</b>	<b>5.22%</b>
321.	<b>Brown Pelican</b>	<b>9.06%</b>

322.	<b>American Bittern</b>	<b>0.4885%</b>
323.	<b>Least Bittern</b>	<b>0.2437%</b>
324.	<b>Yellow-crowned Night Heron</b>	<b>0.3351%</b>
325.	<b>Black-crowned Night Heron</b>	<b>6.64%</b>
326.	<b>Little Blue Heron</b>	<b>0.3889%</b>
327.	<b>Tricolored Heron</b>	<b>0.0421%</b>
328.	<b>Reddish Egret</b>	<b>0.4048%</b>
329.	<b>Snowy Egret</b>	<b>14.30%</b>
330.	<b>Green Heron</b>	<b>3.58%</b>
331.	<b>Western Cattle Egret</b>	<b>0.6435%</b>
332.	<b>Great Egret</b>	<b>17.21%</b>
333.	<b>Great Blue Heron</b>	<b>15.68%</b>
334.	<b>White Ibis</b>	<b>0.0016%</b>
335.	<b>Glossy Ibis</b>	<b>0.0054%</b>
336.	<b>White-faced Ibis</b>	<b>2.89%</b>
337.	<b>Roseate Spoonbill</b>	<b>0.0050%</b>
338.	<b>California Condor</b>	<b>0.1621%</b>
339.	<b>Black Vulture</b>	<b>0.0083%</b>
340.	<b>Turkey Vulture</b>	<b>25.94%</b>
341.	<b>Osprey</b>	<b>5.32%</b>
342.	<b>White-tailed Kite</b>	<b>4.57%</b>
343.	<b>Swallow-tailed Kite</b>	<b>0.0000%</b>
344.	<b>Golden Eagle</b>	<b>1.14%</b>
345.	<b>Mississippi Kite</b>	<b>0.0029%</b>
346.	<b>Northern Harrier</b>	<b>6.60%</b>

347.	<b>Sharp-shinned Hawk</b>	<b>1.91%</b>
348.	<b>Cooper's Hawk</b>	<b>8.06%</b>
349.	<b>American Goshawk</b>	<b>0.0477%</b>
350.	<b>Bald Eagle</b>	<b>1.89%</b>
351.	<b>Common Black Hawk</b>	<b>0.0043%</b>
352.	<b>Harris's Hawk</b>	<b>0.0143%</b>
353.	<b>Gray Hawk</b>	<b>0.0047%</b>
354.	<b>Red-shouldered Hawk</b>	<b>13.55%</b>
355.	<b>Broad-winged Hawk</b>	<b>0.0336%</b>
356.	<b>Swainson's Hawk</b>	<b>1.28%</b>
357.	<b>Zone-tailed Hawk</b>	<b>0.0340%</b>
358.	<b>Red-tailed Hawk</b>	<b>26.07%</b>
359.	<b>Rough-legged Hawk</b>	<b>0.2206%</b>
360.	<b>Ferruginous Hawk</b>	<b>0.7835%</b>
361.	<b>Barn Owl</b>	<b>1.09%</b>
362.	<b>Flammulated Owl</b>	<b>0.0269%</b>
363.	<b>Western Screech-Owl</b>	<b>0.5077%</b>
364.	<b>Snowy Owl</b>	<b>0.0147%</b>
365.	<b>Great Horned Owl</b>	<b>3.00%</b>
366.	<b>Northern Pygmy-Owl</b>	<b>0.2523%</b>
367.	<b>Elf Owl</b>	<b>0.0018%</b>
368.	<b>Burrowing Owl</b>	<b>0.7881%</b>
369.	<b>Spotted Owl</b>	<b>0.0667%</b>
370.	<b>Barred Owl</b>	<b>0.0201%</b>
371.	<b>Great Gray Owl</b>	<b>0.0129%</b>

372.	<b>Long-eared Owl</b>	<b>0.1199%</b>
373.	<b>Short-eared Owl</b>	<b>0.1320%</b>
374.	<b>Northern Saw-whet Owl</b>	<b>0.1798%</b>
375.	<b>Belted Kingfisher</b>	<b>6.80%</b>
376.	<b>Eurasian Wryneck</b>	<b>0.0000%</b>
377.	<b>Williamson's Sapsucker</b>	<b>0.2525%</b>
378.	<b>Yellow-bellied Sapsucker</b>	<b>0.1044%</b>
379.	<b>Red-naped Sapsucker</b>	<b>0.2034%</b>
380.	<b>Red-breasted Sapsucker</b>	<b>2.13%</b>
381.	<b>Lewis's Woodpecker</b>	<b>0.6150%</b>
382.	<b>Red-headed Woodpecker</b>	<b>0.0067%</b>
383.	<b>Acorn Woodpecker</b>	<b>16.76%</b>
384.	<b>Gila Woodpecker</b>	<b>0.0771%</b>
385.	<b>Black-backed Woodpecker</b>	<b>0.0873%</b>
386.	<b>Downy Woodpecker</b>	<b>6.82%</b>
387.	<b>Nuttall's Woodpecker</b>	<b>18.21%</b>
388.	<b>Ladder-backed Woodpecker</b>	<b>0.5654%</b>
389.	<b>Hairy Woodpecker</b>	<b>4.35%</b>
390.	<b>White-headed Woodpecker</b>	<b>0.9914%</b>
391.	<b>Pileated Woodpecker</b>	<b>0.8966%</b>
392.	<b>Northern Flicker</b>	<b>17.76%</b>
393.	<b>Gilded Flicker</b>	<b>0.0041%</b>
394.	<b>Crested Caracara</b>	<b>0.0077%</b>
395.	<b>Eurasian Kestrel</b>	<b>0.0000%</b>
396.	<b>American Kestrel</b>	<b>10.74%</b>



397. Merlin	1.44%
398. Gyrfalcon	0.0048%
399. Peregrine Falcon	2.91%
400. Prairie Falcon	0.6033%
401. Yellow-chevroned Parakeet	0.3735%
402. Red-crowned Parrot	0.8727%
403. Lilac-crowned Parrot	0.1125%
404. Nanday Parakeet	0.1751%
405. Mitred Parakeet	0.2604%
406. Red-masked Parakeet	0.5053%
407. Small-billed Elaenia	0.0000%
408. Olive-sided Flycatcher	1.38%
409. Greater Pewee	0.0160%
410. Western Wood-Pewee	3.60%
411. Eastern Wood-Pewee	0.0027%
412. Yellow-bellied Flycatcher	0.0046%
413. Alder Flycatcher	0.0005%
414. Willow Flycatcher	0.8261%
415. Least Flycatcher	0.0297%
416. Hammond's Flycatcher	0.4273%
417. Gray Flycatcher	0.3392%
418. Dusky Flycatcher	0.5898%
419. Western Flycatcher	6.51%
420. Buff-breasted Flycatcher	0.0000%
421. Black Phoebe	41.56%

422.	<b>Eastern Phoebe</b>	<b>0.0750%</b>
423.	<b>Say's Phoebe</b>	<b><u>9.74%</u></b>
424.	<b>Vermilion Flycatcher</b>	<b>0.8508%</b>
425.	<b>Dusky-capped Flycatcher</b>	<b>0.0308%</b>
426.	<b>Ash-throated Flycatcher</b>	<b><u>4.09%</u></b>
427.	<b>Nutting's Flycatcher</b>	<b>0.0006%</b>
428.	<b>Great Crested Flycatcher</b>	<b>0.0093%</b>
429.	<b>Brown-crested Flycatcher</b>	<b>0.0740%</b>
430.	<b>Sulphur-bellied Flycatcher</b>	<b>0.0054%</b>
431.	<b>Tropical Kingbird</b>	<b>0.2245%</b>
432.	<b>Couch's Kingbird</b>	<b>0.0029%</b>
433.	<b>Cassin's Kingbird</b>	<b><u>6.72%</u></b>
434.	<b>Thick-billed Kingbird</b>	<b>0.0330%</b>
435.	<b>Western Kingbird</b>	<b><u>4.29%</u></b>
436.	<b>Eastern Kingbird</b>	<b>0.0263%</b>
437.	<b>Scissor-tailed Flycatcher</b>	<b>0.0333%</b>
438.	<b>Fork-tailed Flycatcher</b>	<b>0.0001%</b>
439.	<b>White-eyed Vireo</b>	<b>0.0152%</b>
440.	<b>Bell's Vireo</b>	<b>0.7915%</b>
441.	<b>Gray Vireo</b>	<b>0.0187%</b>
442.	<b>Hutton's Vireo</b>	<b><u>5.25%</u></b>
443.	<b>Yellow-throated Vireo</b>	<b>0.0153%</b>
444.	<b>Cassin's Vireo</b>	<b><u>1.22%</u></b>
445.	<b>Blue-headed Vireo</b>	<b>0.0090%</b>
446.	<b>Plumbeous Vireo</b>	<b>0.1109%</b>

447.	<b>Philadelphia Vireo</b>	<b>0.0130%</b>
448.	<b>Warbling Vireo</b>	<b>4.20%</b>
449.	<b>Red-eyed Vireo</b>	<b>0.0285%</b>
450.	<b>Yellow-green Vireo</b>	<b>0.0220%</b>
451.	<b>Brown Shrike</b>	<b>0.0026%</b>
452.	<b>Loggerhead Shrike</b>	<b>3.12%</b>
453.	<b>Northern Shrike</b>	<b>0.0297%</b>
454.	<b>Canada Jay</b>	<b>0.0603%</b>
455.	<b>Pinyon Jay</b>	<b>0.1670%</b>
456.	<b>Steller's Jay</b>	<b>11.27%</b>
457.	<b>Blue Jay</b>	<b>0.0034%</b>
458.	<b>Island Scrub-Jay</b>	<b>0.0829%</b>
459.	<b>California Scrub-Jay</b>	<b>32.41%</b>
460.	<b>Woodhouse's Scrub-Jay</b>	<b>0.0570%</b>
461.	<b>Black-billed Magpie</b>	<b>0.5400%</b>
462.	<b>Yellow-billed Magpie</b>	<b>1.81%</b>
463.	<b>Clark's Nutcracker</b>	<b>0.6919%</b>
464.	<b>American Crow</b>	<b>38.43%</b>
465.	<b>Common Raven</b>	<b>28.63%</b>
466.	<b>Black-capped Chickadee</b>	<b>0.6214%</b>
467.	<b>Mountain Chickadee</b>	<b>3.85%</b>
468.	<b>Chestnut-backed Chickadee</b>	<b>12.94%</b>
469.	<b>Oak Titmouse</b>	<b>16.40%</b>
470.	<b>Juniper Titmouse</b>	<b>0.0375%</b>
471.	<b>Verdin</b>	<b>1.48%</b>

472.	<b>Horned Lark</b>	<b>2.19%</b>
473.	<b>Eurasian Skylark</b>	<b>0.0021%</b>
474.	<b>Lanceolated Warbler</b>	<b>0.0000%</b>
475.	<b>Bank Swallow</b>	<b>0.2359%</b>
476.	<b>Tree Swallow</b>	<b>8.14%</b>
477.	<b>Violet-green Swallow</b>	<b>5.26%</b>
478.	<b>Purple Martin</b>	<b>0.2659%</b>
479.	<b>Northern Rough-winged Swallow</b>	<b>5.02%</b>
480.	<b>Barn Swallow</b>	<b>9.52%</b>
481.	<b>Cliff Swallow</b>	<b>7.11%</b>
482.	<b>Cave Swallow</b>	<b>0.0011%</b>
483.	<b>Red-whiskered Bulbul</b>	<b>0.5062%</b>
484.	<b>Wood Warbler</b>	<b>0.0045%</b>
485.	<b>Yellow-browed Warbler</b>	<b>0.0006%</b>
486.	<b>Dusky Warbler</b>	<b>0.0114%</b>
487.	<b>Willow Warbler</b>	<b>0.0055%</b>
488.	<b>Arctic Warbler</b>	<b>0.0001%</b>
489.	<b>Bushtit</b>	<b>22.27%</b>
490.	<b>Wrentit</b>	<b>10.41%</b>
491.	<b>Ruby-crowned Kinglet</b>	<b>16.27%</b>
492.	<b>Golden-crowned Kinglet</b>	<b>1.63%</b>
493.	<b>White-breasted Nuthatch</b>	<b>9.93%</b>
494.	<b>Pygmy Nuthatch</b>	<b>4.19%</b>
495.	<b>Red-breasted Nuthatch</b>	<b>4.04%</b>
496.	<b>Brown Creeper</b>	<b>3.77%</b>

497.	<b>Blue-gray Gnatcatcher</b>	<b>4.09%</b>
498.	<b>Black-tailed Gnatcatcher</b>	<b>0.4690%</b>
499.	<b>California Gnatcatcher</b>	<b>0.7193%</b>
500.	<b>Rock Wren</b>	<b>1.71%</b>
501.	<b>Canyon Wren</b>	<b>0.7380%</b>
502.	<b>House Wren</b>	<b>8.94%</b>
503.	<b>Pacific Wren</b>	<b>1.72%</b>
504.	<b>Winter Wren</b>	<b>0.0133%</b>
505.	<b>Sedge Wren</b>	<b>0.0018%</b>
506.	<b>Marsh Wren</b>	<b>5.61%</b>
507.	<b>Bewick's Wren</b>	<b>19.11%</b>
508.	<b>Cactus Wren</b>	<b>0.8908%</b>
509.	<b>American Dipper</b>	<b>0.3261%</b>
510.	<b>European Starling</b>	<b>23.10%</b>
511.	<b>Gray Catbird</b>	<b>0.0383%</b>
512.	<b>Curve-billed Thrasher</b>	<b>0.0069%</b>
513.	<b>Brown Thrasher</b>	<b>0.0189%</b>
514.	<b>Bendire's Thrasher</b>	<b>0.0141%</b>
515.	<b>California Thrasher</b>	<b>5.49%</b>
516.	<b>LeConte's Thrasher</b>	<b>0.1433%</b>
517.	<b>Crissal Thrasher</b>	<b>0.0530%</b>
518.	<b>Sage Thrasher</b>	<b>0.3144%</b>
519.	<b>Northern Mockingbird</b>	<b>20.72%</b>
520.	<b>Western Bluebird</b>	<b>15.46%</b>
521.	<b>Mountain Bluebird</b>	<b>0.7201%</b>

522.	<b>Townsend's Solitaire</b>	<b>0.6454%</b>
523.	<b>Varied Thrush</b>	<b>1.13%</b>
524.	<b>Veery</b>	<b>0.0006%</b>
525.	<b>Gray-cheeked Thrush</b>	<b>0.0005%</b>
526.	<b>Swainson's Thrush</b>	<b>1.95%</b>
527.	<b>Hermit Thrush</b>	<b>8.00%</b>
528.	<b>Wood Thrush</b>	<b>0.0070%</b>
529.	<b>American Robin</b>	<b>19.35%</b>
530.	<b>Rufous-backed Robin</b>	<b>0.0050%</b>
531.	<b>Eyebrowed Thrush</b>	<b>0.0000%</b>
532.	<b>Bluethroat</b>	<b>0.0000%</b>
533.	<b>Siberian Rubythroat</b>	<b>0.0000%</b>
534.	<b>Red-flanked Bluetail</b>	<b>0.0210%</b>
535.	<b>Taiga Flycatcher</b>	<b>0.0001%</b>
536.	<b>Northern Wheatear</b>	<b>0.0010%</b>
537.	<b>Bohemian Waxwing</b>	<b>0.0030%</b>
538.	<b>Cedar Waxwing</b>	<b>6.56%</b>
539.	<b>Phainopepla</b>	<b>2.78%</b>
540.	<b>Scaly-breasted Munia</b>	<b>2.64%</b>
541.	<b>House Sparrow</b>	<b>14.24%</b>
542.	<b>Gray Wagtail</b>	<b>0.0000%</b>
543.	<b>Eastern Yellow Wagtail</b>	<b>0.0028%</b>
544.	<b>Citrine Wagtail</b>	<b>0.0000%</b>
545.	<b>White Wagtail</b>	<b>0.0253%</b>
546.	<b>Olive-backed Pipit</b>	<b>0.0019%</b>

547.	<b>Red-throated Pipit</b>	<b>0.0214%</b>
548.	<b>American Pipit</b>	<b>4.33%</b>
549.	<b>Sprague's Pipit</b>	<b>0.0032%</b>
550.	<b>Brambling</b>	<b>0.0050%</b>
551.	<b>Evening Grosbeak</b>	<b>0.2932%</b>
552.	<b>Common Rosefinch</b>	<b>0.0001%</b>
553.	<b>Pine Grosbeak</b>	<b>0.0455%</b>
554.	<b>Gray-crowned Rosy-Finch</b>	<b>0.0574%</b>
555.	<b>Black Rosy-Finch</b>	<b>0.0003%</b>
556.	<b>House Finch</b>	<b>46.25%</b>
557.	<b>Purple Finch</b>	<b>4.64%</b>
558.	<b>Cassin's Finch</b>	<b>0.9145%</b>
559.	<b>Oriental Greenfinch</b>	<b>0.0001%</b>
560.	<b>Common Redpoll</b>	<b>0.0049%</b>
561.	<b>Red Crossbill</b>	<b>0.4914%</b>
562.	<b>Cassia Crossbill</b>	<b>0.0003%</b>
563.	<b>White-winged Crossbill</b>	<b>0.0001%</b>
564.	<b>Pine Siskin</b>	<b>3.58%</b>
565.	<b>Lesser Goldfinch</b>	<b>27.74%</b>
566.	<b>Lawrence's Goldfinch</b>	<b>1.28%</b>
567.	<b>American Goldfinch</b>	<b>8.51%</b>
568.	<b>Lapland Longspur</b>	<b>0.0783%</b>
569.	<b>Chestnut-collared Longspur</b>	<b>0.0271%</b>
570.	<b>Smith's Longspur</b>	<b>0.0016%</b>
571.	<b>Thick-billed Longspur</b>	<b>0.0116%</b>

572.	<b>Snow Bunting</b>	<b>0.0160%</b>
573.	<b>Little Bunting</b>	<b>0.0019%</b>
574.	<b>Rustic Bunting</b>	<b>0.0111%</b>
575.	<b>Cassin's Sparrow</b>	<b>0.0076%</b>
576.	<b>Grasshopper Sparrow</b>	<b>0.2776%</b>
577.	<b>Chipping Sparrow</b>	<b>2.20%</b>
578.	<b>Clay-colored Sparrow</b>	<b>0.1536%</b>
579.	<b>Black-chinned Sparrow</b>	<b>0.1945%</b>
580.	<b>Field Sparrow</b>	<b>0.0067%</b>
581.	<b>Brewer's Sparrow</b>	<b>0.6020%</b>
582.	<b>Black-throated Sparrow</b>	<b>0.7148%</b>
583.	<b>Lark Sparrow</b>	<b>2.70%</b>
584.	<b>Lark Bunting</b>	<b>0.0286%</b>
585.	<b>American Tree Sparrow</b>	<b>0.0129%</b>
586.	<b>Fox Sparrow</b>	<b>5.33%</b>
587.	<b>Dark-eyed Junco</b>	<b>22.66%</b>
588.	<b>White-crowned Sparrow</b>	<b>31.17%</b>
589.	<b>Golden-crowned Sparrow</b>	<b>13.54%</b>
590.	<b>Harris's Sparrow</b>	<b>0.0698%</b>
591.	<b>White-throated Sparrow</b>	<b>0.9760%</b>
592.	<b>Sagebrush Sparrow</b>	<b>0.0762%</b>
593.	<b>Bell's Sparrow</b>	<b>0.6901%</b>
594.	<b>Vesper Sparrow</b>	<b>0.4202%</b>
595.	<b>LeConte's Sparrow</b>	<b>0.0094%</b>
596.	<b>Nelson's Sparrow</b>	<b>0.0329%</b>



597.	<b>Savannah Sparrow</b>	<b>8.23%</b>
598.	<b>Baird's Sparrow</b>	<b>0.0002%</b>
599.	<b>Song Sparrow</b>	<b>28.05%</b>
600.	<b>Lincoln's Sparrow</b>	<b>4.75%</b>
601.	<b>Swamp Sparrow</b>	<b>0.1668%</b>
602.	<b>Abert's Towhee</b>	<b>0.4189%</b>
603.	<b>California Towhee</b>	<b>29.91%</b>
604.	<b>Rufous-crowned Sparrow</b>	<b>1.11%</b>
605.	<b>Green-tailed Towhee</b>	<b>0.8034%</b>
606.	<b>Spotted Towhee</b>	<b>21.36%</b>
607.	<b>Yellow-breasted Chat</b>	<b>1.05%</b>
608.	<b>Yellow-headed Blackbird</b>	<b>0.9000%</b>
609.	<b>Bobolink</b>	<b>0.0428%</b>
610.	<b>Western Meadowlark</b>	<b>8.42%</b>
611.	<b>Eastern Meadowlark</b>	<b>0.0014%</b>
612.	<b>Orchard Oriole</b>	<b>0.0733%</b>
613.	<b>Hooded Oriole</b>	<b>5.25%</b>
614.	<b>Streak-backed Oriole</b>	<b>0.0065%</b>
615.	<b>Bullock's Oriole</b>	<b>3.79%</b>
616.	<b>Baltimore Oriole</b>	<b>0.0414%</b>
617.	<b>Scott's Oriole</b>	<b>0.1564%</b>
618.	<b>Red-winged Blackbird</b>	<b>16.24%</b>
619.	<b>Tricolored Blackbird</b>	<b>0.9693%</b>
620.	<b>Bronzed Cowbird</b>	<b>0.0115%</b>
621.	<b>Brown-headed Cowbird</b>	<b>6.13%</b>

622.	<b>Rusty Blackbird</b>	<b>0.0272%</b>
623.	<b>Brewer's Blackbird</b>	<b>12.87%</b>
624.	<b>Common Grackle</b>	<b>0.0036%</b>
625.	<b>Great-tailed Grackle</b>	<b>4.54%</b>
626.	<b>Ovenbird</b>	<b>0.0412%</b>
627.	<b>Worm-eating Warbler</b>	<b>0.0155%</b>
628.	<b>Louisiana Waterthrush</b>	<b>0.0050%</b>
629.	<b>Northern Waterthrush</b>	<b>0.1033%</b>
630.	<b>Golden-winged Warbler</b>	<b>0.0044%</b>
631.	<b>Blue-winged Warbler</b>	<b>0.0053%</b>
632.	<b>Black-and-white Warbler</b>	<b>0.1976%</b>
633.	<b>Prothonotary Warbler</b>	<b>0.0266%</b>
634.	<b>Tennessee Warbler</b>	<b>0.1117%</b>
635.	<b>Orange-crowned Warbler</b>	<b>12.54%</b>
636.	<b>Lucy's Warbler</b>	<b>0.1048%</b>
637.	<b>Nashville Warbler</b>	<b>1.29%</b>
638.	<b>Virginia's Warbler</b>	<b>0.0410%</b>
639.	<b>Connecticut Warbler</b>	<b>0.0025%</b>
640.	<b>MacGillivray's Warbler</b>	<b>1.05%</b>
641.	<b>Mourning Warbler</b>	<b>0.0083%</b>
642.	<b>Kentucky Warbler</b>	<b>0.0064%</b>
643.	<b>Common Yellowthroat</b>	<b>11.12%</b>
644.	<b>Hooded Warbler</b>	<b>0.0325%</b>
645.	<b>American Redstart</b>	<b>0.1637%</b>
646.	<b>Cape May Warbler</b>	<b>0.0167%</b>

647.	<b>Cerulean Warbler</b>	<b>0.0010%</b>
648.	<b>Northern Parula</b>	<b>0.0869%</b>
649.	<b>Tropical Parula</b>	<b>0.0007%</b>
650.	<b>Magnolia Warbler</b>	<b>0.0568%</b>
651.	<b>Bay-breasted Warbler</b>	<b>0.0229%</b>
652.	<b>Blackburnian Warbler</b>	<b>0.0589%</b>
653.	<b>Yellow Warbler</b>	<b>5.87%</b>
654.	<b>Chestnut-sided Warbler</b>	<b>0.1205%</b>
655.	<b>Blackpoll Warbler</b>	<b>0.0833%</b>
656.	<b>Black-throated Blue Warbler</b>	<b>0.0386%</b>
657.	<b>Palm Warbler</b>	<b>0.2358%</b>
658.	<b>Pine Warbler</b>	<b>0.0199%</b>
659.	<b>Yellow-rumped Warbler</b>	<b>31.75%</b>
660.	<b>Yellow-throated Warbler</b>	<b>0.0124%</b>
661.	<b>Prairie Warbler</b>	<b>0.0351%</b>
662.	<b>Grace's Warbler</b>	<b>0.0233%</b>
663.	<b>Black-throated Gray Warbler</b>	<b>2.45%</b>
664.	<b>Townsend's Warbler</b>	<b>6.60%</b>
665.	<b>Hermit Warbler</b>	<b>1.08%</b>
666.	<b>Golden-cheeked Warbler</b>	<b>0.0000%</b>
667.	<b>Black-throated Green Warbler</b>	<b>0.0278%</b>
668.	<b>Canada Warbler</b>	<b>0.0246%</b>
669.	<b>Wilson's Warbler</b>	<b>6.94%</b>
670.	<b>Red-faced Warbler</b>	<b>0.0038%</b>
671.	<b>Painted Redstart</b>	<b>0.0731%</b>

672.	<b>Hepatic Tanager</b>	<b>0.0163%</b>
673.	<b>Summer Tanager</b>	<b>0.2948%</b>
674.	<b>Scarlet Tanager</b>	<b>0.0168%</b>
675.	<b>Western Tanager</b>	<b>4.72%</b>
676.	<b>Northern Cardinal</b>	<b>0.0168%</b>
677.	<b>Pyrrhuloxia</b>	<b>0.0034%</b>
678.	<b>Rose-breasted Grosbeak</b>	<b>0.0902%</b>
679.	<b>Black-headed Grosbeak</b>	<b>6.22%</b>
680.	<b>Blue Grosbeak</b>	<b>0.8238%</b>
681.	<b>Lazuli Bunting</b>	<b>2.03%</b>
682.	<b>Indigo Bunting</b>	<b>0.0971%</b>
683.	<b>Varied Bunting</b>	<b>0.0015%</b>
684.	<b>Painted Bunting</b>	<b>0.0234%</b>
685.	<b>Dickcissel</b>	<b>0.0241%</b>
<b>EXOTIC: PROVISIONAL</b>		
686.	<b>Mute Swan</b>	<b>0.6333%</b> frequency
687.	<b>Egyptian Goose</b>	<b>0.7577%</b>
688.	<b>Mandarin Duck</b>	<b>0.0014%</b>
689.	<b>Indian Peafowl</b>	<b>0.2148%</b>
690.	<b>Demoiselle Crane</b>	<b>0.0002%</b>
691.	<b>Rose-ringed Parakeet</b>	<b>0.0448%</b>
692.	<b>Monk Parakeet</b>	<b>0.0029%</b>
693.	<b>Red-lored Parrot</b>	<b>0.0212%</b>
694.	<b>Yellow-headed Parrot</b>	<b>0.0767%</b>
695.	<b>Burrowing Parakeet</b>	<b>0.0055%</b>

696.	<b>Blue-crowned Parakeet</b>	<b>0.0083%</b>
697.	<b>House Crow</b>	<b>0.0000%</b>
698.	<b>Swinhoe's White-eye</b>	<b>0.7300%</b>
699.	<b>Blue Mockingbird</b>	<b>0.0003%</b>
700.	<b>Gray Thrasher</b>	<b>0.0003%</b>
701.	<b>Gray Silky-flycatcher</b>	<b>0.0001%</b>
702.	<b>Northern Red Bishop</b>	<b>0.1478%</b>
703.	<b>Pin-tailed Whydah</b>	<b>0.4615%</b>
704.	<b>Eurasian Tree Sparrow</b>	<b>0.0019%</b>
705.	<b>Black-backed Oriole</b>	<b>0.0001%</b>
706.	<b>Yellow Grosbeak</b>	<b>0.0000%</b>

**EXOTIC: ESCAPEE**

<b>Emu</b>	<b>0.0000%</b> frequency
<b>Bar-headed Goose</b>	<b>0.0003%</b>
<b>Graylag Goose</b>	<b>0.2971%</b>
<b>Swan Goose</b>	<b>0.1602%</b>
<b>Barnacle Goose</b>	<b>0.0000%</b>
<b>Hawaiian Goose</b>	<b>0.0000%</b>
<b>Red-breasted Goose</b>	<b>0.0000%</b>
<b>Black Swan</b>	<b>0.0076%</b>
<b>Black-necked Swan</b>	<b>0.0001%</b>
<b>Upland Goose</b>	<b>0.0000%</b>
<b>Ruddy Shelduck</b>	<b>0.0010%</b>
<b>South African Shelduck</b>	<b>0.0000%</b>
<b>Common Shelduck</b>	<b>0.0004%</b>

<b>Crested Duck</b>	<b>0.0000%</b>
<b>Muscovy Duck</b>	<b>0.5354%</b>
<b>Ringed Teal</b>	<b>0.0003%</b>
<b>Chiloe Wigeon</b>	<b>0.0009%</b>
<b>White-cheeked Pintail</b>	<b>0.0001%</b>
<b>Red-crested Pochard</b>	<b>0.0000%</b>
<b>Helmeted Guineafowl</b>	<b>0.0099%</b>
<b>Northern Bobwhite</b>	<b>0.0010%</b>
<b>Scaled Quail</b>	<b>0.0000%</b>
<b>Gray Partridge</b>	<b>0.0000%</b>
<b>Reeves's Pheasant</b>	<b>0.0000%</b>
<b>Golden Pheasant</b>	<b>0.0002%</b>
<b>Lady Amherst's Pheasant</b>	<b>0.0001%</b>
<b>Kalij Pheasant</b>	<b>0.0000%</b>
<b>Silver Pheasant</b>	<b>0.0000%</b>
<b>Gray Peacock-Pheasant</b>	<b>0.0000%</b>
<b>Red Junglefowl</b>	<b>0.0052%</b>
<b>Black Francolin</b>	<b>0.0000%</b>
<b>Common Quail</b>	<b>0.0002%</b>
<b>Japanese Quail</b>	<b>0.0001%</b>
<b>Chilean Flamingo</b>	<b>0.0077%</b>
<b>American Flamingo</b>	<b>0.0054%</b>
<b>Greater Flamingo</b>	<b>0.0001%</b>
<b>Lesser Flamingo</b>	<b>0.0035%</b>
<b>Speckled Pigeon</b>	<b>0.0000%</b>

<b>African Collared-Dove</b>	<b>0.0036%</b>
<b>Laughing Dove</b>	<b>0.0000%</b>
<b>Namaqua Dove</b>	<b>0.0000%</b>
<b>Diamond Dove</b>	<b>0.0002%</b>
<b>Zebra Dove</b>	<b>0.0002%</b>
<b>White-cheeked Turaco</b>	<b>0.0000%</b>
<b>Gray Crowned-Crane</b>	<b>0.0001%</b>
<b>Spur-winged Lapwing</b>	<b>0.0000%</b>
<b>African Darter</b>	<b>0.0000%</b>
<b>Pink-backed Pelican</b>	<b>0.0001%</b>
<b>African Sacred Ibis</b>	<b>0.0000%</b>
<b>Savanna Hawk</b>	<b>0.0000%</b>
<b>Oriental Pied-Hornbill</b>	<b>0.0000%</b>
<b>Lilac-breasted Roller</b>	<b>0.0000%</b>
<b>Keel-billed Toucan</b>	<b>0.0001%</b>
<b>Yellow-headed Caracara</b>	<b>0.0000%</b>
<b>Cockatiel</b>	<b>0.0042%</b>
<b>Sulphur-crested Cockatoo</b>	<b>0.0001%</b>
<b>Alexandrine Parakeet</b>	<b>0.0000%</b>
<b>Bourke's Parrot</b>	<b>0.0000%</b>
<b>Crimson Rosella</b>	<b>0.0000%</b>
<b>Budgerigar</b>	<b>0.0088%</b>
<b>Rainbow Lorikeet</b>	<b>0.0000%</b>
<b>Rosy-faced Lovebird</b>	<b>0.0008%</b>
<b>Fischer's Lovebird</b>	<b>0.0020%</b>

<b>Yellow-collared Lovebird</b>	<b>0.0002%</b>
<b>Gray Parrot</b>	<b>0.0000%</b>
<b>Meyer's Parrot</b>	<b>0.0000%</b>
<b>White-winged Parakeet</b>	<b>0.0043%</b>
<b>Scaly-headed Parrot</b>	<b>0.0009%</b>
<b>Yellow-crowned Parrot</b>	<b>0.0014%</b>
<b>Turquoise-fronted Parrot</b>	<b>0.0014%</b>
<b>White-fronted Parrot</b>	<b>0.0011%</b>
<b>Mealy Parrot</b>	<b>0.0000%</b>
<b>Orange-winged Parrot</b>	<b>0.0000%</b>
<b>Pacific Parrotlet</b>	<b>0.0000%</b>
<b>Yellow-faced Parrotlet</b>	<b>0.0000%</b>
<b>Maroon-bellied Parakeet</b>	<b>0.0000%</b>
<b>Black-capped Parakeet</b>	<b>0.0000%</b>
<b>Hyacinth Macaw</b>	<b>0.0000%</b>
<b>Orange-fronted Parakeet</b>	<b>0.0013%</b>
<b>Sun Parakeet</b>	<b>0.0000%</b>
<b>Jandaya Parakeet</b>	<b>0.0000%</b>
<b>Blue-and-yellow Macaw</b>	<b>0.0000%</b>
<b>Military Macaw</b>	<b>0.0000%</b>
<b>Scarlet Macaw</b>	<b>0.0000%</b>
<b>Red-and-green Macaw</b>	<b>0.0000%</b>
<b>Green Parakeet</b>	<b>0.0000%</b>
<b>White-eyed Parakeet</b>	<b>0.0000%</b>
<b>Black-throated Magpie-Jay</b>	<b>0.0269%</b>



<b>White-throated Magpie-Jay</b>	<b>0.0000%</b>
<b>Green Jay</b>	<b>0.0003%</b>
<b>Eurasian Magpie</b>	<b>0.0000%</b>
<b>Pied Crow</b>	<b>0.0001%</b>
<b>Eurasian Blue Tit</b>	<b>0.0000%</b>
<b>Great Tit</b>	<b>0.0002%</b>
<b>Japanese Tit</b>	<b>0.0004%</b>
<b>Red-vented Bulbul</b>	<b>0.0002%</b>
<b>White-eared Bulbul</b>	<b>0.0000%</b>
<b>Vinous-throated Parrotbill</b>	<b>0.0000%</b>
<b>Indian White-eye</b>	<b>0.0005%</b>
<b>Red-billed Leiothrix</b>	<b>0.0000%</b>
<b>Common Hill Myna</b>	<b>0.0002%</b>
<b>Bali Myna</b>	<b>0.0000%</b>
<b>Brahminy Starling</b>	<b>0.0000%</b>
<b>Common Myna</b>	<b>0.0000%</b>
<b>Crested Myna</b>	<b>0.0001%</b>
<b>Purple Starling</b>	<b>0.0000%</b>
<b>Golden-fronted Leafbird</b>	<b>0.0000%</b>
<b>Golden Palm Weaver</b>	<b>0.0000%</b>
<b>Taveta Golden-Weaver</b>	<b>0.0000%</b>
<b>Southern Masked-Weaver</b>	<b>0.0000%</b>
<b>Village Weaver</b>	<b>0.0001%</b>
<b>Black-headed Weaver</b>	<b>0.0006%</b>
<b>Southern Red Bishop</b>	<b>0.0000%</b>

<b>Zanzibar Red Bishop</b>	<b>0.0000%</b>
<b>Black-winged Bishop</b>	<b>0.0001%</b>
<b>Yellow-crowned Bishop</b>	<b>0.0020%</b>
<b>White-winged Widowbird</b>	<b>0.0001%</b>
<b>Diamond Firetail</b>	<b>0.0000%</b>
<b>Red-browed Firetail</b>	<b>0.0000%</b>
<b>Double-barred Finch</b>	<b>0.0000%</b>
<b>Zebra Finch</b>	<b>0.0024%</b>
<b>Bronze Mannikin</b>	<b>0.0169%</b>
<b>Indian Silverbill</b>	<b>0.0002%</b>
<b>White-rumped Munia</b>	<b>0.0000%</b>
<b>Tricolored Munia</b>	<b>0.0000%</b>
<b>Chestnut Munia</b>	<b>0.0000%</b>
<b>White-headed Munia</b>	<b>0.0000%</b>
<b>Gouldian Finch</b>	<b>0.0000%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0394%</b>
<b>Common Waxbill</b>	<b>0.0001%</b>
<b>Black-rumped Waxbill</b>	<b>0.0006%</b>
<b>Crimson-rumped Waxbill</b>	<b>0.0000%</b>
<b>Cut-throat</b>	<b>0.0000%</b>
<b>Zebra Waxbill</b>	<b>0.0001%</b>
<b>Red Avadavat</b>	<b>0.0000%</b>
<b>Red-cheeked Cordonbleu</b>	<b>0.0011%</b>
<b>Blue-capped Cordonbleu</b>	<b>0.0000%</b>
<b>Green-winged Pytilia</b>	<b>0.0000%</b>

<b>Peters's Twinspot</b>	<b>0.0000%</b>
<b>Red-billed Firefinch</b>	<b>0.0002%</b>
<b>African Firefinch</b>	<b>0.0000%</b>
<b>Togo Paradise-Whydah</b>	<b>0.0000%</b>
<b>Broad-tailed Paradise-Whydah</b>	<b>0.0003%</b>
<b>Village Indigobird</b>	<b>0.0000%</b>
<b>Sudan Golden Sparrow</b>	<b>0.0000%</b>
<b>Hawfinch</b>	<b>0.0000%</b>
<b>European Greenfinch</b>	<b>0.0004%</b>
<b>White-rumped Seedeater</b>	<b>0.0001%</b>
<b>Yellow-fronted Canary</b>	<b>0.0024%</b>
<b>Black-throated Canary</b>	<b>0.0000%</b>
<b>Streaky Seedeater</b>	<b>0.0000%</b>
<b>European Goldfinch</b>	<b>0.0145%</b>
<b>European Serin</b>	<b>0.0000%</b>
<b>Island Canary</b>	<b>0.0002%</b>
<b>Black Siskin</b>	<b>0.0000%</b>
<b>Crested Oropendola</b>	<b>0.0000%</b>
<b>Epaulet Oriole</b>	<b>0.0000%</b>
<b>Venezuelan Troupial</b>	<b>0.0002%</b>
<b>Orange-breasted Bunting</b>	<b>0.0000%</b>
<b>Red-crested Cardinal</b>	<b>0.0002%</b>
<b>Yellow-billed Cardinal</b>	<b>0.0000%</b>
<b>White-lined Tanager</b>	<b>0.0000%</b>
<b>Blue-gray Tanager</b>	<b>0.0009%</b>

<b>Blue Dacnis</b>	<b>0.0000%</b>
<b>Saffron Finch</b>	<b>0.0005%</b>
<b>Grassland Yellow-Finch</b>	<b>0.0000%</b>
<b>Blue-black Grassquit</b>	<b>0.0001%</b>
<b>Parrot-billed Seedeater</b>	<b>0.0000%</b>
<b>Cinnamon-rumped Seedeater</b>	<b>0.0018%</b>
<b>Yellow-faced Grassquit</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
Snow x Ross's Goose (hybrid)	<b>0.0077%</b> frequency
Graylag x Swan Goose (hybrid)	<b>0.0114%</b>
Emperor x Greater White-fronted Goose (hybrid)	<b>0.0000%</b>
Snow x Greater White-fronted Goose (hybrid)	<b>0.0004%</b>
Emperor x Cackling Goose (hybrid)	<b>0.0000%</b>
Greater White-fronted x Cackling Goose (hybrid)	<b>0.0009%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0037%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0029%</b>
Graylag x Canada Goose (hybrid)	<b>0.0084%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0502%</b>
Snow x Canada Goose (hybrid)	<b>0.0001%</b>
Barnacle x Canada Goose (hybrid)	<b>0.0000%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0061%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0025%</b>
Cinnamon Teal x Northern Shoveler (hybrid)	<b>0.0038%</b>

Northern Shoveler x Gadwall (hybrid)	<b>0.0002%</b>
Northern Shoveler x American Wigeon (hybrid)	<b>0.0004%</b>
Gadwall x American Wigeon (hybrid)	<b>0.0000%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0234%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0150%</b>
Wood Duck x Mallard (hybrid)	<b>0.0003%</b>
Northern Shoveler x Mallard (hybrid)	<b>0.0000%</b>
Gadwall x Mallard (hybrid)	<b>0.0052%</b>
American Wigeon x Mallard (hybrid)	<b>0.0013%</b>
Mallard x Mexican Duck (hybrid)	<b>0.0022%</b>
Gadwall x Northern Pintail (hybrid)	<b>0.0000%</b>
American Wigeon x Northern Pintail (hybrid)	<b>0.0000%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0007%</b>
Blue-winged x Green-winged Teal (hybrid)	<b>0.0001%</b>
Cinnamon x Green-winged Teal (hybrid)	<b>0.0000%</b>
Gadwall x Green-winged Teal (hybrid)	<b>0.0000%</b>
American Wigeon x Green-winged Teal (hybrid)	<b>0.0000%</b>
Northern Pintail x Green-winged Teal (hybrid)	<b>0.0000%</b>
Canvasback x Redhead (hybrid)	<b>0.0002%</b>
Redhead x Ring-necked Duck (hybrid)	<b>0.0000%</b>
Ring-necked x Tufted Duck (hybrid)	<b>0.0000%</b>
Ring-necked Duck x Greater Scaup (hybrid)	<b>0.0000%</b>
Tufted Duck x Greater Scaup (hybrid)	<b>0.0000%</b>
Ring-necked Duck x Lesser Scaup (hybrid)	<b>0.0004%</b>

Tufted Duck x Lesser Scaup (hybrid)	<b>0.0001%</b>
Ring-necked Duck x scaup sp. (hybrid)	<b>0.0003%</b>
Tufted Duck x scaup sp. (hybrid)	<b>0.0006%</b>
Bufflehead x Common Goldeneye (hybrid)	<b>0.0020%</b>
Common x Barrow's Goldeneye (hybrid)	<b>0.0049%</b>
Bufflehead x Hooded Merganser (hybrid)	<b>0.0000%</b>
Common Goldeneye x Hooded Merganser (hybrid)	<b>0.0003%</b>
Barrow's Goldeneye x Hooded Merganser (hybrid)	<b>0.0001%</b>
goldeneye sp. x Hooded Merganser (hybrid)	<b>0.0000%</b>
California x Gambel's Quail (hybrid)	<b>0.0043%</b>
Golden x Lady Amherst's Pheasant (hybrid)	<b>0.0000%</b>
Western x Clark's Grebe (hybrid)	<b>0.0049%</b>
Eurasian x African Collared-Dove (hybrid)	<b>0.0000%</b>
Eurasian Collared-Dove x Mourning Dove (hybrid)	<b>0.0000%</b>
Black-chinned x Anna's Hummingbird (hybrid)	<b>0.0001%</b>
Black-chinned x Costa's Hummingbird (hybrid)	<b>0.0004%</b>
Anna's x Costa's Hummingbird (hybrid)	<b>0.0060%</b>
Black-chinned x Calliope Hummingbird (hybrid)	<b>0.0000%</b>
Anna's x Calliope Hummingbird (hybrid)	<b>0.0000%</b>
Black-chinned x Rufous Hummingbird (hybrid)	<b>0.0000%</b>
Anna's x Rufous Hummingbird (hybrid)	<b>0.0000%</b>
Calliope x Rufous Hummingbird (hybrid)	<b>0.0001%</b>

Anna's x Allen's Hummingbird (hybrid)	<b>0.0011%</b>
Rufous x Allen's Hummingbird (hybrid)	<b>0.0000%</b>
Anna's Hummingbird x Selasphorus sp. (hybrid)	<b>0.0022%</b>
Costa's x Broad-billed Hummingbird (hybrid)	<b>0.0001%</b>
Common Gallinule x American Coot (hybrid)	<b>0.0002%</b>
American x Black Oystercatcher (hybrid)	<b>0.0178%</b>
Great Knot x Surfbird (hybrid)	<b>0.0001%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0073%</b>
Western x Glaucous-winged Gull (hybrid)	<b>0.4775%</b>
Herring x Glaucous-winged Gull (hybrid)	<b>0.1314%</b>
Glaucous x Glaucous-winged Gull (hybrid)	<b>0.0084%</b>
Glaucous-winged x Slaty-backed Gull (hybrid)	<b>0.0000%</b>
Sandwich x Elegant Tern (hybrid)	<b>0.0003%</b>
Laysan x Black-footed Albatross (hybrid)	<b>0.0000%</b>
Brown x Blue-footed Booby (hybrid)	<b>0.0001%</b>
Double-crested x Neotropic Cormorant (hybrid)	<b>0.0000%</b>
Yellow-crowned x Black-crowned Night Heron (hybrid)	<b>0.0001%</b>
Little Blue Heron x Snowy Egret (hybrid)	<b>0.0000%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0004%</b>
Common Black x Red-shouldered Hawk (hybrid)	<b>0.0095%</b>
Red-tailed x Rough-legged Hawk (hybrid)	<b>0.0000%</b>
Spotted x Barred Owl (hybrid)	<b>0.0001%</b>
Yellow-bellied x Red-naped Sapsucker (hybrid)	<b>0.0012%</b>

Yellow-bellied x Red-breasted Sapsucker (hybrid)	<b>0.0002%</b>
Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0309%</b>
Yellow-bellied/Red-naped x Red-breasted Sapsucker (hybrid)	<b>0.0000%</b>
Downy x Nuttall's Woodpecker (hybrid)	<b>0.0015%</b>
Nuttall's x Ladder-backed Woodpecker (hybrid)	<b>0.0075%</b>
Downy x Hairy Woodpecker (hybrid)	<b>0.0001%</b>
Nuttall's x Hairy Woodpecker (hybrid)	<b>0.0000%</b>
Ladder-backed x Hairy Woodpecker (hybrid)	<b>0.0000%</b>
Hairy x White-headed Woodpecker (hybrid)	<b>0.0001%</b>
Northern x Gilded Flicker (hybrid)	<b>0.0002%</b>
Peregrine x Prairie Falcon (hybrid)	<b>0.0000%</b>
Fischer's x Yellow-collared Lovebird (hybrid)	<b>0.0001%</b>
Red-crowned x Lilac-crowned Parrot (hybrid)	<b>0.0010%</b>
Red-crowned x Red-lored Parrot (hybrid)	<b>0.0002%</b>
Black x Say's Phoebe (hybrid)	<b>0.0001%</b>
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	<b>0.0007%</b>
Philadelphia x Red-eyed Vireo (hybrid)	<b>0.0001%</b>
Tree x Barn Swallow (hybrid)	<b>0.0000%</b>
Barn x Cliff Swallow (hybrid)	<b>0.0001%</b>
Red-whiskered x Red-vented Bulbul (hybrid)	<b>0.0002%</b>
California x Crissal Thrasher (hybrid)	<b>0.0003%</b>
Western x Mountain Bluebird (hybrid)	<b>0.0000%</b>



Clay-colored x Brewer's Sparrow (hybrid)	<b>0.0000%</b>
Dark-eyed Junco x White-crowned Sparrow (hybrid)	<b>0.0007%</b>
White-crowned x Golden-crowned Sparrow (hybrid)	<b>0.0028%</b>
White-crowned x White-throated Sparrow (hybrid)	<b>0.0003%</b>
Golden-crowned x White-throated Sparrow (hybrid)	<b>0.0002%</b>
Dark-eyed Junco x White-throated Sparrow (hybrid)	<b>0.0000%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0004%</b>
Yellow-breasted Chat x new world oriole sp. (hybrid)	<b>0.0012%</b>
Brewer's Blackbird x Great-tailed Grackle (hybrid)	<b>0.0000%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0002%</b>
MacGillivray's Warbler x Common Yellowthroat (hybrid)	<b>0.0000%</b>
Common Yellowthroat x Yellow Warbler (hybrid)	<b>0.0000%</b>
American Redstart x Yellow Warbler (hybrid)	<b>0.0001%</b>
Cape May x Yellow-rumped Warbler (hybrid)	<b>0.0000%</b>
Magnolia x Yellow-rumped Warbler (hybrid)	<b>0.0003%</b>
Yellow-rumped x Grace's Warbler (hybrid)	<b>0.0000%</b>
Yellow-rumped x Black-throated Gray Warbler (hybrid)	<b>0.0000%</b>
Yellow-rumped x Townsend's Warbler (hybrid)	<b>0.0002%</b>
Black-throated Gray x Townsend's Warbler (hybrid)	<b>0.0009%</b>
Yellow-rumped x Hermit Warbler (hybrid)	<b>0.0004%</b>

---

Black-throated Gray x Hermit Warbler (hybrid)	<b>0.0000%</b>
Townsend's x Hermit Warbler (hybrid)	<b>0.0066%</b>
Townsend's x Black-throated Green Warbler (hybrid)	<b>0.0000%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0009%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0025%</b>

---